



## Accessory catalogue 2019/2020

Dear Customer,

You have chosen Dräger's high-quality acute care workstations.

Our accessories offer you a tailor-made solution for your application, original accessories from Dräger, to ensure that they support your therapy as ideally as possible. We take just as much care in their specification, development and manufacture as we do in the manufacture of our ventilators, anesthesia workstations, incubators and monitoring products.

In addition, Dräger Accessories are underpinned by our own strict quality guidelines. Dräger's high standards of quality and innovation are ensured by testing processes in an accredited test center. For Dräger doesn't just design and manufacture technology, but technology for life. For over 100 years our medical devices and solutions have been used for one purpose – to support you in treatment and care every day in your task of protecting and preserving life.

Something you can count on. Dräger – technology for life.

# The original accessories from Dräger – at a glance

## SOMETHING YOU CAN COUNT ON: ORIGINAL ACCESSORIES BY DRÄGER

Day in, day out in the hospital you are faced with enormous time and cost pressures at the same time you are taking care of the welfare of your patients. You need technical medical accessories which you can use to unlock the full potential of your equipment, which work smoothly, guarantee the best possible care of your patients and help you to improve your processes. In short: accessories you can rely on, Dräger can supply it for you.



D-629-2016

## ORIGINAL QUALITY PAYS OFF

Whether for patient monitoring, care and treatment of neonates, anesthesia, intensive care, the emergency department or on the ward: each original accessory from Dräger doesn't just fulfil all the official quality standards. We also measure our accessories against our own strict Dräger quality standards.

## INDIVIDUAL THE IDEAL SOLUTION FOR EVERY APPLICATION

Dräger supplies over 2,000 accessory items which offer a solution for almost every need – from breathing bags to flowsensors to headbands in either disposable or re-usable. Because we design and develop all of our products according to the specific requirements of hospitals the world over – you get all accessories from one company and you have just one contact person.

## COMPATIBLE

### TESTED WITH SAFETY

Our original accessories have been tested and approved for use in conjunction with the respective Dräger device or connector, this ensures perfect interaction between device and accessory.

This means for you:

- The operating time of your Dräger devices is optimized.
- Your Dräger devices develop their full potential and thus ensure optimal patient care.

## STANDARDIZED

### ONE ORDER FOR ALL WARDS

There are comprehensively developed accessories based on proven technologies for the entire portfolio of Dräger devices. These accessories are not intended just for one specific Dräger device but can be used for nearly every Dräger device – and even across wards.

This means for you:

- Your logistics are simplified.
- This saves you labor, cost and time.

## VENTILATION ACCESSORIES



> on page 8 onward

1

## SODA LIME



> on page 100 onward

2

## SENSORS



> on page 106 onward

3

## MONITORING ACCESSORIES



> on page 112 onward

4

## WARD EQUIPMENT



> on page 230 onward

5

## RAIL ACCESSORIES AND EXAMINATION LIGHT



> on page 312 onward

6

## NEONATAL CARE AND THERMOREGULATION



> on page 326 onward

7

# On this way you'll find your accessories:

## 1. FIND ACCESSORIES IN THE CATALOG

Looking for a new expiratory valve? In the back of the catalog, from page 430 onwards, you will find an index with key words listed alphabetically. They lead directly to the product page.

INDEX		
Expiratory valve for Babylog® VN 500, reusable	8415270	81
Expiratory valve for Canine®, disp.	MP00220	81
Expiratory valve for Evita Infinity® V500, Evita® V300, reusable	8416750	79
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776	79
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600	79
Expiratory valve for Evita®, reusable	8410580	79
Expiratory valve for Savina® 300, reusable	8417050	81
Expiratory valve for Savina®, disposable, 10 pcs.	MP01061	81
Expiratory valve for Savina®, reusable	8413660	81
Extension arm set for cables and hoses, with cable/hose guide channels	G13040	279

## 2. NOTE DOWN ORDER NUMBER

Have you chosen a particular accessory? Simply note down the order number.

DEVICE RELATED ACCESSORIES		
6. DEVICE RELATED ACCESSORIES		
A	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776
	Expiratory valve for Evita®, reusable	8410580
B	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600
C	Infinity ID, expiratory valve, disposable, 10 pcs.	MP01060
D	Expiratory valve for Evita Infinity® V500, reusable	8416750

## 3. ORDER ACCESSORIES

There are two options for ordering Dräger accessories:

a) by telephone, mail or fax

Please refer to the back of this catalog for your region's contact details.

b) do you have a direct line to Dräger field sales?

Use it and mail or fax your order to your contact.

## OVERVIEW

### VENTILATION ACCESSORIES 08

- Breathing circuits
- Breathing system filters and HMEs
- CO<sub>2</sub> cuvettes
- Catheter mounts and airway connectors
- Non-invasive patient interfaces and accessories
- Device related accessories
- Pack2Go®/Set2go
- Humidifier and nebulizer
- Intubation kits
- Resuscitators

### SODA LIME 100

### SENSORS 106

### MONITORING ACCESSORIES 112

- Infinity® Monitoring: Gamma, Delta, Kappa and Vista series
- Infinity® Acute Care System
- Infinity® M300
- Vista 120
- Multi Vendor Adapter

### WARD EQUIPMENT 230

- Oxygen therapy
- Aerosol therapy
- Medical aspiration
- Accessory for gas supply

### RAIL ACCESSORIES AND EXAMINATION LIGHTS 312

- Rail accessories
- Examination light
- Hinged arms

### NEONATAL CARE AND THERMOREGULATIONS 326

- Warming therapy
- Ventilation accessories
- Sensors
- Monitoring accessories
- Ward equipment
- Rail accessories and examination light

### INDEX BY ORDER NUMBER 430

### INDEX BY PRODUCT NAME 443



# Ventilation accessories

# 1

## SOMETHING YOU CAN COUNT ON:

- All system components from a single source: uniform accessories for all departments – from the emergency department, to the surgical area, and to intensive care and neonate wards
- A system of closely matched ventilation accessories – from the Dräger device to the patient
- The right product for each patient and the various forms of therapy – high quality materials that ensure that your patients are perfectly cared for

## CONTENT

### VENTILATION ACCESSORIES

<b>1. Breathing circuits</b>	<b>11</b>	<b>5. Non-invasive patient interfaces and accessories</b>	<b>59</b>
1.1 Disposable breathing circuits/sets and related accessories	11	5.1 NIV masks and accessories	59
1.2 Reusable breathing circuits/sets and related accessories	27	5.2 Anesthesia masks and accessories	67
<b>2. Breathing system filters and HMEs</b>	<b>47</b>	5.3 Oxygen (O <sub>2</sub> ) and aerosol therapy masks, venturi mask kits, nasal cannulas and accessories	73
<b>3. CO<sub>2</sub> cuvettes</b>	<b>54</b>	5.4 High-Flow Therapy Nasal Cannula and accessories	78
3.1 Disposable	54	<b>6. Device related accessories</b>	<b>79</b>
3.2 Reusable	55	<b>7. Pack2Go®/Set2go</b>	<b>83</b>
<b>4. Catheter mounts and airway connectors</b>	<b>56</b>	<b>8. Humidifier and nebulizer</b>	<b>86</b>
		<b>9. Intubation kits</b>	<b>93</b>
		<b>10. Resuscitators</b>	<b>95</b>

Note: size classification to adults (A), pediatrics (P) and neonats (N).

NOTES

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

**1. BREATHING CIRCUITS**  
**1.1 DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

With VentStar® Family Dräger offers a wide range of disposable breathing circuits for different applications as well as for different patient groups (neo, ped, adult). Customers can choose between various kinds of materials. All disposable breathing circuits are made of high quality material and all gas leading components are PVC-free (no harm through softeners like e.g. DEHP). Special focus at Dräger is – additionally to CE – the interaction between Dräger device and related breathing circuit what is documented in our declarations of system compatibility.

Declarations of system compatibility underlie intensive testing in various scenarios which are based on our long-time experience concerning interaction of device with accessory. With respect to the newest device generation we enlarged our portfolio with ID breathing circuits which support the Infinity® ID functionality of the relevant Dräger devices.

<b>A</b>	<b>Breathing circuit Vent Set, disposable, basic, 1.5 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00300</b>
<b>B</b>	<b>Breathing circuit VentStar®, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00349</b>
<b>C</b>	<b>Breathing circuit VentStar®, disposable, basic, 2.5 m, 10 pcs., not made with natural rubber latex</b>	<b>MP00350</b>
<b>D</b>	<b>Breathing circuit VentStar®, disposable, P, basic, w/o LL, 1.5 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00338</b>
<b>E</b>	<b>Breathing circuit VentStar®, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00351</b>
<b>F</b>	<b>Breathing circuit VentStar®, disposable, P, basic, 2.5 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00352</b>
<b>G</b>	<b>Breathing circuit VentStar®, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00353</b>

Not all articles are available worldwide.

ADULTS  
 PEDIATRICS  
 NEONATES



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

- A Breathing circuit VentStar®, disposable, water trap, w/o LL, 1.8 m, 25 pcs., not made with natural rubber latex MP00334

---

- B Breathing circuit VentStar®, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex MP00337

---

- C Breathing circuit VentStar®, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex MP00361

---

- D Breathing circuit VentStar®, disposable, P, water trap, w/o LL, 1.8 m, 25 pcs., not made with natural rubber latex MP00362

---

- E Breathing circuit VentStar®, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex MP00363



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

- A Breathing circuit VentStar®, disposable, coaxial, 1.7 m, 20 pcs., not made with natural rubber latex MP03373

---

- B Breathing circuit VentStar®, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex MP03374

---

- C Breathing circuit VentStar®, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex MP03376

---

- D Breathing circuit VentStar®, disposable, coaxial, water trap, 2.1 m, 10 pcs., not made with natural rubber latex MP00373

---

- E Breathing circuit VentStar®, disposable, P, coaxial, 1.5 m, 20 pcs., not made with natural rubber latex MP00379



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

- A Breathing circuit Vent Set, disposable, extendable, 1.8 m, 25 pcs., not made with natural rubber latex MP00305

---


- B Breathing circuit VentStar®, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex MP00355

---

- C Breathing circuit VentStar®, disposable, smoothbore, for MRI, 3 m, 10 pcs., not made with natural rubber latex MP00327

---

- D Breathing circuit VentStar®, disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex MP00329



Not all articles are available worldwide.

**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

- A Breathing bag set VentStar®, disposable, 2 L, 0.8 m, 25 pcs., not made with natural rubber latex MP00222

---

- B Breathing bag set VentStar®, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex MP00380

---

- B Breathing bag set VentStar®, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex MP00381

---

- C Breathing bag set VentStar®, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex MP00384

---

- D Breathing bag set VentStar®, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex MP00383

---

- E ① VentStar® Breathing Bag 3 L, 25 pcs. MP02713

---


- E ② VentStar® Breathing Bag 2 L, 25 pcs. MP02712

---

- E ③ VentStar® Breathing Bag 1 L, 25 pcs. MP02711

---

- E ④ VentStar® Breathing Bag 0.5 L, 25 pcs. MP02710



Not all articles are available worldwide.



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

<b>A</b> Anesthesia set, disposable, basic, 1.5 m/0.8 m, 25 pcs., not made with natural rubber latex	<b>MP00301</b>
<b>B</b> Anesthesia set, disposable, extendable, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	<b>MP00303</b>
<b>C</b> Anesthesia set VentStar®, disposable, w/o Luer Lock, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	<b>MP00330</b>
<b>D</b> Anesthesia set VentStar®, disposable, P, w/o Luer Lock, 1.5 m/1.1 m, 25 pcs., not made with natural rubber latex	<b>MP00331</b>
<b>E</b> Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex	<b>MP00333</b>



Not all articles are available worldwide.

**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

<b>A</b> Anesthesia set VentStar®, disposable, basic, 2 L, 1.8 m/1.5 m, 25 pcs., not made with natural rubber latex	<b>MP00365</b>
<b>B</b> Anesthesia set VentStar®, disposable, basic, 2 L, 2.5 m/1.5 m, 10 pcs., not made with natural rubber latex	<b>MP00366</b>
<b>C</b> Anesthesia set VentStar®, disposable, WT, w/o LL, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	<b>MP00371</b>
<b>D</b> Anesthesia set VentStar®, disposable, WT, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	<b>MP00372</b>
<b>E</b> Anesthesia set VentStar®, disposable, WT, w/o LL, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	<b>MP02720</b>
<b>F</b> Anesthesia set VentStar®, disposable, WT, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	<b>MP02721</b>



Not all articles are available worldwide.

**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

<b>A</b> Anesthesia set VentStar®, disposable, P, WT, w/o LL, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex	<b>MP00375</b>
<b>B</b> Anesthesia set VentStar®, disposable, P, WT, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex	<b>MP00374</b>
Anesthesia set VentStar®, disposable, coaxial, water trap, 2 L, 2.1/1,2 m, 10 pcs., not made with natural rubber latex	<b>MP03381</b>
Anesthesia set VentStar, disposable, coaxial, 2 L, 1.8 m/1.2 m, 10 pcs., not made with natural rubber latex	<b>MP03383</b>
Anesthesia set VentStar, disposable, coaxial, 2 L, 1.9 m/1.2 m, 10 pcs., not made with natural rubber latex	<b>MP03384</b>



Not all articles are available worldwide.

**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

<b>A</b> Breathing circuit VentStar®, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	<b>MP00308</b>
<b>B</b> Breathing circuit VentStar®, disposable, N, heated, w/o chamber, 1.2 m, 10 pcs., not made with natural rubber latex	<b>MP00309</b>
<b>C</b> Humidifier chamber VentStar®, disposable, 10 pcs.	<b>MP00234</b>
<b>D</b> Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex	<b>MP02650</b>
<b>E</b> Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs., not made with natural rubber latex	<b>MP02608</b>
<b>F</b> Humidifier chamber VentStar®, disposable, N, 10 pcs.	<b>MP02590</b>
<b>G</b> Double connector 11ID/15OD, disposable, 10 pcs.	<b>MP02655</b>



Not all articles are available worldwide.

**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

A	VentStar® Helix, dual heated, 10 pcs.	MP02606
B	VentStar® Helix, heated, 10 pcs.	MP02607
C	Humidifier chamber, 10 pcs.	MP02605
D	Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00343

**TRADEWARE**

	Breathing circuit Fisher & Paykel RT212, disposable, inspiratory heated, 10 pcs.*	8414991
	Breathing circuit Fisher & Paykel RT225, disposable, N, inspiratory heated, 10 pcs.*	8414994

\*Produced by Fisher & Paykel



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

A	Breathing circuit for Oxylog 1000 VentStar®, disposable, 1.8 m, 25 pcs. set, not made with natural rubber latex	2M86837
B	Breathing circuit for Oxylog 2000 VentStar®, disposable, 1.8 m, 5 pcs. set, not made with natural rubber latex	2M86841
C	Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 1.5 m (4.92 ft), 5 pcs., for Oxylog VE300 only with Option Plus	5703041
D	Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 3 m (9.8 ft), 5 pcs., for Oxylog VE300 only with Option Plus	MP00335
E	Breathing circuit VentStar® Oxylog VE300, disposable, 1.5 m, 5 pcs., not made with natural rubber latex	MP01370
F	Breathing circuit Oxylog VE300, VentStar®, disposable, 3 m, 5 pcs., not made with natural rubber latex	MP01371
G	Breathing circuit Oxylog 3000, 3000+ VentStar®, disposable, P, 1.9 m, 5 pcs., Oxylog 3000: ≥ SW 1.20, not made with natural rubber latex	5704964



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

- A Breathing circuit VentStar® Carina® LeakV, disposable, 1.5 m, 25 pcs., not made with natural rubber latex MP00312

---

- B Breathing circuit VentStar® Carina® ExpV, disposable, 1.5 m, 25 pcs., not made with natural rubber latex MP00313

---

- C Breathing circuit VentStar® Carina® ExpV, disposable, 2 m, 25 pcs., not made with natural rubber latex 5704962



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

- A Breathing circuit Infinity® ID, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex MP01350

---

- B Breathing circuit Infinity® ID, disposable, basic, 2.5 m, 25 pcs., not made with natural rubber latex MP01348

---

- C Breathing circuit Infinity® ID, disposable, smoothbore, 1.6 m, 25 pcs., not made with natural rubber latex MP00340

---

- D Breathing circuit Infinity® ID, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex MP01326

---

- E Breathing circuit Infinity® ID, disposable, water trap, 2.1 m, 10 pcs., not made with natural rubber latex MP00378



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

- A Breathing circuit Infinity® ID, disposable, smoothbore, 3 m, 10 pcs., not made with natural rubber latex MP01325

---

- B Breathing circuit Infinity® ID, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex MP01347

---

- C Breathing circuit Infinity® ID, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex MP03375

---

- D Breathing circuit Infinity® ID, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex MP03377

---

- Anesthesia set Infinity® ID, disposable, coaxial, water trap, 2 L, 2.1/1,2 m, 10 pcs., not made with natural rubber latex MP03388



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

- A Breathing circuit Infinity® ID, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex MP01340

---

- B Breathing circuit Infinity® ID, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex MP01341

---

- C Breathing circuit Infinity® ID, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex MP01327

---

- Breathing circuit Infinity® ID, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex MP01328



**DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

ADULTS  
PEDIATRICS  
NEONATES

<b>A</b>	Breathing bag set Infinity® ID, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	<b>MP00341</b>
<b>B</b>	Breathing bag set Infinity® ID, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	<b>MP01330</b>
<b>C</b>	Breathing bag set Infinity® ID, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	<b>MP01343</b>
<b>D</b>	Breathing bag set Infinity® ID, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	<b>MP01329</b>




**REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

**1.2 REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**


**REUSABLE BREATHING SYSTEMS: BLUESET VENTILATION**

<b>A</b>	<b>BlueSet Ventilation (N)</b>	<b>8412344</b>
Consists of:		
<b>1</b>	Y-piece, reusable, P, angled, with suction opening	<b>8403075</b>
<b>2</b>	Corrugated hose, P, 14 cm, catheter mount	<b>8403333</b>
<b>3</b>	Connector for thermometer, reusable, for breathing hose set Aquapor EL	<b>8403056</b>
<b>4</b>	Water trap, reusable, P	<b>8404760</b>
<b>5</b>	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	<b>2165848</b>
<b>6</b>	Water trap, reusable, N	<b>8409627</b>
<b>7</b>	Cap, reusable, 7 mm	<b>8401645</b>
<b>8</b>	Connector, aluminum, reusable, 22 mm/11 mm	<b>8405752</b>
<b>9</b>	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	<b>2165856</b>
<b>10</b>	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	<b>2165821</b>



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


A	<b>BlueSet Ventilation (P/A)</b>	<b>8413146</b>
Consists of:		
1	Connector for endotracheal tube, reusable, size 12.5 mm	M23840
2	ISO double connector, reusable, 22 mm/22 mm	M25647
3	Angle Socket ISO	8290274
4	Corrugated hose, reusable, catheter mount	8402041
5	Connector for breathing hose, reusable, A	8403076
6	Hose clip, 10 pcs.	8403566
7	Y-piece, reusable, for Dräger temperature probe	8405435
7	Dummy Plug	8410049
8	Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	2165619
9	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2165627
10	Cap set, reusable, 11 mm, 5 pcs.	8402918
11	Connector set for endotracheal tube, reusable, size 6 mm – 12.5 mm, 12 pcs.	8403685
12	Water trap, reusable, A	8404985



Not all articles are available worldwide.

## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	<b>BlueSet Ventilation HME (P/A)</b>	<b>8412860</b>
Consists of:		
1	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046
2	Y-piece, reusable, for temperature probe adapter 900 MR 532	8412888




Not all articles are available worldwide.

## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

### REUSABLE HEATED SYSTEMS: BLUESET HEATED

<b>A BlueSet heated (P/A)</b>	<b>8414986</b>
Consists of:	
<b>1</b> Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	<b>2166038</b>
<b>2</b> Hose clip, 10 pcs.	<b>8403566</b>
<b>3</b> Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	<b>2165627</b>
<b>4</b> Connector for breathing hose, reusable, A	<b>8403076</b>
<b>5</b> Water trap, reusable, A	<b>8404985</b>
<b>6</b> ISO double connector, reusable, 22 mm/22 mm	<b>M25647</b>
<b>7</b> Connector set for endotracheal tube, reusable, size 6 mm – 12.5 mm, 12 pcs.	<b>8403685</b>
<b>8</b> Connector for endotracheal tube, reusable, size 12.5 mm	<b>M23840</b>
<b>9</b> Cap, reusable, 11 mm	<b>8401644</b>
<b>10</b> Corrugated hose, reusable, catheter mount	<b>8402041</b>
<b>11</b> Y-piece, reusable, for temperature probe adapter 900 MR 532	<b>8412888</b>
<b>12</b> Temperature probe adapter 900 MR 532, for F&P humidifiers*	<b>MP01007</b>
<b>13</b> Elbow, reusable	<b>M25649</b>
<b>14</b> Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*	<b>8414993</b>
<b>15</b> Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	<b>2165619</b>

\*Produced by Fisher & Paykel




D-101208-2013

## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

<b>A BlueSet heated (N)</b>	<b>8414987</b>
Consists of:	
<b>1</b> Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	<b>2165651</b>
<b>2</b> Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	<b>2165848</b>
<b>3</b> Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.	<b>8409634</b>
<b>4</b> Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	<b>2165856</b>
<b>5</b> Water trap, reusable, N	<b>8409627</b>
<b>6</b> Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*	<b>8414993</b>
<b>7</b> Cap, reusable, 7 mm	<b>8401645</b>
<b>8</b> Y-piece, reusable, P, angled, with suction opening	<b>8403075</b>
<b>9</b> Connector for endotracheal tube, reusable, size 11 mm	<b>M19351</b>
<b>10</b> T-piece connector, reusable	<b>8411044</b>
<b>11</b> Double connector, outer diameter 11 mm	<b>8409897</b>
<b>12</b> Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex	<b>MP02425</b>
<b>13</b> Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	<b>2165821</b>

\*Produced by Fisher & Paykel



D-161-2018



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


<b>A BlueSet heated HFV (N)</b>	<b>8411153</b>
Consists of:	
<b>1 Breathing hose, Hytrel, 70 cm</b>	<b>8418404</b>
<b>2 Breathing hose, Hytrel, 65 cm</b>	<b>8410814</b>
<b>3 Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex</b>	<b>MP02425</b>
<b>4 Hose heater for F&amp;P MR 700/730, 70 cm*</b>	<b>8411154</b>
<b>4 Connector 900 MR 830, for HFV breathing circuit by F&amp;P*</b>	<b>8418455</b>
<b>5 Connector 900 MR 533, for HFV breathing circuit by F&amp;P*</b>	<b>8418407</b>
<b>6 Connector for endotracheal tube, reusable, size 11 mm</b>	<b>M19351</b>
<b>7 Water trap, reusable, N</b>	<b>8409627</b>
<b>8 Elbow, reusable</b>	<b>8418289</b>
<b>9 Breathing hose, Hytrel, 40 cm</b>	<b>8410816</b>
<b>10 T-piece connector, reusable, for F&amp;P temperature probe*</b>	<b>8418405</b>

\*Produced by Fisher & Paykel



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


<b>A BlueSet heated Incubator (N)</b>	<b>8411041</b>
Consists of:	
<b>1 Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165651</b>
<b>2 Breathing hose, silicone, reusable, P/N, 1 m, Ø 10 mm</b>	<b>8403080</b>
<b>3 Breathing hose, silicone, reusable, P/N, 35 cm, Ø 10 mm</b>	<b>8403070</b>
<b>4 Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex</b>	<b>MP02425</b>
<b>5 Water trap, reusable, N</b>	<b>8409627</b>
<b>6 Elbow, reusable</b>	<b>8418289</b>
<b>7 Double connector, outer diameter 11 mm</b>	<b>8409897</b>
<b>8 Connector for endotracheal tube, reusable, size 11 mm</b>	<b>M19351</b>
<b>9 T-piece connector, reusable</b>	<b>8411044</b>
<b>10 Hose heater, A, 1.1 m</b>	<b>8411045</b>
<b>11 Corrugated hose, silicone, N, 20 cm, catheter mount</b>	<b>8410709</b>
<b>12 Breathing hose, silicone, reusable, N, 50 cm, Ø 10 mm</b>	<b>8418458</b>



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

### REUSABLE ANESTHESIA SYSTEMS: BLUESET ANESTHESIA


A	<b>BlueSet Anesthesia (P/A)</b>	<b>M30146</b>
Consists of:		
①	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046
②	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038
③	Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062
④	Y-piece, polyamide, reusable, A, with angled Luer Lock	M33278
⑤	ISO double connector, reusable, 22 mm/22 mm	M25647



D-48-2016

## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


A	<b>BlueSet Anesthesia water trap (P/A)</b>	<b>MK04248</b>
Consists of:		
①	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2165627
②	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038
③	ISO double connector, reusable, 22 mm/22 mm	M25647
④	Water trap, reusable, A	8404985
⑤	Y-piece, polyamide, reusable, A, with angled Luer Lock	M33278
⑥	Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062



D-50624-2015

## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

<b>A BlueSet Anesthesia (N)</b>	<b>M27542</b>
Consists of:	
<b>1 Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165961</b>
<b>2 Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm</b>	<b>2165678</b>
<b>3 Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex</b>	<b>2166054</b>
<b>4 ISO double connector, reusable, 22 mm/22 mm</b>	<b>M25647</b>
<b>5 Y-piece, reusable, P, angled, with suction opening</b>	<b>8403075</b>
<b>6 Luer Lock elbow, N</b>	<b>M34568</b>
<b>6 Cap Luer Lock</b>	<b>M34461</b>
<b>7 Cap set, reusable, 7 mm, 5 pcs.</b>	<b>8402953</b>



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

<b>A Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm</b>	<b>2166046</b>
<b>B Ventilation valve for Oxylog® 1000, reusable</b>	<b>2M86800</b>
<b>C PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar</b>	<b>8407475</b>
<b>D PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar</b>	<b>2M86832</b>
<b>E Connector set for endotracheal tube, reusable, size 6 mm – 12.5 mm, 12 pcs.</b>	<b>8403685</b>



**REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

<b>A</b>	<b>Breathing hose set for Oxylog® 2000/3000 family, reusable,w/ flow meas. line, 1.5 m</b>	<b>8412068</b>
Consists of:		
	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046
	Flow measuring line for Oxylog® 2000/3000 family, 1.5 m, 2 pcs.	8410929
<b>A</b>	<b>Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow meas. line, 3 m</b>	<b>8412913</b>
Consists of:		
	Breathing hose for Oxylog® 1000, reusable, silicone, 3 m	2112760
	Flow measuring line for Oxylog® 2000/3000 family, 3 m, 2 pcs.	8413293
<b>B</b>	<b>Ventilation valve for Oxylog® 2000/3000, reusable</b>	<b>8412001</b>
<b>C</b>	<b>Pressure difference flow sensor, PPSU, sterilizable</b>	<b>8412034</b>
<b>D</b>	<b>Elbow, reusable</b>	<b>8412235</b>



**REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in)

<b>A</b>	<b>Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm</b>	<b>2165619</b>
<b>B</b>	<b>Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm</b>	<b>2165627</b>
<b>C</b>	<b>Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm</b>	<b>2166038</b>
<b>D</b>	<b>Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm</b>	<b>2166046</b>



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

<b>A</b>	<b>Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm, Ø 10 mm</b>	<b>2165848</b>
----------	---	----------------

Silicone breathing hose (pediatric) with standard sleeves 22 mm (0.9 in) on both sides and 10 mm (0.4 in) inner diameter

<b>B</b>	<b>Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm</b>	<b>2165678</b>
----------	---	----------------



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

<b>A</b>	<b>Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165856</b>
----------	---	----------------

<b>B</b>	<b>Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165821</b>
----------	---	----------------

<b>C</b>	<b>Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165651</b>
----------	---	----------------

<b>D</b>	<b>Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165961</b>
----------	---	----------------



**REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

<b>A</b>	<b>Y-piece, polyamide, reusable, A, straight</b>	<b>M25650</b>
<b>B</b>	<b>Y-piece, polyamide, reusable, A, angled, without Luer Lock</b>	<b>M25682</b>
<b>C</b>	<b>Y-piece, polyamide, reusable, A, with angled Luer Lock</b>	<b>M33278</b>



**REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES**

<b>A</b>	<b>Y-piece, reusable, for temperature probe adapter 900 MR 532</b>	<b>8412888</b>
<b>B</b>	<b>Temperature probe adapter 900 MR 532, for F&amp;P humidifiers*</b>	<b>MP01007</b>
<b>C</b>	<b>Y-piece, reusable, for Dräger temperature probe</b>	<b>8405435</b>
<b>D</b>	<b>Y-piece, reusable, P, straight</b>	<b>M27077</b>
<b>E</b>	<b>Y-piece, reusable, P, angled, with suction opening</b>	<b>8403075</b>
	<b>Cap, reusable, 7 mm</b>	<b>8401645</b>
	<b>Elbow, reusable</b>	<b>8412235</b>
<b>F</b>	<b>Elbow, reusable</b>	<b>M25649</b>
	<b>Elbow, reusable</b>	<b>8418289</b>
<b>G</b>	<b>Luer Lock elbow, N</b>	<b>M34568</b>

\*Produced by Fisher & Paykel




## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

<b>A</b>	<b>ISO double connector, reusable, 22 mm/22 mm</b>	<b>M25647</b>
	<b>Connector for breathing hose, reusable, A</b>	<b>8403076</b>
	<b>Connector for thermometer, reusable, for breathing hose set Aquapor EL</b>	<b>8403056</b>
	<b>T-piece connector, reusable</b>	<b>8411044</b>
	<b>Double connector, outer diameter 11 mm</b>	<b>8409897</b>
	<b>Connector, aluminum, reusable, 22 mm/11 mm</b>	<b>8405752</b>
	<b>Connector set for endotracheal tube, reusable, size 1.5 mm – 5.5 mm, 9 pcs.</b>	<b>8403684</b>
<b>B</b>	<b>Water trap, reusable, A</b>	<b>8404985</b>
<b>C</b>	<b>Water trap, reusable, N</b>	<b>8409627</b>



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

<b>A</b>	<b>Transparent breathing bags of silicone elastomer</b>	
①	<b>Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex</b>	<b>2166054</b>
②	<b>Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex</b>	<b>2166127</b>
③	<b>Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex</b>	<b>2166062</b>
④	<b>Breathing bag, silicone, reusable, 3 L, not made with natural rubber latex</b>	<b>2166070</b>



## REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

<b>A</b>	<b>Test lung SelfTestLung, reusable, max. 1 L, not made with natural rubber latex</b>	<b>MP02400</b>
	<b>Spare parts set SelfTestLung, with locking brace and attachment bolt</b>	<b>MP02401</b>
<b>B</b>	<b>Demo lung SmartLung, reusable, max.1 L, not made with natural rubber latex</b>	<b>MP02405</b>
<b>C</b>	<b>Test lung 1.5-liter bag lung, silicone</b>	<b>8403201</b>
<b>D</b>	<b>Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex</b>	<b>MP02425</b>
	<b>Test lung, silicone, N, with hose</b>	<b>8410079</b>
	<b>Test lung, silicone, N</b>	<b>8403208</b>



Not all articles are available worldwide.

## BREATHING SYSTEM FILTERS AND HMEs

### 2. BREATHING SYSTEM FILTERS AND HMEs

The TwinStar® filter/HME from Dräger is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and blue color coding for quick identification

<b>A</b>	<b>Electrostatic filter and HME TwinStar® 90, disposable, 90 mL deadspace, 50 pcs.</b>	<b>MP01800</b>
<b>B</b>	<b>Electrostatic filter and HME TwinStar® 65A, disposable, 65 mL deadspace, angled, 50 pcs.</b>	<b>MP01810</b>
<b>C</b>	<b>Electrostatic filter and HME TwinStar® 55, disposable, 55 mL deadspace, 50 pcs.</b>	<b>MP01805</b>
<b>D</b>	<b>Electrostatic filter and HME TwinStar® 25, disposable, 25 mL deadspace, 50 pcs.</b>	<b>MP01815</b>
<b>E</b>	<b>Electrostatic filter and HME TwinStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.</b>	<b>MP01825</b>
<b>F</b>	<b>Electrostatic filter and HME TwinStar® 8, disposable, 8 mL deadspace, 50 pcs.</b>	<b>MP01820</b>
<b>G</b>	<b>Mechanical filter and HME TwinStar® HEPA, disposable, 55 mL deadspace, 50 pcs.</b>	<b>MP01801</b>

Not all articles are available worldwide.






### BREATHING SYSTEM FILTERS

The CareStar® breathing system filter significantly contributes to infection prophylaxis in anesthesia and ventilation treatment through high retention rates.

- High-performance electrostatic filter
- Patient-side or device-side use
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color coding for quick identification

<b>A</b>	<b>Electrostatic filter CareStar® 45, disposable, 45 mL deadspace, 50 pcs.</b>	<b>MP01755</b>
<b>B</b>	<b>Electrostatic filter CareStar® 40A, disposable, 40 mL deadspace, angled, 50 pcs.</b>	<b>MP01765</b>
<b>C</b>	<b>Electrostatic filter CareStar® 30, disposable, 30 mL deadspace, 50 pcs.</b>	<b>MP01770</b>




### BREATHING SYSTEM FILTERS

The SafeStar® mechanical high performance breathing system filter shows excellent retention rates, thereby significantly contributing to infection prophylaxis in anesthesia and ventilation treatment.

- High-performance mechanical HEPA filter
- High hydrophobicity
- Patient-side or device-side use
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color coding for quick identification

<b>A</b>	<b>Mechanical filter SafeStar® 80, disposable, 80 mL deadspace, 50 pcs.</b>	<b>MP01785</b>
<b>B</b>	<b>Mechanical filter SafeStar® 60A, disposable, 60 mL deadspace, angled, 50 pcs.</b>	<b>MP01795</b>
<b>C</b>	<b>Mechanical filter SafeStar® 55, disposable, 55 mL deadspace, 50 pcs.</b>	<b>MP01790</b>



## HMEs

HumidStar® heat and moisture exchangers from Dräger partially take over the function of the upper airways and efficiently heat and humidify the inspired air.

- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and green color coding for quick identification

<b>A</b>	<b>HME HumidStar® 55, disposable, 55 mL deadspace, 50 pcs.</b>	<b>MP01730</b>
<b>B</b>	<b>HME HumidStar® 25, disposable, 25 mL deadspace, 50 pcs.</b>	<b>MP01735</b>
<b>C</b>	<b>HME HumidStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.</b>	<b>MP01740</b>
<b>D</b>	<b>HME HumidStar® 2, disposable, 2 mL deadspace, 50 pcs.</b>	<b>MP01745</b>
	<b>HME HumidStar® Trach plus, disposable, 6 mL deadspace, 100 pcs.</b>	<b>MP05750</b>



## BREATHING SYSTEM FILTERS AND HMEs

## SPECIFICATIONS

	Filter/HME TwinStar® 90	Filter/HME TwinStar® 65A	Filter/HME TwinStar® 55	Filter/HME TwinStar® 25
Deadspace (mL)	90	65	55	25
Recommended tidal volume (mL)	300 to 1,500	300 to 1,500	300 to 1,500	75 to 500
Bacterial retention (%)**	99.999	99.999	99.999	99.999
Viral retention (%)**	99.999	99.99	99.99	99.99
Filtration method	Electrostatic	Electrostatic	Electrostatic	Electrostatic
Moisture loss* (mg H <sub>2</sub> O/l air)	4.7@Vt 500 mL	6.9@Vt 500 mL	7.2@Vt 500 mL	5.8@Vt 250 mL
Moisture output (mg H <sub>2</sub> O/l air)	39.3	37.1	36.8	38.2
Resistance (mbar)	1.0 at 30 L/min	1.1 at 30 L/min	0.9 at 30 L/min	1.3 at 15 L/min
Weight (g)	37	30	28	18
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	3 years	3 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

## SPECIFICATIONS

	Filter/HME TwinStar® 10A	Filter/HME TwinStar® 8	Filter/HME TwinStar® HEPA
Deadspace (mL)	10	8	55
Recommended tidal volume (mL)	30 to 200	30 to 200	300 to 1,500
Bacterial retention (%)**	99.9	99.9	99.9999
Viral retention (%)**	99.9	99.9	99.9999
Filtration method	Electrostatic	Electrostatic	Mechanical (HEPA)
Moisture loss* (mg H <sub>2</sub> O/l air)	6.4@Vt 50 mL	6.1@Vt 50 mL	9.8@Vt 500 mL
Moisture output (mg H <sub>2</sub> O/l air)	37.6	37.9	34.2
Resistance (mbar)	0.4 at 5 L/min	0.6 at 5 L/min	1.3 at 30 L/min
Weight (g)	9	9	40
ISO connectors	22M/15F – 15M	22M/15F – 15F/8.5M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

\*According to ISO EN 9360-1:2009.

\*\*Test has been performed by Nelson Lab, USA, before 2010

## BREATHING SYSTEM FILTERS

## SPECIFICATIONS

	Filter CareStar® 45	Filter CareStar® 40A	Filter CareStar® 30
Deadspace (mL)	45	40	30
Recommended tidal volume (mL)	300 to 1,500	300 to 1,500	100 to 1,500
Bacterial retention (%)**	99.999	99.999	99.999
Viral retention (%)**	99.999	99.99	99.99
Filtration method	Electrostatic	Electrostatic	Electrostatic
Moisture loss* (mg H <sub>2</sub> O/l air)	-	-	-
Moisture output (mg H <sub>2</sub> O/l air)	-	-	-
Resistance (mbar)	0.7 at 30 L/min	1.0 at 30 L/min	0.6 at 30 L/min
Weight (g)	29	25	23
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	3 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

## SPECIFICATIONS

	Filter SafeStar® 80	Filter SafeStar® 60A	Filter SafeStar® 55
Deadspace (mL)	80	60	55
Recommended tidal volume (mL)	300 to 1,500	300 to 1,500	300 to 1,500
Bacterial retention (%)**	99.9999	99.9999	99.9999
Viral retention (%)**	99.9999	99.9999	99.9999
Filtration method	Mechanical (HEPA)	Mechanical (HEPA)	Mechanical (HEPA)
Moisture loss* (mg H <sub>2</sub> O/l air)	-	-	-
Moisture output (mg H <sub>2</sub> O/l air)	-	-	-
Resistance (mbar)	1.4 at 30 L/min	1.5 at 30 L/min	1.3 at 30 L/min
Weight (g)	47	42	39
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

\*According to ISO EN 9360-1:2009.

\*\*Test has been performed by Nelson Lab, USA, before 2010

Not all articles are available worldwide.

## HMEs

## SPECIFICATIONS

	HME HumidStar® 55	HME HumidStar® 25	HME HumidStar® 10A
Deadspace (mL)	55	25	10
Recommended tidal volume (mL)	300 to 1,500	75 to 500	30 to 200
Moisture loss* (mg H <sub>2</sub> O/l air)	6.3@Vt 500 mL	6.2@Vt 250 mL	6.4@Vt 50 mL
Moisture output (mg H <sub>2</sub> O/l air)	37.7	37.8	37.6
Resistance (mbar)	0.4@30 L/min	0.4@30 L/min	0.1@5 L/min
Weight (g)	28	18	9
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

## SPECIFICATIONS

	HME HumidStar® 2	HME HumidStar® Trach plus
Deadspace (mL)	2	6
Recommended tidal volume (mL)	10 to 30	100 to 1,500
Moisture loss* (mg H <sub>2</sub> O/l air)	6.4@Vt 50 mL	<30@Vt 750 mL
Moisture output (mg H <sub>2</sub> O/l air)	37.6	>14
Resistance (mbar)	1.9@15 L/min	<0.1@30 L/min
Weight (g)	3.5	4.9
ISO connectors	15M – 15F	15F
Sampling port	-	O <sub>2</sub> port
Housing	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

\*According to ISO EN 9360-1:2009.

Not all articles are available worldwide.

## CO<sub>2</sub> CUVETTES

### 3. CO<sub>2</sub> CUVETTES

CO<sub>2</sub> cuvettes are designed for the monitoring of CO<sub>2</sub> concentration during patient ventilation.

#### 3.1 DISPOSABLE

A	CO <sub>2</sub> cuvette disposable, adult, 10 pcs.	MP01062
B	CO <sub>2</sub> cuvette disposable, pediatric, 10 pcs.	MP01063



## CO<sub>2</sub> CUVETTES

### 3.2 REUSABLE

A	CO <sub>2</sub> cuvette reusable, adult, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870279
B	CO <sub>2</sub> cuvette reusable, pediatric, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870280
C	CO <sub>2</sub> mainstream sensor, for Evita® 2 dura, Evita® 4 Edition and Evita® XL	6871500
D	CO <sub>2</sub> mainstream sensor, for Evita, Infinity V500, Infinity M540, and Delta VF9.1 and higher	6871950



**CATHETER MOUNTS AND AIRWAY CONNECTORS**

**4. CATHETER MOUNTS AND AIRWAY CONNECTORS**

- Smoothbore products provide low resistance to flow while external coil reduces kinks and blockages
- Extendable product provides a lightweight and flexible solution
- Double swivel connector increases ease of use
- Double cap to maintain PEEP during suctioning or bronchoscopy
- Each catheter mount and airway connector is equipped with a red safety cap so that the system is completely closed and protected until directly prior to use on the patient
- 22F/15M connector on device side as a two-in-one solution
- Standardized connectors for safe connection to other components
- Luer Lock port for gas sampling
- Disposable convenience enhances workflow
- PVC-free design of gas leading components eliminates risk of softeners such as DEHP

<b>A</b>	<b>Catheter mount ErgoStar® CM 40, disposable, 10 cm, double swivel elbow, 50 pcs.</b>	<b>MP01840</b>
<b>B</b>	<b>Catheter mount ErgoStar® CM 45, disposable, 15 cm, double swivel elbow, 50 pcs.</b>	<b>MP01845</b>
<b>C</b>	<b>Catheter mount ErgoStar® CM 50, disposable, 10 – 16 cm, extendable, 50 pcs.</b>	<b>MP01850</b>
<b>D</b>	<b>Catheter mount ErgoStar® CM 55, disposable, 15 cm, straight, 50 pcs.</b>	<b>MP01855</b>
<b>E</b>	<b>Catheter mount ErgoStar® CM 60, disposable, 10 cm, small, double swivel elbow, 50 pcs.</b>	<b>MP01860</b>
<b>F</b>	<b>Airway connector ErgoStar® AC 90, disposable, double-swivel elbow w/ double cap, 100 pcs.</b>	<b>MP01890</b>
<b>G</b>	<b>Airway connector ErgoStar® AC 95, disposable, w/ Luer Lock sampling port, 100 pcs.</b>	<b>MP01895</b>



Not all articles are available worldwide.

**COMBINATIONS OF FILTER AND TUBE EXTENTION**

**COMBINATIONS OF FILTER AND TUBE EXTENTION**

<b>A</b>	<b>CombiStar Filter HME flex, combination of flexible tube extention MP01850 and filter TwinStar® 55 (MP01805), 25 pcs.</b>	<b>MP04240</b>
<b>B</b>	<b>CombiStar F-HME HEPA flex, combination of flexible tube extention MP01850 and filter TwinStar® HEPA (MP01801), 25 pcs.</b>	<b>MP04242</b>
<b>C</b>	<b>CombiStar Filter flex, combination of flexible tube extention MP01850 and filter CareStar® 30 (MP01770), 25 pcs.</b>	<b>MP04244</b>
<b>D</b>	<b>CombiStar mech. Filter flex, combination of flexible tube extention MP01850 and filter SafeStar® 55 (MP01790), 25 pcs.</b>	<b>MP04246</b>
<b>E</b>	<b>CombiStar A Filter HME, combination of airway connector MP01845 and filter TwinStar® 55 (MP01805), 25 pcs.</b>	<b>MP01671</b>



Not all articles are available worldwide.

## COMBINATIONS OF FILTER AND TUBE EXTENTION

<b>A</b>	CombiStar Filter HME straight, combination of straight tube extension MP01855 and filter TwinStar® 55 (MP01805), 25 pcs.	<b>MP04230</b>
<b>B</b>	CombiStar F-HME HEPA straight, combination of straight tube extension MP01855 and filter TwinStar® HEPA (MP01801), 25 pcs.	<b>MP04232</b>
<b>C</b>	CombiStar Filter straight, combination of straight tube extension and filter CareStar® 30 (MP01770), 25 pcs.	<b>MP04234</b>
<b>D</b>	CombiStar mech. Filter straight, combination of straight tube extension MP01855 and filter SafeStar® 55 (MP01790), 25 pcs.	<b>MP04236</b>



## NIV MASKS AND ACCESSORIES

## 5. NON-INVASIVE PATIENT INTERFACES AND ACCESSORIES

### 5.1 NIV MASKS AND ACCESSORIES

ClassicStar® NIV oronasal masks cover the nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing.

The mask design ensures high patient comfort combined with anatomical fit and effective seal due to individually adjustable mask cushion. The 6-point headgear provides a stable and secure fixation. Adjustable forehead support and forehead pad allow for distributing the pressure from the bridge of nose towards the forehead for more patient comfort.

ClassicStar® NIV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NIV-option. Variants with Anit-Asphyxia Valve (AAV) are intended for Multi-Vendor-Accessory business.

All ClassicStar® NIV masks are for single patient use. Sizing gauges for easy mask size identification as well as a pumpball are delivered together with the masks.

<b>A</b>	NIV oronasal mask ClassicStar® SE, disposable, size S	<b>MP01573</b>
	NIV oronasal mask ClassicStar® SE, disposable, size M	<b>MP01574</b>
	NIV oronasal mask ClassicStar® SE, disposable, size L	<b>MP01575</b>
<b>B</b>	NIV oronasal mask ClassicStar® AAV, disposable, size S	<b>MP01570</b>
	NIV oronasal mask ClassicStar® AAV, disposable, size M	<b>MP01571</b>
	NIV oronasal mask ClassicStar® AAV, disposable, size L	<b>MP01572</b>



## NIV MASKS AND ACCESSORIES

Oronasal masks are often the first-line strategy in the initial management of acute respiratory failure as they cover nose and mouth. Nasal masks are often chosen if NIV therapy has to be prolonged due to improved comfort and reduced complications associated with oronasal masks. Similar to ClassicStar® oronasal masks, the nasal mask cushion can be individually adjusted to the patient's face providing high patient comfort and effective seal. The 4-point-headgear ensures a stable and secure fixation reducing mask displacement.

All ClassicStar® NIV nasal masks are for single patient use. Sizing gauges for easy mask size identification as well as a pumpball are delivered together with the masks.

<b>A</b>	<b>NIV nasal mask ClassicStar® non-vented, disposable, size S</b>	<b>MP01623</b>
	<b>NIV nasal mask ClassicStar® non-vented, disposable, size M</b>	<b>MP01624</b>
	<b>NIV nasal mask ClassicStar® non-vented, disposable, size L</b>	<b>MP01625</b>
<b>B</b>	<b>NIV nasal mask ClassicStar® vented, disposable, size S</b>	<b>MP01620</b>
	<b>NIV nasal mask ClassicStar® vented, disposable, size M</b>	<b>MP01621</b>
	<b>NIV nasal mask ClassicStar® vented, disposable, size L</b>	<b>MP01622</b>



## NIV MASKS AND ACCESSORIES

The ClassicStar® NIV total-face mask seals around the perimeter of the face, covering mouth, nose and eyes. These areas are less pressure sensitive and have smoother facial contours compared to the areas a oronasal mask covers (nasal bridge). The mask is suitable for patients with nasal bridge breakdown or facial irregularities. The air filled cushion can be adjusted individually to the patient's face, providing high patient comfort and effective seal.

The 5-point headgear which includes a headstrap at the top of the mask provides a stable and secure attachment, thus preventing mask displacement and reducing pressure. Quick release clips are integrated for quick removal of the mask.



<b>A</b>	<b>NIV total-face mask ClassicStar® SE, disposable, size S</b>	<b>MP02910</b>
	<b>NIV total-face mask ClassicStar® SE, disposable, size M</b>	<b>MP02911</b>
	<b>NIV total-face mask ClassicStar® SE, disposable, size L</b>	<b>MP02912</b>
<b>B</b>	<b>NIV total-face mask ClassicStar® AAV, disposable, size S</b>	<b>MP02913</b>
	<b>NIV total-face mask ClassicStar® AAV, disposable, size M</b>	<b>MP02914</b>
	<b>NIV total-face mask ClassicStar® AAV, disposable, size L</b>	<b>MP02915</b>
<b>C</b>	<b>NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size S</b>	<b>MP02916</b>
	<b>NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size M</b>	<b>MP02917</b>
	<b>NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size L</b>	<b>MP02918</b>



## NIV MASKS AND ACCESSORIES


The ClassicStar® plus mask series features a soft and anatomically shaped silicone lip as sealing interface to the patients face. The mask has an easy to adjust forehead pad with silicone cushion which allows optimal adaption to the sensitive nasal bridge. The mask is available in four sizes (S, M, L, XL) as oronasal and nasal mask. ClassicStar® plus NIV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NIV-option. Variants with Anti-Asphyxia-Valve (AAV) are intended for Multi-Vendor-Accessory business.

<b>A</b>	<b>NIV oronasal mask ClassicStar® plus SE, disposable, size S</b>	<b>MP04711</b>
	<b>NIV oronasal mask ClassicStar® plus SE, disposable, size M</b>	<b>MP04712</b>
	<b>NIV oronasal mask ClassicStar® plus SE, disposable, size L</b>	<b>MP04713</b>
	<b>NIV oronasal mask ClassicStar® plus SE, disposable, size XL</b>	<b>MP04714</b>
<b>B</b>	<b>NIV oronasal mask ClassicStar® plus AAV, disposable, size S</b>	<b>MP04721</b>
	<b>NIV oronasal mask ClassicStar® plus AAV, disposable, size M</b>	<b>MP04722</b>
	<b>NIV oronasal mask ClassicStar® plus AAV, disposable, size L</b>	<b>MP04723</b>
	<b>NIV oronasal mask ClassicStar® plus AAV, disposable, size XL</b>	<b>MP04724</b>
<b>C</b>	<b>NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size S</b>	<b>MP04731</b>
	<b>NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size M</b>	<b>MP04732</b>
	<b>NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size L</b>	<b>MP04733</b>
	<b>NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size XL</b>	<b>MP04734</b>



## NIV MASKS AND ACCESSORIES

<b>A</b>	<b>NIV nasal mask ClassicStar® plus non vented, disposable, size S</b>	<b>MP04741</b>
	<b>NIV nasal mask ClassicStar® plus non vented, disposable, size M</b>	<b>MP04742</b>
	<b>NIV nasal mask ClassicStar® plus non vented, disposable, size L</b>	<b>MP04743</b>
	<b>NIV nasal mask ClassicStar® plus non vented, disposable, size XL</b>	<b>MP04744</b>
<b>B</b>	<b>NIV nasal mask ClassicStar® plus vented, disposable, size S</b>	<b>MP04751</b>
	<b>NIV nasal mask ClassicStar® plus vented, disposable, size M</b>	<b>MP04752</b>
	<b>NIV nasal mask ClassicStar® plus vented, disposable, size L</b>	<b>MP04753</b>
	<b>NIV nasal mask ClassicStar® plus vented, disposable, size XL</b>	<b>MP04754</b>





## NIV MASKS AND ACCESSORIES

NovaStar® TS NIV oronasal masks cover the nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing. The NovaStar® TS NIV masks have very soft silicone-gel filled mask cushion. In combination with the pliable ring embedded inside the flexible, clear mask body, – which allows the mask to be bent and adjusted individually to the patient's face ('customized fit'), – the masks provide ultimate comfort and effective seal. The forehead support can be adapted gradually to the patient's forehead providing stable mask position and enhanced comfort. The unique magnetic clips support fast and easy fixation.

All NovaStar® TS NIV masks are for multi patient use. Replacement headgears and clips are available individually (cf. accessories for NIV masks).

<b>A</b>	<b>NIV oronasal mask NovaStar® TS SE, reusable, size S</b>	<b>MP01579</b>
	<b>NIV oronasal mask NovaStar® TS SE, reusable, size M</b>	<b>MP01580</b>
	<b>NIV oronasal mask NovaStar® TS SE, reusable, size L</b>	<b>MP01581</b>
	<b>NIV oronasal mask NovaStar® TS SE, reusable, size XL</b>	<b>MP04705</b>
<b>B</b>	<b>NIV oronasal mask NovaStar® TS AAV, reusable, size S</b>	<b>MP01576</b>
	<b>NIV oronasal mask NovaStar® TS AAV, reusable, size M</b>	<b>MP01577</b>
	<b>NIV oronasal mask NovaStar® TS AAV, reusable, size L</b>	<b>MP01578</b>
	<b>NIV oronasal mask NovaStar® TS AAV, reusable, size XL</b>	<b>MP04706</b>
<b>C</b>	<b>NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size S</b>	<b>MP04701</b>
	<b>NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size M</b>	<b>MP04702</b>
	<b>NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size L</b>	<b>MP04703</b>
	<b>NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size XL</b>	<b>MP04704</b>



Not all articles are available worldwide.

## NIV MASKS AND ACCESSORIES

<b>NovaStar® TS SE Vpack S, 3 x MP01579, 3 pcs.</b>	<b>MP01564</b>
<b>NovaStar® TS SE Vpack M, 3 x MP01580, 3 pcs.</b>	<b>MP01565</b>
<b>NovaStar® TS SE Vpack L, 3 x MP01581, 3 pcs.</b>	<b>MP01566</b>
<b>NovaStar® TS AAV Vpack S, 3 x MP01576, 3 pcs.</b>	<b>MP01567</b>
<b>NovaStar® TS AAV Vpack M, 3 x MP01577, 3 pcs.</b>	<b>MP01568</b>
<b>NovaStar® TS AAV Vpack L, 3 x MP01578, 3 pcs.</b>	<b>MP01569</b>


### TRADEWARE

The MiniMe2\* nasal mask is designed for children ages 2 – 12. It features an ergonomic silicone gel cushion and a shapeable shell mask to fit individual needs and thus ensuring an effective seal and a comfortable fit.

<b>A</b>	<b>Pediatric nasal mask MiniMe2 non vented, disposable, size S/M</b>	<b>MP01555</b>
	<b>Pediatric nasal mask MiniMe2 non vented, disposable, size M/L</b>	<b>MP01556</b>
<b>B</b>	<b>Pediatric nasal mask MiniMe2 vented, disposable, size S/M</b>	<b>MP01553</b>
	<b>Pediatric nasal mask MiniMe2 vented, disposable, size M/L</b>	<b>MP01554</b>

\*Produced by SleepNet Corporation

Not all articles are available worldwide.



## NIV MASKS AND ACCESSORIES

### ACCESSORIES FOR NIV MASKS

A	Headgear for NovaStar® TS SE NIV oronasal mask	MP01583
B	Magnetic clip for headgears for NovaStar® TS SE and AAV, 4 pcs.	MP01585
C	Two-sided pump ball for air management	MP01590



## ANESTHESIA MASKS AND ACCESSORIES

### 5.2 ANESTHESIA MASKS AND ACCESSORIES

LiteStar® anesthesia mask is for disposable use. The teardrop shape of the mask supports an anatomical fit. The transparent mask body allows for continuous observation of the patient's condition. The colored reinforcing ring along the mask connector provides a secure connection with the ventilation system. The color coding of the reinforcing rings\* contributes to easy size identification. Additional disposable hook rings and disposable headgears for fixation are available (cf. accessories for anesthesia masks).

A	① Anesthesia mask LiteStar®, disposable, w/o hook ring, size 1, prenat., 30 pcs.	MP01501
	② Anesthesia mask LiteStar®, disposable, w/o hook ring, size 2, baby, 30 pcs.	MP01502
	③ Anesthesia mask LiteStar®, disposable, w/o hook ring, size 3, infant, 30 pcs.	MP01503
	④ Anesthesia mask LiteStar®, disposable, w/o hook ring, size 4, adult S, 30 pcs.	MP01504
	⑤ Anesthesia mask LiteStar®, disposable, w/o hook ring, size 5, adult M, 30 pcs.	MP01505
	⑥ Anesthesia mask LiteStar®, disposable, w/o hook ring, size 6, adult L, 30 pcs.	MP01506

\*They are color coded from red (size 3), yellow (size 4 – 5) to green (size 6).



## ANESTHESIA MASKS AND ACCESSORIES

Patient comfort and ease of use were the top priorities when developing the Dräger disposable ComfortStar® anesthesia mask portfolio. Patient comfort is supported by teardrop or round-shaped masks and adjustable (inflatable) mask cushion which provide anatomical fit with effective seal. Non-slip ridges (sizes 4 – 6) and a flexible mask body provide healthcare professionals an easy and comfortable grip.

ComfortStar® scented anesthesia masks have the same excellent benefits of the ComfortStar® standard masks, but in addition, they have added aromas. The appropriate color scheme provides optical stimulation and is intended to reduce pre-operative anxiety in patients.

All masks are pre-equipped with 'Traffic Light' colored hook rings. They are color coded for easier size identification.

Smaller sizes (0 – 1) have reddish color, mid-sizes (2 – 3) yellowish color and large sizes (4 – 6) greenish color.

All ComfortStar® masks are compatible with all Dräger anesthesia devices.

Pumpball as well as different headgears for fixation are available (cf. accessories for anesthesia masks).

A	① Anesthesia mask ComfortStar®, disposable, hook rg, std., size 0, premat., 20 pcs.	MP01510
	② Anesthesia mask ComfortStar®, disposable, hook rg, std., size 1, neo., 20 pcs.	MP01511
	③ Anesthesia mask ComfortStar®, disposable, hook rg, std., size 2, baby, 20 pcs.	MP01512
	④ Anesthesia mask ComfortStar®, disposable, hook rg, std., size 3, inf., 20 pcs.	MP01513
	⑤ Anesthesia mask ComfortStar®, disposable, hook rg, std., size 4, adt. S, 20 pcs.	MP01514
	⑥ Anesthesia mask ComfortStar®, disposable, hook rg, std., size 5, adt. M, 20 pcs.	MP01515
	⑦ Anesthesia mask ComfortStar®, disposable, hook rg, std., size 6, adt. L, 20 pcs.	MP01516




MT-4205-2008

## ANESTHESIA MASKS AND ACCESSORIES


A	① Anesthesia mask ComfortStar®, disposable, hook rg, strawb., size 1, neo., 20 pcs.	MP01521
	② Anesthesia mask ComfortStar®, disposable, hook rg, strawb., size 2, baby, 20 pcs.	MP01522
	③ Anesthesia mask ComfortStar®, disposable, hook rg, strawb., size 3, inf., 20 pcs.	MP01523
	④ Anesthesia mask ComfortStar®, disposable, hook rg, strawb., size 4, adt. S, 20 pcs.	MP01524
B	① Anesthesia mask ComfortStar®, disposable, hook rg, bubblg., size 1, neo., 20 pcs.	MP01531
	② Anesthesia mask ComfortStar®, disposable, hook rg, bubblg., size 2, baby, 20 pcs.	MP01532
	③ Anesthesia mask ComfortStar®, disposable, hook rg, bubblg., size 3, inf., 20 pcs.	MP01533
	④ Anesthesia mask ComfortStar®, disposable, hook rg, bubblg., size 4, adt. S, 20 pcs.	MP01534
C	① Anesthesia mask ComfortStar®, disposable, hook rg, mint, size 3, inf., 20 pcs.	MP01543
	② Anesthesia mask ComfortStar®, disposable, hook rg, mint, size 4, adult S, 20 pcs.	MP01544
	③ Anesthesia mask ComfortStar®, disposable, hook rg, mint, size 5, adult M, 20 pcs.	MP01545
	④ Anesthesia mask ComfortStar®, disposable, hook rg, mint, size 6, adult L, 20 pcs.	MP01546



MT-4170-2008



MT-4126-2008



MT-4149-2008

## ANESTHESIA MASKS AND ACCESSORIES

New silicone masks are made of medical grade silicone because this is generally considered the material of choice for its superior ability to conform to the patient's facial anatomy. The field of application includes anesthesia and mask ventilation for pediatric and adult patients. The masks are available in various shapes and sizes. The smaller sizes have a rather round shape in order to provide comfortable fit and effective seal for the faces of infants. The bigger sizes have an anatomically formed teardrop shape to ensure convenient fit and seal for facial contours of adult patients. New silicone masks have a flexible, soft and transparent mask body. The mask body design provides a comfortable grip. Shape and material allow for safe handling by doctors and nurses. The silicone masks are reusable.

A	① Silicone mask, reusable, size 00, premature baby	MP02900
	② Silicone mask, reusable, size 0, small neonate	MP01910
	③ Silicone mask, reusable, size 1, large neonate	MP01911
	④ Silicone mask, reusable, size 2, small child	MP01912
	⑤ Silicone mask, reusable, size 3, large child	MP01913
	⑥ Silicone mask, reusable, size 4, small adult	MP01914
	⑦ Silicone mask, reusable, size 5, large adult	MP01915

Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. accessories for anesthesia masks).



D-589208-2012

## ANESTHESIA MASKS AND ACCESSORIES

### ACCESSORIES FOR ANESTHESIA MASKS

There are three different headgears in small and large designs offering patients and physicians a soft, elastic, lightweight fixation of disposable and/or reusable anesthesia/ventilation masks.

A	① Headgear, reusable, silicone, small	MP01557
	② Headgear, reusable, silicone, large	MP01558
B	① Headgear, disposable, soft fabric, small	MP01559
	② Headgear, disposable, soft fabric, large	MP01560
C	① Headgear, disposable, soft rubber, small	MP01561
	② Headgear, disposable, soft rubber, large	MP01562



D-35634-2009



D-35633-2009



D-35632-2009

## ANESTHESIA MASKS AND ACCESSORIES

A	① Hook ring for LiteStar® anesthesia masks, disposable, 15 mm OD, for sizes 1 – 2, 30 pcs.	MP01551
	② Hook ring for LiteStar® anesthesia masks, disposable, 22 mm ID, for sizes 3 – 6, 30 pcs.	MP01552
B	① Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916
	② Hook ring for silicone masks, reusable, 22 mm ID, for sizes 2 – 5, 10 pcs.	MP01917
C	Elbow for CPAP masks, disposable	8409683
D	Two-sided pump ball for air management	MP01590

OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES5.3 OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

Oxygen therapy is the administration of oxygen at a concentration higher than in ambient air. The purpose is to prevent and/or treat the symptoms and manifestation of hypoxia. Aerosol therapy is used to administer medicine in the patient airways/lungs in order to reduce inflammation caused by different respiratory conditions. The aerosol and oxygen therapy masks are for disposable use.

A	O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01930
B	O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01920
C	O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01931
D	O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01921
E	O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, S, 50 pcs.	MP01934
F	O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, M/L, 50 pcs.	MP01926



### OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

A	<u>O2Star™ Tracheostomy mask, disposable, S, 50 pcs.</u>	<u>MP01932</u>
B	<u>O2Star™ Tracheostomy mask, disposable, M/L, 50 pcs.</u>	<u>MP01924</u>
C	<u>O2Star™ Face tent, disposable, S, 50 pcs.</u>	<u>MP01933</u>
D	<u>O2Star™ Face tent, disposable, M/L, 50 pcs.</u>	<u>MP01925</u>



### OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

A	<u>O2Star™ Venturi mask kit, adjustable venturi valve, disposable, S, 25 pcs.</u>	<u>MP01935</u>
B	<u>O2Star™ Venturi mask kit, adjustable venturi valve, disposable, M/L, 25 pcs.</u>	<u>MP01922</u>
C	<u>O2Star™ Venturi mask kit, fixed venturi valve, disposable, S, 25 pcs.</u>	<u>MP01936</u>
D	<u>O2Star™ Venturi mask kit, fixed venturi valve, disposable, M/L, 25 pcs.</u>	<u>MP01923</u>



## OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

<b>A</b>	<b>O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs.</b>	<b>MP02920</b>
	<b>O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs.</b>	<b>MP02921</b>
	<b>O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, L, 50 pcs.</b>	<b>MP02922</b>
	<b>O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, XL, 50 pcs.</b>	<b>MP02923</b>
<b>B</b>	<b>O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs.</b>	<b>MP02924</b>
	<b>O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs.</b>	<b>MP02925</b>
	<b>O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, L, 50 pcs.</b>	<b>MP02926</b>
	<b>O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, XL, 50 pcs.</b>	<b>MP02927</b>
<b>C</b>	<b>O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs.</b>	<b>MP02928</b>
	<b>O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs.</b>	<b>MP02929</b>
	<b>O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, L, 50 pcs.</b>	<b>MP02930</b>
	<b>O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, XL, 50 pcs.</b>	<b>MP02931</b>
<b>D</b>	<b>O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs.</b>	<b>MP02932</b>
	<b>O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs.</b>	<b>MP02933</b>
	<b>O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, L, 50 pcs.</b>	<b>MP02934</b>
	<b>O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, XL, 50 pcs.</b>	<b>MP02935</b>



## OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

### ACCESSORIES FOR OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS

<b>A</b>	<b>O2Star™ Connector kit, 6 mm OD/22 mm OD + 6 mm OD/22 mm ID w. connection tube, disposable, 5 pcs.</b>	<b>MP01940</b>
<b>B</b>	<b>O2Star™ Connector kit for breathing circuit for Aquapor, disposable, 5 pcs.</b>	<b>MP01941</b>
<b>C</b>	<b>O2Star™ Connector 22 mm ID / 22 mm ID, disposable, 5 pcs.</b>	<b>MP01942</b>
<b>D</b>	<b>O2Star™ Oxygen connection tube, 2.1 m, disposable, 25 pcs.</b>	<b>MP01927</b>
	<b>O2Star™ Oxygen connection tube, 2.1 m, with 9/16" connector, disposable, 25 pcs.</b>	<b>MP01944</b>
<b>E</b>	<b>O2Star™ Oxygen connection tube, 4 m, disposable, 25 pcs.</b>	<b>MP01943</b>
	<b>O2Star™ Oxygen connection tube, 4 m, with 9/16" connector, disposable, 25 pcs.</b>	<b>MP01945</b>



## HIGH-FLOW THERAPY NASAL CANNULA AND ACCESSORIES

### 5.4 HIGH-FLOW THERAPY NASAL CANNULA AND ACCESSORIES

High Flow Therapy allows to provide warm humidified air with enriched oxygen concentration at flow rates up to 60 L per minute to patients via nasal cannulas. Patient comfort is one of the advantages of High Flow therapy over other treatment forms for patient with compromised respiration and can in many cases successfully avoid using less comfortable or even invasive forms of respiratory support.

The HI-Flow Star Nasal Cannula and the inspiratory breathing circuit offer advanced features designed for enhanced patient safety and comfort such as integrated clips in order to provide effective breathing circuit tension relief, a flexible, breathable hose minimizing internal condensation in the high flow nasal cannula as well as soft materials for the prongs and the headgear. Thanks to its symmetrical design, the nasal cannula can be connected from either the left or the right side of the bed. This helps caregivers save time and effort.

The HI-Flow Star products are disposable.

A	① HI-Flow Star Nasal Cannula, disposable, adult S, Flow Range < 60 L/min, 25 pcs.	MP05511
A	② HI-Flow Star Nasal Cannula, disposable, adult M, Flow Range < 60 L/min, 25 pcs.	MP05512
A	③ HI-Flow Star Nasal Cannula, disposable, adult L, Flow Range < 60 L/min, 25 pcs.	MP05513
B	HI-Flow Star System, heated inspiratory breathing circuit, consists of: heated inspiratory hose, humidifier chamber, breathing hose when used with a ventilator, O <sub>2</sub> hose when used with an O <sub>2</sub> blender, bed clip, disposable, 25 pcs.	MP05601
C	HI-Flow Star Valve Kit w/ Pop-Up Valve and Connector 22 mm, disposable, 15 pcs.	MP05507
D	T-piece adapter for MX300/MX300i and HI-Flow Star System, disposable, 20 pcs.	MP05508



## DEVICE RELATED ACCESSORIES

### 6. DEVICE RELATED ACCESSORIES

A	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776
	Expiratory valve for Evita®, reusable	8410580
B	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600
C	Infinity ID, expiratory valve, disposable, 10 pcs.	MP01060
D	Expiratory valve for Evita Infinity® V500, reusable	8416750





**DEVICE RELATED ACCESSORIES**

	Membrane for Evita® 2 dura, Evita® 4, Evita® XL, for expiratory valve	8412015
A	Water trap for Evita® 2 dura, Evita® 4, Evita® XL, reusable	8413125
B	Infinity ID Expiratory filter, disposable, 20 pcs.	MP01780
C	Expiratory filter, disposable, 20 pcs.	MP01781



**NON DEDICATED ACCESSORIES**

A	Expiratory valve, disposable, 10 pcs.	MP01061
	Expiratory valve for Savina®, reusable	8413660
B	Expiratory valve for Savina® 300, reusable	8417050
C	Expiratory valve for Carina®, disposable	MP00220
D	Leakage valve for Carina® SyncVent, disposable, 5 pcs.	MP00224
	Expiratory valve for Babylog® 8000	8408950
E	Expiratory valve for Babylog® VN 500, reusable	8415270



**DEVICE RELATED ACCESSORIES**

- A Disposable Handle Polaris, Dual, 60 pcs., for Polaris 100/200, 600 and Multimedia, adapter required MP05700**
- A Disposable Handle Polaris, Single, 120 pcs., for Polaris 100/200, 600 and Multimedia, adapter required MP05701**
- B Bacterial filter for Dräger patient monitors, disposable 8402868**



**PACK2GO®/SET2GO**

**7. PACK2GO®**

Dräger has developed a comprehensive range of disposable accessories. These accessories can now also be ordered together in a Pack2Go® package, in order to benefit the hospital's costs and logistical/clinical processes. Pack2Go® package solutions include dedicated Dräger and general accessories, which can be used as a system solution with Dräger devices.

- A Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, basic, + cuvette MP01656**
- B Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, basic, 1.8 m MP01657**
- C Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, coaxial, + cuvette MP01676**
- D Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, coaxial, 1.8 m MP01677**



**PACK2GO®/SET2GO**

<b>A</b>	<b>Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size S</b>	<b>MP01663</b>
	<b>Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size M</b>	<b>MP01664</b>
	<b>Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size L</b>	<b>MP01665</b>
<b>B</b>	<b>Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, coaxial, 1.8 m</b>	<b>MP01673</b>
<b>C</b>	<b>Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, basic, 1.8 m</b>	<b>MP01674</b>
<b>D</b>	<b>Pack2Go® anesthesia pack, A, with anesthesia set + watertrap</b>	<b>MP01682</b>

**PACK2GO®/SET2GO****SET2GO**

With Dräger's Set2go solutions we offer you totally customised sets consisting of an individual selection of single-patient-use accessories. Dräger Set2go makes using and ordering consumables and accessories much simpler for you. You just need one article number to get all the items in a single package and accomplish your specific task.

Please contact your local Dräger sales organisation to create your individual accessory solution.

**HUMIDIFIER AND NEBULIZER**

**8. HUMIDIFIER AND NEBULIZER**

**TRADEWARE**

<b>A</b>	<b>Humidifier chamber for F&amp;P MR 290, disposable, 10 pcs.*</b>	<b>8418282</b>
<b>B</b>	<b>Humidifier chamber F&amp;P MR 340, reusable, N/P*</b>	<b>8411047</b>
<b>C</b>	<b>Humidifier chamber F&amp;P MR 370, reusable, A*</b>	<b>8412217</b>

\*Produced by Fisher & Paykel



**HUMIDIFIER AND NEBULIZER**

**TRADEWARE**

<b>A</b>	<b>Rail clamp for F&amp;P humidifier*</b>	<b>8411074</b>
<b>B</b>	<b>Holder for F&amp;P humidifier U-shaped, for trolley, with rail clamp*</b>	<b>MP01002</b>
<b>C</b>	<b>Water bag holder 900 MR 290</b>	<b>MP01008</b>
<b>D</b>	<b>Hose heater for F&amp;P MR 700/730, 70 cm*</b>	<b>8411154</b>
<b>D</b>	<b>Hose heater, A, 1.1 m</b>	<b>8411045</b>
<b>E</b>	<b>Hose heater for F&amp;P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*</b>	<b>8414993</b>
<b>F</b>	<b>Hose heater for F&amp;P MR 700/730 and MR 850, for reusable breathing circuit, 1.5 m*</b>	<b>8414969</b>

\*Produced by Fisher & Paykel



**HUMIDIFIER AND NEBULIZER**

**TRADEWARE**

<b>A</b>	<b>Temperature probe/flow sensor for F&amp;P MR 850 for all breathing circuits, 1.1 m*</b>	<b>8414989</b>
<b>A</b>	<b>Temperature probe/flow sensor for F&amp;P MR 850, for all breathing circuits, 1.5 m*</b>	<b>8414966</b>
<b>B</b>	<b>Hose heater adapter for F&amp;P MR 850, for reusable breathing circuit*</b>	<b>8414968</b>
<b>C</b>	<b>Hose heater adapter for F&amp;P MR 700/730, for disposable breathing circuit*</b>	<b>8418462</b>
<b>D</b>	<b>Hose heater adapter for F&amp;P MR 850, for disposable breathing circuit*</b>	<b>8414992</b>

\*Produced by Fisher & Paykel



**HUMIDIFIER AND NEBULIZER**

**TRADEWARE**

<b>A</b>	<b>Hose heater adapter for F&amp;P MR 850, for third-party breathing circuit*</b>	<b>MP01001</b>
<b>B</b>	<b>Hose heater adapter for F&amp;P MR 850, for double-heated disposable breathing circuit*</b>	<b>MP01006</b>
<b>C</b>	<b>Draw wire for hose heater 1.5 m, for reusable breathing circuit</b>	<b>8411050</b>
<b>D</b>	<b>Temperature probe adapter 900 MR 532, for F&amp;P humidifiers*</b>	<b>MP01007</b>

\*Produced by Fisher & Paykel



**HUMIDIFIER AND NEBULIZER**

<b>A</b>	<b>Medication nebulizer for Babylog® 8000 with quick connector</b>	<b>8411030</b>
<b>B</b>	<b>Medication nebulizer for Evita® 2 dura, Evita® 4, Evita® XL, Savina®</b>	<b>8412935</b>
<b>C</b>	<b>Pneumatic medication nebulizer, for Evita® and Evita® 2</b>	<b>8405000</b>
<b>D</b>	<b>Connector set for medication nebulizer, for neonatal breathing circuit</b>	<b>8411031</b>
<b>E</b>	<b>Nebulizer hose</b>	<b>8412985</b>



Not all articles are available worldwide.

**HUMIDIFIER AND NEBULIZER**

**AEROGEN PRO\***

Aerogen Pro works with an electronic micropump. Aerogen Pro is ideally suited to nebulizer therapy requirements for inline mechanical ventilation and it accommodates all patient age ranges from neonates to adults. It operates without changing patient ventilator parameters, without heating or degrading medications and it can be refilled without interrupting ventilation.

<b>A</b>	<b>Medication nebulizer Aerogen Pro</b>	<b>MP01010</b>
<b>B</b>	<b>Nebulizer unit with filler cap for Aerogen Pro</b>	<b>MP01030</b>
<b>C</b>	<b>T-piece with plug for Aerogen Pro, A, ISO 22 mm, 5 pcs.</b>	<b>MP01031</b>
<b>D</b>	<b>T-piece set with plug for Aerogen Pro (N), 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.</b>	<b>MP01032</b>
<b>E</b>	<b>T-connector for Aerogen Pro, 12 mm, with plug, 5 pcs.</b>	<b>MP01037</b>
<b>F</b>	<b>Controller cable for Aerogen Pro</b>	<b>MP01036</b>
<b>G</b>	<b>Filler cap for Aerogen Pro, silicone, 5 pcs.</b>	<b>MP01035</b>
	<b>Sealing plug for Y-piece, 5 pcs.</b>	<b>8411024</b>
	<b>Inhalation mask for Inhalette</b>	<b>M11015</b>
	<b>Mouthpiece for Inhalette</b>	<b>M12394</b>

\*Produced by Aerogen

Not all articles are available worldwide.



**HUMIDIFIER AND NEBULIZER**

**AEROPEN SOLO\***

**Aeropen Solo Starter Kit**

Consists of: Control module, 2 Aeropen Solo Nebulizers with filler caps, adult T-adapter with silicone plug, Universal mounting bracket, AC/DC adapter and Instruction manual.

<b>A</b>	<b>Aeropen Solo Starter Kit, Int.</b>	<b>MP01071</b>
	<b>Aeropen Solo Starter Kit, FR, NL, IT, GE</b>	<b>MP01072</b>
	<b>Aeropen Solo Starter Kit, ES, IT, PT, GR, TK</b>	<b>MP01073</b>
	<b>Aeropen Solo Starter Kit, SW, NO, FI, DK</b>	<b>MP01074</b>
	<b>Aeropen Solo Starter Kit, UK</b>	<b>MP01075</b>
	<b>Aeropen Solo Starter Kit, US</b>	<b>MP01076</b>
<b>B</b>	<b>Nebulizer head, 5 pcs.</b>	<b>MP01078</b>
<b>C</b>	<b>Nebulizer head, 10 pcs.</b>	<b>MP01079</b>
	<b>T-Adapter, adult, 10 pcs.</b>	<b>MP01085</b>
	<b>T-Adapter, pediatric, 10 pcs.</b>	<b>MP01086</b>
	<b>Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.</b>	<b>MP01087</b>

\*Produced by Aeropen



**INTUBATION KITS**

**9. INTUBATION KITS**

**TRADEWARE**

The practical design of the laryngoscope family\* ensures optimum hygiene and reliable functioning in every situation. Its ergonomic design guarantees problem free handling. \*Made by Kirchner&Wilhelm, Asperg, Germany.

**WARM LIGHT (WL) LARYNGOSCOPES**

	<b>Blade size 0 (Mac), reusable, 79 × 13 mm</b>	<b>MX03302</b>
<b>A</b>	<b>Blade size 1 (Mac), reusable, 93 × 20 mm</b>	<b>MX03303</b>
	<b>Blade size 2 (Mac), reusable, 112 × 20 mm</b>	<b>MX03304</b>
	<b>Blade size 3 (Mac), reusable, 130 × 23 mm</b>	<b>MX03305</b>
	<b>Blade size 4 (Mac), reusable, 150 × 25 mm</b>	<b>MX03306</b>
<b>B</b>	<b>Blade size 0 (Miller), reusable, 77 × 11 mm</b>	<b>MX03307</b>
	<b>Blade size 1 (Miller), reusable, 102 × 11 mm</b>	<b>MX03308</b>
	<b>Blade size 2 (Miller), reusable, 153 × 13 mm</b>	<b>MX03309</b>
<b>C</b>	<b>Universal laryngoscope set, reusable</b>	<b>MX03300</b>
	(Battery grip adult; blade size 0 (Miller); blade size 1 (Mac); blade size 2 (Mac); blade size 3 (Mac); blade size 4 (Mac))	
	<b>Laryngoscope set, adult, reusable</b>	<b>MX03313</b>
	(Battery grip adult; blade size 2 (Mac); blade size 3 (Mac); blade size 4 (Mac))	
	<b>Laryngoscope set, pediatric, reusable</b>	<b>MX03312</b>
	(Battery grip pediatric; blade size 0 (Miller); blade size 1 (Miller), blade size 2 (Mac))	
<b>D</b>	<b>Battery grip, adult, 2.5 V, 28 mm Ø</b>	<b>MX03301</b>
	<b>Battery grip, pediatric, 2.5 V, 19 mm Ø</b>	<b>MX03314</b>
<b>E</b>	<b>Battery, adult, 2.5 V</b>	<b>MX03327</b>
<b>F</b>	<b>Vacuum lamp for blade (size 00 – 1)</b>	<b>MX03316</b>
	<b>Vacuum lamp for blade (size 2 – 5)</b>	<b>MX03311</b>



**INTUBATION KITS**

**TRADEWARE**

Made by Kirchner&Wilhelm, Asperg, Germany

**FIBER OPTIC (F.O.) LARYNGOSCOPES**

	<b>F.O. blade size 0 (Mac), reusable, 82 × 14 mm</b>	<b>MX03319</b>
<b>A</b>	<b>F.O. blade size 1 (Mac), reusable, 93 × 14 mm</b>	<b>MX03320</b>
	<b>F.O. blade size 2 (Mac), reusable, 115 × 17 mm</b>	<b>MX03321</b>
	<b>F.O. blade size 3 (Mac), reusable, 135 × 18 mm</b>	<b>MX03322</b>
	<b>F.O. blade size 4 (Mac), reusable, 155 × 18 mm</b>	<b>MX03323</b>
	<b>F.O. blade size 00 (Miller), reusable, 66 × 11 mm</b>	<b>MX50052</b>
	<b>F.O. blade size 0 (Miller), reusable, 78 × 11 mm</b>	<b>MX03324</b>
	<b>F.O. blade size 1 (Miller), reusable, 103 × 11 mm</b>	<b>MX03325</b>
<b>B</b>	<b>F.O. blade size 2 (Miller), reusable, 154 × 14 mm</b>	<b>MX03326</b>
	<b>F.O. blade size 3 (Miller), reusable, 195 × 15 mm</b>	<b>MX50053</b>
	<b>F.O. blade size 4 (Miller), reusable, 210 × 18 mm</b>	<b>MX50054</b>
	<b>F.O. universal laryngoscope set, reusable</b> (F.O. battery grip adult; F.O. blade size 0 (Miller); F.O. blade size 1 (Mac); F.O. blade size 2 (Mac); F.O. blade size 3 (Mac); F.O. blade size 4 (Mac))	<b>MX03317</b>
	<b>F.O. laryngoscope set, adult, reusable</b> (F.O. battery grip adult; F.O. blade size 2 (Mac); F.O. blade size 3 (Mac); F.O. blade size 4 (Mac))	<b>MX03330</b>
	<b>F.O. laryngoscope set, pediatric, reusable</b> (F.O. battery grip pediatric; F.O. blade size 0 (Miller); F.O. blade size 1 (Miller); F.O. blade size 2 (Mac))	<b>MX03329</b>
<b>C</b>	<b>F.O. battery grip, adult, 2.5 V, 28 mm Ø</b>	<b>MX03318</b>
	<b>F.O. battery grip, pediatric, 2.5 V, 19 mm Ø</b>	<b>MX03331</b>
	<b>Xenon lamps for battery grip, 2.5 V</b>	<b>MX03328</b>
<b>D</b>	<b>Battery, adult, 2.5 V</b>	<b>MX03327</b>
<b>E</b>	<b>Universal charging station MedCharge 4000 "ALL in ONE"</b>	<b>MX50028</b>



**RESUSCITATORS**

**10. RESUSCITATORS**

**TRADEWARE**

The MR-100 is a reusable, silicone, manual resuscitator that is so compact it can be folded to approximately half its normal size when not in use. A pop-off valve is included, to prevent high airway pressures.

The resuscitator is available in three sizes: adult (A), child (P) and infant (N).

<b>A</b>	<b>Man. breathing bag MR-100, reusable, A, w/ pressure valve, 60±10 mbar, not made with natural rubber latex*</b>	<b>5702881</b>
<b>B</b>	<b>Man. breathing bag MR-100, reusable, P, w/ press. valve, relief &gt;40±5 mbar, not made with natural rubber latex*</b>	<b>5702321</b>
<b>C</b>	<b>Man. breathing bag MR-100, reusable, N, w/ press. valve, relief &gt;40±5 mbar, not made with natural rubber latex*</b>	<b>5702322</b>

\*Made by GaleMed Corporation, Taiwan





**RESUSCITATORS**

**TRADEWARE**

**ACCESSORIES**

<b>A</b>	<b>O<sub>2</sub>-Reservoir MR-100, 2,500 mL*</b>	<b>5703701</b>
<b>B</b>	<b>O<sub>2</sub>-Reservoir MR-100, 600 mL*</b>	<b>5703702</b>
<b>C</b>	<b>Patient valve for adults, standard*</b>	<b>5703705</b>
<b>D</b>	<b>Patient valve for adults, 60 mbar, volume of dead space 18 mL*</b>	<b>5703706</b>
<b>E</b>	<b>Patient valve for child/baby, 40 mbar, volume of dead space 18 mL*</b>	<b>5703707</b>
<b>F</b>	<b>O<sub>2</sub>-Reservoir valve MR-100*</b>	<b>5703703</b>
<b>G</b>	<b>Intake valve MR-100*</b>	<b>5703704</b>

\*Made by GaleMed Corporation, Taiwan



Not all articles are available worldwide.

**RESUSCITATORS**

<b>A</b>	<b>PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar</b>	<b>2M86832</b>
<b>B</b>	<b>PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar</b>	<b>8407475</b>
<b>C</b>	<b>Disposable PEEP valve 0 – 20 cmH<sub>2</sub>O</b>	<b>5703471</b>
<b>D</b>	<b>PEEP valve diverter, reusable*</b>	<b>5703708</b>

\*Made by GaleMed Corporation, Taiwan

Not all articles are available worldwide.



## RESUSCITATORS

### O<sub>2</sub> OXIDEM DEMAND VALVE

<b>A Oxidem 3000 demand valve incl. adapter (2120496, 2120488)</b>	<b>2111764</b>
<b>1.5 m spiral hose and M12×1 screw connector</b>	<b>2M86291</b>
<b>1.5 m spiral hose and probe for central supply system</b>	<b>2M86292</b>
<b>3.0 m spiral hose and probe for central supply system</b>	<b>2M86293</b>
<b>Adapter for Oxidem for M12×1 (for existing hose systems)</b>	<b>8410547</b>
<b>B Adapter for Ambu Mark III*</b>	<b>2120488</b>
<b>C Adapter for Laerdal**</b>	<b>2120496</b>
<b>Adapter for Laerdal</b>	<b>5790124</b>
<b>D Adapter for Combibag</b>	<b>2M86913</b>
<b>E Adapter for Resutator 2000/MR100**</b>	<b>2120461</b>
<b>F Sealing rings for spiral hoses, pack of 20</b>	<b>M07152</b>

\*Made by Spiracle Technology  
\*\*Made by Allied Healthcare, USA



## NOTES

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



D-14219-2009

# Soda lime

## SOMETHING YOU CAN COUNT ON:

- High quality soda lime – directly from the manufacturer of the anesthesia device
- Drägersorb CLIC, disposable absorber:
  - even greater ease of use
  - easier handling thanks to hygienic, practical cartridge
  - no contact with the soda lime when replacing the cartridge
  - no dust exposure
  - cost savings: absorber filling is used up completely
  - easy to replace absorber at any time – even during surgery

# 2

## CONTENT

---

SODA LIME 103

NOTES

SODA LIME

<b>A</b>	Soda lime Drägersorb® 800+, for CO <sub>2</sub> absorption, canister, 5 L, 2 pcs.	<b>MX00001</b>
<b>B</b>	Soda lime Drägersorb® Free, for CO <sub>2</sub> absorption, canister, 5 L, 2 pcs.	<b>MX50050</b>
<b>C</b>	Canister opener, for canisters MX00001 and MX50050, 5 pcs.	<b>MX10209</b>
<b>CO<sub>2</sub> ABSORBER WITH CLIC SYSTEM</b>		
<b>D</b>	CLIC Absorber 800+, disposable absorber, 1.2 L, 6 pcs.	<b>MX00004</b>
<b>E</b>	CLIC Absorber Free, disposable absorber, 1.2 L, 6 pcs.	<b>MX50100</b>
<b>F</b>	Infinity ID CLIC Absorber 800+, disposable absorber, 1.2 L, 6 pcs.	<b>MX50004</b>
<b>G</b>	Infinity ID CLIC Absorber Free, disposable absorber, 1.2 L, 6 pcs.	<b>MX50120</b>



Not all articles are available worldwide.

**SODA LIME**

<b>A</b>	<b>Absorber adapter CLIC, for Dräger anesthesia workstations</b>	<b><u>MX50090</u></b>
<b>B</b>	<b>Absorber intermediate plate, to connect adapter to Cato, Cicero, or Fabius</b>	<b><u>MX00013</u></b>
<b>C</b>	<b>Bacteria filter IBF absorber, only use with Zeus®/Zeus® IE, 5 pcs.</b>	<b><u>MK02588</u></b>
<b>D</b>	<b>Dust filter Perseus, 5 pcs.</b>	<b><u>MX50115</u></b>





CONTENT

<a href="#">SENSORS</a>	109
-------------------------	-----

# Sensors

**SOMETHING YOU CAN COUNT ON:**

- Highly sensitive measuring technology for fast and accurate results
- 100 percent system compatibility with Dräger devices and systems
- High measuring accuracy – guaranteed through Dräger's above-average quality standards and confirmed by extensive testing

# 3

NOTES

SENSORS

Flow sensors by Dräger

**Hot-wire anemometry: Accurate and intelligent flow measurement**

Spirolog®, neonatal flow sensors and SpiroLife® are based on proven hot-wire anemometry techniques. Due to extremely fast and accurate measurement results, as well as extremely low inspiratory and expiratory resistances, it is clearly superior to other methods. You only need one flow sensor for all patients. Neonatal flow sensors offer customized solutions for the sole exception of the specific needs of neonates in intensive care. The sterilizable neonatal flow sensors and SpiroLife® combine the advantages of hot-wire technology with the possibility of sterilizability. Therefore, they integrate seamlessly into your hospital's sterilization processes.

<b>A</b>	<b>Flow sensor Spirolog®, PC/ABS, 5 pcs.</b>	<b>8403735</b>
<b>B</b>	<b>Flow sensor Infinity® ID, PC/ABS, 5 pcs.</b>	<b>6871980</b>
<b>C</b>	<b>Flow sensor SpiroLife®, PPSU, sterilizable</b>	<b>MK01900</b>
<b>D</b>	<b>Neonatal flow sensor with Y-piece, PSU, sterilizable</b>	<b>8410185</b>
<b>E</b>	<b>Neonatal flow sensor ISO 15, PSU, sterilizable</b>	<b>8411130</b>
<b>F</b>	<b>Insert for neonatal flow sensor, PSU, sterilizable, 5 pcs.</b>	<b>8410179</b>

**Differential pressure measurement: proven technology for emergencies**

The sterilizable reusable flow sensor for the emergency room is based on the proven principle of differential pressure measurement. Because of its robustness, it really is the ideal solution for the specialties of the emergency room. The pressure differential sensor is used on Oxylog® 3000 plus, Oxylog® 3000 and Oxylog® 2000 plus.

Whichever Dräger flow sensor you choose – you can be sure to have made the right choice with our extensive family of flow sensors.

<b>G</b>	<b>Pressure difference flow sensor, PPSU, sterilizable</b>	<b>8412034</b>
----------	--	----------------

Not all articles are available worldwide.



**SENSORS**

<b>A</b>	<b>Flow sensor cable, for neonatal flow sensor, e.g., Babylog</b>	<b>8409626</b>
<b>B</b>	<b>MRI flow sensor extension cable, for MRI patient monitor</b>	<b>8306370</b>
<b>C</b>	<b>Flow sensor cable for V500 with Neo option and VN500</b>	<b>8416600</b>



**SENSORS**

**Oxygen sensors by Dräger**

**Oxygen for Life**

Oxygen sensors have the important task of measuring and monitoring the inspiratory and/or expiratory O<sub>2</sub> concentration in anesthesia and respiratory devices. Oxygen sensors from Dräger satisfy the highest national and international requirements. Furthermore, they have been extensively tested and fine-tuned for proper functional performance with Dräger devices and systems. Dräger's years of experience in the field of sensors, and their high quality has even convinced NASA. Dräger O<sub>2</sub> sensors are electrochemical transducers used to measure O<sub>2</sub> partial pressure. They operate on the principle of a galvanic cell.

Examples of locations where the sensors are used include the Fabius® family, Evita® family and the Primus®. To take into account the high value of oxygen measurement, we only recommend using O<sub>2</sub> sensors from Dräger.

<b>A</b>	<b>O<sub>2</sub> sensor capsule, for mainstream measurement</b>	<b>6850645</b>
<b>B</b>	<b>Fast O<sub>2</sub> sensor, for sidestream measurement</b>	<b>6850930</b>
<b>C</b>	<b>O<sub>2</sub> sensor OxyTrace VE, for Savina® ventilator</b>	<b>MX01049</b>
<b>D</b>	<b>O<sub>2</sub> sensor OxyTrace INCU, for Caleo®</b>	<b>MX01050</b>
<b>E</b>	<b>O<sub>2</sub> sensor Oxycell, for Babyleo® TN500</b>	<b>6873065</b>
<b>F</b>	<b>O<sub>2</sub> sensor housing Oxydig, for O<sub>2</sub> sensor capsule, with spiral cable</b>	<b>6850250</b>







# Monitoring accessories

# 4

**SOMETHING YOU CAN COUNT ON:**

- The right accessory for every need (such as disposable and reusable products)
- Precise measurement data thanks to the highest medical technological standard
- Disposable accessories:
  - Prevention of cross infection in hospital
  - Simplify and speed up the workflow
- MonoLead®
  - ECG single cable solution that can replace conventional multi-cable systems
- MultiMed® Pods
  - Unify ECG, pulse oximetry and temperature monitoring in one cable
  - Reduce cable clutter

**CONTENT**

**MONITORING ACCESSORIES**

<b>1. Infinity® Monitoring: Gamma, Delta, Kappa and Vista series</b>	<b>115</b>	<b>2. Infinity® Acute Care System</b>	<b>172</b>	<b>4. Vista 120</b>	<b>210</b>
1.1 MultiMed® Pods	115	2.1 Electrocardiography (ECG)	172	4.1 Electrocardiography (ECG)	210
1.2 Electrocardiography (ECG)	117	2.2 Pulse oximetry (SpO <sub>2</sub> )	177	4.2 Pulse oximetry (SpO <sub>2</sub> )	211
1.3 Pulse oximetry (SpO <sub>2</sub> )	125	2.3 Temperature	189	4.3 Non-invasive blood pressure (NIBP)	213
1.4 Temperature	141	2.4 Tcore® Temperature Monitoring System	191	4.4 Temperature	215
1.5 Tcore® Temperature Monitoring System	143	2.5 Non-invasive blood pressure (NIBP)	192	4.5 Invasive blood pressure (IBP)	216
1.6 Non-invasive blood pressure (NIBP)	144	2.6 Invasive blood pressure (IBP) and cardiac output (CO)	196	4.6 CO <sub>2</sub> Sidestream	218
1.7 CNAP continuous non-invasive arterial pressure	148	2.7 etCO <sub>2</sub>	198	4.7 CO <sub>2</sub> Mainstream	222
1.8 Invasive blood pressure (IBP) and cardiac output (CO)	150	2.8 TOFscan® Neuromuscular Transmission Monitor	199	4.8 Device accessories	223
1.9 Infinity® PiCCO	159	<b>3. Infinity® M300</b>	<b>200</b>	<b>5. Multi Vendor Adapter</b>	<b>224</b>
1.10 Bispectral index (BIS)	162	3.1 Electrocardiography (ECG)	200	5.1 ECG Adapter	224
1.11 Electroencephalography (EEG)	163	3.2 Pulse oximetry (SpO <sub>2</sub> )	204	5.2 ECG Adapter Telemetry	226
1.12 Neuromuscular Transmission (NMT)	164	3.3 Pouch	209	5.3 TEMP Adapter	226
1.13 Capnography etCO <sub>2</sub>	165	3.4 Codensation	209	5.4 NBP Adapter	228
1.14 Scio	170				
1.15 Transcutaneous monitoring (tpO <sub>2</sub> /tpCO <sub>2</sub> )	171				
1.16 Recorder paper	171				

NOTES

MULTIMED® PODS

1. INFINITY® MONITORING:  
 GAMMA, DELTA, KAPPA AND VISTA SERIES  
 1.1 MULTIMED® PODS

A	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 1.5 m	5950196							
	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	3368391							
B	Multiparameter cable MultiMed® 6 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	5191221							
C	Multiparameter cable MultiMed® plus, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	MS20093							
D	Multiparameter cable MultiMed® plus OR, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	MS20094							
E	Multiparameter cable NeoMed Pod, for ECG, resp., SpO <sub>2</sub> , temp., and FiO <sub>2</sub> , 2.5 m	5590539							
F	Patient parameter unit MultiMed® 12 Pod	5589663							

GAMMA / GAMMA XL  
 GAMMA X XL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL




Not all articles are available worldwide.

**MULTIMED® PODS**

<b>A</b>	Holder for MultiMed® 12 Pod	<b>5202747</b>
<b>B</b>	Pod connection cable, 30 cm	<b>7257988</b>
	Pod connection cable, 3 m	<b>3368425</b>
	Pod connection cable, 5 m	<b>5195198</b>
<b>C</b>	Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods, swiveling 360°	<b>MP00721</b>
<b>D</b>	Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods	<b>5598128</b>
<b>E</b>	Universal pole mount	<b>7485621</b>
<b>F</b>	Hinged arm Quickstop, for attaching and positioning Dräger pods	<b>2M86464</b>
<b>G</b>	Extension set, for Quickstop hinged arm 2M86464	<b>MP00653</b>

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



A D-8990-2009  
 B D-418-2014  
 C MT-8451-2005  
 D D-9020-2009  
 E D-438-2014  
 F MT-317-2008  
 G MT-1641-2007

Not all articles are available worldwide.

**ELECTROCARDIOGRAPHY (ECG)**

**1.2 ELECTROCARDIOGRAPHY (ECG)**  
**MONOLEAD® SINGLE-PIN CONNECTOR**


ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.

MonoLead® is an ECG single cable solution patented by Dräger that replaces multi-cable systems. The single tangle-proof lead set accommodates standard electrodes while eliminating the tangled mess that frequently occurs with traditional multi-lead sets.

Note: Not for use with Infinity® TruST™ Telemetry.

<b>A</b>	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	<b>MS14555</b>
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	<b>MS14556</b>
<b>B</b>	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	<b>MS14559</b>
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	<b>MS14560</b>
<b>C</b>	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m	<b>MS14683</b>
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m	<b>MS14682</b>

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



A MT-8510-2005  
 B MT-353-2008  
 C MT-8497-2005

Not all articles are available worldwide.

## ELECTROCARDIOGRAPHY (ECG)

### MONOLEAD LONG, SINGLE-PIN CONNECTOR

Not for use with ECG extension cable MS16256.

ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 4.1 m	<b>MS28561</b>	■ ■ ■ ■ ■ ■ ■ ■ ■ ■
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m	<b>MS28557</b>	■ ■ ■ ■ ■ ■ ■ ■ ■ ■
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 5.3 m	<b>MS28559</b>	■ ■ ■ ■ ■ ■ ■ ■ ■ ■
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m	<b>MS28558</b>	■ ■ ■ ■ ■ ■ ■ ■ ■ ■
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 5.7 m	<b>MS28560</b>	■ ■ ■ ■ ■ ■ ■ ■ ■ ■
A ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 5.7 m	<b>MS17185</b>	■ ■ ■ ■ ■ ■ ■ ■ ■ ■

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



Not all articles are available worldwide.


## ELECTROCARDIOGRAPHY (ECG)

### MONOLEAD® DUAL PIN CONNECTOR

ECG dual-pin connectors can be connected directly to MultiMed® 5,6 and MultiMed® 12.

A ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC1 (European color code), 2 m	<b>MS16160</b>	■ ■ ■ ■ ■ ■ ■ ■ ■ ■
ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	<b>MS16233</b>	■ ■ ■ ■ ■ ■ ■ ■ ■ ■
B ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	<b>MS16161</b>	■ ■ ■ ■ ■ ■ ■ ■ ■ ■
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	<b>MS16229</b>	■ ■ ■ ■ ■ ■ ■ ■ ■ ■
<b>CHESTLEADS FOR USE WITH MULTIMED® 12</b>		
ECG dual-pin connectors can be connected directly to MultiMed® 12.		
ECG cable for C lead MonoLead® 5, IEC1 (European color code), 1.5 m	<b>MS16232</b>	■ ■ ■ ■ ■ ■ ■ ■ ■ ■
ECG cable for V lead MonoLead® 5, IEC2 (AHA/US color code), 1.5 m	<b>MS16230</b>	■ ■ ■ ■ ■ ■ ■ ■ ■ ■

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



Not all articles are available worldwide.

## ELECTROCARDIOGRAPHY (ECG)

### SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR

ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.

A	ECG cable, 3-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1 m, 20 pcs.	<b>MP00875</b>	■	■	■	■	■	■
	ECG cable, 3-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1 m, 20 pcs.	<b>MP00877</b>	■	■	■	■	■	■
B	ECG cable, 5-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1/1.5 m, 20 pcs.	<b>MP00879</b>	■	■	■	■	■	■
	ECG cable, 5-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	<b>MP00881</b>	■	■	■	■	■	■
	ECG cable, 6-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1/1.5 m, 20 pcs.	<b>MP03122</b>	■	■	■	■	■	■
	ECG cable, 6-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	<b>MP03123</b>	■	■	■	■	■	■

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



Not all articles are available worldwide.

## ELECTROCARDIOGRAPHY (ECG)

### REUSABLE ECG LEADS SINGLE-PIN CONNECTOR

ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.

A	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	<b>MP03401</b>	■	■	■	■	■	■
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	<b>MP03402</b>	■	■	■	■	■	■
B	ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	<b>MP03403</b>	■	■	■	■	■	■
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	<b>MP03404</b>	■	■	■	■	■	■
C	ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	<b>MP03405</b>	■	■	■	■	■	■
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	<b>MP03406</b>	■	■	■	■	■	■

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



Not all articles are available worldwide.



**ELECTROCARDIOGRAPHY (ECG)**

**ECG ACCESSORIES**

<b>A</b>	<b>ECG adapter for single-pin ECG cable to MultiMed® 5</b>	<b>MS14679</b>	■	■	■	■	■	■
	<b>ECG adapter for single-pin ECG cable to MultiMed® 6</b>	<b>MS14680</b>	■	■	■	■	■	■
	<b>Telemetry cable adapter, connects single-pin cable to telemetry transmitter</b>	<b>MS14681</b>	■	■	■	■	■	■
<b>B</b>	<b>ECG extension cable, 6-lead, single-pin connector, 2 m</b>	<b>MS16256</b>	■	■	■	■	■	■
<b>C</b>	<b>ECG extension cable, dual-pin connector, 2 m</b>	<b>MS16492</b>	■	■	■	■	■	■
<b>D</b>	<b>ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed® 5</b>	<b>5947226</b>	■	■	■	■	■	■
<b>E</b>	<b>ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed® 6</b>	<b>7486140</b>	■	■	■	■	■	■

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

**PULSE OXIMETRY (SPO<sub>2</sub>)**

**1.3 PULSE OXIMETRY (SPO<sub>2</sub>)**

**DRÄGER**

**DRÄGER/NELLCOR® CABLES**

SpO<sub>2</sub> intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

<b>A</b>	<b>SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m</b>	<b>3368433</b>	■	■	■	■	■	■
	<b>SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m</b>	<b>3375834</b>	■	■	■	■	■	■
	<b>SpO<sub>2</sub> intermediate cables for connection to MultiMed® plus/plus OR and Infinity® M300.</b>							
<b>B</b>	<b>SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m</b>	<b>MS18683</b>	■	■	■	■	■	■
<b>C</b>	<b>SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m</b>	<b>MS17330</b>	■	■	■	■	■	■

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

**PULSE OXIMETRY (SPO<sub>2</sub>)**

**DRÄGER REUSABLE SENSOR**

A SpO<sub>2</sub> finger sensor Dräger, reusable MS13235

**DRÄGER DISPOSABLE SENSORS**


B SpO<sub>2</sub> adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs. MS16449

C SpO<sub>2</sub> adhesive sensor Dräger, foam, disposable, adult, 24 pcs. MS16445

D SpO<sub>2</sub> adhesive sensor Dräger, vinyl, disposable, child, 24 pcs. MS16448

E SpO<sub>2</sub> adhesive sensor Dräger, foam, disposable, child, 24 pcs. MS16444

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL




Not all articles are available worldwide.

**PULSE OXIMETRY (SPO<sub>2</sub>)**

A SpO<sub>2</sub> adhesive sensor Dräger, cloth, disposable, baby, 24 pcs. MS16447

B SpO<sub>2</sub> adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs. MS16446

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



Not all articles are available worldwide.



**PULSE OXIMETRY (SPO<sub>2</sub>)**

**MASIMO®**

**DRÄGER/NELLCOR® CABLES**

SpO<sub>2</sub> intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

**A** SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m\* **3368433**

SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m\* **3375834**

SpO<sub>2</sub> intermediate cables for connection to MultiMed® plus/plus OR.

**B** SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m\* **MS18683**

**C** SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m\* **MS17330**

**MASIMO® LNCS CABLES**

SpO<sub>2</sub> intermediate cables for connection to Infinity® M300 and Masimo® SET Pod.

**D** SpO<sub>2</sub> intermediate cable Masimo® LNCS, 3 m **MS17522**

**D** SpO<sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m **MS24303**

\*Note: Requires Nellcor sensor software setting.

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



**PULSE OXIMETRY (SPO<sub>2</sub>)**

**MASIMO® LNCS REUSABLE SENSORS**

**A** SpO<sub>2</sub> finger sensor Masimo® LNCS DCI, reusable, adult **MP00796**

**B** SpO<sub>2</sub> finger sensor Masimo® LNCS DCIP, reusable, child **MP00795**

SpO<sub>2</sub> Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult **MP00788**

SpO<sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult **MP00789**

SpO<sub>2</sub> Masimo® sensor LNCS-TF-I, reusable, pediatric/adult **MP00799**

**C** SpO<sub>2</sub> Masimo® sensor LNCS-DBI, reusable, adult **MP02993**

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



**PULSE OXIMETRY (SPO<sub>2</sub>)**

**MASIMO® LNCS DISPOSABLE SENSORS**

<b>A</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Adtx, disposable, adult, 20 pcs.</b>	<b>MP00790</b>
<b>B</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.</b>	<b>MP00791</b>
<b>C</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.</b>	<b>MP00792</b>
<b>D</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Pdtx, disposable, child, 20 pcs.</b>	<b>MP00793</b>
<b>E</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.</b>	<b>MP00794</b>

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

**PULSE OXIMETRY (SPO<sub>2</sub>)**

**MASIMO® LNCS TRAUMA SENSORS**

Masimo® LNCS Trauma sensors are for use with Masimo® SET technology only.

<b>A</b>	<b>Masimo® LNCS Trauma sensor, adult, 20 pcs.</b>	<b>MP03191</b>
<b>B</b>	<b>Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.</b>	<b>MP03193</b>
<b>C</b>	<b>Masimo® LNCS Trauma sensor, neonate, 20 pcs.</b>	<b>MP03192</b>

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

**PULSE OXIMETRY (SPO<sub>2</sub>)**

**MASIMO® RD-SET ADAPTER CABLES**

<b>A</b>	Adapter cable RD-SET to LNOP, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed® 5/6/12, NeoMed Pods and MultiMed® Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163*	<b>MS33731</b>
<b>B</b>	Adapter cable RD-SET to LNCS, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNCS intermediate cables MS24303 or MS17522	<b>MS33732</b>
<b>B</b>	Adapter cable RD-SET to MultiMed®, for connection of RD-SET sensors to MultiMed® 5/6/12, NeoMed Pods as well as MultiMed® Plus/Plus OR via the according intermediate cables 3368433/3375834 or MS18683/MS17330	<b>MS33733</b>

\*Products are not available any more.  
Adapter is to be used to switch from sensors to the installed base.

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



Not all articles are available worldwide.

**PULSE OXIMETRY (SPO<sub>2</sub>)**

**MASIMO® RD-SET DISPOSABLE SENSORS**

<b>A</b>	Masimo® RD-SET sensor, adult, disposable	<b>MS33726</b>
<b>B</b>	Masimo® RD-SET sensor, pediatric, disposable	<b>MS33727</b>
<b>C</b>	Masimo® RD-SET sensor, infant, disposable	<b>MS33728</b>
<b>D</b>	Masimo® RD-SET sensor, neonatal, disposable	<b>MS33729</b>
<b>E</b>	Masimo® RD-SET sensor, neonatal preterm, disposable	<b>MS33730</b>

**MASIMO® RD-SET REUSABLE SENSORS**

<b>F</b>	Masimo® RD-SET DCI sensor, adult, reusable	<b>MS33740</b>
<b>G</b>	Masimo® RD-SET DC-IP sensor, pediatric, reusable	<b>MS33741</b>

Not all articles are available worldwide.

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL




**PULSE OXIMETRY (SPO<sub>2</sub>)**

**MASIMO® ACCESSORIES**

<b>A</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO<sub>2</sub> sensor, 12 pcs.</b>	<b>7496933</b>							
<b>B</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo®, for NeoPt SpO<sub>2</sub> sensor, 100 pcs.</b>	<b>7496925</b>							
<b>C</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO<sub>2</sub> sensor, 100 pcs.</b>	<b>7496917</b>							
<b>D</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO<sub>2</sub> sensor, 100 pcs.</b>	<b>7496909</b>							
<b>E</b>	<b>SpO<sub>2</sub> adhesive square Masimo®, 12 pcs.</b>	<b>7496875</b>							
<b>F</b>	<b>SpO<sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO<sub>2</sub> sensor, 12 pcs.</b>	<b>7496891</b>							

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

**PULSE OXIMETRY (SPO<sub>2</sub>)**

<b>A</b>	<b>Headband LNCS/M-LNCS TF-I, 5 pcs.</b>	<b>MP03197</b>							
<b>B</b>	<b>Adhesive Pad LNCS/M-LNCS TF-I, 20 pcs.</b>	<b>MP03198</b>							

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

**PULSE OXIMETRY (SPO<sub>2</sub>)**

**NELLCOR®**

**DRÄGER/NELLCOR® CABLES**

SpO<sub>2</sub> intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

<b>A</b>	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m	<b>3368433</b>	■	■	■	■	■	■	■
	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m	<b>3375834</b>	■	■	■	■	■	■	■
	SpO <sub>2</sub> intermediate cables for connection to, MultiMed® plus/plus OR, Infinity® M300 and Nellcor® Oximax.								
<b>B</b>	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	<b>MS18683</b>	■	■	■	■	■	■	■
<b>C</b>	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	<b>MS17330</b>	■	■	■	■	■	■	■

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



Not all articles are available worldwide.

**PULSE OXIMETRY (SPO<sub>2</sub>)**

**NELLCOR® REUSABLE SENSORS**

<b>A</b>	SpO <sub>2</sub> finger sensor Nellcor® DURA DS 100A	<b>7262764</b>	■	■	■	■	■	■	■
<b>B</b>	SpO <sub>2</sub> multisite sensor Nellcor® DURA-Y™, reusable	<b>MX01004</b>	■	■	■	■	■	■	■
<b>C</b>	Ear clip for Nellcor® DURA-Y™	<b>MX01005</b>	■	■	■	■	■	■	■
<b>D</b>	Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.	<b>8201012</b>	■	■	■	■	■	■	■
<b>E</b>	Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs.	<b>2170221</b>	■	■	■	■	■	■	■

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL




Not all articles are available worldwide.

**PULSE OXIMETRY (SPO<sub>2</sub>)**

**NELLCOR® DISPOSABLE SENSORS**

<b>A</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.</b>	<b>MX50065</b>
<b>B</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.</b>	<b>MX50071</b>
<b>C</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.</b>	<b>MX50067</b>
<b>D</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.</b>	<b>MX50068</b>
<b>E</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.</b>	<b>MX50066</b>

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL




Not all articles are available worldwide.

**PULSE OXIMETRY (SPO<sub>2</sub>)**

**For use with Oximax® technology.**

<b>A</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.</b>	<b>MX50070</b>
<b>B</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-R, disposable, application on nose, 24 pcs.</b>	<b>MX50069</b>

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

PULSE OXIMETRY (SPO<sub>2</sub>)

For connectivity of M-LNCS sensors also refer to Chart in IACS chapter.



SpO<sub>2</sub> Sensor Connectivity

VFB
VF7
VFB
VFB

**Infinity Patient Monitors**

**Gamma XL**

**Delta/Delta XL**

**Vista XL**

**Infinity Patient Monitors**

**Gamma XL**

Monitor Model	Connector	Accessory	Part Number	Notes
Gamma XL	Multimed 12	MS16356	MS23987	Reusable
		MS16356	MS23987	
Delta/Delta XL	Multimed B	MS16356	MS23987	Reusable
		MS16356	MS23987	
Vista XL	Multimed Plus OR	MS16356	MS23987	Reusable
		MS16356	MS23987	
Gamma XL	Multimed 12	MS16356	MS23987	Reusable
		MS16356	MS23987	
Delta/Delta XL	Multimed B	MS16356	MS23987	Reusable
		MS16356	MS23987	
Vista XL	Multimed Plus OR	MS16356	MS23987	Reusable
		MS16356	MS23987	

Not all articles are available worldwide.

TEMPERATURE

1.4 TEMPERATURE

ADAPTER CABLES

**A** Adapter cable, 7-pin connector for temperature probe with 1/4" connector **5198333**

**B** Y-cable, reusable, 7-pin connector, for 2 temperature probes **5592154**

SINGLE-PATIENT USE TEMPERATURE PROBES

**C** General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 1.6 m **MP00991**

General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 3 m **MP00992**

**D** General-purpose temperature probe, single-pat. use, child, 7-pin connector, 1.6 m **MP00993**

General-purpose temperature probe, single-pat. use, child, 7-pin connector, 3 m **MP00994**

**E** Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m **MP00995**

Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m **MP00996**

**F** Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m **MP00997**

Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m **MP00998**

Not all articles are available worldwide.

Item	Part Number	Gamma / Gamma XL	Gamma X XL	Delta / Delta XL	Kappa	Kappa XL	Vista	Vista XL
A	5198333	■	■	■	■	■	■	■
B	5592154	■	■	■	■	■	■	■
C	MP00991	■	■	■	■	■	■	■
	MP00992	■	■	■	■	■	■	■
D	MP00993	■	■	■	■	■	■	■
	MP00994	■	■	■	■	■	■	■
E	MP00995	■	■	■	■	■	■	■
	MP00996	■	■	■	■	■	■	■
F	MP00997	■	■	■	■	■	■	■
	MP00998	■	■	■	■	■	■	■



\*Requires Nellcor Sensor software setting.  
 \*\*No longer available.

**TEMPERATURE**

**REUSABLE TEMPERATURE PROBES**

<b>A</b>	<b>General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m</b>	<b>4329889</b>	■	■	■	■	■	■	■
<b>A</b>	<b>General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m</b>	<b>5204644</b>	■	■	■	■	■	■	■
<b>A</b>	<b>General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m</b>	<b>4329848</b>	■	■	■	■	■	■	■
<b>A</b>	<b>General-purpose temperature probe, reusable, child, 7-pin connector, 3 m</b>	<b>5204651</b>	■	■	■	■	■	■	■
<b>B</b>	<b>Skin temperature probe, reusable, with 7-pin connector, 1.5 m</b>	<b>4329822</b>	■	■	■	■	■	■	■
<b>B</b>	<b>Skin temperature probe, reusable, with 7-pin connector, 3 m</b>	<b>5204669</b>	■	■	■	■	■	■	■
<b>C</b>	<b>Protective cover for general-purpose temperature probe, contains latex, 10 pcs.</b>	<b>7014616</b>	■	■	■	■	■	■	■

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

**TCORE® TEMPERATURE MONITORING SYSTEM**

**1.5 TCORE® TEMPERATURE MONITORING SYSTEM**

Tcore® – a new non-invasive technology for accurate core temperature monitoring Tcore® employs a unique dual-sensor heat flux technology, which, following a short ramp-up time, calculates core body temperature continuously and accurately. A simple, self-adhesive sensor – for children from 5 years of age and adults – placed on the patient's forehead is all that's required. This single-use sensor can be connected through a battery-powered adapter to all current Dräger monitors\*, eliminating the need for a dedicated display.

\*Exception: Vista 120 product family, patient monitors.

<b>A</b>	<b>Tcore® adapter (reusable)</b>	<b>MP00999</b>	■	■	■	■	■	■	■
<b>B</b>	<b>Tcore® sensor (single patient use)</b>	<b>MP00989</b>	■	■	■	■	■	■	■
	<b>Tcore® extension cable</b>	<b>MP02201</b>	■	■	■	■	■	■	■
<b>C</b>	<b>Holder for MultiMed®</b>	<b>MP00721</b>	■	■	■	■	■	■	■

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.



**NON-INVASIVE BLOOD PRESSURE (NIBP)**

**1.6 NON-INVASIVE BLOOD PRESSURE (NIBP)**

**NIBP HOSES**

A	NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953
B	NIBP hose, neonate, 2.4 m	2870298

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

**NON-INVASIVE BLOOD PRESSURE (NIBP)**

**NIBP CUFFS, REUSABLE**

A	1 NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911
	2 NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912
	3 NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913
	4 NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915
	5 NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916
	6 NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917
	7 NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918
	8 NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919
	9 NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

**NON-INVASIVE BLOOD PRESSURE (NIBP)**

**NIBP CUFFS, SINGLE-PATIENT USE**

A	1	NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924
	2	NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925
	3	NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926
	4	NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928
	5	NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929
	6	NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930
	7	NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931
	8	NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932
	9	NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL




Not all articles are available worldwide.

**NON-INVASIVE BLOOD PRESSURE (NIBP)**

**NIBP CUFFS NEONATAL, DISPOSABLE**

A	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181
B	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199
C	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207
D	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215
E	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

### CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

#### 1.7 CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

<b>A</b>	<b>Starter kit for patient parameter unit Infinity® CNAP™ SmartPod®</b>	<b>MS17075</b>
Includes the following accessories:		
	<b>CNAP™ cuff controller and cradle</b>	<b>MS26125</b>
<b>B</b>	<b>CNAP™ intermediate cable for Infinity® CNAP™ SmartPod®, for CNAP™ controller</b>	<b>MS15893</b>
<b>C</b>	<b>CNAP™ cuff controller forearm strap</b>	<b>MS26122</b>
<b>D</b>	<b>Cuff controller cradle allows CNAP™ cuff controller to “slide” with movement of patient’s arm</b>	<b>MS26123</b>

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



### CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

<b>A</b>	<b>CNAP™ sensor cuff, size L</b>	<b>MS15896</b>
<b>B</b>	<b>CNAP™ sensor cuff, size M</b>	<b>MS15895</b>
<b>C</b>	<b>CNAP™ sensor cuff, size S</b>	<b>MS15894</b>
<b>D</b>	<b>Pod connection cable, 3 m</b>	<b>3368425</b>
<b>E</b>	<b>Universal pole mount</b>	<b>7485621</b>

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



**INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)**

**1.8 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)**

**IBP AND CO HEMO PODS**

A	Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725
B	Patient parameter unit Infinity® HemoMed Pod	5588822
C	Connection cable, connects HemoMed Pod to monitor, 3 m	5591925
	Connection cable, connects HemoMed Pod to monitor, 5 m	5591933
D	Hinged arm Quickstop, for attaching and positioning Dräger pods	2M86464
E	Extension set, for Quickstop hinged arm 2M86464	MP00653
F	Universal pole mount	7485621

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



**INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)**

**IBP QUADHEMO ADAPTERS**

A	IBP transducer adapter Abbott/Medex	MS22535
	IBP transducer adapter Argon (former Becton Dickinson/Ohmeda)	MS22148
	IBP transducer adapter Baxter/Edwards	MS22147
B	IBP transducer adapter Utah Medical	MS22534
C	IBP transducer adapter cable, Dräger 7-pin	MS22533
D	IBP transducer adapter cable, Dräger 10-pin	MS22532

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL





**INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)**

**IBP HEMO POD ADAPTERS AND PLATES**

<b>A</b>	<b>Pod adapter, 10-pin, for pressure transducer</b>	<b>3375958</b>
<b>B</b>	<b>Pod adapter, for Abbott/Medex pressure transducer</b>	<b>5196998</b>
<b>C</b>	<b>Pod adapter, for Edwards pressure transducer</b>	<b>5196980</b>
<b>D</b>	<b>Pod adapter, for Argon pressure transducer (former Becton Dickinson/Ohmeda)</b>	<b>3375941</b>
	<b>Pod adapter SensoNor, for connecting pressure transducer cables, 7-pin</b>	<b>MS23598</b>

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



D-8986-2009

D-8986-2009


D-8986-2009

D-8986-2009

**INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)**

<b>A</b>	<b>IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5 pcs.</b>	<b>7270460</b>
<b>B</b>	<b>IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott TranspacII/III/Braun, 5 pcs.</b>	<b>5192112</b>
<b>C</b>	<b>IBP pressure transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5 pcs.</b>	<b>4721416</b>
<b>D</b>	<b>IBP pressure transducer plate, for Hemo4 Pod, universal, 5 pcs.</b>	<b>4721424</b>
	<b>IBP pressure transducer plate, for Hemo2 Pod, for Memscap (Capto/SensoNor), 5 pcs.</b>	<b>4721614</b>
<b>E</b>	<b>IBP pressure transducer plate, for Hemo2 Pod, universal, 5 pcs.</b>	<b>4721408</b>

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



D-2357-2011

D-9077-2009

D-2339-2011

D-8977-2009

D-2338-2011

**INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)**

**IBP Y-CABLES AND ADAPTERS**

A	IBP Y-adapter, 7-pin	5592147
B	IBP Y-adapter, 10-pin	5731281
C	IBP adapter, 10-pin to 7-pin	3368383
D	IBP Y-adapter, 10-pin to 7-pin	5588095
E	IBP Y-cable, Baxter/Edwards, 3.7 m	5206607

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



**INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)**

**IBP MEMSCAP CABLES AND TRANSDUCERS**

A	IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m	4321563
	IBP press. transducer for Memscap (Capto/SensoNor) 844, disposable, sterile, 50 pcs.	7864908
B	IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m	5195180
C	IBP pressure transducer set for Memscap (Capto/SensoNor) 844, disposable, 10 pcs.	7489433
D	IBP holder for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.	7864155
E	IBP pressure transducer for Memscap (Capto/SensoNor) 844, reusable	7489417
F	IBP pressure transducer cable for Memscap (Capto/SensoNor) 844, 3 m	7486876
	IBP pressure transducer set for Memscap (Capto/SensoNor) 844	7498947

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



**INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)**

**IBP OHMEDA CABLES AND TRANSDUCERS**

<b>A</b>	<b>IBP connection cable Argon (former Becton Dickinson/Ohmeda), 3.7 m</b>	<b>3375933</b>
<b>B</b>	<b>IBP Y-cable Argon (former Becton Dickinson/Ohmeda), 3.7 m</b>	<b>5206581</b>
<b>C</b>	<b>IBP pressure transducer set Argon (former Becton Dickinson/Ohmeda), disposable, sterile, 5 pcs.</b>	<b>4528741</b>

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

**INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)**

**CO CABLES, CATHETERS AND THERMISTORS**

<b>A</b>	<b>CO thermistor cable Argon (former Becton Dickinson/Ohmeda)</b>	<b>8420077</b>
<b>B</b>	<b>CO thermistor T-piece Argon (former Becton Dickinson/Ohmeda)</b>	<b>5741975</b>
<b>C</b>	<b>CO thermistor cable Baxter/Edwards</b>	<b>8539983</b>
<b>D</b>	<b>CO connection cable, 1 m</b>	<b>3368458</b>
<b>E</b>	<b>CO catheter cable</b>	<b>8419160</b>

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

**INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)**

**Hemodynamic Connectivity**

<p><b>Infinity Acute Care System</b></p> <p>Infinity M540</p> <p>MS2387 2.0 M MS2388 2.0 M</p> <p>HemoMed</p> <p>Monitor IBP</p>	<p><b>Infinity Bedside Monitors</b></p> <p>Infinity Gamma X XL Vista XL</p> <p>HemoMed</p> <p>Aux/Hemo 2, 3</p>	<p><b>Infinity Kappa</b></p> <p>HemoMed</p> <p>Aux/Hemo 2, 3</p>	<p><b>Infinity Kappa XLT</b></p> <p>*PICCO not supported</p> <p>HemoMed</p> <p>Aux/Hemo 2, 3</p>	<p><b>720768 0.3 M</b> <b>591125 3.0 M</b> <b>591426 3.0 M</b> <b>591153 5.0 M</b></p> <p>Aux/Hemo 2, 3</p> <p>OR</p> <p><b>591125 3.0 M</b> <b>591153 5.0 M</b></p> <p>HemoMed</p>
<p><b>Quad Hemo</b></p> <p>MS2075</p> <p>Temp A Temp B C.O.</p> <p>Monitor</p> <p>A B C D</p>	<p><b>Dual Hemo</b></p> <p>MS2073</p> <p>Hemo</p> <p>A B</p>	<p><b>Hemo4</b></p> <p>431591</p> <p>Temp A Temp B C.O.</p> <p>IBP</p> <p>A B C D</p>	<p><b>Hemo2</b></p> <p>431945</p> <p>Temp A Temp B C.O.</p> <p>IBP</p> <p>A B</p>	<p><b>PiCCO</b></p> <p>MS1674</p> <p>Kappa XLT does not support PiCCO</p> <p>C.O.</p> <p>Aux/Hemo</p> <p>A B C D</p> <p>PiCCO uses 10-pin adapter MS2252, with transducer adapter cable MS1672a</p>
<p><b>PiCCO Gen II</b></p> <p>MS2133</p> <p>Kappa XLT does not support PiCCO</p> <p>C.O.</p> <p>A B C D</p> <p>PiCCO uses 10-pin adapter MS2252, with transducer adapter cable MS1672a</p>	<p><b>HemoMed</b></p> <p>569822</p> <p>C.O.</p> <p>A B C D</p>			


<p><b>Vendor specific adapter cables [A-B-C-D]</b></p> <p>7 Pin MS2333</p> <p>10 Pin MS2252</p> <p>Abbott/Maxx (Transar) MS2235</p> <p>Baxter/Edwards MS2147</p> <p>Argon/BD MS2148</p> <p>Univ. Medical MS2234</p>	<p><b>Vendor specific Hemo Pod adapters [A-B-C-D]</b></p> <p>7 Pin MS23198</p> <p>10 Pin MS23196</p> <p>Abbott/Maxx (Transar) 519698</p> <p>Baxter/Edwards 519680</p> <p>Argon/BD 337941</p>	<p><b>Temperature</b></p> <p>Adult 432922/1.5 m 520468/3 m</p> <p>Single Patient Use MP00095/1.6 m MP00096/3 m</p> <p>Pediatric MP00097/1.6 m MP00098/3 m</p> <p>MP00092/3 m MP00093/1.6 m MP00094/3 m</p>	<p><b>Cardiac Output (C.O.)</b></p> <p>Argon/BD 842007 5741975</p> <p>Baxter/Edwards 8530983</p> <p>5398458 8419160</p> <p>MS16916 MS16908 MS16919</p>
---	--	--	--

**INFINITY® PiCCO**

**1.9 INFINITY® PICCO**

<b>A</b>	<b>Infinity® PiCCO Gen II SmartPod®</b>	<b>MS23133</b>
	<b>Infinity® PiCCO Gen II SmartPod® kit</b>	<b>MS32282</b>
<b>B</b>	<b>Infinity® PiCCO SmartPod®</b>	<b>MS17441</b>
	<b>Infinity® PiCCO SmartPod® Kit</b>	<b>MS16734</b>
<b>C</b>	<b>CO thermistor cable for Infinity® PiCCO Pod</b>	<b>MS16919</b>
	<b>CO catheter cable for Infinity® PiCCO Pod</b>	<b>MS16918</b>
	<b>CO cable for Infinity® PiCCO Pod</b>	<b>MS16916</b>
<b>D</b>	<b>IBP transducer adapter cable, Dräger 10-pin</b>	<b>MS22532</b>
<b>E</b>	<b>Pod adapter, 10-pin, for pressure transducer</b>	<b>3375958</b>
	<b>Adapter cable for Infinity® PiCCO SmartPod®, for 10-pin connector</b>	<b>MS16920</b>

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL




Not all articles are available worldwide.

Not all articles are available worldwide.




INFINITY® PiCCO



Not all articles are available worldwide.

INFINITY® PiCCO GEN II SMARTPOD®



Not all articles are available worldwide.

**BISPECTRAL INDEX (BIS)**

**1.10 BISPECTRAL INDEX (BIS)**

**INFINITY® BISX SMARTPOD®**

<b>A</b>	<b>Patient parameter unit Infinity® BISx SmartPod®</b>	<b>MS14796</b>
----------	--	----------------

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



MT-5816-2006

**ELECTROENCEPHALOGRAPHY (EEG)**

**1.11 ELECTROENCEPHALOGRAPHY (EEG)**

**INFINITY® EEG POD AND ACCESSORIES**

<b>A</b>	<b>Patient parameter unit Infinity® EEG Pod</b>	<b>5736744</b>
<b>B</b>	<b>EEG electrode cable, color-coded, 9 pcs.</b>	<b>5947804</b>
<b>C</b>	<b>Block for EEG referential lead conversion</b>	<b>5954859</b>
<b>D</b>	<b>EEG electrodes, disposable, 25 pcs.</b>	<b>MS29468</b>

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



D-9026-2009



D-2353-2011



D-9032-2009



MT-2335-2004

**NEUROMUSCULAR TRANSMISSION (NMT)**

**1.12 NEUROMUSCULAR TRANSMISSION (NMT)**

**INFINITY® TRIDENT (NMT) SMARTPOD® AND ACCESSORIES**

<b>A</b>	<b>Patient parameter unit set Infinity® Trident® NMT SmartPod®</b>	<b>MS15007</b>							
Includes the following accessories:									
	<b>NMT accelerometer Trident®</b>	<b>MS15085</b>							
	<b>NMT thermistor Trident®</b>	<b>MS15053</b>							
	<b>NMT hand adapter Trident®</b>	<b>MS15086</b>							
	<b>NMT thumb adapter for Infinity® Trident (NMT) SmartPod®, disposable, 50 pcs.</b>	<b>MS15084</b>							
	<b>NMT intermediate cable for Infinity® Trident (NMT) SmartPod®, 1.9 m</b>	<b>7872174</b>							
	<b>NMT electrode cable Trident®, 2-lead, 0.3 m</b>	<b>MS13218</b>							
	<b>Bed clip for cables</b>	<b>MS15087</b>							

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



MT-5600-2004

Not all articles are available worldwide.

**CAPNOGRAPHY ETCO<sub>2</sub>**

**1.13 CAPNOGRAPHY ETCO<sub>2</sub>**

**ETCO<sub>2</sub> ACCESSORIES FOR CAPNOSTAT III**

<b>A</b>	<b>etCO<sub>2</sub> sensor set Capnostat-III</b>	<b>4322975</b>							
<b>B</b>	<b>etCO<sub>2</sub> airway adapter, reusable, adult</b>	<b>4721796</b>							
<b>B</b>	<b>etCO<sub>2</sub> airway adapter, reusable, neonate</b>	<b>4721788</b>							
<b>C</b>	<b>CO<sub>2</sub> airway adapter, adult, disposable, 10 pcs.</b>	<b>2606227</b>							
<b>D</b>	<b>CO<sub>2</sub> airway adapter, neonatal (infant/pediatric), disposable, 10 pcs.</b>	<b>2606228</b>							

**SIDESTREAM MEASUREMENT ACCESSORIES**

<b>E</b>	<b>Dehumidification tubing for etCO<sub>2</sub> sidestream sampling, Nafion®, 10 pcs.</b>	<b>4714429</b>							
<b>F</b>	<b>etCO<sub>2</sub> nasal cannula, adult, 10 pcs.</b>	<b>4714395</b>							
<b>F</b>	<b>etCO<sub>2</sub> nasal cannula, child, 10 pcs.</b>	<b>4714387</b>							

Not all articles are available worldwide.

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL




D-8963-2009




D-8978-2009



D-16293-2010



D-16294-2010



D-8973-2009



D-8971-2009

**CAPNOGRAPHY ETCO<sub>2</sub>**

CO<sub>2</sub> CABLES

A	CO <sub>2</sub> mainstream sensor, for Evita, Infinity V500, Infinity M540, and Delta VF9.1 and higher	6871950
	Y-cable CO <sub>2</sub> and analog/sync	MS22259

CO<sub>2</sub> CUVETTES, DISPOSABLE

B	CO <sub>2</sub> cuvette disposable, adult, 10 pcs.	MP01062
C	CO <sub>2</sub> cuvette disposable, pediatric, 10 pcs.	MP01063

CO<sub>2</sub> CUVETTES, REUSABLE

D	CO <sub>2</sub> cuvette reusable, adult, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870279
E	CO <sub>2</sub> cuvette reusable, pediatric, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870280

ACCESSORIES

	Calibration set, with test connection and test gas cylinder	8412710
	Test gas cylinder 5 Vol.% CO <sub>2</sub> , 95 Vol. % N <sub>2</sub>	6850435
	Parking holder for CO <sub>2</sub> sensor	8416352
	Test filter	6870281

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



**CAPNOGRAPHY ETCO<sub>2</sub>**

RESPIRATORY MECHANICS ACCESSORIES

A	Sensor for respiratory mechanics and flow, disposable, adult/child, 10 pcs.	5957134
	Sensor for respiratory mechanics and flow, disposable, neonate, 10 pcs.	5957100
B	Sensor for respiratory mechanics, flow and CO <sub>2</sub> , disposable, adult/child, 10 pcs.	5957126
	Sensor for respiratory mechanics, flow and CO <sub>2</sub> , disposable, child, 10 pcs.	5957142
	Sensor for respiratory mechanics, flow and CO <sub>2</sub> , disposable, neonate, 10 pcs.	5957118

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



**CAPNOGRAPHY ETCO<sub>2</sub>**

**ETCO<sub>2</sub> MICROSTREAM ADAPTERS AND CANNULAS**

<b>A</b>	etCO <sub>2</sub> airway adapter Microstream®, adult/child, max. 12 h, 25 pcs.	<b>7869535</b>
<b>B</b>	etCO <sub>2</sub> airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.	<b>7869550</b>
<b>C</b>	etCO <sub>2</sub> airway adapter Microstream®, adult/child, max. 72 h, 25 pcs.	<b>7869543</b>
<b>D</b>	etCO <sub>2</sub> nasal cannula Microstream®, adult, max. 12 h, 25 pcs.	<b>7869477</b>
<b>E</b>	etCO <sub>2</sub> nasal cannula Microstream®, child, max. 12 h, 25 pcs.	<b>7869469</b>
<b>F</b>	etCO <sub>2</sub> nasal cannula Microstream®, adult, max. 24 h, 25 pcs.	<b>7869592</b>

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

**CAPNOGRAPHY ETCO<sub>2</sub>**

<b>A</b>	etCO <sub>2</sub> nasal cannula Microstream®, + O <sub>2</sub> , adult, max. 24 h, 25 pcs.	<b>7869493</b>
	etCO <sub>2</sub> nasal cannula Microstream®, + O <sub>2</sub> , child, max. 24 h, 25 pcs.	<b>7869485</b>
<b>B</b>	etCO <sub>2</sub> nasal/mouth cannula Microstream®, + O <sub>2</sub> , child, max. 12 h, 25 pcs.	<b>7869584</b>
<b>C</b>	etCO <sub>2</sub> nasal cannula Microstream®, neonate/child, max. 24 h, 25 pcs.	<b>7869618</b>
<b>D</b>	etCO <sub>2</sub> nasal/mouth cannula Microstream®, child, max. 12 h, 25 pcs.	<b>7869501</b>
	Smart Capnoline® Plus, adult/intermediate, (pack of 25)	<b>MS26187</b>
	Smart Capnoline® Plus O <sub>2</sub> , adult/intermediate, (pack of 25)	<b>MS26188</b>

GAMMA / GAMMA XL  
 GAMMA XXL  
 DELTA / DELTA XL  
 KAPPA  
 KAPPA XLT  
 VISTA  
 VISTA XL



Not all articles are available worldwide.

**SCIO**

**1.14 SCIO**

**SCIO ACCESSORIES**

<b>A</b>	<b>Calibration kit MultiGas, incl. bottle, regulator, reservoir bag</b>	<b>5207415</b>
<b>B</b>	<b>Sample line, disposable, 10 pcs.</b>	<b>8290286</b>
<b>C</b>	<b>Watertrap WaterLock® 2, 12 pcs.</b>	<b>6872130</b>
<b>D</b>	<b>Adapter WaterLock® 2, set of 6 pcs.</b>	<b>6872128</b>
<b>E</b>	<b>Water trap Infinity® ID WaterLock® 2, 12 pcs.</b>	<b>6872020</b>
	<b>Sample gas return line for Fabius®, with filter</b>	<b>M32692</b>



**TRANSCUTANEOUS MONITORING/  
RECORDER PAPER**

**1.15 TRANSCUTANEOUS MONITORING  
(TPO<sub>2</sub>/TPCO<sub>2</sub>)**

<b>A</b>	<b>tpO<sub>2</sub>/tpCO<sub>2</sub> solid-state electrode</b>	<b>4529988</b>
	<b>Membrane replacement set for tcpO<sub>2</sub>/tcpCO<sub>2</sub> electrodes</b>	<b>MP00715</b>
	<b>Fixation set for tpO<sub>2</sub> and tpCO<sub>2</sub> electrodes</b>	<b>MP00716</b>
	<b>Calibration gas, for tpO<sub>2</sub>/tcpCO<sub>2</sub>, 20,9% O<sub>2</sub> and 5% CO<sub>2</sub>, 12 pcs.</b>	<b>MP00717</b>
	<b>Electrode holder set, Electrode holder, screw, and O-ring</b>	<b>MP00718</b>
	<b>TCC calibration unit</b>	<b>MP00722</b>

**1.16 RECORDER PAPER**

<b>B</b>	<b>Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls</b>	<b>4711201</b>
----------	--	----------------

GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL



**INFINITY® ACUTE CARE SYSTEM**

**2. INFINITY® ACUTE CARE SYSTEM**  
**2.1 ELECTROCARDIOGRAPHY (ECG)**

**MONOLEAD® SINGLE-PIN CONNECTOR**

<b>A</b>	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	<b>MS14555</b>
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	<b>MS14556</b>
<b>B</b>	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	<b>MS14559</b>
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	<b>MS14560</b>
<b>C</b>	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m	<b>MS14683</b>
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m	<b>MS14682</b>



**INFINITY® ACUTE CARE SYSTEM**

**MONOLEAD LONG, SINGLE-PIN CONNECTOR**

Not for use with ECG extension cable MS16256.

	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 4.1 m	<b>MS28561</b>
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m	<b>MS28557</b>
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 5.3 m	<b>MS28559</b>
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m	<b>MS28558</b>
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 5.7 m	<b>MS28560</b>
<b>A</b>	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 5.7 m	<b>MS17185</b>



**CHESTLEADS MONOLEAD®**


	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 1.7 m	<b>MS14693</b>
	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 1.7 m	<b>MS14694</b>
	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 3.7 m*	<b>MS20476</b>
	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 3.7 m*	<b>MS20475</b>

\*Not for use with extension cable MS31435.

**INFINITY® ACUTE CARE SYSTEM**

**REUSABLE ECG LEADS  
SINGLE-PIN CONNECTOR**


<b>A</b>	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	<b>MP03401</b>
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	<b>MP03402</b>
<b>B</b>	ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	<b>MP03403</b>
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	<b>MP03404</b>
<b>C</b>	ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	<b>MP03405</b>
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	<b>MP03406</b>
<b>CHESTLEADS</b>		
<b>D</b>	ECG cable, 4-lead, single-pin connector, IEC1 (European color code), 1 m	<b>MP03407</b>
	ECG cable, 4-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	<b>MP03408</b>



**INFINITY® ACUTE CARE SYSTEM**

**SINGLE-PATIENT USE ECG LEADS  
SINGLE-PIN CONNECTOR**

<b>A</b>	ECG cable, 3-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1 m, 20 pcs.	<b>MP00875</b>
	ECG cable, 3-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1 m, 20 pcs.	<b>MP00877</b>
<b>B</b>	ECG cable, 5-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1/1.5 m, 20 pcs.	<b>MP00879</b>
	ECG cable, 5-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	<b>MP00881</b>
	ECG cable, 6-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1/1.5 m, 20 pcs.	<b>MP03122</b>
	ECG cable, 6-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	<b>MP03123</b>
<b>SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR FOR CHESTLEADS</b>		
	ECG cable, 4-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1 m, 20 pcs.	<b>MP03120</b>
	ECG cable, 4-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1 m, 20 pcs.	<b>MP03121</b>





**INFINITY® ACUTE CARE SYSTEM**

**ELECTRODES**

A	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

**NEONATAL ECG**

	ECG neonatal 3-lead adapter cable, 2 m	MS25951
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

**ECG ACCESSORIES**

C	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680
	ECG "4-lead" spacer, 10 pcs.	MS22832
D	ECG extension cable, 6-lead, single-pin connector, 2 m	MS16256
	ECG extension cable, 4-lead, single-pin connector, 2 m	MS31435



**INFINITY® ACUTE CARE SYSTEM**

**2.2 PULSE OXIMETRY (SPO<sub>2</sub>)**

**MASIMO®**

For Masimo® accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

**MASIMO® LNCS CABLES**

For connection of LNCS sensors to Masimo® SET Mcable.

A	SpO <sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m	MP00800
A	SpO <sub>2</sub> intermediate cable Masimo® LNCS, 3 m	MP00797
A	SpO <sub>2</sub> intermediate cable Masimo® LNCS, 4.3 m	MP03194

For connection of LNCS sensors to Masimo® rainbow SET Mcable.

B	SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 1.2 m	MP02991
B	SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 3 m	MP02992
B	SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 4.3 m	MP03196



**INFINITY® ACUTE CARE SYSTEM**

**MASIMO® LNCS REUSABLE SENSORS**

<b>A</b>	<b>SpO<sub>2</sub> finger sensor Masimo® LNCS DCI, reusable, adult</b>	<b>MP00796</b>
<b>B</b>	<b>SpO<sub>2</sub> finger sensor Masimo® LNCS DCIP, reusable, child</b>	<b>MP00795</b>
	<b>SpO<sub>2</sub> Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult</b>	<b>MP00788</b>
	<b>SpO<sub>2</sub> Masimo® sensor LNCS-TF-I, reusable, pediatric/adult</b>	<b>MP00799</b>
	<b>SpO<sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult</b>	<b>MP00789</b>
<b>C</b>	<b>SpO<sub>2</sub> Masimo® sensor LNCS-DBI, reusable, adult</b>	<b>MP02993</b>



**INFINITY® ACUTE CARE SYSTEM**

**MASIMO® DISPOSABLE SENSORS**

<b>A</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Actx, disposable, adult, 20 pcs.</b>	<b>MP00790</b>
<b>B</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.</b>	<b>MP00791</b>
<b>C</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.</b>	<b>MP00792</b>
<b>D</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS Pctx, disposable, child, 20 pcs.</b>	<b>MP00793</b>
<b>E</b>	<b>SpO<sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.</b>	<b>MP00794</b>



**INFINITY® ACUTE CARE SYSTEM**

**MASIMO® LNCS TRAUMA SENSORS**

Masimo® LNCS Trauma sensors are for use with Masimo® SET technology only.

<b>A</b>	Masimo® LNCS Trauma sensor, adult, 20 pcs.	<b>MP03191</b>
<b>B</b>	Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.	<b>MP03193</b>
<b>C</b>	Masimo® LNCS Trauma sensor, neonate, 20 pcs.	<b>MP03192</b>



**INFINITY® ACUTE CARE SYSTEM**

**MASIMO® RD-SET CABLES**

Connection of RD-SET sensors to Masimo® SET Mcable


<b>A</b>	RD-SET intermediate cable for Masimo® SET Mcable, 1.5 m	<b>MS33736</b>
<b>A</b>	RD-SET intermediate cable for Masimo® SET Mcable, 3.6 m	<b>MS33737</b>

For connection of RD-SET sensors to Masimo® rainbow SET Mcable

<b>B</b>	RD-SET intermediate cable for Masimo® rainbow SET Mcable, 1.5 m	<b>MS33738</b>
<b>B</b>	RD-SET intermediate cable for Masimo® rainbow SET Mcable, 3.6 m	<b>MS33739</b>

**MASIMO® RD-SET DISPOSABLE SENSORS**

<b>C</b>	Masimo® RD-SET sensor, adult, disposable	<b>MS33726</b>
	Masimo® RD-SET sensor, pediatric, disposable	<b>MS33727</b>
<b>D</b>	Masimo® RD-SET sensor, infant, disposable	<b>MS33728</b>
	Masimo® RD-SET sensor, neonatal, disposable	<b>MS33729</b>
<b>E</b>	Masimo® RD-SET sensor, neonatal preterm, disposable	<b>MS33730</b>



**INFINITY® ACUTE CARE SYSTEM**

**MASIMO® RD-SET REUSABLE SENSORS**

<b>A</b>	<b>Masimo® RD-SET DCI sensor, adult, reusable</b>	<b>MS33740</b>
<b>B</b>	<b>Masimo® RD-SET DC-IP sensor, pediatric, reusable</b>	<b>MS33741</b>



**INFINITY® ACUTE CARE SYSTEM**

**MASIMO® RAINBOW CABLES**

For connection of rainbow sensors to Masimo® rainbow SET Mcable.

<b>A</b>	<b>SpO<sub>2</sub> intermediate cable Masimo® rainbow, 1.2 m</b>	<b>MP02974</b>
<b>A</b>	<b>SpO<sub>2</sub> intermediate cable Masimo® rainbow, 3.6 m</b>	<b>MP02975</b>

**MASIMO® RAINBOW DISPOSABLE SENSORS (SPCO, SPMET, SPOC, PVI)**

<b>B</b>	<b>Rainbow sensor R25-L, adult, 10 pcs.</b>	<b>MP02961</b>
<b>C</b>	<b>Rainbow sensor R20-L, infant, 10 pcs.</b>	<b>MP02962</b>
<b>D</b>	<b>Rainbow sensor R25, adult, 10 pcs.</b>	<b>MP02959</b>
<b>E</b>	<b>Rainbow sensor R20, pedi, 10 pcs.</b>	<b>MP02960</b>



**INFINITY® ACUTE CARE SYSTEM**

**MASIMO® RAINBOW RESPONSABLE SENSORS (SPHB, SPMET, SPOC, PVI)**


<b>A</b>	<b>Rainbow sensor ReSposable R2-25a (DOS), adult, 25 pcs.</b>	<b>MP02997</b>
<b>B</b>	<b>Rainbow sensor ReSposable R2-20a (DOS), pedi, 25 pcs.</b>	<b>MP02998</b>
<b>C</b>	<b>Rainbow ReSposable system R2-25, adult, 20 DOS and 1 ROS per box</b>	<b>MP03199</b>
<b>D</b>	<b>Rainbow ReSposable system R2-20, pedi, 20 DOS and 1 ROS per box</b>	<b>MP03200</b>
<b>E</b>	<b>Rainbow sensor ReSposable R2-25r (ROS), adult, 5 pcs.*</b>	<b>MP03201</b>
<b>F</b>	<b>Rainbow sensor ReSposable R2-20r (ROS), pedi, 5 pcs.*</b>	<b>MP03202</b>

\*To be replaced after using 20 DOS.

**MASIMO® RAINBOW REUSABLE SENSORS (SPCO, SPMET, SPOC, PVI)**

<b>G</b>	<b>Rainbow sensor DCI, Adt</b>	<b>MP02971</b>
	<b>Rainbow sensor DCIP, pedi</b>	<b>MP02972</b>

Not all articles are available worldwide.





**INFINITY® ACUTE CARE SYSTEM**

**MASIMO® ACCESSORIES**


<b>A</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO<sub>2</sub> sensor, 12 pcs.</b>	<b>7496933</b>
<b>B</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo®, for NeoPt SpO<sub>2</sub> sensor, 100 pcs.</b>	<b>7496925</b>
<b>C</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO<sub>2</sub> sensor, 100 pcs.</b>	<b>7496917</b>
<b>D</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO<sub>2</sub> sensor, 100 pcs.</b>	<b>7496909</b>
<b>E</b>	<b>SpO<sub>2</sub> adhesive square Masimo®, 12 pcs.</b>	<b>7496875</b>
<b>F</b>	<b>SpO<sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO<sub>2</sub> sensor, 12 pcs.</b>	<b>7496891</b>

Not all articles are available worldwide.



## INFINITY® ACUTE CARE SYSTEM

- A Headband LNCS/M-LNCS TF-I, 5 pcs. MP03197
- B Adhesive Pad LNCS/M-LNCS TF-I, 20 pcs. MP03198
- C Masimo® rainbow sensor cover, 10 pcs. MP03203



## INFINITY® ACUTE CARE SYSTEM



### Masimo SpO<sub>2</sub> and rainbow® Sensor Connectivity

#### INFINITY PATIENT MONITORS

**M540**

Masimo SET Module  
MS20867

Masimo rainbow® SET iMCable  
MS27003\*\*\*

Multiplexed 5  
5560196 3.0 M  
5560197 3.0 M  
5560198 3.0 M

Multiplexed 12  
5560683 3.0 M

#### PATIENT WORK MONITORS

**Infinity M300**

**Delta/Delta XL/Kappa (VfE, VFi, VF8)**

Masimo SET Pod  
MS16356

Multiplexed 5  
3368493 1.0 M  
3368494 2.0 M  
891221 2.5 M

#### LNCS Sensors for SpO<sub>2</sub>, PLS, PI, PVI\*\*\*

Reusable	LNCS DC-IP MP00796	LNCS DC-1 MP00798	LNCS TF-I MP00799	LNCS DBI MP02983
Disposable	LNCS Adx MP00790	LNCS Pthx MP00793	LNCS Neof MP00794	LNCS Y1 MP00789
*Sensors are only for use with Masimo SET Trauma LNCS Adx Trauma LNCS Adx, Ped/Inf, Neo Trauma LNCS Inf/Ped				

---

#### INFINITY PATIENT MONITORS

**M540**

Masimo SET Module  
MS20867

Masimo rainbow® SET iMCable  
MS27003\*\*\*

Multiplexed Plus  
MS24326 3.0 M  
MS24327 3.0 M  
MS24328 3.0 M

#### PATIENT WORK MONITORS

**Vista XL (VfE, VFi)**

Masimo SET Pod  
MS16356

Multiplexed Plus OR  
MS20094 2.5 M

#### RD-SET Sensors for SpO<sub>2</sub>, PLS, PI, PVI\*\*\*

Reusable	RD SET DC-IP PH MS33726	RD SET DC-IP PH MS33741
Disposable	RD SET Pth MS33727	RD SET Neo MS33729
	RD SET Adx MS33728	RD SET NeoPi MS33730

---

#### INFINITY PATIENT MONITORS

**M540**

Masimo SET Module  
MS20867

Masimo rainbow® SET iMCable  
MS27003\*\*\*

Multiplexed Plus OR  
MS24326 3.0 M  
MS24327 3.0 M  
MS24328 3.0 M

#### PATIENT WORK MONITORS

**Gamma XL (VfE, VFi)**

Masimo SET Pod  
MS16356

Multiplexed Plus OR  
MS20094 2.5 M

#### rainbow® Sensors for SpO<sub>2</sub>, PLS, PI, SpMet, SpOC, PVI and SpHb or SpCO

Reusable	rainbow R25-L rainbow R25 MP02981	rainbow R25 MP02981	rainbow DC-1 MP02971	SpCO
Disposable	rainbow R20-L rainbow R20 MP02982	rainbow R20 MP02982	rainbow DC-IP MP02972	SpCO
Reusable	rainbow R2-25a MP02988	rainbow R2-20r MP02972		

**ReSp** ReSpable System  
**Adh** Adhesive R2-25a  
**ReSp** ReSpable R2-25r  
**SpCo** SpCO

**\*\*\***Requires Masimo Natus spect software settings.  
**\*\***Only for use with Masimo rainbow® SET iMCable.  
**\*\*\***Order via MS27900.

**INFINITY® ACUTE CARE SYSTEM**

**NELLCOR®**

**NELLCOR® CABLES**

<b>A</b>	<b>Nellcor® intermediate cable, 1.2 m</b>	<b>MP00748</b>
	<b>Nellcor® intermediate cable, 3 m</b>	<b>MS20979</b>

**NELLCOR® REUSABLE SENSOR**

<b>B</b>	<b>SpO<sub>2</sub> finger sensor Nellcor® DURA DS 100A</b>	<b>7262764</b>
----------	--	----------------

**NELLCOR® DISPOSABLE SENSORS**

<b>C</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.</b>	<b>MX50065</b>
<b>D</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.</b>	<b>MX50071</b>
<b>E</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.</b>	<b>MX50067</b>
<b>F</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.</b>	<b>MX50068</b>
<b>G</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.</b>	<b>MX50066</b>



Not all articles are available worldwide.

**INFINITY® ACUTE CARE SYSTEM**

**2.3 TEMPERATURE**

**ADAPTER CABLE**

<b>A</b>	<b>Y-cable, reusable, 7-pin connector, for 2 temperature probes</b>	<b>5592154</b>
----------	---	----------------

**SINGLE-PATIENT USE TEMPERATURE PROBES**

<b>B</b>	<b>General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 1.6 m</b>	<b>MP00991</b>
	<b>General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 3 m</b>	<b>MP00992</b>
<b>C</b>	<b>General-purpose temperature probe, single-pat. use, child, 7-pin connector, 1.6 m</b>	<b>MP00993</b>
	<b>General-purpose temperature probe, single-pat. use, child, 7-pin connector, 3 m</b>	<b>MP00994</b>
<b>D</b>	<b>Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m</b>	<b>MP00995</b>
	<b>Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m</b>	<b>MP00996</b>
<b>E</b>	<b>Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m</b>	<b>MP00997</b>
	<b>Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m</b>	<b>MP00998</b>

Not all articles are available worldwide.



**INFINITY® ACUTE CARE SYSTEM**

**REUSABLE TEMPERATURE PROBES**

<b>A</b>	<b>General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m</b>	<b>4329889</b>
<b>A</b>	<b>General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m</b>	<b>5204644</b>
<b>A</b>	<b>General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m</b>	<b>4329848</b>
<b>A</b>	<b>General-purpose temperature probe, reusable, child, 7-pin connector, 3 m</b>	<b>5204651</b>
<b>B</b>	<b>Skin temperature probe, reusable, with 7-pin connector, 1.5 m</b>	<b>4329822</b>
<b>B</b>	<b>Skin temperature probe, reusable, with 7-pin connector, 3 m</b>	<b>5204669</b>
<b>C</b>	<b>Protective cover for general-purpose temperature probe, contains latex, 10 pcs.</b>	<b>7014616</b>



**INFINITY® ACUTE CARE SYSTEM**

**2.4 Tcore® TEMPERATURE MONITORING SYSTEM**

Tcore® – a new non-invasive technology for accurate core temperature monitoring Tcore® employs a unique dual-sensor heat flux technology, which, following a short ramp-up time, calculates core body temperature continuously and accurately. A simple, self-adhesive sensor – for children from 5 years of age and adults – placed on the patient's forehead is all that's required. This single-use sensor can be connected through a battery-powered adapter to all current Dräger monitors\*, eliminating the need for a dedicated display.

\*Exception: Vista 120 product family, patient monitors.

<b>A</b>	<b>Tcore® adapter (reusable)</b>	<b>MP00999</b>
<b>B</b>	<b>Tcore® sensor (single patient use)</b>	<b>MP00989</b>
	<b>Tcore® extension cable</b>	<b>MP02201</b>
	<b>Tcore® mount for M540</b>	<b>MS33239</b>
<b>C</b>	<b>Holder for MultiMed®</b>	<b>MP00721</b>





**INFINITY® ACUTE CARE SYSTEM**

**2.5 NON-INVASIVE BLOOD PRESSURE (NIBP)**

**NIBP HOSES**

A	NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953
B	NIBP hose, neonate, 2.4 m	2870298



**INFINITY® ACUTE CARE SYSTEM**

**NIBP CUFFS, REUSABLE**

A	1 NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911
	2 NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912
	3 NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913
	4 NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915
	5 NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916
	6 NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917
	7 NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918
	8 NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919
	9 NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921



**INFINITY® ACUTE CARE SYSTEM**

**NIBP CUFFS, SINGLE-PATIENT USE**

A	1 NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924
	2 NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925
	3 NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926
	4 NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928
	5 NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929
	6 NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930
	7 NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931
	8 NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932
	9 NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934



**INFINITY® ACUTE CARE SYSTEM**

**NIBP CUFFS NEONATAL, DISPOSABLE**

A	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181
B	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199
C	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207
D	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215
E	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173



**INFINITY® ACUTE CARE SYSTEM**

**2.6 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)**

<b>A</b>	<b>MPOD-Dual Hemo, 2 invasive blood pressures for M540*</b>	<b>MS20783</b>
<b>B</b>	<b>Infinity® MPOD-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures</b>	<b>MS20725</b>
Required to connect MPOD-QuadHemo, Hemo2 or Hemo4 to IACS:		
<b>C</b>	<b>M540 Hemo connection cable, 1.5 m</b>	<b>MS23897</b>
	<b>M540 Hemo connection cable, 3 m</b>	<b>MS23898</b>
Required to connect two MPOD-QuadHemo:		
	<b>Pod connection cable, 30 cm</b>	<b>7257988</b>
	<b>Pod connection cable, 3 m</b>	<b>3368425</b>
	<b>Pod connection cable, 5 m</b>	<b>5195198</b>

**IBP TRANSDUCER ADAPTER CABLES**

<b>D</b>	<b>IBP transducer adapter Abbott/Medex</b>	<b>MS22535</b>
	<b>IBP transducer adapter Argon (former Becton Dickinson/Ohmeda)</b>	<b>MS22148</b>
	<b>IBP transducer adapter Baxter/Edwards</b>	<b>MS22147</b>
<b>E</b>	<b>IBP transducer adapter Utah Medical</b>	<b>MS22534</b>
<b>F</b>	<b>IBP transducer adapter cable, Dräger 7-pin</b>	<b>MS22533</b>
<b>G</b>	<b>IBP transducer adapter cable, Dräger 10-pin</b>	<b>MS22532</b>

\*Note: Infinity® M cable-Dual Hemo does not require an additional hemo connection cable.

Not all articles are available worldwide.



D-104505-2013



D-19899-2009



D-45149-2015



D-16392-2010



D-16393-2010



D-45145-2015



D-45144-2015

**INFINITY® ACUTE CARE SYSTEM**

**CO CABLES AND THERMISTORS**

<b>A</b>	<b>CO thermistor cable Argon (former Becton Dickinson/Ohmeda)</b>	<b>8420077</b>
<b>B</b>	<b>CO thermistor T-piece Argon (former Becton Dickinson/Ohmeda)</b>	<b>5741975</b>
<b>C</b>	<b>CO thermistor cable Baxter/Edwards</b>	<b>8539983</b>
<b>D</b>	<b>CO connection cable, 1 m</b>	<b>3368458</b>
<b>E</b>	<b>CO catheter cable</b>	<b>8419160</b>

**CARDIAC OUTPUT KITS**

	<b>Cardiac output kit, Baxter</b>	<b>7265155</b>
	<b>Cardiac output kit, Argon (former Becton Dickinson/Ohmeda)</b>	<b>7265163</b>

Not all articles are available worldwide.



D-9062-2009



D-9030-2009



D-2377-2011



D-8952-2009



D-9060-2009

**INFINITY® ACUTE CARE SYSTEM**

**2.7 ETCO<sub>2</sub>**

**CO<sub>2</sub> CABLES**

<b>A</b>	<b>CO<sub>2</sub> mainstream sensor, for Evita, Infinity V500, Infinity M540, and Delta VF9.1 and higher</b>	<b>6871950</b>
----------	--	----------------

	<b>Y-cable CO<sub>2</sub> and analog/sync</b>	<b>MS22259</b>
--	---	----------------

**CO<sub>2</sub> CUVETTES, DISPOSABLE**

<b>B</b>	<b>CO<sub>2</sub> cuvette disposable, adult, 10 pcs.</b>	<b>MP01062</b>
----------	--	----------------

<b>C</b>	<b>CO<sub>2</sub> cuvette disposable, pediatric, 10 pcs.</b>	<b>MP01063</b>
----------	--	----------------

**CO<sub>2</sub> CUVETTES, REUSABLE**

<b>D</b>	<b>CO<sub>2</sub> cuvette reusable, adult, for CO<sub>2</sub> sensors 6871500, 6870300, 6871950</b>	<b>6870279</b>
----------	---	----------------

<b>E</b>	<b>CO<sub>2</sub> cuvette reusable, pediatric, for CO<sub>2</sub> sensors 6871500, 6870300, 6871950</b>	<b>6870280</b>
----------	---	----------------

**ACCESSORIES**

	<b>Calibration set, with test connection and test gas cylinder</b>	<b>8412710</b>
--	--	----------------

	<b>Test gas cylinder 5 Vol.% CO<sub>2</sub>, 95 Vol. % N<sub>2</sub></b>	<b>6850435</b>
--	--	----------------

	<b>Parking holder for CO<sub>2</sub> sensor</b>	<b>8416352</b>
--	---	----------------

	<b>Test filter</b>	<b>6870281</b>
--	--------------------	----------------



**INFINITY® ACUTE CARE SYSTEM**

**2.8 TOFSCAN® NEUROMUSCULAR TRANSMISSION MONITOR**

ToFscan® is a nerve stimulator module for the measurement of neuromuscular transmission, via accelerometry. It provides an easy, accurate way to measure of patient muscle relaxation. ToFscan® supports evidence-based judgment about the state of a patient's neuromuscular blockade.

	<b>ToFscan® Kit configurator</b>	<b>MS32318</b>
	Order basic kit through material confi MS32318 device.	

<b>A</b>	<b>ToFscan® monitor</b>	<b>MS32146</b>
----------	-------------------------	----------------

<b>B</b>	<b>Hand sensor with electrode connector, adult</b>	<b>MS32154</b>
----------	--	----------------

	<b>Hand sensor with electrode connector, pediatric</b>	<b>MS32289</b>
--	--	----------------

<b>C</b>	<b>Eyebrow sensor with electrode connector</b>	<b>MS32291</b>
----------	--	----------------

<b>D</b>	<b>Foot sensor with electrode connector</b>	<b>MS32290</b>
----------	---	----------------

<b>E</b>	<b>Extension cable</b>	<b>MS32153</b>
----------	------------------------	----------------

<b>F</b>	<b>Mount clamp 10 – 40 mm (0.4 – 1.57 in)</b>	<b>MS32150</b>
----------	---	----------------

	<b>Mount clamp 20 – 60 mm (0.79 – 2.36 in)</b>	<b>MS32151</b>
--	--	----------------

<b>G</b>	<b>Optic serial RS 232 cable (1 meter) to connect the device to a Dräger monitorAC</b>	<b>MS32156</b>
----------	--	----------------

	<b>ToFscan® to IACS connectivity kit</b>	<b>MS25836</b>
--	--	----------------



**INFINITY® M300**

**3. INFINITY® M300**

**3.1 ELECTROCARDIOGRAPHY (ECG)**

**MONOLEAD® SINGLE-PIN CONNECTOR**

<b>A</b>	<b>ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m</b>	<b>MS14555</b>
	<b>ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m</b>	<b>MS14556</b>
<b>B</b>	<b>ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m</b>	<b>MS14559</b>
	<b>ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m</b>	<b>MS14560</b>
<b>C</b>	<b>ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m</b>	<b>MS14683</b>
	<b>ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m</b>	<b>MS14682</b>



**INFINITY® M300**

**ECG-LEAD SETS FOR TELEMETRY**

Infinity® TruST™ Telemetry lead sets can also be used in combination with MultiMed® plus. Shielded, not for use in the OR.

<b>A</b>	<b>ECG cable, 3-lead Infinity® TruST™, IEC1 (European color code), 70 cm</b>	<b>MP03421</b>
	<b>ECG cable, 3-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm</b>	<b>MP03422</b>
<b>B</b>	<b>ECG cable, 5-lead Infinity® TruST™, IEC1 (European color code), 70 cm</b>	<b>MP03423</b>
	<b>ECG cable, 5-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm</b>	<b>MP03424</b>
<b>C</b>	<b>ECG cable, 6-lead Infinity® TruST™, IEC1 (European color code), 70 cm</b>	<b>MP03425</b>
	<b>ECG cable, 6-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm</b>	<b>MP03426</b>

**REUSABLE ECG LEADS SINGLE-PIN CONNECTOR**

<b>D</b>	<b>ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m</b>	<b>MP03401</b>
	<b>ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m</b>	<b>MP03402</b>
<b>E</b>	<b>ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m</b>	<b>MP03403</b>
	<b>ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m</b>	<b>MP03404</b>
<b>F</b>	<b>ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m</b>	<b>MP03405</b>
	<b>ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m</b>	<b>MP03406</b>



**INFINITY® M300**

**SINGLE-PATIENT USE ECG LEADS  
SINGLE-PIN CONNECTOR**

<b>A</b>	<b>ECG cable, 3-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1 m, 20 pcs.</b>	<b>MP00875</b>
	<b>ECG cable, 3-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1 m, 20 pcs.</b>	<b>MP00877</b>
<b>B</b>	<b>ECG cable, 5-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1/1.5 m, 20 pcs.</b>	<b>MP00879</b>
	<b>ECG cable, 5-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.</b>	<b>MP00881</b>
	<b>ECG cable, 6-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1/1.5 m, 20 pcs.</b>	<b>MP03122</b>
	<b>ECG cable, 6-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.</b>	<b>MP03123</b>



**INFINITY® M300**

**ELECTRODES**

<b>A</b>	<b>ECG electrodes, single-patient use, adult/child, 50 pcs.</b>	<b>4527750</b>
----------	---	----------------

**ECG ACCESSORIES**

<b>B</b>	<b>ECG adapter for single-pin ECG cable to MultiMed® 5</b>	<b>MS14679</b>
	<b>ECG adapter for single-pin ECG cable to MultiMed® 6</b>	<b>MS14680</b>
<b>C</b>	<b>ECG extension cable, 6-lead, single-pin connector, 2 m</b>	<b>MS16256</b>



**INFINITY® M300**

**3.2 PULSE OXIMETRY (SpO<sub>2</sub>)**

**DRÄGER**

**DRÄGER CABLES**

- A SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m **MS18683**
- B SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m **MS17330**

**DRÄGER REUSABLE SENSOR**

- C SpO<sub>2</sub> finger sensor Dräger, reusable **MS13235**

**DRÄGER DISPOSABLE SENSORS**

- D SpO<sub>2</sub> adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs. **MS16449**
- E SpO<sub>2</sub> adhesive sensor Dräger, foam, disposable, adult, 24 pcs. **MS16445**
- F SpO<sub>2</sub> adhesive sensor Dräger, vinyl, disposable, child, 24 pcs. **MS16448**
- G SpO<sub>2</sub> adhesive sensor Dräger, foam, disposable, child, 24 pcs. **MS16444**



Not all articles are available worldwide.

**INFINITY® M300**

**MASIMO®**

For Masimo® accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

**MASIMO® LNCS CABLES**

- A SpO<sub>2</sub> intermediate cable Masimo® LNCS, 3 m **MS17522**
- A SpO<sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m **MS24303**

**MASIMO® LNCS REUSABLE SENSORS**

- B SpO<sub>2</sub> finger sensor Masimo® LNCS DCI, reusable, adult **MP00796**
- C SpO<sub>2</sub> finger sensor Masimo® LNCS DCIP, reusable, child **MP00795**
- SpO<sub>2</sub> Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult **MP00788**

- SpO<sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult **MP00789**

- SpO<sub>2</sub> Masimo® sensor LNCS-TF-I, reusable, pediatric/adult **MP00799**

- D SpO<sub>2</sub> Masimo® sensor LNCS-DBI, reusable, adult **MP02993**

**MASIMO® LNCS DISPOSABLE SENSORS**

- E SpO<sub>2</sub> adhesive sensor Masimo® LNCS Actx, disposable, adult, 20 pcs. **MP00790**
- F SpO<sub>2</sub> adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs. **MP00791**
- G SpO<sub>2</sub> adhesive sensor Masimo® LNCS Pctx, disposable, child, 20 pcs. **MP00793**

Not all articles are available worldwide.



**INFINITY® M300**

**MASIMO® RD-SET ADAPTER CABLES**

- A** Adapter cable RD-SET to LNOP, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed® 5/6/12, NeoMed Pods and MultiMed® Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163\* **MS33731**
- B** Adapter cable RD-SET to LNCS, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNCS intermediate cables MS24303 or MS17522 **MS33732**

**MASIMO® RD-SET DISPOSABLE SENSORS**

- C** Masimo® RD-SET sensor, adult, disposable **MS33726**
- D** Masimo® RD-SET sensor, pediatric, disposable **MS33727**
- E** Masimo® RD-SET sensor, infant, disposable **MS33728**

**MASIMO® RD-SET REUSABLE SENSORS**

- F** Masimo® RD-SET DCI sensor, adult, reusable **MS33740**
- G** Masimo® RD-SET DC-IP sensor, pediatric, reusable **MS33741**

\*Products are not available any more.  
Adapter is to be used to switch from sensors to the installed base.



Not all articles are available worldwide.

**INFINITY® M300**

**MASIMO® ACCESSORIES**

- A** SpO<sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO<sub>2</sub> sensor, 100 pcs. **7496917**
- SpO<sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO<sub>2</sub> sensor, 100 pcs. **7496909**
- B** SpO<sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO<sub>2</sub> sensor, 12 pcs. **7496891**
- C** SpO<sub>2</sub> adhesive square Masimo®, 12 pcs. **7496875**



Not all articles are available worldwide.



**INFINITY® M300**

**NELLCOR®**

**NELLCOR® CABLES**

- A **SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m** **MS18683**
- B **SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m** **MS17330**

**NELLCOR® REUSABLE SENSOR**

- C **SpO<sub>2</sub> finger sensor Nellcor® DURA DS 100A** **7262764**

**NELLCOR® DISPOSABLE SENSORS**

- D **SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.** **MX50065**
- E **SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.** **MX50071**
- F **SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.** **MX50066**
- G **SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.** **MX50068**



Not all articles are available worldwide.

**INFINITY® M300**

**3.3 POUCH**

- A **Telemetry transmitter pouch, disposable, 100 pcs.** **MS22905**

**3.4 CODENSATION**

- B **Holder for Infinity® M300 bedside charger, swiveling 360°** **MP00990**



Not all articles are available worldwide.

VISTA 120


4. VISTA 120

4.1 ELECTROCARDIOGRAPHY (ECG)

Not all articles are available worldwide.

A	ECG trunk cable, 5-lead, IEC/AHA colour code	2606496
	ECG trunk cable, 3-lead, IEC/AHA colour code	2606495
B	ECG trunk cable, 3-lead, for neonates, IEC & AHA	2606492
C	ECG limb wires, 5-lead, Grabber, IEC colour code	2606494
	ECG limb wires, 3-lead, Grabber, IEC colour code	2606493
	ECG limb wires, 5-lead, Grabber, AHA colour code	2606498
	ECG limb wires, 3-lead, Grabber, AHA colour code	2606497
	ECG electrodes, adult, disposable, 300 pcs.	2606247
	ECG electrodes, child, disposable, 500 pcs.	2606248
	ECG electrodes, adult/child, disposable, 1,000 pcs.	2606249
D	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

Not all articles are available worldwide.



VISTA 120


4.2 PULSE OXIMETRY (SPO<sub>2</sub>)

DRÄGER SPO<sub>2</sub>

Not for use with Vista 120 Nellcor models.

A	SpO <sub>2</sub> extension cable, 2 m, reusable	2606487
B	SpO <sub>2</sub> silicone Soft-tip sensor, adult, 1 m, reusable	2606485
	SpO <sub>2</sub> silicone Soft-tip sensor, pediatric, 1 m, reusable	2606486
C	SpO <sub>2</sub> sensor, adult, 0.5 m, disposable, 25 pcs.	2606208
D	SpO <sub>2</sub> sensor, pediatric, 0.5 m, disposable, 25 pcs.	2606209
E	SpO <sub>2</sub> sensor, infant, 0.5 m, disposable, 25 pcs.	2606210
F	SpO <sub>2</sub> sensor, neonate, 0.5 m, disposable, 25 pcs.	2606211
G	SpO <sub>2</sub> finger sensor, adult, 2.5 m, reusable	2606483
	SpO <sub>2</sub> finger sensor, adult, 1 m, reusable	2606484

Not all articles are available worldwide.



VISTA 120

**NELCOR OXIMAX SPO<sub>2</sub>**

Only for use with Vista 120 Nellcor models.

<b>A</b>	<b>Nellcor® intermediate cable, 1.2 m</b>	<b>MP00748</b>
	<b>Nellcor® intermediate cable, 3 m</b>	<b>MS20979</b>
<b>B</b>	<b>SpO<sub>2</sub> finger sensor Nellcor® DURA DS 100A</b>	<b>7262764</b>
<b>C</b>	<b>SpO<sub>2</sub> multisite sensor Nellcor® Oxiband™ A/N, reusable, neonate/adult</b>	<b>8201013</b>
<b>D</b>	<b>SpO<sub>2</sub> multisite sensor Nellcor® DURA-Y™, reusable</b>	<b>MX01004</b>
<b>E</b>	<b>Ear clip for Nellcor® DURA-Y™</b>	<b>MX01005</b>
<b>F</b>	<b>SpO<sub>2</sub> adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.</b>	<b>MX50070</b>



VISTA 120

**4.3 NON-INVASIVE BLOOD PRESSURE (NIBP)**

<b>A</b>	<b>NIBP tube, 3 m</b>	<b>2601195</b>
<b>B</b>	<b>NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista120</b>	<b>2606151</b>
<b>C</b>	<b>NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista120</b>	<b>2606152</b>
<b>D</b>	<b>NIBP cuff, child, 16 cm - 21 cm, reusable, Vista120</b>	<b>2606153</b>
<b>E</b>	<b>NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista120</b>	<b>2606154</b>
<b>F</b>	<b>NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista120</b>	<b>2606155</b>
<b>G</b>	<b>NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista120</b>	<b>2606156</b>



**VISTA 120**

<b>A</b>	NIBP cuff, neonatal #1, 3 – 6 cm, disposable, 20 pcs., Vista120	<b>2607034</b>
<b>B</b>	NIBP cuff, neonatal #2, 4 – 8 cm, disposable, 20 pcs., Vista120	<b>2607035</b>
<b>C</b>	NIBP cuff, neonatal #3, 6 – 11 cm, disposable, 20 pcs., Vista120	<b>2607036</b>
<b>D</b>	NIBP cuff, neonatal #4, 7 – 13 cm, disposable, 20 pcs., Vista120	<b>2607037</b>
<b>E</b>	NIBP cuff, neonatal #5, 8 – 15 cm, disposable, 20 pcs., Vista120	<b>2607038</b>



**VISTA 120**

**4.4 TEMPERATURE**

	Temperature probe skin, adult, 3 m, reusable	<b>2601197</b>
	Temperature probe, rectal/oral, adult, 3 m, reusable	<b>2601198</b>
<b>A</b>	Temperature probe skin, neonate/infant, 3 m, reusable	<b>2601200</b>
<b>B</b>	Temperature probe, rectal/oral, neonatal/Infant, 3 m, reusable	<b>2601199</b>
	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	<b>7014616</b>



VISTA 120

**4.5 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT\* (C.O)**

\*For supported Vista 120 models only.

<b>A</b>	<b>IBP pressure transducer kit, BD/Argon, disposable, 5 kits</b>	<b>2606225</b>
<b>B</b>	<b>IBP cable Becton Dickinson/Argon</b>	<b>2606488</b>
	<b>IBP cable Edwards</b>	<b>2606489</b>
	<b>IBP cable Abbott, Medex</b>	<b>2606490</b>
	<b>IBP cable Utah</b>	<b>2606491</b>



VISTA 120

<b>A</b>	<b>Cardiac Output cable, 3 m</b>	<b>2601201</b>
<b>B</b>	<b>CO In-line Injection temperature probe Becton Dickinson</b>	<b>2601190</b>
	<b>CO In-line Injection temperature probe housing</b>	<b>2601191</b>
<b>C</b>	<b>CO Control Syringe</b>	<b>2601192</b>




VISTA 120

4.6 CO<sub>2</sub> SIDESTREAM

DRÄGER G2 SIDESTREAM

A	CO <sub>2</sub> sampling line, disposable, for Vista 120, 100 pcs.	2607550
B	CO <sub>2</sub> nasal cannula, adult, disposable, for Vista 120, 100 pcs.	2607551
C	CO <sub>2</sub> nasal cannula, pediatric, disposable, for Vista 120, 100 pcs.	2607552
D	CO <sub>2</sub> nasal cannula, infant, disposable, for Vista 120, 100 pcs.	2607553
E	CO <sub>2</sub> nasal cannula + O <sub>2</sub> , adult, disposable, for Vista 120, 50 pcs.	2607554
F	CO <sub>2</sub> nasal cannula + O <sub>2</sub> , child, disposable, for Vista 120, 50 pcs.	2607555
G	CO <sub>2</sub> sidestream water trap, for Vista 120, 20 pcs.	2605124



Not all articles are available worldwide.

VISTA 120

LOFLO SIDE-STREAM

For non intubated patients (without O<sub>2</sub> delivery).

A	CO <sub>2</sub> LoFlo Nasal cannula, Adult, disposable, 10 pcs.	2605127
B	CO <sub>2</sub> LoFlo Nasal cannula, Pediatric, disposable, 10 pcs.	2605087
	CO <sub>2</sub> LoFlo Nasal cannula, Infant, disposable, 10 pcs.	2605088
C	CO <sub>2</sub> LoFlo Nasal/Oral cannula, Adult, disposable, 10 pcs.	2605083
D	CO <sub>2</sub> LoFlo Nasal/Oral cannula, Pediatric, disposable, 10 pcs.	2605084



Not all articles are available worldwide.

**VISTA 120**

For non intubated patients (with O<sub>2</sub> delivery).

- A CO<sub>2</sub> LoFlo Nasal cannula + O<sub>2</sub>, Adult, disposable, 10 pcs. 2605130
- B CO<sub>2</sub> LoFlo Nasal cannula + O<sub>2</sub>, Pediatric, disposable, 10 pcs. 2605081
- C CO<sub>2</sub> LoFlo Nasal cannula + O<sub>2</sub>, Infant and Pediatric, disposable, 10 pcs. 2605082
- D CO<sub>2</sub> LoFlo Nasal/Oral cannula + O<sub>2</sub>, Adult, disposable, 10 pcs. 2605085



**VISTA 120**

For intubated patients.


- A CO<sub>2</sub> LoFlo Airway adapter Adt/Ped., disposable, 10 pcs. 2605086
- CO<sub>2</sub> LoFlo Airway adapter Pedi/Infant with dehumidification tubing, disposable, 10 pcs. 2605089
- B CO<sub>2</sub> LoFlo Airway adapter Adt/Ped. with dehumidification tubing, disposable, 10 pcs. 2605128
- C CO<sub>2</sub> LoFlo Sampling Line Kit, disposable, 10 pcs. 2605129



VISTA 120

4.7 CO<sub>2</sub> MAINSTREAM

A	etCO <sub>2</sub> sensor Capnostat 5, reusable	2606226
B	CO <sub>2</sub> airway adapter, adult, disposable, 10 pcs.	2606227
C	CO <sub>2</sub> airway adapter, neonatal (infant/pediatric), disposable, 10 pcs.	2606228



VISTA 120

4.8 DEVICE ACCESSORIES

	Vista 120 rechargeable Lithium-Ion battery	2606229
A	Vista 120 printing paper, 4 rolls	2606231
	Comes with Vista120 V3: BIS cable	MP00744





MULTI VENDOR ADAPTER

5. MULTI VENDOR ADAPTER

Multi Vendor Accessories (MVA)

Dräger Multi Vendor Accessories (MVA) are original Dräger accessories and consumables for possible use with a Non-Dräger Installed Base. The original Dräger accessories are connected (if necessary with an adapter) of a mixed Installed Base at customer side.

5.1 ECG ADAPTER

A	ECG Adapter, 3 Lead GE	MP04322
	ECG Adapter, 5 Lead GE	MP04320
B	ECG Adapter, 3 Lead Mindray	MP04312
	ECG Adapter, 5 Lead Mindray	MP04310
C	ECG Adapter, 3 Lead NK	MP04316
	ECG Adapter, 6 Lead NK	MP04315
D	ECG Adapter, 3 Lead Philips	MP04325
	ECG Adapter, 5 Lead Philips	MP04326
	ECG Adapter, 6 Lead Philips	MP04327
E	ECG Adapter, 3 Lead Spacelabs	MP04300
	ECG Adapter, 5 Lead Spacelabs	MP04301
F	ECG Adapter, 3 Lead Welch Allyn	MP04305
	ECG Adapter, 5 Lead Welch Allyn	MP04306



D-12402-2014

D-12398-2014


D-12400-2014

D-12403-2014

D-12393-2014

D-12395-2014

MULTI VENDOR ADAPTER



MULTI VENDOR ADAPTER

5.2 ECG ADAPTER TELEMETRY

A	ECG adapter tel, GE-AP-CH, 3ld	MP04350
	ECG adapter tel, GE-AP-CH, 5ld	MP04351
	ECG adapter tel, GE-AP-CH, 6ld	MP04352
B	ECG adapter tel, GE-AP-FH, 5ld	MP04353
C	ECG adapter tel, PH MX40, 3ld	MP04355
	ECG adapter tel, PH MX40, 5ld	MP04356
	ECG adapter tel, PH MX40, 6ld	MP04357
D	ECG adapter tel, PH M, 5ld	MP04358
	ECG adapter tel, PH M, 6ld	MP04359
E	ECG adapter tel, SL AT, 5ld	MP04365
F	ECG adapter tel, SL UV, 5ld	MP04366

5.3 TEMP ADAPTER

	TEMP Adapter Jack	MP00943
G	TEMP Adapter 2-pin	MP00944



MULTI VENDOR ADAPTER




MULTI VENDOR ADAPTER

5.4 NBP ADAPTER

A	NBP Adapter, GE, (bx10)	MP00942
B	NBP Adapter, Nihon Kohdan, (bx10)	MP00940
C	NBP Adapter, Welch Allyn, (bx10)	MP00941
D	NBP Adapter, (bx10)	MP00945
E	NBP Adapter, GE DINACLICK, (bx10)	MP00747



MULTI VENDOR ADAPTER





# Ward equipment

# 5

## SOMETHING YOU CAN COUNT ON:

- Dräger has been developing and manufacturing high-quality ward accessories for decades
- Ongoing expansion of the portfolio with innovative products such as the Dräger VarioAir® suction ejector or the Dräger compact flowmeter
- Intelligent workstation concepts through safe interaction of accessory products with hospital installations

## CONTENT

### WARD EQUIPMENT

<b>1. Oxygen therapy</b>	<b>233</b>
1.1 Flowmeter	233
1.2 Oxymixer	244
1.3 Pressure reducer	245
1.4 Humidifier, adapter and application	253
<b>2. Aerosol therapy</b>	<b>255</b>
<b>3. Medical aspiration</b>	<b>261</b>
3.1 Bronchial aspiration	261
3.2 OR aspiration	281
3.3 Continuous and thoracic drainage	285

<b>4. Accessory for gas supply</b>	<b>295</b>
4.1 CS hoses	295
4.1.1 German standard – DIN	295
4.1.2 French standard – NF	297
4.1.3 British standard – BS	299
4.1.4 Sweden standard – SS	301
4.1.5 Swiss standard – Carba	302
4.1.6 Italian standard – UNI	303
4.1.7 Australian standard – AS	304
4.1.8 Japanese standard – KAWA	305
4.1.9 US american standard – US	306
4.1.10 Canadian standard – CA	308
4.1.11 Chinese standard – GB	309
4.2 Adapter	310

NOTES

FLOWMETER

1. OXYGEN THERAPY

1.1 FLOWMETER

These O<sub>2</sub> Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates of up to 32 L/min can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
 ± 15% (corresponding to smallest setting value)  
 ± 10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm  
 (6.3 × 1.6 × 5.1 in)

Material: Housing: Aluminium  
 Pressure dome: Polyamide  
 Flow indicator: Glass

Weight: Approx. 500 g (1.1 lb)

- A **O<sub>2</sub> flowmeter, 4 L/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems** **MP04551**
- B **O<sub>2</sub> flowmeter, 16 L/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems** **MP04558**
- C **O<sub>2</sub> flowmeter, 16 L/min, CS, long CS plug (6 cm; 2.4 in), DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems** **MP04561**



**FLOWMETER**

- A** O<sub>2</sub> flowmeter, 16 L/min, CS, British Standard, ISO, M34×1.5, adapter 9/16" **MP04565**
- B** O<sub>2</sub> flowmeter, 16 L/min, CS, French Standard, ISO, M34×1.5, adapter 9/16" **MP04566**
- C** O<sub>2</sub> flowmeter, 10 L/min, CS, CARBA, including adapter to 9/16" for sterile water **MP04554**
- D** O<sub>2</sub> flowmeter, 16 L/min, CS, CARBA, including adapter to 9/16" for sterile water **MP04563**
- E** O<sub>2</sub> flowmeter, 32 L/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems **MP04571**



**FLOWMETER**

**TWIN FLOWMETER**

The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
 ± 15% (corresponding to smallest setting value)  
 ± 10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 150 × 190 mm  
 (6.3 × 5.9 × 7.15 in)

Material: Housing: Aluminium  
 Pressure dome: Polyamide  
 Flow indicator: Glass

Weight: Approx. 900 g (1.98 lb)

- A** O<sub>2</sub> twin flowmeter, CS, 2 × 16 L/min, CS, DIN, ISO, neutral color, M34×1.5 and 9/16" for accessories and sterile water systems **MP04560**
  - B** O<sub>2</sub> twin flowmeter, 2 × 10 L/min, CS, CARBA, 2 × M34×1.5, including adapter to 9/16" for sterile water **MP04555**
  - C** O<sub>2</sub> twin flowmeter, 2 × 10 L/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16" **MP04557**
- O<sub>2</sub> twin flowmeter, 2 × 16 L/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16" **MP04569**



**FLOWMETER**

These O<sub>2</sub> flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4 and 16 L/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
 ± 15% (corresponding to smallest setting value)  
 ± 10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm  
 (6.3 × 1.6 × 5.1 in)

Material: Housing: Aluminium  
 Pressure dome: Polyamide  
 Flow indicator: Glass

Weight: Approx. 950 g (2.09 lbs)

- A **O<sub>2</sub> flowmeter, 4 L/min, rail with NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems** **MP04552**

---

- B **O<sub>2</sub> flowmeter, 16 L/min, rail NIST, packed with hose 1.5 m, DIN, ISO, M34×1.5 and 9/16" for accessories and sterile water systems** **MP04573**

---

- C **O<sub>2</sub> flowmeter, 16 L/min, rail NIST, packed with hose 1.5 m, DIN, neutral color, M34×1.5 and 9/16" for accessories and sterile water systems** **MP04575**



**FLOWMETER**

- A **O<sub>2</sub> flowmeter, 4 L/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems** **MP04553**

---

- B **O<sub>2</sub> flowmeter, 16 L/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems** **MP04570**

---

- C **O<sub>2</sub> flowmeter, 32 L/min, rail, NIST, M34×1.5 and Adapter 9/16"** **MP04580**

---

- D **O<sub>2</sub> flowmeter for anesthesia, 16 L/min, rail, with NIST ISO hose 1.2 m, connector 9/16"UNF to 6 mm** **MP04576**



**FLOWMETER**

- A O<sub>2</sub> flowmeter for anesthesia, 16 L, rail, with NIST black hose 1 m, connector 9/16-18UNF to 6 mm MP04577
- B O<sub>2</sub> flowmeter for anesthesia, 16 L 90°, rail, with NIST ISO hose 1,2 m, connector 9/16-18UNF to 6 mm MP04578
- C O<sub>2</sub> flowmeter for anesthesia, 16 L 90°, rail, with NIST black hose 1 m, connector 9/16-18UNF to 6 mm MP04579



**FLOWMETER**

- A O<sub>2</sub> flowmeter, 16 L/min, rail, NIST gas inlet, M34×1.5, adapter 9/16" MP04567
- B O<sub>2</sub> flowmeter, 10 L/min, rail fitting with NIST gas inlet, M34×1.5, adapter 9/16" MP04556

**CS hoses**

Several hoses to connect flowmeter with the central supply.  
For CS hoses see chapter 4, "Accessory for gas supply".





## FLOWMETER

These flowmeters are plugged directly into a wall terminal unit for medical air and are used to control the flow of medical air for aerosoltherapy. Flow rates of up to 16 or 32 L/min can be set with a high degree of accuracy. The large rotary knob makes setting easier. With integrated sintered filter.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
 ± 15% (corresponding to smallest setting value)  
 ± 10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm  
 (6.3 × 1.6 × 5.1 in)  
 Material: Housing: Aluminium  
 Pressure dome: Polyamide  
 Flow indicator: Glass  
 Weight: Approx. 500 g (1.1 lb)

- A** AIR flowmeter, 16 L/min, CS, DIN, ISO and neutral color, M32×1.5 MP04559
- B** AIR flowmeter, 16 L/min, CS, long cs plug (6 cm; 2.4 in), DIN, ISO and neutral color, M32×1.5 MP04562
- C** AIR flowmeter, 16 L/min, CS, CARBA, ISO, M32×1.5 MP04564
- D** AIR flowmeter, 32 L/min, CS, DIN, ISO and neutral color, M32×1.5 MP04572



## FLOWMETER

These Flowmeters for rail attachment can be used to control the flow of medical air for aerosol therapy. Flow rates of up to 16 L/min can be set with a high degree of accuracy. The large setting knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to standard rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
 ± 15% (corresponding to smallest setting value)  
 ± 10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm  
 (6.3 × 1.6 × 5.1 in)  
 Material: Housing: Aluminium  
 Pressure dome: Polyamide  
 Flow indicator: Glass  
 Weight: Approx. 950 g (2.09 lbs)

- A** AIR flowmeter, 16 L/min, rail, NIST, M32×1.5 MP04568
- B** AIR flowmeter, 32 L/min, rail, NIST, M32×1.5 MP04581

### CS hoses

Several hoses to connect flowmeter with the central supply.  
 For CS hoses see chapter 4, "Accessory for gas supply".



**FLOWMETER**

**COMPACT FLOWMETER**

Input pressure: 4.5 ± 0.5 bar\*  
 Adjustable ranges: 0 – 15 L/min (0; 1; 2; 3; 4; 6; 8; 12; 15)  
 0 – 1 L/min (0; 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.8; 1)  
 0 – 5 L/min (0; 0.5; 1; 1.5; 2; 2.5; 3; 4; 5)  
 Accuracy: 0 – 5 L/min and 0 – 15 L/min:  
 ± 20% 0 – 1 L/min ± 30%  
 Gas inlet: CS plug O<sub>2</sub> or AIR; NIST (rail)  
 Gas outlet: 6 mm nozzle, thread 9/16"  
 Weight: approx. 420 g (CS); approx. 700 g (rail)  
 Housing material: nickel-coated brass  
 Dimensions: diameter 40 mm, length 90 mm

\*1 bar = 1 kPa × 100

- A Compact flowmeter configurator, gives you the option of arranging the compact flowmeter according to your requirements, selectable options for configuration: MP01200**
- Gas type: O<sub>2</sub>; AIR  
 Mounting: CS; rail with NIST gas inlet  
 CS connection: DIN; UNI (Italy); AGA (SSS, Sweden); Carbuos (Spain); Carbamed; JIS (Japan); DISS (USA); BS (England); NF (France)  
 Version: single compact flowmeter; double compact flowmeter  
 Flow: 0.1 – 1 L/min; 0.5 – 5 L/min; 1 – 15 L/min  
 Gas outlet: 6 mm nozzle, thread 9/16" for sterile water
- B O<sub>2</sub> compact flowmeter, DIN CS, 1-15 L/min, 6 mm nozzle 2M86793**
- C O<sub>2</sub> compact flowmeter, DIN CS, 1-15 L/min, 9/16" MP01204**



**FLOWMETER**

- A O<sub>2</sub> compact flowmeter, rail, NIST, 1 – 15 L/min, 9/16" MP05405**
- B O<sub>2</sub> twin compact flowmeter, DIN CS, 2 × 1 – 15 L/min, 9/16" MP05406**
- C AIR compact flowmeter, DIN CS, 1 – 15 L/min, 9/16" MP05407**
- D AIR compact flowmeter, DIN CS, 1 – 15 L/min, 6 mm nozzle MP05408**
- E AIR compact flowmeter, Carbamed CS, 1 – 15 L/min, 6 mm nozzle MP05409**
- F Mixing block, with mixing chart, for O<sub>2</sub> and AIR flowmeter with M34×1.5 and M32×1.5 2M85728**

Accessories for Flowmeter in chapter 1.3 (Humidifier, adapter and application).




## OXYMIXER

### 1.2 OXYMIXER\*

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O<sub>2</sub> concentration is easily adjusted to a highly accurate flow by means of the bleed – even with flow rates of less than 3 L/min.

<b>Oxymixer configuration</b>	
<b>Configurable Oxymixer</b>	<b>MP04200</b>
<b>A Oxymixer High Flow</b>	<b>MP04201</b>
<b>B Oxymixer High Flow with monitor</b>	<b>MP04202</b>
<b>C Oxymixer Low Flow</b>	<b>MP04203</b>
<b>D Oxymixer Low Flow with monitor</b>	<b>MP04204</b>
<b>E Oxymixer Low Flow with 1 – 15 L flowmeter right</b>	<b>MP04229</b>
<b>F Oxymixer sound damper 9/16"</b>	<b>MP04218</b>
<b>G Oxymixer sound damper 22 and 15 mm</b>	<b>MP04219</b>
<b>H Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection</b>	<b>MP00416</b>
<b>Oxymixer oxygen sensor (spare part)</b>	<b>MP04221</b>

\*Produced by DEHAS



## PRESSURE REDUCER

### 1.3 PRESSURE REDUCER

#### A Pressure reducer OxyLine, customized configuration of pressure reducers **MP00100**

OxyLine's modular design means you can accurately choose the pressure reducer you need from the following components:

- O<sub>2</sub> or AIR pressure reducer with 200 or 300 bar
- Manometer, vertical or horizontal
- Flow regulator settings (1, 2, 3, 4, 6, 8, 12 and 15 L/min) and 9/16" sterile water connector
- Flowmeter for up to 16 L/min with connector for Dräger reusable humidifier, sterile water connector and 6 mm (0.2 in) nozzle for an oxygen mask
- Self-closing NIST connector
- Centralized gas supply coupling, e.g. to connect up a mains-operated ventilation device
- Ejector for short-time suction of eg. secret

Type:	Single-stage pre-set pressure reducer
Permissible inlet pressure range:	11 to 300 kPa × 100
Nominal outlet pressure (p <sub>2</sub> ):	non-adjustable, output pressure as per rating plate
Weight:	1.2 kg to 2 kg (depending on connector type)
Material:	Brass with chemical nickel surface



# PRESSURE REDUCER


## OxyLine® Pressure reducer MP00100

### Order information international


Make your own configuration by setting a cross or a number.

☐ = One position must be chosen

☐☐ = One position can be chosen



# PRESSURE REDUCER



\* At least one outlet must be selected.  
\*\* Please check former selection (left/right).  
\*\*\* Only possible if no NIST O<sub>2</sub> (4.4) or NIST AIR (4.5).

**PRESSURE REDUCER**

<b>A</b>	<b>Oxett head OxyLine, pressure reducer G<math>\frac{3}{4}</math>", 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2</b>	<b>MP01101</b>
<b>B</b>	<b>Oxett head OxyLine, pressure reducer G<math>\frac{3}{4}</math>", 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2</b>	<b>MP01102</b>
<b>C</b>	<b>Oxator head OxyLine, pressure reducer G<math>\frac{3}{4}</math>", 200 bar, NIST, 2 x DIN-CS, ejector VarioO2</b>	<b>MP01103</b>
<b>D</b>	<b>Pressure reducer w/ flowmeter OxyLine, G<math>\frac{3}{4}</math>", 200 bar, 16 L/min, M34x1.5, 9/16", nozzle</b>	<b>MP01104</b>
<b>E</b>	<b>Pressure reducer with NIST OxyLine, G<math>\frac{3}{4}</math>", for 200 bar, NIST</b>	<b>MP01105</b>



**PRESSURE REDUCER**

**Oxett**

Oxett is a portable oxygen supply unit for mobile use. Oxett ensures consistent treatment, because the device can be mounted to bed, rail and stretcher. All devices for inhalation, insufflation and suction are available on a solid aluminum plate. Precise O<sub>2</sub> delivery is handled through the pressure compensated flow meter or the compact flowmeter. Manual or automatic short-term ventilation is even possible, because the Oxylog<sup>®</sup> can be connected via the O<sub>2</sub> standard coupling. The portable Oxett unit meets the requirements of daily hospital and emergency medical practice in a simple way. It removes all well-practiced temporary supply solutions.

<b>A</b>	<b>Oxett carrying frame, for Oxett head+O<sub>2</sub> cylinder up to 2.5 L, with secretion jar</b>	<b>MP04110</b>
	<b>Oxett head, configurable via OxyLine<sup>®</sup></b>	<b>MP00100</b>
<b>B</b>	<b>Oxett head OxyLine, pressure reducer G<math>\frac{3}{4}</math>", 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2</b>	<b>MP01101</b>
<b>B</b>	<b>Oxett head OxyLine, pressure reducer G<math>\frac{3}{4}</math>", 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2</b>	<b>MP01102</b>
<b>C</b>	<b>Oxett adapter plate, to mount Oxett on bed in higher position</b>	<b>2M86205</b>



**PRESSURE REDUCER**

<b>A Small Oxator</b> Space-saving solution for transportation of large gas-cylinder. The stable trolley can be used flexible. Set up from components below:	
<b>B Simple cylinder trolley, for one gas cylinders up to a volume of 11 L</b>	<b>MP00038</b>
<b>C Stable 4-wheeled cylinder trolley, holder for cylinder, for one gas cylinders up to a volume of 11 L</b>	<b>2M86029</b>
<b>D Oxator head, configurable via OxyLine®</b>	<b>MP00100</b>
Oxator head OxyLine, pressure reducer G $\frac{3}{4}$ ", 200 bar, NIST, 2 x DIN-CS, ejector	<b>MP01103</b>
<b>E Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection O<sub>2</sub></b>	<b>MP00552</b>
<b>E NIST-NIST Connecting hose 1.2 m</b>	<b>M36053</b>



**PRESSURE REDUCER**

<b>A Compact rail, for 38 mm tube, standard rail profile 25 x 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg</b>	<b>2M85337</b>
<b>B Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 x 1000 mL, scale in steps of 10 mL up to max. 700 mL</b>	<b>2M85056</b>
<b>C Rail clamp lever type, for attachment of devices to 25 x 10 mm standard rail, for compact suction unit and secretion jar set</b>	<b>M26842</b>
<b>D Cylinder jacket, plastic, to protect 10 L gas cylinder</b>	<b>2M86410</b>

For CS hoses please refer to chapter "Accessory for gas supply".



## PRESSURE REDUCER

<b>A</b>	Simple cylinder trolley, for one gas cylinders up to a volume of 11 L	<b>MP00038</b>
<b>B</b>	Stable 4-wheeled cylinder trolley, holder for cylinder, for one gas cylinders up to a volume of 11 L	<b>2M86029</b>
<b>C</b>	Rail holder, for 38 mm tube, standard rail profile 25 × 10 mm, 40 cm, length: 40 cm, weight: 0.9 kg, max. load: 5 kg	<b>2M86185</b>
<b>D</b>	Cylinder jacket, plastic, to protect 10 L gas cylinder	<b>2M86410</b>
<b>E</b>	Adapter NIST to DIN CS-Coupling O <sub>2</sub>	<b>M35056</b>
<b>F</b>	Adapter NIST to DIN CS-Coupling AIR	<b>M35058</b>



## HUMIDIFIER, ADAPTER AND APPLICATION

### 1.4 HUMIDIFIER, ADAPTER AND APPLICATION

<b>A</b>	Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 L/min	<b>2M85834</b>
<b>B</b>	Humidifier-nebulizer, for oxygen humidification up to 100% relative humidity and flows up to 5 L/min	<b>2M85835</b>
<b>C</b>	Adapter, to connect e.g a tube or nasal cannula to O <sub>2</sub> flowmeter, M34×1.5 to 6 mm nozzle	<b>M06258</b>
<b>C</b>	Adapter, to connect e.g a tube or nasal cannula to AIR flowmeter, M32×1.5 to 6 mm nozzle	<b>2M85575</b>
<b>D</b>	Adapter, to connect Dräger humidifier to mixing block, M15×1 to M34×1.5	<b>2M85853</b>
<b>E</b>	Adapter 9/16" to M34×1.5 for Dräger reusable humidifier	<b>MP03325</b>



## HUMIDIFIER, ADAPTER AND APPLICATION

<b>A</b>	<b>Adapter, for disposable sterilized water systems to O<sub>2</sub> flowmeters, M34×1.5 to 9/16"</b>	<b>2M86680</b>
<b>A</b>	<b>Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16"</b>	<b>MP03366</b>
<b>B</b>	<b>Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection</b>	<b>MP00416</b>

Oxygen and aerosol therapy masks, venturi mask kids, nasal cannulas and accessories in chapter 5.3, breathing accessories.



MT-83-2000



D-122-2016

## AEROSOL THERAPY

### 2. AEROSOL THERAPY

Pneumatically operated medicament nebulizer for clinical use.

Drive gas: O<sub>2</sub> or compressed air  
 Particle size (MMAD): 3.7 μm with toggle switch valve or adjustable 2.5 to 7 μm via flow regulation

Nebulizer element, mask, mouth piece are sterilizable up to 134 °C (273.2 °F)  
 Materials: Mask and nebulizer housing: Polyamide  
 Atomiser and medicament container: Polysulphone

<b>A</b>	<b>Medication nebulizer Inhalette S, with toggle switch valve, O<sub>2</sub>/AIR, DIN, nebulizer element, mouth piece, mask, connecting hose 3 m</b>	<b>2M85674</b>
<b>B</b>	<b>Inhalette medication nebulizer »Vario«</b>	
<b>C</b>	<b>Inhalette medication nebulizer »Vario« with rail system</b>	



D-10087-2009



D-70999-2016



D-70998-2016



## AEROSOL THERAPY

Inhalette "Vario" built up with following parts:

A	<b>Nebulizer element for Inhalette, spare part</b>	<b>2M85571</b>
B	<b>Inhalation mask for Inhalette</b>	<b>M11015</b>
C	<b>Adapter for O<sub>2</sub> flowmeter (M34×1.5)</b> or <b>Adapter for AIR flowmeter (M32×1.5)</b>	<b>MP01184</b> <b>MP01185</b>
D	<b>Spiral hose flowmeter/nebulizer element</b>	<b>MP03322</b>
E	<b>Straight hose (3 m; 118.1 in) flowmeter/nebulizer element</b>	<b>M17717</b>
As a replacement part:		
F	<b>Mouthpiece for Inhalette</b>	<b>M12394</b>

All 16 L/min, 32 L/min Flowmeter:  
see at Flowmeter portfolio.



## AEROSOL THERAPY

**Ultrasonic nebulizer Tropic 2.0\*** for effective humidification of the ambient air surrounding the patient, completely independently of any Central Gas Supply System. The nebulizer is driven by a quartz oscillator, with the result that only electrical energy is needed for operation.

The use of highly effective bacterial filters at the point at which the air enters the system, together with the possibility of nebulizing from sterilized water systems, largely prevents the spread of bacteria, viruses and germs. It is possible to nebulize distilled water both with or without a feeder system for long-term operation. The integrated timer allows presetting a defined therapy time. Medication can be applied in aerosol form using the disposable medicament containers.  
For use with 110/127/230 V.

Includes:

- Short and long disposable hose
- Bacterial filter
- Power cable
- Nebulizer chamber
- Oscillating crystal
- Cap

Technical data:

Power consumption:	Ultrasonic nebulizer 50 VA Hose heating 30 VA
Ultrasonic frequency:	1.68 MHz ± 5%
Sound pressure level:	max. 35 dB(A)
Protection against moisture:	IP 21 (dripping water)
Method of operation:	Continuous operation, timed to 3 mL/min
Nebuliser output:	86% < 5 µm, average 4 µm
Size of droplets:	up to 20 L/min if the bacterial filter is used
Air flow:	
Classification:	Class I, type B

A	<b>Ultrasonic nebulizer Tropic 2.0, basic unit with all accessories</b>	<b>MP03300</b>
B	<b>Trolley Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder</b>	<b>MP03301</b>
	<b>Table set for Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder</b>	<b>MP03302</b>
	<b>Rail set for Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder</b>	<b>MP03303</b>

\*Produced by W. Krömker GmbH



**AEROSOL THERAPY**

- A Heatable hose Tropic 2.0, 1.1 m, for aerosol heating, cable, plug MP03305
- B Corrugated hose Tropic 2.0, reusable, 1.2 m, for nebulizers MP03306
- C Corrugated hose Tropic 2.0, reusable, 0.3 m, for nebulizers MP03307
- D Hose for Tropic 2.0, disposable, 1 m, patient side, 15 pcs. MX22793
- D Hose for Tropic 2.0, disposable, 40 cm, connects fan/chamber, 20 pcs. MX22790



**AEROSOL THERAPY**

- A Automatic refilling set Tropic 2.0, for large sterile water containers MP03304
- B Disposable medication container for Tropic 2.0, 48 pcs. MP00006
- C Quartz oscillator for Tropic 2.0, reusable MP03308  
Nebulizer chamber for Tropic 2.0, spare part MP03309
- D Mechanical filter SafeStar® 55, disposable, 55 mL deadspace, 50 pcs. MP01790
- E Electrostatic filter CareStar® 30, disposable, 30 mL deadspace, 50 pcs. MP01770



## MEDICAL ASPIRATION

### 3.1 Bronchial aspiration


Dräger offers an extensive line of bronchial aspirators, while also providing individual solutions to meet your specific needs in the ICU and OR.

Generally you have the choice between vacuum, medical air or oxygen as the drive gas. We differ by the driving units between the

ejectors and the vacuum regulators.

In addition, we can supply the attachments and hose brackets you need to ensure an ergonomically efficient workplace.

You could also choose the connection you require and the fitting jar system. We offer reusable solutions as well as disposables.



1	MP00501	VarioVac® B DIN	5	MP00535	VarioAir® B/OR Rail	14	2M86207	Secretion jar, 300 mL
	MP00502	VarioVac® B BS		MP00545	VarioAir® P Rail		2M85594	Secretion jar, 700 mL
	MP00503	VarioVac® B NF		MP03220	VarioAir® MRI B/OR Rail	15	2M86758	Protection jar
	MP00504	VarioVac® B AGA		MP03221	VarioAir® MRI P Rail	16	2M85446	CS connection hose holder
	MP00514	VarioVac® B CARBA	6	MP00550	VarioO2® B DIN		2M85239	Suction hose holder
2	MP00505	VarioVac® B/OR Rail		MP00551	VarioO2® B CARBA	17	2M85239	Suction hose holder
	MP00660	VarioVac® P Rail		MP00552	VarioO2® B/OR Rail	18	MX23023	Secretion jar VacuSmart®, 700 mL
	MP00516	Dual VarioVac® B/OR Rail	8	MP00536	VarioAir® B compact		MX23025	Secretion jar VacuSmart® Gel, 700 mL
	MP03222	VarioVac® MRI B/OR Rail		MP00547	VarioAir® P compact	19	MX23026	Suction tube VacuSmart® Tube
	MP03223	VarioVac® MRI P Rail	9	2M85056	Secretion jar set		MP00570	Shut-off valve for VarioVac®
3	MP00506	VarioVac® B compact	10	2M85607	Secretion jar set, with protection jar			
	MP00661	VarioVac® P compact						
4	MP00530	VarioAir® B DIN	11	M26859	Wall holder			
	MP00531	VarioAir® B BS	12	M26842	Rail clamp lever type			
	MP00532	VarioAir® B NF	13	2M85119	Ceiling holder			
	MP00533	VarioAir® B AGA						
	MP00534	VarioAir® B UNI						
	MP00548	VarioAir® B CARBA						

**BRONCHIAL ASPIRATION**

**3. MEDICAL ASPIRATION**

**3.1 BRONCHIAL ASPIRATION**

The vacuum regulator is connected directly to a central vacuum supply system or to rails. The vacuum is infinitely variable up to max. -90 kPa (-900 mbar) and is shown on a turnable, manually adjustable pressure gauge. All plastic parts, which may become contaminate (except for the frame with pressure gauge) can be autoclaved at up to 134 °C. Shut-off valve is included. You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:  
 Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)  
 Maximum suction flow: 55 L/min  
 Weight: 600 to 800 g  
 800 g for rail version  
 1,700 g for dual version (MP00516)  
 Dimensions (W/H/D) in mm: 80 × 210 × 160 (without VarioSafe)  
 80 × 340 × 160 (with VarioSafe)  
 MP00516 for dual version:  
 200 × 210 × 210 (without VarioSafe)  
 200 × 340 × 210 (with VarioSafe)  
 Maximum sound level: 43 dB(A)  
 Hose nozzle: Ø 6 mm  
 Bacterial retention: 99.99998% (with VarioSafe)\*  
 Viral retention: 99.9998% (with VarioSafe)\*  
 \*Test has been performed by Nelson Lab, USA, before 2010

- A Vacuum regulator VarioVac® B DIN, for bronchial suction, gas connection VAC** **MP00501**

---

- B Vacuum regulator VarioVac® B BS, for bronchial suction, gas connection VAC** **MP00502**

---

- C Vacuum regulator VarioVac® B NF, for bronchial suction, gas connection VAC** **MP00503**

---

- D Vacuum regulator VarioVac® B AGA, for bronchial suction, gas connection VAC** **MP00504**

---

- E Vacuum regulator VarioVac® B CARBA, for bronchial suction, gas connection VAC** **MP00514**

---

- F Vacuum regulator VarioVac® B/OR Rail, for bronchial suction, gas connection VAC** **MP00505**

---

- G Vacuum regulator dual VarioVac® B/OR Rail, for bronchial suction, gas connection VAC** **MP00516**

For CS hoses please refer to chapter "Accessory for gas supply".

Not all articles are available worldwide.



**BRONCHIAL ASPIRATION**

**VarioVac® vacuum regulator for rail.**

The gas supply is ensured by VAC connection hose. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height). You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:  
 VarioVac P (MP00660, MP03223)  
 Maximum vacuum: -55 to 0 kPa (-550 to 0 mbar)  
 Maximum suction flow: 20 L/min  
 Maximum sound level: 40 dB(A)

VarioVac B/OP (MP03222)  
 Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)  
 Maximum suction flow: 55 L/min  
 Maximum sound level: 43 dB(A)

Weight: 800 g  
 Dimensions (W/H/D) in mm: 80 × 210 × 160 (without VarioSafe)  
 80 × 340 × 160 (with VarioSafe)  
 Hose nozzle: Ø 6 mm  
 Bacterial retention: 99.99998% (with VarioSafe)\*  
 Viral retention: 99.9998% (with VarioSafe)\*  
 \*Test has been performed by Nelson Lab, USA, before 2010

- A Vacuum regulator VarioVac® P Rail, for bronchial suction, gas connection VAC, for connection to all standard wall rails** **MP00660**

These bronchial aspirators are suited for use in MRI. The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

- B Vacuum regulator VarioVac® MRI P Rail, for bronchial suction, gas connection VAC, for connection to all standard wall rails** **MP03223**

- C Vacuum regulator VarioVac® MRI B/OR Rail, for bronchial suction, gas connection VAC, for connection to all standard wall rails** **MP03222**

For CS hoses please refer to chapter "Accessory for gas supply".

Not all articles are available worldwide.



## BRONCHIAL ASPIRATION

### VACUUM SUCTION

For connecting via CS vacuum connecting hose.  
 This rail version can be connected to all standard wall rails (10 mm width and 25 mm height). The gas supply is ensured by VAC connection hose.  
 You can use the bacterial filter MK00514 to reliably protect the central vacuum system against contamination. Two bacterial filters are included within the scope of delivery. These bronchial aspirators are suited for use in MRI. The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

Technical data:

Maximum vacuum:	-95 to 0 kPa (-950 to 0 mbar)
Maximum suction flow:	50 L/min
Dimensions (W/H/D) in mm:	130 × 190 × 120
Maximum sound level:	55 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999% (with filter)
Viral retention:	99.999% (with filter)

- A Vacuum suction NIST for bronchial suction, gas connection VAC MK01422
- A Vacuum suction DISS for bronchial suction, gas connection VAC MK03140
- A Vacuum suction DISS Canada for bronchial suction, gas connection VAC MK03320

For CS hoses please refer to chapter "Accessory for gas supply".



## BRONCHIAL ASPIRATION

- A Vacuum aspirator DISS, version for Perseus A500 MP00686
- Vacuum aspirator DISS Canada, version for Perseus A500 MP00687
- Vacuum aspirator NIST version for Perseus A500 MP00689

For CS hoses please refer to chapter "Accessory for gas supply".



## BRONCHIAL ASPIRATION

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -90 kPa (-900 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.

The vacuum adjusting knob is also the on/off switch to interrupt the suction without reset the values.

A new **VarioSafe®** disposable filter system reliably protects the **VarioAir®** series and the patient environment against contamination. One piece of the new **VarioSafe®** filter system is always included.

### Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	57 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

\*Test has been performed by Nelson Lab, USA, before 2010

<b>A</b>	<b>Ejector VarioAir® B DIN, for bronchial suction, gas connection AIR</b>	<b>MP00530</b>
<b>B</b>	<b>Ejector VarioAir® B BS, for bronchial suction, gas connection AIR</b>	<b>MP00531</b>
<b>C</b>	<b>Ejector VarioAir® B NF, for bronchial suction, gas connection AIR</b>	<b>MP00532</b>
<b>D</b>	<b>Ejector VarioAir® B AGA, for bronchial suction, gas connection AIR</b>	<b>MP00533</b>
<b>E</b>	<b>Ejector VarioAir® B UNI, for bronchial suction, gas connection AIR</b>	<b>MP00534</b>
<b>F</b>	<b>Ejector VarioAir® B CARBA, for bronchial suction, gas connection AIR</b>	<b>MP00548</b>
<b>G</b>	<b>Ejector VarioAir® B/OR Rail, for bronchial-+OR suction, gas connection AIR</b>	<b>MP00535</b>

For CS hoses please refer to chapter "Accessory for gas supply".

Not all articles are available worldwide.



## BRONCHIAL ASPIRATION

<b>A</b>	<b>Ejector VarioO2® B DIN, for bronchial suction, gas connection O<sub>2</sub></b>	<b>MP00550</b>
<b>A</b>	<b>Ejector VarioO2® B CARBA, for bronchial suction, gas connection O<sub>2</sub></b>	<b>MP00551</b>
<b>B</b>	<b>Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection O<sub>2</sub></b>	<b>MP00552</b>

For CS hoses please refer to chapter "Accessory for gas supply".

Not all articles are available worldwide.



## BRONCHIAL ASPIRATION

### VarioAir® ejector for rail.

The gas supply is ensured by AIR connection hose. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height). You can use the VarioSafe® disposable filter system to reliably protect the VarioAir® series and the central vacuum system against contamination.

#### Technical data:

VarioAir P (MP00545, MP03221)

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 L/min
Maximum gas consumption:	40 L/min
Maximum sound level:	47 dB(A)

VarioAir B/OP (MP03220)

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	40 L/min
Maximum gas consumption:	55 L/min
Maximum sound level:	57 dB(A)

Inlet pressure range:	4 to 5.5 bar
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)

Hose nozzle:	Ø 6 mm
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

\*Test has been performed by Nelson Lab, USA, before 2010

<b>A</b>	<b>Ejector VarioAir® P Rail, for bronchial suction, gas connection AIR, for connection to all standard wall rails</b>	<b>MP00545</b>
----------	---	----------------

These bronchial aspirators are suited for use in MRI. The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

<b>A</b>	<b>Ejector VarioAir® MRI B/OR Rail, for bronchial suction, gas connection AIR, for connection to all standard wall rails</b>	<b>MP03220</b>
----------	--	----------------

<b>A</b>	<b>Ejector VarioAir® MRI P Rail, for bronchial suction, gas connection AIR, for connection to all standard wall rails</b>	<b>MP03221</b>
----------	---	----------------

For CS hoses please refer to chapter "Accessory for gas supply".



## BRONCHIAL ASPIRATION

### EJECTOR SUCTION

For connecting via CS vacuum connecting hose. The gas supply is ensured by AIR connection hose. You can use the bacterial filter MK00514 to reliably protect the central vacuum system against contamination. Two bacterial filters are included within the scope of delivery. These bronchial aspirators are suited for use in MRI. The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

#### Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	30 L/min
Pressure range:	2.7 to 6.9 bar
Maximal gas consumption:	60 L/min
Dimensions (W/H/D) in mm:	130 × 190 × 120
Maximum sound level:	55 dB(A)
Pressure relief valve:	ex 1 kPa (10 mbar)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999% (with filter)
Viral retention:	99.999% (with filter)

<b>A</b>	<b>Ejector suction NIST AIR O<sub>2</sub> for bronchial suction, gas connection AIR/O<sub>2</sub>, for connection to all standard wall rails</b>	<b>MK01418</b>
----------	--	----------------

<b>A</b>	<b>Ejector suction NIST for bronchial suction, gas connection AIR, for connection to all standard wall rails</b>	<b>MK01420</b>
----------	--	----------------

For CS hoses please refer to chapter "Accessory for gas supply".



## BRONCHIAL ASPIRATION

Drive unit (VarioVac® or VarioAir®) and jar set are joined together, so that you have a complete, convenient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly. The gas supply is ensured by CS connection hose. You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

### Technical data:

Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 × 440 × 160
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.99998% (with VarioSafe)*

\*Test has been performed by Nelson Lab, USA, before 2010

### A Vacuum regulator VarioVac® B compact, for bronchial suction, gas connection VAC, including secretion jar set and integrated vacuum regulator **MP00506**

#### Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Maximum suction flow:	55 L/min
Maximum sound level:	43 dB(A)

### A Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection VAC, including secretion jar set and integrated vacuum regulator **MP00661**

#### Technical data:

Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)
Maximum suction flow:	20 L/min
Maximum sound level:	40 dB(A)

For CS hoses please refer to chapter "Accessory for gas supply".



## BRONCHIAL ASPIRATION

### A Ejector VarioAir® B compact, for bronchial suction, gas connection AIR, including secretion jar set and integrated ejector **MP00536**

#### Technical data:

Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 L/min
Maximum sound level:	57 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

### A Ejector VarioAir® P compact, for bronchial suction, gas connection AIR, including secretion jar set and integrated ejector **MP00547**

#### Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 L/min
Maximum sound level:	47 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

For CS hoses please refer to chapter "Accessory for gas supply".





### BRONCHIAL ASPIRATION

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be autoclaved at up to 134 °C. The two 700 mL jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service lives makes the jars both environmentally friendly and cost effective.

An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the secretion jar set quickly.

**A** Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1000 mL, scale in steps of 10 mL up to max. 700 mL **2M85056**

**B** Secretion jar set, with protection jar and 700 mL secretion jars (2 pcs.), maximum capacity up to the overflow safeguard 2 × 1000 mL, scale in steps of 10 mL up to max. 700 mL, with additional protection jar 300 mL **2M85607**



### BRONCHIAL ASPIRATION

**A** Secretion jar set with clamp **MP00646**

**B** Carrier rack CD **2M85380**

**C** Carrying rack bronchial suction **2M85381**



**BRONCHIAL ASPIRATION**

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is required.

<b>A</b>	<b>Wall holder, with fixing screws, for compact suction unit and secretion jar set</b>	<b>M26859</b>
<b>B</b>	<b>Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set</b>	<b>M26842</b>
<b>C</b>	<b>Ceiling holder, rail holder for compact suction systems and secretion jar sets</b>	<b>2M85119</b>
Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.		
<b>D</b>	<b>CS connection hose holder</b>	<b>2M85446</b>
<b>E</b>	<b>Suction hose holder, suitable for various diameters</b>	<b>2M85239</b>




**BRONCHIAL ASPIRATION**

**VacuSmart disposable cartridge for bronchial suction**

VacuSmart is a disposable cartridge for 700 ml secretion jars. This product has been specifically designed and thoroughly tested to work with Dräger suction units. Therefore there is absolutely no need to modify the installed base. An integrated hydrophobic filter acts as an overflow safeguard by stopping suction of secretion once maximum capacity has been reached. The closed and leakproof system, optional with an integrated gelling agent, reduces the risk of cross contamination to a minimum. The optional gelling agent prevent leakages e.g. during the waste disposal in a waste press. The gelling agent is secured in a water soluble bag.

Technical data:  
 Maximum capacity: 700 mL  
 Maximum capacity up to the overflow safeguard: 1,000 mL  
 Overflow safeguard: Integrated, hydrophobic filter  
 Recommended duration of use: 24 h  
 Gelling agent: Sodium polyacrylate

<b>A</b>	<b>Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 mL, 25 pcs.</b>	<b>MX23023</b>
<b>B</b>	<b>Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 mL, 25 pcs.</b>	<b>MX23025</b>
<b>C</b>	<b>Suction tube VacuSmart® Tube, PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs.</b>	<b>MX23026</b>
You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:		
<b>D</b>	<b>Suction set, disposable, VacuSmart®, 700 mL and VacuSmart® Tube, 25 pcs. each</b>	<b>MP00061</b>
<b>D</b>	<b>Set VacuSmart® Gel and Tube, 25 pcs.</b>	<b>MP03211</b>



**BRONCHIAL ASPIRATION**

**A Bacterial filter 767, for ejectors (model range until 2010), 5 pcs. 6723976**

**A Bacterial filter 767, disposable, for ejectors (model range until 2010) CH00102**

The filter 767 reliably protects the ejector and the patient environment against contamination.

Technical data:

Bacterial retention:	99.992%**
Viral retention:	99.99%**
Material:	PS (polystyrol)
Recommended duration of use:	14 days
Filtration method:	Mechanical (HEPA)**

**B Bacterial filter disposable, 20 pcs. MK00514**

You can use the bacterial filter to reliably protect the suction devices against contamination.

Technical data:

Bacterial retention:	99.999%**
Viral retention:	99.999%**
Material:	Acryl
Recommended duration of use:	7 days
Filtration method:	Hydrophobic (HEPA)**

**C Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs. MP00555**

The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.

Technical data:

Maximum capacity:	90 mL
Bacterial retention:	99.99998%*
Viral retention:	99.9998%*
Material:	PS (polystyrol)
Recommended duration of use:	7 days
Filtration method:	Mechanical and hydrophobic (HEPA)*

\*Test has been performed by Nelson Lab, USA, before 2010  
 \*\*According to EN 1822-1:1998 Filter for suspended particles (HEPA and ULPA)



**BRONCHIAL ASPIRATION**

**A Protection jar, PSU (polysulfone), reus., w/ rail clamp, autoclav. up to 134 °C 2M86758**

**B Suction hose, silicone, reusable, 1.5 m, for medical suction M25780**

**C Connection hose, silicone, reus., ID 5 mm, wall thickness 2 mm, by meter 1203606**

**C Silicone hose 6 × 2.5, 2 m 5001330**

**D Cap, for 700 mL secretion jar, with overflow safeguard 2M85011**

**E Cap, for secretion jar, for fistula indicator for continuous and thoracic drainage 2M85013**

**F Cap, for secretion jar, w/ overflow safeguard and pressure relief valve (≥ 0.1 kPa) 2M85012**



**BRONCHIAL ASPIRATION**

- A Secretion jar, PSU (Polysulfone), reusable, 300 mL, autoclavable up to 134°C 2M86207
- B Secretion jar, PSU (Polysulfone), reusable, 700 mL, autoclavable up to 134°C 2M85594
- C Elbow, angled hose connection for secretion jar caps 2M19063
- D Shut-off valve for VarioVac®, for temporary opening and closing of suction flow MP00570
- E Secretion control glass M07582



**BRONCHIAL ASPIRATION**

- A Cap for VarioVac® + VarioAir® B/OR, neutral color, 10 pcs. MP00496
- B Cap for VarioVac® + VarioAir® B/OR, ISO, 10 pcs. MP00494
- A Cap for VarioVac® P + VarioAir®, neutral color, 10 pcs. MP00657
- B Cap for VarioVac® P + VarioAir®, ISO, 10 pcs. MP00656
- C Pressure gauge for VarioVac®+VarioAir®, double scale kPa/mmHg, -100 kPa (-1000 mbar) MP00578
- D Pressure gauge for VarioVac®+VarioAir®, double scale kPa/mmHg, -60 kPa (-600 mbar) MP00580
- E Pressure gauge -100 kPa MRI double scale kPa/ mmHg, -100 kPa (-1000 mbar) MP03589
- F Pressure gauge -60 kPa MRI double scale kPa/ mmHg, -60 kPa (-600 mbar) MP03587



## BRONCHIAL ASPIRATION

- A Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set** **2M86757**

---

- B Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm, for secretion jars Medela** **MP00634**

---

- C Universal holder for wall rails 25 × 8 to 35 × 10 mm w. M5 drill hole 15 mm distance** **MP00635**

---

- D Universal holder for wall rails 25 × 8 to 35 × 10 mm w. M5 drill hole 22 mm distance** **MP00636**

---

- E Universal holder flex 15 for wall rails 25 × 8 to 35 × 10 mm w. bottle screw** **MP00637**




## MEDICAL ASPIRATION

### 3.2 OR aspiration

During surgical, endoscopic and minimally invasive procedures you do not have to abandon the easy use of these products. A modular design facilitates the easy replacement of components and allows the system to be upgraded with any of Dräger's rail-mounted accessories. The negative pressure can be generated either by a vacuum regulator or an ejector.

An overflow safeguard in the secretion jar and an additional protection jar reduce the risk of contamination of the drive element and the pressure or vacuum generating system. The OR aspirators can be connected either to the central vacuum system or, when used with an ejector drive unit, to the piped oxygen or medical air supply system.



- 1 MP00505 VarioVac® B/OR Rail
- MP00516 Dual VarioVac® B/OR Rail
- 2 MP00535 VarioAir® B/OR Rail
- 3 MP00552 VarioO2® B/OR Rail
- 4 2M85441 Trolley, for OR suction unit
- 5 2M86752 OR aspirator Evac 40, 230 V

- 6 MP03231 Cap secretion jar Medela\*
- 7 MP03230 Secretion jar 3 L Medela\*
- 8 MP03233 Connection hose Medela\*
- 9 MP03232 Switchover valve Medela\*
- 10 MP00634 Universal holder profile 30 × 5
- 11 2M86758 Protection jar
- 12 2M85446 CS connection hose holder
- 13 2M85239 Suction hose holder
- 14 MX37021 Bacterial filter, disposable, for Evac 40


\*Made by Medela AG, Schweiz

## OR ASPIRATION

## 3.2 OR ASPIRATION

<b>A</b>	<b>Vacuum regulator VarioVac® B/OR Rail, for bronchial suction, gas connection VAC</b>	<b>MP00505</b>
Technical data:		
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)	
Maximum suction flow:	55 L/min	
Weight:	600 to 800 g (800 g for rail versions)	
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)	
Maximum sound level:	43 dB(A)	
Hose nozzle:	Ø 6 mm	
Bacterial retention:	99.99998% (with VarioSafe)*	
Viral retention:	99.99998% (with VarioSafe)*	
*Test has been performed by Nelson Lab, USA, before 2010		
<b>B</b>	<b>Vacuum regulator dual VarioVac® B/OR Rail, for bronchial suction, gas connection VAC</b>	<b>MP00516</b>
Weight:	1,700 g	
Dimensions (W/H/D) in mm:	200 × 210 × 210 (without VarioSafe) 200 × 340 × 210 (with VarioSafe)	
<b>C</b>	<b>Ejector VarioAir® B/OR Rail, for bronchial+OR suction, gas connection AIR</b>	<b>MP00535</b>
<b>C</b>	<b>Ejector VarioO2® B/OR Rail, for bronchial+OR suction, gas connection O<sub>2</sub></b>	<b>MP00552</b>
Technical data:		
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)	
Minimum suction flow:	40 L/min	
Inlet pressure range:	4 to 5.5 bar	
Maximum gas consumption:	55 L/min	
Weight:	800 g	
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)	
Maximum sound level:	57 dB(A)	
Hose nozzle:	Ø 6 mm	
Pressure relief valve:	Ex 0.1 kPa (1 mbar)	
Bacterial retention:	99.99998% (with VarioSafe)*	
Viral retention:	99.99998% (with VarioSafe)*	
*Test has been performed by Nelson Lab, USA, before 2010		


For CS hoses please refer to chapter "Accessory for gas supply".



## OR ASPIRATION

<b>A</b>	<b>Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars</b>	<b>2M85441</b>
<b>Evac 40</b>		
The portable electrical aspirator Evac 40 is used for the aspiration and collection of secretions, body fluids, tissue parts and lavage fluids during surgical, endoscopic or minimally invasive procedures. The vacuum pump with membrane technology is designed for continuous operation and distinguishes itself by its quiet running properties. With the foot switch the aspiration can be easily started or stopped.		
Technical data:		
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)	
Maximum suction flow:	40 L/min	
Secretion jars:	2 × 3 L optional	
Weight:	18 kg	
Dimensions (W/H/D) in mm:	435 × 999 × 436	
Maximum sound level:	58 dB(A)	
<b>B</b>	<b>OR aspirator Evac 40, mains plug DIN, rated voltage 230 V, 50/60 Hz</b>	<b>2M86752</b>
<b>C</b>	<b>Secretion jar 3 L Medela*</b>	<b>MP03230</b>
<b>D</b>	<b>Cap secretion jar Medela*</b>	<b>MP03231</b>
<b>E</b>	<b>Switchover valve Medela*</b>	<b>MP03232</b>
	<b>Connection hose Medela*</b>	<b>MP03233</b>

\*Made by Medela AG, Schweiz



**OR ASPIRATION**

- A** Protection jar, PSU (polysulfone), reusable, w/ rail clamp, autoclav. up to 134 °C 2M86758
- B** Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set 2M86757
- C** Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm, for secretion jars Medela MP00634
- D** Bacterial filter, disposable, for Evac 40, 10 pcs. MX37021
- E** CS connection hose holder 2M85446
- F** Suction hose holder, suitable for various diameters 2M85239




**MEDICAL ASPIRATION**

**3.3 Continuous and thoracic drainages**

Continuous drainages are used for drainage of secretion, blood and/or air from body cavities over long periods, following operations, particularly after open-thorax surgery.

All of Dräger's continuous drainages are made from high-quality materials and are designed with space in mind. Individual solutions allows you to choose between pneumatic or electrical driven drainages, while also assisting you in optimizing your specific needs and requirements.



- |  |  |
|--|--|
| <ul style="list-style-type: none"> <li>1 MP00507 VarioVac® D DIN</li> <li>MP00508 VarioVac® D BS</li> <li>MP00509 VarioVac® D NF</li> <li>MP00510 VarioVac® D AGA</li> <li>MP00515 VarioVac® D CARBA</li> <li>MP00664 VarioVac® T DIN</li> <li>2 MP00511 VarioVac® D Rail</li> <li>MP00663 VarioVac® T Rail</li> <li>3 MP00512 VarioVac® T Rail WV</li> <li>4 MP00537 VarioAir® D DIN</li> <li>MP00538 VarioAir® D BS</li> <li>MP00539 VarioAir® D NF</li> <li>MP00540 VarioAir® D AGA</li> <li>MP00541 VarioAir® D UNI</li> <li>MP00549 VarioAir® D CARBA</li> <li>MP00553 VarioAir® T DIN</li> </ul> | <ul style="list-style-type: none"> <li>5 MP00542 VarioAir® D Rail</li> <li>MP00543 VarioAir® T Rail</li> <li>6 MP00544 VarioAir® T Rail WV</li> <li>7 2M85153 Continuous drainage 3</li> <li>8 2M85151 Continuous drainage 1</li> <li>9 2M85056 Secretion jar set</li> <li>10 2M85607 Secretion jar set, with protection jar</li> <li>11 2M85163 Secretion jar set, with rail holder and secretion jar 700 mL</li> <li>12 MP00518 Water vacuum gauge</li> <li>13 M26859 Wall holder</li> <li>14 M26842 Rail clamp lever type</li> <li>15 2M85119 Ceiling holder</li> <li>16 2M85446 CS connection hose holder</li> <li>17 2M85239 Suction hose holder</li> <li>18 6723976 Bacterial filter 767, for ejectors (until 2010)</li> </ul> |
|--|--|

## CONTINUOUS AND THORACIC DRAINAGES

## 3.3 CONTINUOUS AND THORACIC DRAINAGES

The vacuum regulator is directly connected to a central vacuum supply, or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides. All plastic parts (with the exception of the manometer) are autoclavable up to 134 °C.

All vacuum regulators include a shut-off valve.

You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 L/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

\*Test has been performed by Nelson Lab, USA, before 2010

<b>A</b>	<b>Vacuum regulator VarioVac® D DIN, for continuous and wound drainage, gas connection VAC</b>	<b>MP00507</b>
<b>B</b>	<b>Vacuum regulator VarioVac® D BS, for continuous and wound drainage, gas connection VAC</b>	<b>MP00508</b>
<b>C</b>	<b>Vacuum regulator VarioVac® D NF, for continuous and wound drainage, gas connection VAC</b>	<b>MP00509</b>
<b>D</b>	<b>Vacuum regulator VarioVac® D AGA, for continuous and wound drainage, gas connection VAC</b>	<b>MP00510</b>
<b>E</b>	<b>Vacuum regulator VarioVac® D CARBA, for continuous and wound drainage, gas connection VAC</b>	<b>MP00515</b>
<b>F</b>	<b>Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connection VAC</b>	<b>MP00511</b>

For CS hoses please refer to chapter "Accessory for gas supply".

Not all articles are available worldwide.



D-10300-2011



D-10302-2011



D-10315-2011



D-10306-2011



D-10306-2011



D-10309-2011

## CONTINUOUS AND THORACIC DRAINAGES

<b>A</b>	<b>Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included, for connection to all standard wall rails</b>	<b>MP00512</b>
----------	--	----------------

For connecting via CS vacuum connection hose. Double-scaled immersion pipe (kPa and cmH<sub>2</sub>O). The filter MK00514 protects the product and the central vacuum supply against contamination. Two filters are included in the scope of delivery.

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 L/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160
Maximum sound level:	40 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999%
Viral retention:	99.999%

<b>B</b>	<b>Vacuum regulator VarioVac® T Rail, for thoracic drainage, gas connection VAC, for connection to all standard wall rails</b>	<b>MP00663</b>
----------	--	----------------

For connecting via CS vacuum connecting hose. The gas supply is ensured by VAC connection hose.

Technical data:

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum Flow:	15 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

\*Test has been performed by Nelson Lab, USA, before 2010

<b>C</b>	<b>Vacuum regulator VarioVac® T DIN, for thoracic drainage, gas connection VAC, for connecting to the central vacuum supply</b>	<b>MP00664</b>
----------	---	----------------

Technical data:

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum Flow:	15 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

\*Test has been performed by Nelson Lab, USA, before 2010

For CS hoses please refer to chapter "Accessory for gas supply".

Not all articles are available worldwide.



MT-0029-2004



D-12463-2014



D-12452-2014



**CONTINUOUS AND THORACIC DRAINAGES**

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -16 kPa (-160 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side. A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

Technical data:  
 Maximum vacuum: -16 to 0 kPa (-160 to 0 mbar)  
 Maximum suction flow: 18 L/min  
 Inlet pressure range: 4 to 5.5 bar  
 Maximum gas consumption: 25 L/min  
 Weight: 800 g  
 Dimensions (W/H/D) in mm: 80 × 200 × 160 (without VarioSafe)  
 80 × 330 × 160 (with VarioSafe)  
 Maximum sound level: 45 dB(A)  
 Hose nozzle: Ø 6 mm  
 Pressure relief valve: Ex 0.1 kPa (1 mbar)  
 Bacterial retention: 99.99998% (with VarioSafe)\*  
 Viral retention: 99.9998% (with VarioSafe)\*  
 \*Test has been performed by Nelson Lab, USA, before 2010

- A Ejector VarioAir® D DIN, for continuous and wound drainage, gas connection AIR MP00537**
- B Ejector VarioAir® D BS, for continuous and wound drainage, gas connection AIR MP00538**
- C Ejector VarioAir® D NF, for continuous and wound drainage, gas connection AIR MP00539**
- D Ejector VarioAir® D AGA, for continuous and wound drainage, gas connection AIR MP00540**
- E Ejector VarioAir® D UNI, for continuous and wound drainage, gas connection AIR MP00541**
- F Ejector VarioAir® D CARBA, for continuous and wound drainage, gas connection AIR MP00549**
- G Ejector VarioAir® D Rail, for continuous and wound drainage, gas connection AIR, for connection to all standard wall rails MP00542**  
 For gas supply via CS vacuum connection hose.  
 Connection thread: NIST.

For CS hoses please refer to chapter "Accessory for gas supply".

Not all articles are available worldwide.



**CONTINUOUS AND THORACIC DRAINAGES**

- A Ejector VarioAir® T Rail WV, for thoracic drainage, with water vacuum gauge, for connection to all standard wall rails MP00544**

For gas supply via CS vacuum connection hose.  
 Connection thread: NIST.  
 Double-scaled immersion pipe (kPa and cmH<sub>2</sub>O).  
 The filter MK00514 protects the product and the central vacuum supply against contamination.  
 Two filters are included in the scope of delivery.

Technical data:  
 Maximum vacuum: -5 to 0 kPa (-50 to 0 mbar)  
 Minimum suction flow: 15 L/min  
 Maximum gas consumption: 30 L/min  
 Weight: 1,100 g  
 Dimensions (W/H/D) in mm: 80 × 860 × 160  
 Maximum sound level: 50 dB(A)  
 Hose nozzle: Ø 6 mm  
 Bacterial retention: 99.9999%  
 Viral retention: 99.9999%

- B Ejector VarioAir® T Rail, for thoracic drainage, gas connection NIST AIR, for connection to all standard wall rails MP00543**

The gas supply is ensured by AIR connection hose.

Technical data:  
 Maximum vacuum: -7 to 0 kPa (-70 to 0 mbar)  
 Minimum suction flow: 15 L/min  
 Maximum gas consumption: 30 L/min  
 Maximum sound level: 40 dB(A)  
 Bacterial retention: 99.99998% (with VarioSafe)\*  
 Viral retention: 99.9998% (with VarioSafe)\*  
 \*Test has been performed by Nelson Lab, USA, before 2010

- C Ejector VarioAir® T DIN, for thoracic drainage, gas connection DIN, for connecting to the central AIR supply according to DIN standard MP00553**

Technical data:  
 Maximum vacuum: -7 to 0 kPa (-70 to 0 mbar)  
 Minimum suction flow: 15 L/min  
 Maximum gas consumption: 30 L/min  
 Maximum sound level: 40 dB(A)  
 Bacterial retention: 99.99998% (with VarioSafe)\*  
 Viral retention: 99.9998% (with VarioSafe)\*  
 \*Test has been performed by Nelson Lab, USA, before 2010

For CS hoses please refer to chapter "Accessory for gas supply".

Not all articles are available worldwide.



## CONTINUOUS AND THORACIC DRAINAGES

The vacuum can either be generated by an ejector or via a vacuum regulator. When used with the ejector, a bacterial filter reliably protects against contamination of the environment. All these pneumatic continuous drainages can be used in potentially explosive areas.

All parts which may become contaminated can be autoclaved at up to 134 °C.

The continuous drainage systems 1 and 3 can be used for continuous- and wound drainage as well as for thoracic drainage in the combination with a regulator from the VarioVac® D and VarioAir® D series. An additional precision regulator make it easy to adjust lowest vacuum levels.

- A Continuous drainage 1, for continuous and wound drainage, precision regulator, fistula indicator and bacterial filter 767 included, capacity 700 mL, maximum capacity up to the overflow safeguard 1000 mL, scale in steps of 10 mL up to max. 700 mL** **2M85151**

Technical data:

Maximum vacuum:	-10 to 0 kPa (-100 to 0 mbar)
Maximum suction flow:	14 L/min
Weight:	3 kg (empty)
Dimensions (W/H/D) in mm:	285 × 340 × 160

- B Continuous drainage 3, for continuous, wound, and thoracic drainage, precision regulator, water vacuummeter, fistula indicator and bacterial filter 767 included, capacity 700 mL, maximum capacity up to the overflow safeguard 1000 mL, scale in steps of 10 mL up to max. 700 mL** **2M85153**

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow:	14 L/min
Weight:	5.5 kg (empty)
Dimensions (W/H/D) in mm:	260 × 800 × 180



## CONTINUOUS AND THORACIC DRAINAGES

- A Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included, for connection to all standard wall rails immersion pipe is scaled (kPa und cmH<sub>2</sub>O)** **MP00512**

For connecting via CS vacuum connection hose. The filter MK00514 protects the product and the central vacuum supply against contamination. Two filters are included in the scope of delivery.

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Minimum suction flow:	15 L/min
Weight:	1,100 g
Dimensions (W/H/D) in mm:	80 × 860 × 160
Maximum sound level:	40 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999%
Viral retention:	99.999%

For CS hoses please refer to chapter "Accessory for gas supply".

- B Water vacuum gauge, for thor. drainage, combination w/ VarioVac® D + VarioAir® D, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH<sub>2</sub>O)** **MP00518**

Technical data:

Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)
Maximum suction flow:	10 L/min
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Hose nozzle:	2 × Ø 6 mm
Weight:	1 kg (empty)
Dimensions (W/H/D) in mm:	80 × 860 × 160

- C Secretion jar set, with rail holder and secretion jar 700 mL, for continuous drainage units** **2M85163**

- D Cylinder support** **2M85180**



**CONTINUOUS AND THORACIC DRAINAGES**

**A Bacterial filter 767, for ejectors (model range until 2010), 5 pcs. 6723976**

**A Bacterial filter 767, disposable, for ejectors (model range until 2010) CH00102**

The filter 767 reliably protects the ejector and the patient environment against contamination.

Technical data:  
 Bacterial retention: 99.992%\*\*  
 Viral retention: 99.99%\*\*  
 Material: PS (polystyrol)  
 Recommended duration of use: 14 days  
 Filtration method: Mechanical (HEPA)\*\*

**B Bacterial filter disposable, 20 pcs. MK00514**

You can use the bacterial filter to reliably protect the suction devices against contamination.

Technical data:  
 Bacterial retention: 99.999%\*\*  
 Viral retention: 99.999%\*\*  
 Material: Acryl  
 Recommended duration of use: 7 days  
 Filtration method: Hydrophobic (HEPA)\*\*

**C Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs. MP00555**

The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.

Technical data:  
 Maximum capacity: 90 mL  
 Bacterial retention: 99.99998%\*  
 Viral retention: 99.9998%\*  
 Material: PS (polystyrol)  
 Recommended duration of use: 7 days  
 Filtration method: Mechanical and hydrophobic (HEPA)\*

\*Test has been performed by Nelson Lab, USA, before 2010  
 \*\*According to EN 1822-1:1998 Filter for suspended particles (HEPA and ULPA)



**CONTINUOUS AND THORACIC DRAINAGES**

**A Immersion tube, for continuous drainages, not scaled M16395**

**Rubber plug, for immersion tube of water vacuum gauge 2M85139**

**B Water container, for continuous drainage system 2 – 4, w/o screw thread M20668**

**C Cap for VarioVac® + VarioAir® D, neutral color, 10 pcs. MP00497**

**D Cap for VarioVac® + VarioAir® D, ISO, 10 pcs. MP00495**

**Cap for VarioAir® + VarioVac® T, bw MP00659**

**Cap for VarioAir® + VarioVac® T, ISO MP00658**


**E Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -16 kPa (-160 mbar) MP00579**

**F Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -8 kPa (-80 mbar) MP03597**



**CONTINUOUS AND THORACIC DRAINAGES**

<b>A</b> Immersion tube, for water vacuum gauge of for VarioVac® T + VarioAir® T, scaled	<b>MP00569</b>
<b>B</b> Locking screw, for immersion tube, with gaskets, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	<b>MP00596</b>
<b>C</b> Water container with screw thread + gaskets, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	<b>MP00565</b>
<b>D</b> Cap for water vacuum gauge, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518), including gaskets, combination possible with filter MK00514 and plug nozzle MP00566	<b>MP00595</b>
<b>E</b> Plug nozzle water vacuum gauge, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	<b>MP00566</b>



**ACCESSORY FOR GAS SUPPLY**

**4. ACCESSORY FOR GAS SUPPLY**

**4.1 CS HOSES**

CS hoses, several hoses to connect flowmeter with the central supply **8601697**

**4.1.1 GERMAN STANDARD – DIN**

<b>A</b> O <sub>2</sub> CS hose 0.9 m (2.95 ft) NIST EN DIN	<b>M36729</b>
O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN DIN	<b>M35489</b>
O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN DIN	<b>M35490</b>
O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN DIN	<b>M35491</b>
<b>B</b> AIR CS hose 0.9 m (2.95 ft) NIST EN DIN	<b>M36730</b>
AIR CS hose 1.5 m (4.9 ft) NIST EN DIN	<b>M35495</b>
AIR CS hose 3 m (9.8 ft) NIST EN DIN	<b>M35496</b>
AIR CS hose 5 m (16.4 ft) NIST EN DIN	<b>M35497</b>
<b>C</b> VAC CS hose 1.5 m (4.9 ft) NIST EN DIN	<b>M35498</b>
VAC CS hose 3 m (9.8 ft) NIST EN DIN	<b>M35499</b>
VAC CS hose 5 m (16.4 ft) NIST EN DIN	<b>M36000</b>
<b>D</b> AIR/O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN DIN	<b>M36001</b>
AIR/O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN DIN	<b>M36002</b>
AIR/O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN DIN	<b>M36003</b>
<b>E</b> N <sub>2</sub> O CS hose 0.9 m (2.95 ft) NIST EN DIN	<b>M36731</b>
N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN DIN	<b>M35492</b>
N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN DIN	<b>M35493</b>
N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN DIN	<b>M35494</b>



**ACCESSORY FOR GAS SUPPLY**

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36004
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36005
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36006
B	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012
C	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36013
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36014
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36015
D	AIR/O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36016
	AIR/O <sub>2</sub> CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36017
	AIR/O <sub>2</sub> CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36018
E	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36007
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36008
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36009



Not all articles are available worldwide.

**ACCESSORY FOR GAS SUPPLY**

**4.1.2 FRENCH STANDARD – NF**

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN NF	M35416
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN NF	M35417
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN NF	M35330
B	AIR CS hose 1.5 m (4.9 ft) NIST EN NF	M35420
	AIR CS hose 3 m (9.8 ft) NIST EN NF	M35421
	AIR CS hose 5 m (16.4 ft) NIST EN NF	M35332
C	VAC CS hose 1.5 m (4.9 ft) NIST EN NF	M35422
	VAC CS hose 3 m (9.8 ft) NIST EN NF	M35423
	VAC CS hose 5 m (16.4 ft) NIST EN NF	M35424
D	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN NF	M35418
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN NF	M35419
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN NF	M35331
E	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35434
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35435
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35436
F	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35452
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35453
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35454
G	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35455
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35456
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35457



Not all articles are available worldwide.

**ACCESSORY FOR GAS SUPPLY**

A	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35437
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35438
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35439
B	O <sub>2</sub> CS hose 0.9 m (2.95 ft) NF EN NF	M36723
	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NF EN NF	M35425
	O <sub>2</sub> CS hose 3 m (9.8 ft) NF EN NF	M35426
	O <sub>2</sub> CS hose 5 m (16.4 ft) NF EN NF	M35342
C	AIR CS hose 0.9 m (2.95 ft) NF EN NF	M36724
	AIR CS hose 1.5 m (4.9 ft) NF EN NF	M35429
	AIR CS hose 3 m (9.8 ft) NF EN NF	M35430
	AIR CS hose 5 m (16.4 ft) NF EN NF	M35343
D	VAC CS hose 1.5 m (4.9 ft) NF EN NF	M35431
	VAC CS hose 3 m (9.8 ft) NF EN NF	M35432
	VAC CS hose 5 m (16.4 ft) NF EN NF	M35433
E	N <sub>2</sub> O CS hose 0.9 m (2.95 ft) NF EN NF	M36725
	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NF EN NF	M35427
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NF EN NF	M35428
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NF EN NF	M35344



Not all articles are available worldwide.

**ACCESSORY FOR GAS SUPPLY**

**4.1.3 BRITISH STANDARD – BS**

A	O <sub>2</sub> CS hose 0.9 m (2.95 ft) NIST EN BS	M36726
	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN BS	M35389
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN BS	M35390
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN BS	M35333
B	AIR CS hose 0.9 m (2.95 ft) NIST EN BS	M36727
	AIR CS hose 1.5 m (4.9 ft) NIST EN BS	M35393
	AIR CS hose 3 m (9.8 ft) NIST EN BS	M35394
C	VAC CS hose 1.5 m (4.9 ft) NIST EN BS	M35395
	VAC CS hose 3 m (9.8 ft) NIST EN BS	M35396
	VAC CS hose 5 m (16.4 ft) NIST EN BS	M35397
D	N <sub>2</sub> O CS hose 0.9 m (2.95 ft) NIST EN BS	M36728
	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN BS	M35391
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN BS	M35392
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN BS	M35334



Not all articles are available worldwide.

**ACCESSORY FOR GAS SUPPLY**

<b>A</b>	<b>O<sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN BS straight</b>	<b>M35398</b>
	<b>O<sub>2</sub> CS hose 3 m (9.8 ft) NIST EN BS straight</b>	<b>M35399</b>
	<b>O<sub>2</sub> CS hose 5 m (16.4 ft) NIST EN BS straight</b>	<b>M35339</b>
<b>B</b>	<b>AIR CS hose 1.5 m (4.9 ft) NIST BS straight</b>	<b>M35402</b>
	<b>AIR CS hose 3 m (9.8 ft) NIST BS straight</b>	<b>M35403</b>
	<b>AIR CS hose 5 m (16.4 ft) NIST BS straight</b>	<b>M35340</b>
<b>C</b>	<b>VAC CS hose 1.5 m (4.9 ft) NIST BS straight</b>	<b>M35404</b>
	<b>VAC CS hose 3 m (9.8 ft) NIST BS straight</b>	<b>M35405</b>
	<b>VAC CS hose 5 m (16.4 ft) NIST BS straight</b>	<b>M35406</b>
<b>D</b>	<b>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) NIST EN BS straight</b>	<b>M35400</b>
	<b>N<sub>2</sub>O CS hose 3 m (9.8 ft) NIST EN BS straight</b>	<b>M35401</b>
	<b>N<sub>2</sub>O CS hose 5 m (16.4 ft) NIST EN BS straight</b>	<b>M35341</b>



**ACCESSORY FOR GAS SUPPLY**

**4.1.4 SWEDEN STANDARD – SS**

<b>A</b>	<b>O<sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN SS</b>	<b>M35375</b>
	<b>O<sub>2</sub> CS hose 3 m (9.8 ft) NIST EN SS</b>	<b>M35376</b>
	<b>O<sub>2</sub> CS hose 5 m (16.4 ft) NIST EN SS</b>	<b>M35377</b>
<b>B</b>	<b>AIR CS hose 1.5 m (4.9 ft) NIST EN SS</b>	<b>M35383</b>
	<b>AIR CS hose 3 m (9.8 ft) NIST EN SS</b>	<b>M35384</b>
	<b>AIR CS hose 5 m (16.4 ft) NIST EN SS</b>	<b>M35385</b>
<b>C</b>	<b>VAC CS hose 1.5 m (4.9 ft) NIST EN SS</b>	<b>M35386</b>
	<b>VAC CS hose 3 m (9.8 ft) NIST EN SS</b>	<b>M35387</b>
	<b>VAC CS hose 5 m (16.4 ft) NIST EN SS</b>	<b>M35388</b>
<b>D</b>	<b>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) NIST EN SS</b>	<b>M35378</b>
	<b>N<sub>2</sub>O CS hose 3 m (9.8 ft) NIST EN SS</b>	<b>M35379</b>
	<b>N<sub>2</sub>O CS hose 5 m (16.4 ft) NIST EN SS</b>	<b>M35382</b>



**ACCESSORY FOR GAS SUPPLY**

**4.1.5 SWISS STANDARD – CARBA**

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN Carba	M35469
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN Carba	M35472
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN Carba	M35345
B	AIR CS hose 1.5 m (4.9 ft) NIST EN Carba	M35475
	AIR CS hose 3 m (9.8 ft) NIST EN Carba	M35476
	AIR CS hose 5 m (16.4 ft) NIST EN Carba	M35346
C	VAC CS hose 1.5 m (4.9 ft) NIST EN Carba	M35477
	VAC CS hose 3 m (9.8 ft) NIST EN Carba	M35478
	VAC CS hose 5 m (16.4 ft) NIST EN Carba	M35479
D	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN Carba	M35473
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN Carba	M35474
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN Carba	M35347



Not all articles are available worldwide.

**ACCESSORY FOR GAS SUPPLY**

**4.1.6 ITALIAN STANDARD – UNI**

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN UNI	M35407
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN UNI	M35408
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN UNI	M35357
B	AIR CS hose 1.5 m (4.9 ft) NIST EN UNI	M35411
	AIR CS hose 3 m (9.8 ft) NIST EN UNI	M35412
	AIR CS hose 5 m (16.4 ft) NIST EN UNI	M35358
C	VAC CS hose 1.5 m (4.9 ft) NIST EN UNI	M35413
	VAC CS hose 3 m (9.8 ft) NIST EN UNI	M35414
	VAC CS hose 5 m (16.4 ft) NIST EN UNI	M35415
D	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN UNI	M35409
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN UNI	M35410
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN UNI	M35359



Not all articles are available worldwide.



**ACCESSORY FOR GAS SUPPLY**

**4.1.7 AUSTRALIAN STANDARD – AS**

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN AS	M36153
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN AS	M36152
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN AS	M36151
B	AIR CS hose 1.5 m (4.9 ft) NIST EN AS	M36150
	AIR CS hose 3 m (9.8 ft) NIST EN AS	M36149
	AIR CS hose 5 m (16.4 ft) NIST EN AS	M36148
C	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN AS	M36156
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN AS	M36155
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN AS	M36154
D	VAC CS hose 1.5 m (4.9 ft) NIST EN AS	M36826
	VAC CS hose 3 m (9.8 ft) NIST EN AS	M36827
	VAC CS hose 5 m (16.4 ft) NIST EN AS	M36828



**ACCESSORY FOR GAS SUPPLY**

**4.1.8 JAPANESE STANDARD – KAWA**

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) DISS US KAWA	M35806
	O <sub>2</sub> CS hose 3 m (9.8 ft) DISS US KAWA	M35805
	O <sub>2</sub> CS hose 5 m (16.4 ft) DISS US KAWA	M35804
	O <sub>2</sub> CS hose 8 m (26,25 ft) DISS US KAWA	M35866
B	AIR CS hose 1.5 m (4.9 ft) DISS US KAWA	M35803
	AIR CS hose 3 m (9.8 ft) DISS US KAWA	M35802
	AIR CS hose 5 m (16.4 ft) DISS US KAWA	M35801
C	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) DISS US KAWA	M35809
	N <sub>2</sub> O CS hose 3 m (9.8 ft) DISS US KAWA	M35808
	N <sub>2</sub> O CS hose 5 m (16.4 ft) DISS US KAWA	M35807
	N <sub>2</sub> O CS hose 8 m (26,25 ft) DISS US KAWA	M35867
D	VAC CS hose 5 m (16.4 ft) DISS JIS KAWA	M35820



**ACCESSORY FOR GAS SUPPLY**

**4.1.9 US AMERICAN STANDARD – US**

<b>A</b>	CS hose O <sub>2</sub> DISS N/DISS N 10L	4185140
	CS hose O <sub>2</sub> DISS N/DISS N 15L	4185141
	CS hose O <sub>2</sub> DISS N/DISS N 20L	4199714
<b>B</b>	CS hose O <sub>2</sub> DISS Hand 10L	4199592
	CS hose O <sub>2</sub> DISS Hand 15L	4199591
<b>C</b>	CS hose AIR DISS N/DISS N 10L	4199605
	CS hose AIR DISS N/DISS N 15L	4199604
	CS hose AIR DISS N/DISS N 20L	4199712
<b>D</b>	CS hose AIR DISS Hand 10L	4199594
	CS hose AIR DISS Hand 15L	4199593
<b>E</b>	CS hose VAC DISS N/DISS N 10L	4199602
	CS hose VAC DISS N/DISS N 15L	4199601
	CS hose VAC DISS N/DISS N 20L	4199600
<b>F</b>	CS hose VAC DISS Hand 10L	4199590
	CS hose VAC DISS Hand 15L	4199589



**ACCESSORY FOR GAS SUPPLY**

<b>A</b>	CS hose N <sub>2</sub> O DISS N/DISS N 10L	4185142
	CS hose N <sub>2</sub> O DISS N/DISS N 15L	4185143
	CS hose N <sub>2</sub> O DISS N/DISS N 20L	4199713
<b>B</b>	CS hose N <sub>2</sub> O DISS Hand 10L	4199596
	CS hose N <sub>2</sub> O DISS Hand 15L	4199595
<b>C</b>	CS hose EVAC DISS N/DISS N 10L	4199599
	CS hose EVAC DISS N/DISS N 15L	4199598
	CS hose EVAC DISS N/DISS N 20L	4199597
<b>D</b>	CS hose EVAC DISS Hand 10L	4199588
	CS hose EVAC DISS Hand 15L	4199587



**ACCESSORY FOR GAS SUPPLY**

**4.1.10 CANADIAN STANDARD – CA**

<b>A</b>	<b>O<sub>2</sub> CS hose 1.5 m (4.9 ft) DISSB EN HAND</b>	<b>M36290</b>
	<b>O<sub>2</sub> CS hose 3 m (9.8 ft) DISSB EN HAND</b>	<b>M36291</b>
	<b>O<sub>2</sub> CS hose 5 m (16.4 ft) DISSB EN HAND</b>	<b>M36292</b>
<b>B</b>	<b>AIR CS hose 1.5 m (4.9 ft) DISSB EN HAND</b>	<b>M36296</b>
	<b>AIR CS hose 3 m (9.8 ft) DISSB EN HAND</b>	<b>M36297</b>
	<b>AIR CS hose 5 m (16.4 ft) DISSB EN HAND</b>	<b>M36298</b>
<b>C</b>	<b>VAC CS hose 1.5 m (4.9 ft) DISSB EN HAND</b>	<b>M36299</b>
	<b>VAC CS hose 3 m (9.8 ft) DISSB EN HAND</b>	<b>M36300</b>
	<b>VAC CS hose 5 m (16.4 ft) DISSB EN HAND</b>	<b>M36301</b>
<b>D</b>	<b>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) DISSB EN HAND</b>	<b>M36293</b>
	<b>N<sub>2</sub>O CS hose 3 m (9.8 ft) DISSB EN HAND</b>	<b>M36294</b>
	<b>N<sub>2</sub>O CS hose 5 m (16.4 ft) DISSB EN HAND</b>	<b>M36295</b>



Not all articles are available worldwide.

**ACCESSORY FOR GAS SUPPLY**

**4.1.11 CHINESE STANDARD – GB**

Available from June 2017.

	<b>O<sub>2</sub> CS hose 3 m (9.8 ft) NIST GB BS</b>	<b>M36732</b>
	<b>O<sub>2</sub> CS hose 5 m (16.4 ft) NIST GB BS</b>	<b>M36733</b>
	<b>AIR CS hose 3 m (9.8 ft) NIST GB BS</b>	<b>M36736</b>
	<b>AIR CS hose 5 m (16.4 ft) NIST GB BS</b>	<b>M36737</b>
	<b>N<sub>2</sub>O CS hose 3 m (9.8 ft) NIST GB BS</b>	<b>M36734</b>
	<b>N<sub>2</sub>O CS hose 5 m (16.4 ft) NIST GB BS</b>	<b>M36735</b>
	<b>O<sub>2</sub> CS hose 0.9 m (2.95 ft) NIST GB DIN</b>	<b>M36784</b>
	<b>O<sub>2</sub> CS hose 1.5 m (4.9 ft) NIST GB DIN</b>	<b>M36785</b>
	<b>O<sub>2</sub> CS hose 3 m (9.8 ft) NIST GB DIN</b>	<b>M36738</b>
<b>A</b>	<b>O<sub>2</sub> CS hose 5 m (16.4 ft) NIST GB DIN</b>	<b>M36739</b>
	<b>N<sub>2</sub>O CS hose 0.9 m (2.95 ft) NIST GB DIN</b>	<b>M36788</b>
	<b>N<sub>2</sub>O CS hose 1.5 m (4.9 ft) NIST GB DIN</b>	<b>M36789</b>
	<b>N<sub>2</sub>O CS hose 3 m (9.8 ft) NIST GB DIN</b>	<b>M36740</b>
<b>B</b>	<b>N<sub>2</sub>O CS hose 5 m (16.4 ft) NIST GB DIN</b>	<b>M36741</b>
	<b>AIR CS hose 0.9 m (2.95 ft) NIST GB DIN</b>	<b>M36786</b>
	<b>AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN</b>	<b>M36010</b>
	<b>AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN</b>	<b>M36011</b>
	<b>AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN</b>	<b>M36012</b>



Not all articles are available worldwide.

**ACCESSORY FOR GAS SUPPLY**

**4.2 ADAPTER**

<b>A</b>	Adapter DISS M/QC-N <sub>2</sub> O-Chemetron*	4119065
	Adapter DISS M/QC-AIR-Chemetron*	4119066
	Adapter DISS M/QC-VAC-Chemetron*	4119067
	Adapter DISS M/QC-O <sub>2</sub> -Chemetron*	4119068
	Adapter DISS M/QC-EVAC-Chemetron*	4119069
<b>B</b>	Adapter DISS M/QC-N <sub>2</sub> O-Ohmeda*	4119070
	Adapter DISS M/QC-AIR-Ohmeda*	4119071
	Adapter DISS M/QC-VAC-Ohmeda*	4119072
	Adapter DISS M/QC-O <sub>2</sub> -Ohmeda*	4119073
	Adapter DISS M/QC-EVAC-Ohmeda*	4119074
<b>C</b>	Adapter DISS M/QC-N <sub>2</sub> O-Pur Ben*	4119075
	Adapter DISS M/QC-AIR-Pur Ben*	4119076
	Adapter DISS M/QC-VAC-Pur Ben*	4119077
	Adapter DISS M/QC-O <sub>2</sub> -Pur Ben*	4119078
	Adapter DISS M/QC-EVAC-Pur Ben*	4119079
	Adapter DISS M/QC-N <sub>2</sub> O-Schrader	4119080
	Adapter DISS M/QC-AIR-Schrader	4119081
	Adapter DISS M/QC-VAC-Schrader	4119082
	Adapter DISS M/QC-O <sub>2</sub> -Schrader	4119083
<b>D</b>	Double-Plug coupling AIR	G01166
	Double-Plug coupling O <sub>2</sub>	G01168
	Double-Plug coupling VAC	G01169

\*Made by Bay Corporation, Ohio, USA



**ACCESSORY FOR GAS SUPPLY**

<b>A</b>	Adapter O <sub>2</sub> NIST/DIN	M32493
	Adapter N <sub>2</sub> O NIST/DIN	M32494
	Adapter AIR NIST/DIN	M32495
	Adapter VAC NIST/DIN	M32496
	Adapter AIR/O <sub>2</sub> NIST/DIN	M32497
<b>B</b>	Adapter O <sub>2</sub> , DISS-NIST	M34875
	Adapter N <sub>2</sub> O, DISS-NIST	M34876
	Adapter AIR, DISS-NIST	M34877
<b>C</b>	Adapter O <sub>2</sub> NIST/DIN	M35056
	Adapter N <sub>2</sub> O NIST/DIN	M35057
	Adapter AIR NIST/DIN	M35058
	Adapter AIR-O <sub>2</sub> /O <sub>2</sub> NIST/DIN	M36042
<b>D</b>	T-piece AIR NIST	M36056
	T-piece O <sub>2</sub> NIST	M36250
<b>E</b>	Adapter O <sub>2</sub> NF/NIST	M35336
	Adapter N <sub>2</sub> O NF/NIST	M35337
	Adapter AIR NF/NIST	M35338





## CONTENT

---

### RAIL ACCESSORIES AND EXAMINATION LIGHT

1. Rail accessories	315
2. Examination light	320
3. Hinged arms	322

# Rail accessories and examination light

#### SOMETHING YOU CAN COUNT ON:

- Dräger's solutions provide excellent illumination and working conditions with ideally suited lightning
- Optimal patient care due to easy handling with Quickstop Hinged Arms
- Intelligent workstation concepts through safe interaction of accessory products with hospital installations

# 6

NOTES

RAIL ACCESSORIES AND EXAMINATION LIGHT

1. RAIL ACCESSORIES

<p><b>A</b> Monitor shelf 5035, 50 × 35.5 cm, max. load 20 kg, weight 5 kg, without drawer, for safe mounting of monitoring equipment, the monitor shelf is suitable for different wall distances through adjustment screws on the vertical struts, to protect from injury, the corners of the monitor shelf are covered with rubber inserts which can be removed for cleaning</p>	<p><b>2M85003</b></p>
<p><b>B</b> Monitor shelf 5450, 50 × 35.5 cm, max. load 20 kg, weight 8.7 kg, with drawer, for safe mounting of monitoring equipment, the spacious drawer can be used for storage, for example of monitoring accessories</p>	<p><b>M24692</b></p>
<p><b>C</b> Shelf 3020, 30 × 20 cm, max. load 5 kg, weight 1.2 kg, for depositing instruments, bandages, plasters, O<sub>2</sub> measuring devices and the like, to protect from injury, the corners of the tray are covered with rubber inserts which can be removed for cleaning</p>	<p><b>M24678</b></p>
<p><b>D</b> Distance tube for monitor shelves</p>	<p><b>M26391</b></p>



## RAIL ACCESSORIES AND EXAMINATION LIGHT

<b>A</b>	<b>Rail clamp,</b> for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	<b>2M85274</b>
<b>B</b>	<b>Rail clamp lever type,</b> for attachment of devices to 25 × 10 mm standard rail, for rapid attachment of devices to 25 × 10 mm standard rail, drilling distance 2.2 cm, for M5 screws	<b>M25739</b>
<b>C</b>	<b>Rail clamp lever type,</b> for the attachment of devices to standard rail, the clamp can be fixed permanently with the device via the included set of screws (M5 thread)	<b>2M85049</b>
<b>D</b>	<b>Rail clamp,</b> for 25 × 10 mm standard rail, drilling distance 22 mm, for M5 screws	<b>M20650</b>
<b>E</b>	<b>Rail clamp lever type,</b> for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set	<b>M26842</b>
<b>F</b>	<b>CS connection hose holder</b>	<b>2M85446</b>
<b>G</b>	<b>Suction hose holder,</b> suitable for various diameters	<b>2M85239</b>



Not all articles are available worldwide.

## RAIL ACCESSORIES AND EXAMINATION LIGHT

<b>A</b>	<b>Ceiling holder,</b> rail holder for compact suction systems and secretion jar sets	<b>2M85119</b>
	<b>Wire baskets</b>	
	The wire baskets are used for storage of disposable catheters or disposable gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).	
<b>B</b>	<b>Basket 150,</b> 15 × 20 × 10 cm, e.g., for disposable gloves	<b>M26146</b>
<b>B</b>	<b>Basket 300,</b> 15 × 28 × 10 cm, e.g., for 300 mm catheters	<b>M26145</b>
<b>B</b>	<b>Basket 600,</b> 15 × 48 × 10 cm, e.g., for 600 mm catheters	<b>M25121</b>
	<b>Catheter receptacle</b>	
	These receptacles are for storage of sterile insufflation catheters. The catheter receptacle is provided with a rail clamp and can be attached to intensive care rails. The diameter of the receptacle is 50 mm. Catheter receptacle 510 is designed for catheters up to 600 mm (23.6 in) long, and catheter receptacle 510 for catheters up to 400 mm (15.7 in) long.	
<b>C</b>	<b>Rail holder,</b> for catheter receptacle, 12.5 × 8.4 × 18 cm	<b>MP00652</b>
<b>D</b>	<b>Catheter receptacle, large,</b> 12.2 × 25.2 × 12.2 cm (top) and Ø 85 mm (bottom)	<b>MP00650</b>
<b>E</b>	<b>Catheter receptacle, small,</b> 12.2 × 16.6 × 12.2 cm (top) and Ø 60 mm (bottom)	<b>MP00651</b>

Not all articles are available worldwide.




## RAIL ACCESSORIES AND EXAMINATION LIGHT

<b>A</b>	<b>Dish, stainless steel, Ø 20.5 cm, with rail clamp</b>	<b>2M85233</b>
<b>B</b>	<b>Telescopic arm, with curtains (2 pcs.), for visually separating patient beds, maximum extension: 160 cm, minimum retraction: 74 cm, minimum retraction when folded: 11 cm</b>	<b>MP00498</b>
<b>C</b>	<b>Curtain clip, for fixing a curtain to telescopic arm</b>	<b>M21112</b>
<b>D</b>	<b>Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)</b>	<b>M24695</b>
	<b>Litter bags, disposable, for litter bag holder, 100 pcs.</b>	<b>M26240</b>
<b>E</b>	<b>Infusion bottle holder, for standard rail, variable height, 3 hooks</b>	<b>M20719</b>
<b>F</b>	<b>Trolley for rail accessories, stainless steel, 2 rails (50 cm each), 55 × 82 × 47 cm</b>	<b>MP00090</b>



## RAIL ACCESSORIES AND EXAMINATION LIGHT

<b>A</b>	<b>Cable holder for rail, 10 pcs., cable holder set for guiding cables and hoses along standard rails (25 × 10 mm), consisting of 10 plastic rail clips</b>	<b>G15225</b>
<b>A</b>	<b>Cable holder for support pole, 4 pcs., cable holder set for guiding cables and hoses along support tubes with a diameter of 38 mm (1.5 in), consisting of 4 two-part plastic clamps and screws</b>	<b>G13171</b>
<b>B</b>	<b>Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg</b>	<b>2M85337</b>
<b>C</b>	<b>Extension arm set, for cables and hoses, with cable/hose guide channels</b>	<b>G13040</b>
<b>D</b>	<b>Rail set, attaches to standard rail 25 × 10 mm, provides additional mounting area for all types of rail-mounted accessories and small equipment</b>	<b>G13768</b>
<b>E</b>	<b>Infusion bottle holder set, attaches to standard rail 25 × 10 mm, suitable to accommodate up to 6 infusion bottles</b>	<b>G12985</b>





**RAIL ACCESSORIES AND EXAMINATION LIGHT**

**2. EXAMINATION LIGHT**

The Dräger VarioLux® offers cool, highly efficient, and variable intensity examination light and was specially designed for use in neonatology and pediatric settings. Made for single-handed operation, it features adjustable color temperature settings as well as a dimmer function.

Operating mode:	Continuous operation
Weight:	1.5 kg (3.3 lbs)
Electrical values:	100 – 240 V, 50/60 Hz
Max. illumination intensity Ec at 0.5 m:	30,000 lx
Dimming levels:	30,000 lx, 24,000 lx, 18,000 lx, 12,000 lx, 7,000 lx
Light field diameter d10 at 0.5 m:	20 cm (7.9 in)
Light field diameter d50 at 0.5 m:	9 cm (3.5 in)
Color temperature adjustable:	3,500 K, Warm white (red) 4,100 K, Neutral white (white) 4,700 K, Cool white (blue) > 35,000 h
Min. service life of bulb (LEDs):	> 35,000 h
Color reproduction index:	Ra>= 96 (at 3,500 K) R9 = 89 (at 3,500 K)
Max. radiant power at 0.5 m:	105 W/m²

<b>A</b>	<b>Medical examination light VarioLux® with LED technology, EU</b>	<b>MP00601</b>
	<b>Medical examination light VarioLux® with LED technology, US</b>	<b>MP00602</b>
	<b>Medical examination light VarioLux® with LED technology, GB</b>	<b>MP00603</b>
	<b>Medical examination light VarioLux® with LED technology, CHN</b>	<b>MP00604</b>
	<b>Medical examination light VarioLux® with LED technology, BR</b>	<b>MP00605</b>
	<b>Medical examination light VarioLux® with LED technology, AUS</b>	<b>MP00606</b>
	<b>Medical examination light VarioLux® with LED technology, ZA</b>	<b>MP00607</b>
	<b>Medical examination light VarioLux® with LED technology, JPN</b>	<b>MP00608</b>
	<b>Power cable EU, 1.8 m, 2 pin</b>	<b>MP00591</b>
	<b>Power cable US/JPN, 1.8 m, 2 pin</b>	<b>MP00592</b>
	<b>Power cable GB, 1.8 m, 2 pin</b>	<b>MP00593</b>
	<b>Power cable BR, 1.8 m, 2 pin</b>	<b>MP00625</b>
	<b>Power cable AUS, 1.8 m, 2 pin</b>	<b>MP00626</b>
	<b>Power cable ZA, 1.8 m, 2 pin</b>	<b>MP00597</b>



**RAIL ACCESSORIES AND EXAMINATION LIGHT**

<b>A</b>	<b>Rail claw for lamp</b>	<b>MP00615</b>
<b>B</b>	<b>Turn knob, compl.</b>	<b>MP00587</b>
<b>C</b>	<b>Control panel</b>	<b>MP00589</b>
<b>D</b>	<b>Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm</b>	<b>2M85274</b>
<b>E</b>	<b>Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg</b>	<b>2M85337</b>



## RAIL ACCESSORIES AND EXAMINATION LIGHT

### 3. HINGED ARMS

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints can be fixed into place and released with just one quick hand movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

- |  |                |
|--|----------------|
| <p><b>A</b> Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses, this arm can be fixed into place without a hand movement through a patent registered friction torque-breaking system, length 1,080 mm, max. load 0.5 kg, includes hose clamps: MP00693 (1x), 8417396 (2x)</p> | <b>MP00690</b> |
| <p><b>B</b> Hinged arm 240°, 3 hinges, fixable, ball holder system, length 1,135 mm, max. load 0.3 kg, includes hose clamps: MP00493 (1x), 8409841 (1x), 8409746 (1x)</p>  | <b>8409609</b> |
| <p><b>C</b> Hinged arm Quickstop 2, with universal ball holder system for optional accessories length 858 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1x), 8404761 (2x), 8409841 (1x)</p>   | <b>2M85706</b> |
| <p><b>D</b> Hinged arm Quickstop 1, length 847 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1x), 8404761 (3x)</p>  | <b>2M85705</b> |



## RAIL ACCESSORIES AND EXAMINATION LIGHT

- |   |                |
|---|----------------|
| <p><b>A</b> Hinged arm Quickstop short, with universal tube holder plate, for various cable and tube dimensions and coaxial hoses, specifically designed for OR tables, length 323 mm, max. load 1 kg</p> | <b>2M86463</b> |
| <p><b>B</b> Hinged arm Quickstop, for attaching and positioning Dräger pods, length: 370 mm, max. load 1 kg</p>   | <b>2M86464</b> |



**RAIL ACCESSORIES AND EXAMINATION LIGHT**

- A Hose clip,  
for ball mounting,  
for standard breathing hoses, adult/neonatal,  
applicable for Hinged arm 240° (8409609),  
and Hinged arm Quickstop 2 (2M85706) 8409841

---

- B Hose clip double,  
for standard breathing hoses, adult/neonatal, 2 pcs.,  
applicable for Hinged arm 240° (8409609),  
Hinged arm Quickstop 2 (2M85706),  
and Hinged arm Quickstop 1 (2M85705) 8406138

---

- C Hose clip,  
for coaxial breathing hoses, adult, 2 pcs.,  
for Hinged arm Quickstop 2 (2M85706) MP00493

---

- D Holder for Y-piece,  
with ball mounting,  
applicable for Hinged arm Infinity ACS (MP00690),  
Hinged arm 240° (8409609),  
and Hinged arm Quickstop 2 (2M85706) 8409746

---

- E Hose holder plate,  
for ball mounting, for all cable and hose dimensions,  
as well as for coaxial and pediatric hoses,  
applicable for Hinged arm Infinity ACS (MP00690),  
Hinged arm 240° (8409609),  
and Hinged arm Quickstop 2 (2M85706) 2M86465



**RAIL ACCESSORIES AND EXAMINATION LIGHT**

- A Universal hose clip,  
for Hinged arm Infinity ACS (MP00690),  
for all standard cable and hose dimensions  
as well as for coaxial and pediatric hoses MP00692

---

- B Hose clip double,  
gray, for Hinged arm Infinity® ACS (MP00690) MP00693

---

- C Extension set,  
for Hinged arm Quickstop 2M86464 MP00653





# Neonatal care and thermoregulation

## SOMETHING YOU CAN COUNT ON:

- Wide range of products to meet the most diverse needs of the neonate
- Only high quality materials to ensure optimal care
- Effective support for therapy and cost effectiveness

# 7

## CONTENT

### NEONATAL CARE AND THERMOREGULATIONS

<b>1. Warming therapy</b>	<b>329</b>
Babyleo® TN500	329
Caleo®	331
Isolette® 8000/8000 plus	333
Air-Shields® Isolette® C2000/8000	335
Babytherm® 8000 WB/8004/8010/4200	337
Air-Shields® Resuscitaire®	340
Air-Shields® IICS-90	343
Globe-Trotter GT5400	344
Air-Shields® TI 500	349
Globe-Trotter	349
Air-Shields® Isolette® TI 500	351
Photo Therapy	353
Developmental Care	354
Miscellaneous	356

<b>2. Ventilation accessories</b>	<b>357</b>
<b>3. Sensors</b>	<b>395</b>
<b>4. Monitoring accessories</b>	<b>397</b>
<b>5. Ward equipment</b>	<b>407</b>
<b>6. Rail accessories and examination light</b>	<b>425</b>

NOTES

BABYLEO® TN500

1. WARMING THERAPY

A	Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	<b>MX11000</b>
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	<b>MX11001</b>
C	Mattress SoftBed, for Babyleo TN500, reusable, Lining: 100% polyurethane, fabric: 100% polyester	<b>2M60390</b>
D	Incubator cover for Babyleo TN500, reusable, Outer fabric: 100% polyester, inner fabric: 100% polyester	<b>MP03730</b>
E	Towel doll Babyleo TN500, lion, orange	<b>MP03737</b>
F	O <sub>2</sub> sensor Oxycell, for Babyleo® TN500	<b>6873065</b>



Not all articles are available worldwide.

**BABYLEO® TN500**

<b>A</b>	<b>Ventilation hose holder, reusable, 40 cm</b>	<b>8411075</b>
<b>B</b>	<b>Air intake filter for Caleo® and Babyleo TN500, reusable, 20 pcs.</b>	<b>MX17015</b>
<b>C</b>	<b>Water transfer hose for Caleo® and Babyleo TN500, disposable, 20 pcs.</b>	<b>MX17018</b>
<b>D</b>	<b>Gastroschisis arm, complete</b>	<b>2M60180</b>
<b>E</b>	<b>Holder for cylinder packet for GCX profile</b>	<b>4118453</b>
<b>F</b>	<b>Rail, 100 mm for GCX profile</b>	<b>4118555</b>
	<b>Clamp for GCX rail, 5 pcs.</b>	<b>2M60401</b>
	<b>Dräger USB stick</b>	<b>8416347</b>



Not all articles are available worldwide.

**CALEO®**

<b>A</b>	<b>Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.</b>	<b>MX11000</b>
<b>B</b>	<b>Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.</b>	<b>MX11001</b>
<b>C</b>	<b>Mattress SoftBed, for Caleo®, reusable, Lining: 100% polyurethane, fabric: 100% polyester</b>	<b>MX17012</b>
<b>D</b>	<b>Starter package for Caleo®, incubator cover and positioning aids, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester</b>	<b>MP01426</b>
<b>E</b>	<b>Incubator cover for Caleo®, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester</b>	<b>MP01423</b>
<b>F</b>	<b>Tubing grommet for Caleo®, reusable, angle</b>	<b>2M50385</b>
<b>G</b>	<b>Tubing grommet for Caleo®, reusable, flap</b>	<b>2M50412</b>



Not all articles are available worldwide.

**CALEO®**

<b>A</b>	<b>Ventilation hose holder, reusable, 40 cm</b>	<b>8411075</b>
<b>B</b>	<b>O<sub>2</sub> sensor OxyTrace INCU, for Caleo®</b>	<b>MX01050</b>
<b>C</b>	<b>Air intake filter for Caleo® and Babyleo TN500, reusable, 20 pcs.</b>	<b>MX17015</b>
<b>D</b>	<b>Water transfer hose for Caleo® and Babyleo TN500, disposable, 20 pcs.</b>	<b>MX17018</b>
<b>E</b>	<b>Water tank and water transfer hose, for Caleo®, reusable</b>	<b>2M50040</b>
<b>F</b>	<b>Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm</b>	<b>2M21514</b>
<b>G</b>	<b>Swivel table, reusable, for poles with Ø 38 mm</b>	<b>2M21186</b>



Not all articles are available worldwide.

**ISOLETTE® 8000/8000 PLUS**

<b>A</b>	<b>Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, yellow, central, 10 pcs.</b>	<b>MU26041</b>
<b>B</b>	<b>Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, white, peripheral, 10 pcs.</b>	<b>MU26042</b>
<b>C</b>	<b>Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable, Lining: 100% polyurethane, fabric: 100% polyester</b>	<b>MP01401</b>
	<b>Mattress SoftBed, for Isolette® 8000 plus USA, reusable, Lining: 100% polyurethane, fabric: 100% polyester</b>	<b>MP01203</b>
	<b>Starter package for Isolette® C2000/8000/8000 plus, cover and positioning aids, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester</b>	<b>MP01427</b>
<b>D</b>	<b>Incubator cover for Isolette® C2000, 8000 and 8000 plus, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester</b>	<b>MP01424</b>



Not all articles are available worldwide.

**ISOLETTE® 8000/8000 PLUS**

	<b>Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable</b>	<b>MU12609</b>
<b>A</b>	<b>O<sub>2</sub> sensor for Isolette® C2000, 8000 and 8000 plus, reusable, 2 pcs.</b>	<b>MU24903</b>
<b>B</b>	<b>Air intake filter for Isolette® C2000, 8000 and 8000 plus, reusable, 4 pcs.</b>	<b>MU12504</b>
	<b>Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.</b>	<b>MU21120</b>
<b>C</b>	<b>Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.</b>	<b>MU10918</b>
<b>D</b>	<b>Iris port sleeve, disposable, 100 pcs.</b>	<b>MU03876</b>

**AIR-SHIELDS® ISOLETTE® C2000/8000**

<b>A</b>	<b>Skin temperature probe Premi-Probe 5, reusable</b>	<b>MU12533</b>
<b>B</b>	<b>Skin temperature probe Premi-Probe 5, disposable, 10 pcs.</b>	<b>MU12551</b>
<b>C</b>	<b>Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable, Lining: 100% polyurethane, fabric: 100% polyester</b>	<b>MP01401</b>
<b>D</b>	<b>Incubator cover for Isolette® C2000, 8000 and 8000 plus, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester</b>	<b>MP01424</b>





**AIR-SHIELDS® ISOLETTE® C2000/8000**

	<b>Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable</b>	<b>MU12609</b>
<b>A</b>	<b>O<sub>2</sub> sensor for Isolette® C2000, 8000 and 8000 plus, reusable, 2 pcs.</b>	<b>MU24903</b>
<b>B</b>	<b>Air intake filter for Isolette® C2000, 8000 and 8000 plus, reusable, 4 pcs.</b>	<b>MU12504</b>
	<b>Humidifier chamber for Isolette® C2000, reusable</b>	<b>MU17191</b>
	<b>Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.</b>	<b>MU21120</b>
<b>C</b>	<b>Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.</b>	<b>MU10918</b>
<b>D</b>	<b>Iris port sleeve, disposable, 100 pcs.</b>	<b>MU03876</b>
<b>E</b>	<b>Hand port cuff, disposable, oval, 100 pcs.</b>	<b>MU06570</b>

**BABYTHERM® 8000 WB/8004/8010/4200**

<b>A</b>	<b>Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.</b>	<b>MX11000</b>
<b>B</b>	<b>Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.</b>	<b>MX11001</b>
<b>C</b>	<b>Gel mattress for Babytherm® 8000 / 8010, reusable</b>	<b>2M20827</b>
<b>D</b>	<b>Mattress SoftBed, for Babytherm®, reusable, Lining: 100% polyurethane, fabric: 100% polyester</b>	<b>2M21012</b>



**BABYTHERM® 8000 WB/8004/8010/4200**

<b>A</b>	<b>Holder for hinged hood for Babytherm® 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail</b>	<b>2M21342</b>
<b>B</b>	<b>Deposit plate for BT 8000</b>	<b>2M21158</b>
<b>C</b>	<b>Handle, cpl. for BT 8000</b>	<b>2M21161</b>
<b>D</b>	<b>Breathing hose holder for Babytherm®, neonatal, for 10 mm breathing hose</b>	<b>2M21191</b>
	<b>Tubing grommet, reusable</b>	<b>2M20434</b>



Not all articles are available worldwide.

**BABYTHERM® 8000 WB/8004/8010/4200**

<b>A</b>	<b>Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm</b>	<b>2M21514</b>
<b>B</b>	<b>Infusion bottle holder for Babytherm®, reusable, neonatal</b>	<b>2M16520</b>
<b>C</b>	<b>Swivel table, reusable, for poles with Ø 38 mm</b>	<b>2M21186</b>
	<b>Multiple socket for Babytherm® 8000, 220/240 V</b>	<b>2M20914</b>



Not all articles are available worldwide.

## AIR-SHIELDS® RESUSCITAIRE®

<b>A</b>	<b>Skin temperature probe Premi-Probe 3, reusable</b>	<b>MU11225</b>
<b>B</b>	<b>Skin temperature probe Premi-Probe 3, disposable, 10 pcs.</b>	<b>MU11228</b>
<b>C</b>	<b>Mattress SoftBed, for Resuscitaire®, reusable, with scale, Lining: 100% polyurethane, fabric: 100% polyester</b>	<b>MP01404</b>
<b>C</b>	<b>Mattress SoftBed, for Resuscitaire®, reusable, without scale, Lining: 100% polyurethane, fabric: 100% polyester</b>	<b>MP01402</b>



Not all articles are available worldwide.

## AIR-SHIELDS® RESUSCITAIRE®

<b>A</b>	<b>Breathing hose for Resuscitaire® with AutoBreath, disposable, 25 pcs.</b>	<b>MU10841</b>
<b>B</b>	<b>Breathing hose for breathing bag, disposable, 15 mm, 25 pcs.</b>	<b>MU10900</b>
<b>C</b>	<b>Breathing circuit for Resuscitaire VentStar®, disposable, N, 1 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00310</b>
<b>D</b>	<b>Breathing circuit for Resuscitaire VentStar®, disposable, N, press. meas. line, 1 m, 25 pcs., not made with natural rubber latex</b>	<b>MP00311</b>
<b>E</b>	<b>T-piece adapter for MX300/MX300i and Resuscitaire® breathing circuit, disposable, 20 pcs.</b>	<b>MP01880</b>
<b>F</b>	<b>Silicone mask, reusable, size 00, premature baby</b>	<b>MP02900</b>
<b>F</b>	<b>Silicone mask, reusable, size 0, small neonate</b>	<b>MP01910</b>
<b>F</b>	<b>Silicone mask, reusable, size 1, large neonate</b>	<b>MP01911</b>



Not all articles are available worldwide.

**AIR-SHIELDS® RESUSCITAIRE®**

<b>A</b>	<b>T-connector, disposable, Ø 15 mm, 25 pcs.</b>	<b>MU10902</b>
<b>B</b>	<b>Suction bottle with holder for Resuscitaire, disposable, 40 mL</b>	<b>MU10916</b>
<b>C</b>	<b>Suction bottle, disposable, 40 mL, 10 pcs.</b>	<b>MU10917</b>
<b>D</b>	<b>Bacterial filter disposable, 20 pcs.</b>	<b>MK00514</b>
<b>E</b>	<b>Suction bottle with filter and tube, disposable, 800 mL, 20 pcs.</b>	<b>MU10918</b>

**AIR-SHIELDS® IICS-90**

<b>A</b>	<b>Skin temperature probe Premi-Probe 1, disposable, 10 pcs.</b>	<b>MU06933</b>
<b>B</b>	<b>Skin temperature probe Premi-Probe 1, reusable</b>	<b>MU06951</b>
<b>C</b>	<b>Mattress SoftBed, for IICS-90, reusable, large, with scale, Lining: 100% polyurethane, fabric: 100% polyester</b>	<b>MP01405</b>
<b>C</b>	<b>Mattress SoftBed, for IICS-90, reusable, large, without scale, Lining: 100% polyurethane, fabric: 100% polyester</b>	<b>MP01403</b>



## GLOBE-TROTTER GT5400

<b>A</b>	<b>Skin temperature probe Premi-Probe 1, disposable, 10 pcs.</b>	<b>MU06933</b>
<b>B</b>	<b>Skin temperature probe Premi-Probe 1, reusable</b>	<b>MU06951</b>
<b>C</b>	<b>Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable, Lining: 100% polyurethane, fabric: 100% polyester</b>	<b>MP01419</b>
<b>D</b>	<b>Restraining strap, disposable, 10 pcs.</b>	<b>MU06011</b>
	<b>Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable</b>	<b>MU04366</b>
<b>E</b>	<b>Iris port sleeve, disposable, 100 pcs.</b>	<b>MU03876</b>
<b>F</b>	<b>Hand port cuff, disposable, oval, 100 pcs.</b>	<b>MU06570</b>



Not all articles are available worldwide.

## GLOBE-TROTTER GT5400

<b>A</b>	<b>Air intake filter for TI 500 and TI 500 Globe-Trotter, reusable, 6 pcs.</b>	<b>MU04472</b>
<b>B</b>	<b>Humidity pad, disposable, antibacterial, 25 pcs.</b>	<b>MU06008</b>
	<b>Water nozzle for humidity pad, disposable, 25 pcs.</b>	<b>MU25426</b>
<b>C</b>	<b>Flow sensor for Crossvent 2i+, disposable, infant, 10 pcs.</b>	<b>MU24401</b>
<b>D</b>	<b>Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex</b>	<b>MP02425</b>
<b>E</b>	<b>O<sub>2</sub> sensor for Crossvent 2i+</b>	<b>MU24402</b>



Not all articles are available worldwide.

**GLOBE-TROTTER GT5400**

- A etCO<sub>2</sub> airway adapter Microstream®, neonate/infant, 25 pcs. MU24408
- B ① NIBP cuff, disposable, neonate, size 1, 3.3 – 5.6 cm, 10 pcs. MU24403
- ② NIBP cuff, disposable, neonate, size 2, 4.2 – 7.1 cm, 10 pcs. MU24404
- ③ NIBP cuff, disposable, neonate, size 3, 5.4 – 9.1 cm, 10 pcs. MU24405
- ④ NIBP cuff, disposable, neonate, size 4, 6.9 – 11.7 cm, 10 pcs. MU24406
- ⑤ NIBP cuff, disposable, neonate, size 5, 8.9 – 15.0 cm, 10 pcs. MU24407
- C NIBP hose, neonate/infant, 2.4 m MU24685



Not all articles are available worldwide.

**GLOBE-TROTTER GT5400**

- A SpO<sub>2</sub> sensor cable Nellcor®, 2.4 m MU24686
- B SpO<sub>2</sub> multisite sensor Nellcor® Oxiband™ A/N, reusable, neonate/adult 8201013
- C SpO<sub>2</sub> sensor cable Masimo® LNCS, 3 m MU24688
- D SpO<sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs. MP00792
- E SpO<sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs. MP00794



Not all articles are available worldwide.

**GLOBE-TROTTER GT5400**

<b>A</b>	<b>ECG cable, 3-lead, AAMI, reusable, 2.4 m</b>	<b>MU25381</b>
<b>B</b>	<b>ECG lead wire set, 3-lead, neonatal pinch connector, AAMI, reusable, 0.6 m</b>	<b>MU25383</b>
<b>C</b>	<b>ECG cable, 3-lead, IEC, reusable, 2.4 m</b>	<b>MU25382</b>
<b>D</b>	<b>ECG lead wire set, 3-lead, neonatal pinch connector, IEC, reusable, 0.6 m</b>	<b>MU25384</b>



Not all articles are available worldwide.

**AIR-SHIELDS® TI 500 GLOBE-TROTTER**

<b>A</b>	<b>Skin temperature probe Premi-Probe 1, disposable, 10 pcs.</b>	<b>MU06933</b>
<b>B</b>	<b>Skin temperature probe Premi-Probe 1, reusable</b>	<b>MU06951</b>
<b>C</b>	<b>Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable, Lining: 100% polyurethane, fabric: 100% polyester</b>	<b>MP01419</b>
	<b>Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable</b>	<b>MU04366</b>
	<b>Breathing hose for TI 500 Globe-Trotter, disposable, 20 pcs.</b>	<b>MU04771</b>
<b>C</b>	<b>Filter and HME for air compressor, disposable</b>	<b>MU04991</b>
	<b>O<sub>2</sub> sensor for TI 500 Globe-Trotter, reusable</b>	<b>MU04804</b>
<b>D</b>	<b>Air intake filter for TI 500 and TI 500 Globe-Trotter, reusable, 6 pcs.</b>	<b>MU04472</b>
<b>E</b>	<b>Iris port sleeve, disposable, 100 pcs.</b>	<b>MU03876</b>
<b>F</b>	<b>Hand port cuff, disposable, oval, 100 pcs.</b>	<b>MU06570</b>



Not all articles are available worldwide.

**AIR-SHIELDS® TI 500 GLOBE-TROTTER**

<b>A</b>	<b>Humidity pad, disposable, antibacterial, 25 pcs.</b>	<b>MU06008</b>
<b>B</b>	<b>Restraining strap, disposable, 10 pcs.</b>	<b>MU06011</b>
<b>C</b>	<b>Battery, 12 V, rechargeable</b>	<b>MU16052</b>

**AIR-SHIELDS® ISOLETTE® TI 500**

<b>A</b>	<b>Skin temperature probe Premi-Probe 1, disposable, 10 pcs.</b>	<b>MU06933</b>
<b>B</b>	<b>Skin temperature probe Premi-Probe 1, reusable</b>	<b>MU06951</b>
<b>C</b>	<b>Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable, Lining: 100% polyurethane, fabric: 100% polyester</b>	<b>MP01419</b>
	<b>Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable</b>	<b>MU04366</b>
<b>D</b>	<b>Air intake filter for TI 500 and TI 500 Globe-Trotter, reusable, 6 pcs.</b>	<b>MU04472</b>
<b>E</b>	<b>Iris port sleeve, disposable, 100 pcs.</b>	<b>MU03876</b>
<b>F</b>	<b>Hand port cuff, disposable, oval, 100 pcs.</b>	<b>MU06570</b>





**AIR-SHIELDS® ISOLETTE® TI 500**

- A Humidity pad, disposable, antibacterial, 25 pcs. MU06008
- B Restraining strap, disposable, 10 pcs. MU06011
- C Battery, 12 V, rechargeable MU16052



**PHOTO THERAPY**

- A Light shield curtain for BiliLux, reusable, woven fabric: 100% cotton, miscellaneous: Polyester (PES) MP03760
- B Phototherapy mask Eyemax 2, disposable, micro, head circumference 20-25 cm, 20 pcs. MP03770
- C Phototherapy mask Eyemax 2, disposable, preemie, head circumference 26-32 cm, 20 pcs. MP03771
- D Phototherapy mask Eyemax 2, disposable, regular, head circumference 33-38 cm, 20 pcs. MP03772
- E Light for Photo Therapy 4000, fluorescent bulb, white 2M21009
- E Light for Photo Therapy 4000, fluorescent bulb, blue 2M21010



**DEVELOPMENTAL CARE**

- A Towel doll Cally, reusable, light blue or pink 2M30462
- B Towel doll Babyleo TN500, lion, orange MP03737
- C **①** Positioning aid "Hug it", reusable, size S, for patients up to 800 g, Outer fabric: 100% cotton, inner fabric: 100% polyester MP01415
- ②** Positioning aid "Hug it", reusable, size M, for patients up to 1,500 g, Outer fabric: 100% cotton, inner fabric: 100% polyester MP01416
- ③** Positioning aid "Hug it", reusable, size L, for patients up to 2,000 g, Outer fabric: 100% cotton, inner fabric: 100% polyester MP01412
- ④** Positioning aid "Hug it", reusable, size XL, for patients up to 3,000 g, Outer fabric: 100% cotton, inner fabric: 100% polyester MP01413
- D Positioning aid Nesting, reusable, for patients up to 1,200 g, Outer fabric: 100% cotton, inner fabric: 100% cotton, filling: 100% polystyrene MP01417
- E Positioning aid Set, reusable, 4 small pillows, for patients up to 1,000 g, Outer fabric: 100% cotton, inner fabric: 100% cotton, filling: 100% polystyrene MP01418



Not all articles are available worldwide.

**DEVELOPMENTAL CARE**

- A Incubator cover for Babyleo TN500, reusable, Outer fabric: 100% polyester, inner fabric: 100% polyester MP03730
- B Incubator cover for Caleo®, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester MP01423
- C Incubator cover for Isolette® C2000, 8000 and 8000 plus, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester MP01424
- D Starter package for Caleo®, incubator cover and positioning aids, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester MP01426
- Starter package for Isolette® C2000/8000/8000 plus, cover and positioning aids, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester MP01427



Not all articles are available worldwide.

**MISCELLANEOUS**

<b>A</b>	<b>Warming mattress TransWarmer®, disposable, self warming for approx. 2 h, 6 pcs.</b>	<b>MP01414</b>
	<b>Connection cable Babylink</b>	<b>8306488</b>
<b>B</b>	<b>Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.</b>	<b>MU06944</b>
<b>C</b>	<b>Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.</b>	<b>MU06943</b>



Not all articles are available worldwide.

**VENTILATION ACCESSORIES**

**2. VENTILATION ACCESSORIES**

**MX 300 AND MX 300-i\***

<b>A</b>	<b>O<sub>2</sub> analyzer MX 300-i</b>	<b>MP01440</b>
<b>A</b>	<b>O<sub>2</sub> analyzer MX 300</b>	<b>MP01441</b>
<b>B</b>	<b>O<sub>2</sub> sensor for MX 300 and MX 300-i, reusable</b>	<b>MP01442</b>
<b>C</b>	<b>Holder for MX 300 and MX 300-i</b>	<b>MP01443</b>
<b>D</b>	<b>Connection cable for MX 300 and MX 300-i</b>	<b>MP01444</b>
<b>E</b>	<b>T-piece adapter for MX 300 and MX 300-i, reusable</b>	<b>MP01445</b>
<b>F</b>	<b>T-piece adapter for MX300/MX300i and Resuscitaire® breathing circuit, disposable, 20 pcs.</b>	<b>MP01880</b>

\*Produced by Teledyne Analytical Instruments

Not all articles are available worldwide.



## VENTILATION ACCESSORIES

## SEATTLE PAP PLUS – BUBBLE CPAP SYSTEM

Helping infants with respiratory distress breathe easier. The Seattle-Positive Airway Pressure (PAP) system is an innovation, which uses the proven advantages of Bubble CPAP therapy, such as oscillatory effects similar to high frequency ventilation and combines it with an unique design.

Seattle-PAP plus is safe, effective and easy to use. It was designed to:

- Promote infant safety with a uniquely designed pressure manifold with pressure relief valve.
- Safety tube lock to avoid unintended changes of the PEEP level.
- Provide comfort and optimum CPAP support to the infant due to disposable BabyFlow plus interfaces complementing the system.
- Include funnel with the filling tube which minimises spillages.
- The swivel connector to the expiratory limb prevents unnecessary disconnections and pressure loss.
- The water trap in the expiratory limb prevents unwanted pressure peaks due to condensation in the expiratory limb.

It requires only oxygen and compressed air, both to be administered by an O<sub>2</sub> blender like the Oxymer from Dräger and a humidification source for the circuit.

<b>A</b>	<b>Seattle PAP plus</b>	<b>MP02260</b>
	<b>Trolley</b>	<b>5790148</b>
<b>B</b>	<b>Infusion bottle holder, for standard rail, variable height, 3 hooks</b>	<b>M20719</b>
<b>C</b>	<b>Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars</b>	<b>2M85441</b>
<b>D</b>	<b>Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg</b>	<b>2M85337</b>
<b>E</b>	<b>Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm, for secretion jars Medela</b>	<b>MP00634</b>
<b>F</b>	<b>Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection</b>	<b>MP00416</b>
	<b>Rail clamp for F&amp;P humidifier and Seattle PAP bubble box*</b>	<b>8411074</b>
<b>G</b>	<b>Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm</b>	<b>2M85274</b>

\*Produced by Fisher & Paykel

Not all articles are available worldwide.



D-15228-2017



MT-10964-2006



MT-10867-2006



MT-21188-94



D-107551-2013



D-122-2016



MT-1978-2008

## VENTILATION ACCESSORIES

## ACCESSORIES FOR SEATTLE PAP PLUS

<b>A</b>	<b>BabyFlow plus, disposable, size S, 20 pcs.</b>	<b>MP03700</b>
	<b>BabyFlow plus, disposable, size M, 20 pcs.</b>	<b>MP03701</b>
	<b>BabyFlow plus, disposable, size L, 20 pcs.</b>	<b>MP03702</b>
<b>B</b>	<b>Demo package BabyFlow plus, disposable, size S</b>	<b>MP03703</b>
	<b>Demo package BabyFlow plus, disposable, size M</b>	<b>MP03704</b>
<b>C</b>	<b>Soft konektor N, disposable, 20 pcs.</b>	<b>MP03826</b>
	<b>Prong BabyFlow, standard, disposable, size XS, 10 pcs.</b>	<b>8418415</b>
	<b>Prong BabyFlow, standard, disposable, size S, 10 pcs.</b>	<b>8418605</b>
	<b>Prong BabyFlow, standard, disposable, size M, 10 pcs.</b>	<b>8418416</b>
<b>D</b>	<b>Prong BabyFlow, standard, disposable, size L, 10 pcs.</b>	<b>8418531</b>
	<b>Prong BabyFlow, standard, disposable, size XL, 10 pcs.</b>	<b>8418417</b>
	<b>Prong BabyFlow, standard, disposable, size XXL, 10 pcs.</b>	<b>8418617</b>
	<b>Prong BabyFlow, wide, disposable, size 3, 10 pcs.</b>	<b>8418603</b>
	<b>Prong BabyFlow, wide, disposable, size 4, 10 pcs.</b>	<b>8418607</b>
	<b>Prong BabyFlow, wide, disposable, size 5, 10 pcs.</b>	<b>8418609</b>
	<b>Prong BabyFlow, wide, disposable, size 6, 10 pcs.</b>	<b>8418611</b>
<b>E</b>	<b>Neo-mask, silicone, disposable, size S, 10 pcs.</b>	<b>8418491</b>
	<b>Neo-mask, silicone, disposable, size M, 10 pcs.</b>	<b>8418490</b>
	<b>Neo-mask, silicone, disposable, size L, 10 pcs.</b>	<b>8418619</b>
	<b>Neo-mask, TPE, disposable, size 4, 10 pcs.</b>	<b>MP01494</b>
	<b>Neo-mask, TPE, disposable, size 5, 10 pcs.</b>	<b>MP01495</b>
	<b>Neo-mask, TPE, disposable, size 6, 10 pcs.</b>	<b>MP01496</b>
<b>F</b>	<b>Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.</b>	<b>MP03880</b>
	<b>Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.</b>	<b>MP03881</b>
	<b>Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.</b>	<b>MP03882</b>
	<b>Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.</b>	<b>MP03883</b>
	<b>Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.</b>	<b>MP03884</b>
	<b>Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.</b>	<b>MP03885</b>
<b>G</b>	<b>Cap BabyFlow, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.</b>	<b>8418533</b>
	<b>Cap BabyFlow, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.</b>	<b>8418534</b>
	<b>Cap BabyFlow, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.</b>	<b>8418535</b>
	<b>Cap BabyFlow, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.</b>	<b>8418536</b>
	<b>Cap BabyFlow, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.</b>	<b>8418537</b>
	<b>Cap BabyFlow, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.</b>	<b>8418538</b>
	<b>Cap BabyFlow, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.</b>	<b>8418539</b>

Not all articles are available worldwide.



D-7477-2016



D-2195-2015



D-42601-2015



D-150-2018



D-23992-2015



D-23991-2015



D-33871-2015

## VENTILATION ACCESSORIES

### OXYMIXER\*

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O<sub>2</sub> concentration is easily adjusted to a highly accurate flow by means of the bleed – even with flow rates of less than 3 L/min.

**Oxymixer configuration**  
**Configurable Oxymixer** **MP04200**

**A Oxymixer Low Flow** **MP04203**

**B Oxymixer Low Flow with monitor** **MP04204**

**C Oxymixer Low Flow with 1 – 15 L flowmeter right** **MP04229**

\*Produced by DEHAS



## VENTILATION ACCESSORIES

**A Oxymixer\* sound damper 9/16"** **MP04218**

**B Oxymixer\* sound damper 22 and 15 mm** **MP04219**

**C Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection** **MP00416**

**Oxymixer\* oxygen sensor (spare part)** **MP04221**

\*Produced by DEHAS



**VENTILATION ACCESSORIES**

**BABYFLOW® PLUS**

BabyFlow® plus – The superior non-invasive respiratory support system, designed to maximise performance and patient comfort.

<b>A</b>	<b>BabyFlow plus, disposable, size S, 20 pcs.</b>	<b>MP03700</b>
	<b>BabyFlow plus, disposable, size M, 20 pcs.</b>	<b>MP03701</b>
	<b>BabyFlow plus, disposable, size L, 20 pcs.</b>	<b>MP03702</b>
<b>B</b>	<b>Demo package BabyFlow plus, disposable, size S</b>	<b>MP03703</b>
	<b>Demo package BabyFlow plus, disposable, size M</b>	<b>MP03704</b>
	<b>Demo package BabyFlow plus, disposable, size L</b>	<b>MP03705</b>
<b>C</b>	<b>Soft connektor N, disposable, 20 pcs.</b>	<b>MP03826</b>



**VENTILATION ACCESSORIES**


**STANDARD PRONGS**

Soft anatomically formed nasale silicone prongs, disposable.

<b>A</b>	<b>① Prong BabyFlow, standard, disposable, size XS, 10 pcs.</b>	<b>8418415</b>
	<b>② Prong BabyFlow, standard, disposable, size S, 10 pcs.</b>	<b>8418605</b>
	<b>③ Prong BabyFlow, standard, disposable, size M, 10 pcs.</b>	<b>8418416</b>
	<b>④ Prong BabyFlow, standard, disposable, size L, 10 pcs.</b>	<b>8418531</b>
	<b>⑤ Prong BabyFlow, standard, disposable, size XL, 10 pcs.</b>	<b>8418417</b>
<b>B</b>	<b>Prong BabyFlow, standard, disposable, size XXL, 10 pcs.</b>	<b>8418617</b>

**WIDE PRONGS**

<b>C</b>	<b>① Prong BabyFlow, wide, disposable, size 3, 10 pcs.</b>	<b>8418603</b>
	<b>② Prong BabyFlow, wide, disposable, size 4, 10 pcs.</b>	<b>8418607</b>
	<b>③ Prong BabyFlow, wide, disposable, size 5, 10 pcs.</b>	<b>8418609</b>
	<b>④ Prong BabyFlow, wide, disposable, size 6, 10 pcs.</b>	<b>8418611</b>



**VENTILATION ACCESSORIES**

**MASKS**

Nasal masks of silicone and TPE complete the portfolio and increase the comfort for the patient!

A	① Neo-mask, silicone, disposable, size S, 10 pcs.	8418491
	② Neo-mask, silicone, disposable, size M, 10 pcs.	8418490
	③ Neo-mask, silicone, disposable, size L, 10 pcs.	8418619
B	Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494
C	Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495
D	Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496



**VENTILATION ACCESSORIES**

**HEADGEARS**

The new headgear enable the customer to choose the most comfortable fit and combination for each of their tiny patients.

A	Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.	MP03880
	Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.	MP03881
B	Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	MP03882
	Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	MP03883
	Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	MP03884
	Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	MP03885



## VENTILATION ACCESSORIES

## CAPS

The disposable and breathable microfiber caps (95% cotton, 5% spandex) are available in seven sizes (color-coded)

A	① Cap BabyFlow, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	8418533
	Cap BabyFlow, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	8418534
	Cap BabyFlow, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	8418535
	② Cap BabyFlow, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	8418536
	③ Cap BabyFlow, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	8418537
	Cap BabyFlow, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	8418538
	Cap BabyFlow, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	8418539



## VENTILATION ACCESSORIES

The **MiniMe2\*** nasal mask is designed for children ages 2 – 12. It features an ergonomic silicone gel cushion and a shapeable shell mask to fit individual needs and thus ensuring an effective seal and a comfortable fit.

A	Pediatric nasal mask MiniMe2 non vented, disposable, size S/M	MP01555
	Pediatric nasal mask MiniMe2 non vented, disposable, size M/L	MP01556
B	Pediatric nasal mask MiniMe2 vented, disposable, size S/M	MP01553
	Pediatric nasal mask MiniMe2 vented, disposable, size M/L	MP01554

\*Produced by SleepNet Corporation





**VENTILATION ACCESSORIES**

- A Breathing circuit for Resuscitaire VentStar®, disposable, N, 1 m, 25 pcs., not made with natural rubber latex MP00310

---

- B Breathing circuit for Resuscitaire VentStar®, disposable, N, press. meas. line, 1 m, 25 pcs., not made with natural rubber latex MP00311

---

- C Breathing circuit VentStar®, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex MP00353

---

- D Breathing circuit VentStar®, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex MP00363

---

- E Breathing circuit VentStar®, disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex MP00329

---

- F Breathing bag set VentStar®, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex MP00383

---

- Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex MP00333

---

- G VentStar® Breathing Bag 0.5 L, 25 pcs. MP02710



Not all articles are available worldwide.

**VENTILATION ACCESSORIES**

- A Breathing circuit Infinity® ID, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex MP01327

---

- Breathing circuit Infinity® ID, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex MP01328

---

- B Breathing bag set Infinity® ID, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex MP01329



Not all articles are available worldwide.

## VENTILATION ACCESSORIES

<b>A</b>	Breathing circuit VentStar®, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	<b>MP00308</b>
<b>B</b>	Breathing circuit VentStar®, disposable, N, heated, w/o chamber, 1.2 m, 10 pcs., not made with natural rubber latex	<b>MP00309</b>
<b>C</b>	Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	<b>MP00343</b>
<b>D</b>	Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex	<b>MP02650</b>
<b>E</b>	Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs., not made with natural rubber latex	<b>MP02608</b>

## TRADEWARE

Breathing circuit Fisher & Paykel RT225, disposable, N, inspiratory heated, 10 pcs.*	<b>8414994</b>
--	----------------

\*Produced by Fisher &amp; Paykel



## VENTILATION ACCESSORIES


<b>A</b>	Humidifier chamber VentStar®, disposable, 10 pcs.	<b>MP00234</b>
<b>B</b>	Humidifier chamber VentStar®, disposable, N, 10 pcs.	<b>MP02590</b>
<b>C</b>	Double connector 11ID/15OD, disposable, 10 pcs.	<b>MP02655</b>



## VENTILATION ACCESSORIES

REUSABLE BREATHING SYSTEMS:  
BLUESET VENTILATION


A	BlueSet Ventilation (N)	8412344
Consists of:		
1	Y-piece, reusable, P, angled, with suction opening	8403075
2	Corrugated hose, P, 14 cm, catheter mount	8403333
3	Connector for thermometer, reusable, for breathing hose set Aquapor EL	8403056
4	Water trap, reusable, P	8404760
5	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848
6	Water trap, reusable, N	8409627
7	Cap, reusable, 7 mm	8401645
8	Connector, aluminum, reusable, 22 mm/11 mm	8405752
9	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
10	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821



## VENTILATION ACCESSORIES

REUSABLE HEATED SYSTEMS:  
BLUESET HEATED

A	BlueSet heated (N)	8414987
Consists of:		
1	Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651
2	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848
3	Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.	8409634
4	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
5	Water trap, reusable, N	8409627
6	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*	8414993
7	Cap, reusable, 7 mm	8401645
8	Y-piece, reusable, P, angled, with suction opening	8403075
9	Connector for endotracheal tube, reusable, size 11 mm	M19351
10	T-piece connector, reusable	8411044
11	Double connector, outer diameter 11 mm	8409897
12	Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex	MP02425
13	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821



\*Produced by Fisher &amp; Paykel

## VENTILATION ACCESSORIES


<b>A BlueSet heated HFV (N)</b>	<b>8411153</b>
Consists of:	
<b>1 Breathing hose, Hytrel, 70 cm</b>	<b>8418404</b>
<b>2 Breathing hose, Hytrel, 65 cm</b>	<b>8410814</b>
<b>3 Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex</b>	<b>MP02425</b>
<b>4 Hose heater for F&amp;P MR 700/730, 70 cm*</b>	<b>8411154</b>
<b>4 Connector 900 MR 830, for HFV breathing circuit by F&amp;P*</b>	<b>8418455</b>
<b>5 Connector 900 MR 533, for HFV breathing circuit by F&amp;P*</b>	<b>8418407</b>
<b>6 Connector for endotracheal tube, reusable, size 11 mm</b>	<b>M19351</b>
<b>7 Water trap, reusable, N</b>	<b>8409627</b>
<b>8 Elbow, reusable</b>	<b>8418289</b>
<b>9 Breathing hose, Hytrel, 40 cm</b>	<b>8410816</b>
<b>10 T-piece connector, reusable, for F&amp;P temperature probe*</b>	<b>8418405</b>

\*Produced by Fisher &amp; Paykel



## VENTILATION ACCESSORIES


<b>A BlueSet heated Incubator (N)</b>	<b>8411041</b>
Consists of:	
<b>1 Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165651</b>
<b>2 Breathing hose, silicone, reusable, P/N, 1 m, Ø 10 mm</b>	<b>8403080</b>
<b>3 Breathing hose, silicone, reusable, P/N, 35 cm, Ø 10 mm</b>	<b>8403070</b>
<b>4 Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex</b>	<b>MP02425</b>
<b>5 Water trap, reusable, N</b>	<b>8409627</b>
<b>6 Elbow, reusable</b>	<b>8418289</b>
<b>7 Double connector, outer diameter 11 mm</b>	<b>8409897</b>
<b>8 Connector for endotracheal tube, reusable, size 11 mm</b>	<b>M19351</b>
<b>9 T-piece connector, reusable</b>	<b>8411044</b>
<b>10 Hose heater, A, 1.1 m</b>	<b>8411045</b>
<b>11 Corrugated hose, silicone, N, 20 cm, catheter mount</b>	<b>8410709</b>
<b>12 Breathing hose, silicone, reusable, N, 50 cm, Ø 10 mm</b>	<b>8418458</b>



**VENTILATION ACCESSORIES**

**REUSABLE ANESTHESIA SYSTEMS:  
BLUESET ANESTHESIA**

<b>A BlueSet Anesthesia (N)</b>	<b>M27542</b>
Consists of:	
<b>1 Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165961</b>
<b>2 Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm</b>	<b>2165678</b>
<b>3 Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex</b>	<b>2166054</b>
<b>4 ISO double connector, reusable, 22 mm/22 mm</b>	<b>M25647</b>
<b>5 Y-piece, reusable, P, angled, with suction opening</b>	<b>8403075</b>
<b>6 Luer Lock elbow, N</b>	<b>M34568</b>
<b>6 Cap Luer Lock</b>	<b>M34461</b>
<b>6 Y-piece, reusable, P, straight</b>	<b>M27077</b>
<b>7 Cap set, reusable, 7 mm, 5 pcs.</b>	<b>8402953</b>



**VENTILATION ACCESSORIES**

Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter	
<b>A Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm, Ø 10 mm</b>	<b>2165848</b>
Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter	
<b>B Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165856</b>
<b>C Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165821</b>
<b>D Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165651</b>
<b>E Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm</b>	<b>2165961</b>



## VENTILATION ACCESSORIES

<b>A</b>	<b>Y-piece, reusable, P, straight</b>	<b>M27077</b>
<b>B</b>	<b>Y-piece, reusable, P, angled, with suction opening</b>	<b>8403075</b>
<b>C</b>	<b>Luer Lock elbow, N</b>	<b>M34568</b>



## VENTILATION ACCESSORIES

	Transparent breathing bags of silicone elastomer	
<b>A</b>	<b>Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex</b>	<b>2166054</b>
<b>B</b>	<b>Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex</b>	<b>2166127</b>
<b>C</b>	<b>Demo lung to simulate neonatal lungs, with suitcase</b>	<b>8418077</b>
<b>D</b>	<b>Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex</b>	<b>MP02425</b>
	<b>Test lung, silicone, N, with hose</b>	<b>8410079</b>
	<b>Test lung, silicone, N</b>	<b>8403208</b>



**VENTILATION ACCESSORIES**

The TwinStar® filter/HME from Dräger is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of heat and moisture
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components

- |          |   |                |
|----------|---|----------------|
| <b>A</b> | <b>Electrostatic filter and HME TwinStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.</b> | <b>MP01825</b> |
| <b>B</b> | <b>Electrostatic filter and HME TwinStar® 8, disposable, 8 mL deadspace, 50 pcs.</b>            | <b>MP01820</b> |

HumidStar® heat and moisture exchangers from Dräger partially take over the function of the upper airways and efficiently heat and humidify the inspired air.

- High return of heat and moisture
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components

- |          |   |                |
|----------|---|----------------|
| <b>C</b> | <b>HME HumidStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.</b> | <b>MP01740</b> |
| <b>D</b> | <b>HME HumidStar® 2, disposable, 2 mL deadspace, 50 pcs.</b>            | <b>MP01745</b> |



**VENTILATION ACCESSORIES**

CO<sub>2</sub> cuvettes are designed for the monitoring of CO<sub>2</sub> concentration during patient ventilation.

- |          |  |                |
|----------|--|----------------|
| <b>A</b> | <b>CO<sub>2</sub> cuvette disposable, pediatric, 10 pcs.</b>   | <b>MP01063</b> |
| <b>B</b> | <b>CO<sub>2</sub> cuvette reusable, pediatric, for CO<sub>2</sub> sensors 6871500, 6870300, 6871950</b>      | <b>6870280</b> |
| <b>C</b> | <b>CO<sub>2</sub> mainstream sensor, for Evita® 2 dura, Evita® 4 Edition and Evita® XL</b>                   | <b>6871500</b> |
| <b>D</b> | <b>CO<sub>2</sub> mainstream sensor, for Evita, Infinity V500, Infinity M540, and Delta VF9.1 and higher</b> | <b>6871950</b> |



**VENTILATION ACCESSORIES**

- A** Anesthesia mask LiteStar®, disposable, w/o hook ring, size 1, premat., 30 pcs. MP01501
- B** Anesthesia mask LiteStar®, disposable, w/o hook ring, size 2, baby, 30 pcs. MP01502

Additional disposable hook rings and disposable headgears for fixation are available (cf. Mask accessories).



Not all articles are available worldwide.

**VENTILATION ACCESSORIES**

- A** Anesthesia mask ComfortStar®, disposable, hook rg, std., size 0, premat., 20 pcs. MP01510
- B** Anesthesia mask ComfortStar®, disposable, hook rg, std., size 1, neo., 20 pcs. MP01511
- C** Anesthesia mask ComfortStar®, disposable, hook rg, std., size 2, baby, 20 pcs. MP01512
- D** Anesthesia mask ComfortStar®, disposable, hook rg, strawb., size 1, neo., 20 pcs. MP01521
- E** Anesthesia mask ComfortStar®, disposable, hook rg, strawb., size 2, baby, 20 pcs. MP01522
- F** Anesthesia mask ComfortStar®, disposable, hook rg, bubblg., size 1, neo., 20 pcs. MP01531
- G** Anesthesia mask ComfortStar®, disposable, hook rg, bubblg., size 2, baby, 20 pcs. MP01532

Pumpball as well as different headgears for fixation are available (cf. Mask accessories).

Not all articles are available worldwide.





## VENTILATION ACCESSORIES

- A** Silicone mask, reusable, size 00, premature baby MP02900
- B** Silicone mask, reusable, size 0, small neonate MP01910
- C** Silicone mask, reusable, size 1, large neonate MP01911

Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. Mask accessories).




## VENTILATION ACCESSORIES

- A** O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs. MP02920
- O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs. MP02921
- B** O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs. MP02924
- O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs. MP02925
- C** O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs. MP02928
- O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs. MP02929
- D** O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs. MP02932
- O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs. MP02933



## VENTILATION ACCESSORIES

A	Headgear, reusable, silicone, small	MP01557
B	Headgear, disposable, soft fabric, small	MP01559
C	Headgear, disposable, soft rubber, small	MP01561
D	Hook ring for LiteStar® anesthesia masks, disposable, 15 mm OD, for sizes 1 – 2, 30 pcs.	MP01551
E	Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916
F	Elbow for CPAP masks, disposable	8409683
G	Two-sided pump ball for air management	MP01590



Not all articles are available worldwide.

## VENTILATION ACCESSORIES

**SET2GO**

With Dräger's Set2go solutions we offer you totally customised sets consisting of an individual selection of single-patient-use accessories. Dräger Set2go makes using and ordering consumables and accessories much simpler for you. You just need one article number to get all the items in a single package and accomplish your specific task.

Please contact your local Dräger sales organisation to create your individual accessory solution.

Not all articles are available worldwide.

## VENTILATION ACCESSORIES

## TRADEWARE

A	Humidifier chamber for F&P MR 290, disposable, 10 pcs.*	8418282
B	Humidifier chamber F&P MR 340, reusable, N/P*	8411047
C	Rail clamp for F&P humidifier*	8411074
D	Holder for F&P humidifier U-shaped, for trolley, with rail clamp*	MP01002
E	Hose heater for F&P MR 700/730, 70 cm*	8411154
F	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*	8414993

\*Produced by Fisher &amp; Paykel



## VENTILATION ACCESSORIES

## TRADEWARE

A	Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m*	8414989
A	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m*	8414966
B	Hose heater adapter for F&P MR 850, for reusable breathing circuit*	8414968
C	Hose heater adapter for F&P MR 850, for third-party breathing circuit*	MP01001
D	Draw wire for hose heater 1.5 m, for reusable breathing circuit*	8411050

\*Produced by Fisher &amp; Paykel



**VENTILATION ACCESSORIES**

**AEROGEN PRO\***

<b>A</b>	<b>Medication nebulizer Aerogen Pro</b>	<b>MP01010</b>
<b>B</b>	<b>Nebulizer unit with filler cap for Aerogen Pro</b>	<b>MP01030</b>
<b>C</b>	<b>T-piece set with plug for Aerogen Pro (N), 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.</b>	<b>MP01032</b>
<b>D</b>	<b>T-connector for Aerogen Pro, 12 mm, with plug, 5 pcs.</b>	<b>MP01037</b>
	<b>Sealing plug for Y-piece, 5 pcs.</b>	<b>8411024</b>

\*Produced by Aerogen



**VENTILATION ACCESSORIES**

**INTUBATION KITS**

**TRADEWARE**

The practical design of the laryngoscope family\* ensures optimum hygiene and reliable functioning in every situation. Its ergonomic design guarantees problem free handling. \*Made by Kirchner&Wilhelm, Asperg, Germany.

**WARM LIGHT (WL) LARYNGOSCOPES**

	<b>Blade size 0 (Mac), reusable, 79 × 13 mm</b>	<b>MX03302</b>
<b>A</b>	<b>Blade size 1 (Mac), reusable, 93 × 20 mm</b>	<b>MX03303</b>
<b>B</b>	<b>Blade size 0 (Miller), reusable, 77 × 11 mm</b>	<b>MX03307</b>
	<b>Blade size 1 (Miller), reusable, 102 × 11 mm</b>	<b>MX03308</b>
<b>C</b>	<b>Laryngoscope set, pediatric, reusable</b> (Battery grip pediatric; blade size 0 (Miller); blade size 1 (Miller), blade size 2 (Mac))	<b>MX03312</b>
<b>D</b>	<b>Battery grip, pediatric, 2.5 V, 19 mm Ø**</b>	<b>MX03314</b>
<b>E</b>	<b>Vacuum lamp for blade (size 00 – 1)</b>	<b>MX03316</b>

\*\*Battery grip can be used with standard batteries.



**VENTILATION ACCESSORIES**

**TRADEWARE**

Made by Kirchner&Wilhelm, Asperg, Germany

**FIBER OPTIC (F.O.) LARYNGOSCOPES**

	F.O. blade size 0 (Mac), reusable, 82 × 14 mm	MX03319
A	F.O. blade size 1 (Mac), reusable, 93 × 14 mm	MX03320
	F.O. blade size 00 (Miller), reusable, 66 × 11 mm	MX50052
	F.O. blade size 0 (Miller), reusable, 78 × 11 mm	MX03324
	F.O. blade size 1 (Miller), reusable, 103 × 11 mm	MX03325
	F.O. laryngoscope set, pediatric, reusable (F.O. battery grip pediatric; F.O. blade size 0 (Miller); F.O. blade size 1 (Miller); F.O. blade size 2 (Mac))	MX03329
B	F.O. battery grip, pediatric, 2.5 V, 19 mm Ø*	MX03331
	Xenon lamps for battery grip, 2.5 V	MX03328

\*Battery grip can be used with standard batteries.



**VENTILATION ACCESSORIES**

**RESUSCITATORS**

**TRADEWARE**

A	Man. breathing bag MR-100, reusable, P, w/ press. valve, relief >40±5 mbar, not made with natural rubber latex*	5702321
B	Man. breathing bag MR-100, reusable, N, w/ press. valve, relief >40±5 mbar, not made with natural rubber latex*	5702322
C	O <sub>2</sub> -Reservoir MR-100, 2,500 mL*	5703701
D	O <sub>2</sub> -Reservoir MR-100, 600 mL*	5703702
E	Patient valve for adults, 60 mbar, volume of dead space 18 mL*	5703706
F	Patient valve for child/baby, 40 mbar, volume of dead space 18 mL*	5703707

\*Made by GaleMed Corporation, Taiwan



**VENTILATION ACCESSORIES**

**TRADEWARE**

<b>A</b>	<b>O<sub>2</sub>-Reservoir valve MR-100*</b>	<b>5703703</b>
<b>B</b>	<b>Intake valve MR-100*</b>	<b>5703704</b>
<b>C</b>	<b>Disposable PEEP valve 0 – 20 cmH<sub>2</sub>O</b>	<b>5703471</b>
<b>D</b>	<b>PEEP valve diverter, reusable*</b>	<b>5703708</b>
<b>E</b>	<b>Adapter for Resutator 2000/MR-100</b>	<b>2120461</b>

\*Made by GaleMed Corporation, Taiwan



**SENSORS**

**3. SENSORS**

<b>A</b>	<b>Neonatal flow sensor with Y-piece, PSU, sterilizable</b>	<b>8410185</b>
<b>B</b>	<b>Neonatal flow sensor ISO 15, PSU, sterilizable</b>	<b>8411130</b>
<b>C</b>	<b>Insert for neonatal flow sensor, PSU, sterilizable, 5 pcs.</b>	<b>8410179</b>
<b>D</b>	<b>Flow sensor cable, for neonatal flow sensor, e.g., Babylog</b>	<b>8409626</b>



**SENSORS**

<b>A</b>	<b>O<sub>2</sub> sensor capsule, for mainstream measurement</b>	<b>6850645</b>
<b>B</b>	<b>O<sub>2</sub> sensor Oxycell, for Babyleo® TN500</b>	<b>6873065</b>
<b>C</b>	<b>O<sub>2</sub> sensor housing Oxydig, for O<sub>2</sub> sensor capsule, with spiral cable</b>	<b>6850250</b>



**MONITORING ACCESSORIES**

**4. MONITORING ACCESSORIES**

Infinity® Monitoring: Gamma, Gamma XL, Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.

**ELECTROCARDIOGRAPHY (ECG)**

<b>A</b>	<b>Multiparameter cable NeoMed Pod, for ECG, resp., SpO<sub>2</sub>, temp., and FiO<sub>2</sub>, 2.5 m</b>	<b>5590539</b>
<b>B</b>	<b>ECG electrodes, single-patient use, neonate, 300 pcs.</b>	<b>5195024</b>
<b>C</b>	<b>Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.</b>	<b>5194779</b>
<b>D</b>	<b>ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m</b>	<b>5592162</b>



INFINITY®  
MONITORING

**MONITORING ACCESSORIES**

**PULSE OXIMETRY (SPO<sub>2</sub>)**

**DRÄGER/NELLCOR® CABLES**

<b>A</b>	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m	<b>3368433</b>
	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m	<b>3375834</b>
<b>B</b>	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	<b>MS18683</b>
<b>C</b>	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	<b>MS17330</b>

INFINITY  
MONITORING  
MICRO+®



Not all articles are available worldwide.

**MONITORING ACCESSORIES**

**DRÄGER DISPOSABLE SENSORS**

<b>A</b>	SpO <sub>2</sub> adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	<b>MS16447</b>
<b>B</b>	SpO <sub>2</sub> adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	<b>MS16446</b>

**NELLCOR® SENSORS**

<b>C</b>	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	<b>MX50067</b>
<b>D</b>	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	<b>MX50068</b>
<b>E</b>	SpO <sub>2</sub> multisite sensor Nellcor® Oxiband™ A/N, reusable, neonate/adult	<b>8201013</b>

**NELLCOR® ACCESSORIES**

<b>F</b>	Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.	<b>8201012</b>
----------	---	----------------

INFINITY  
MONITORING  
MICRO+®



Not all articles are available worldwide.



**MONITORING ACCESSORIES**

**MASIMO® CABLES**

SpO<sub>2</sub> intermediate cables for connection to Masimo® SET Pod.

- A SpO<sub>2</sub> intermediate cable Masimo® LNCS, 3 m **MS17522**
- A SpO<sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m **MS24303**

**MASIMO® RD-SET ADAPTER CABLES**

- B Adapter cable RD-SET to LNOP, for connection of RD-SET sensors to Masimo® SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed® 5/6/12, NeoMed Pods and MultiMed® Plus/Plus OR via the according intermediate cables **MS13926/7492601 or MS20163\*** **MS33731**
- C Adapter cable RD-SET to LNCS, for connection of RD-SET sensors to Masimo® SET Pod via the LNCS intermediate cables MS24303 or MS17522 **MS33732**
- C Adapter cable RD-SET to MultiMed®, for connection of RD-SET sensors to MultiMed® 5/6/12, NeoMed Pods as well as MultiMed® Plus/Plus OR via the according intermediate cables 3368433/3375834 or MS18683/MS17330 **MS33733**

\*Products are not available any more. Adapter is to be used to switch from sensors to the installed base.

INFINITY®  
MONITORING  
MICRO<sub>+</sub>



**MONITORING ACCESSORIES**

**MASIMO® LNCS SENSORS**

For Masimo accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

- A SpO<sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs. **MP00792**
- B SpO<sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs. **MP00794**
- SpO<sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult **MP00789**

**MASIMO® LNCS TRAUMA DISPOSABLE SENSORS**

Masimo LNCS Trauma sensors are for use with Masimo SET technology only.

- C Masimo Trauma sensor LNCS, neonate, 20 pcs. **MP03192**

**MASIMO® RD-SET DISPOSABLE SENSORS**

- D Masimo® RD-SET sensor, neonatal, disposable **MS33729**
- E Masimo® RD-SET sensor, neonatal preterm, disposable **MS33730**

INFINITY®  
MONITORING  
MICRO<sub>+</sub>




**MONITORING ACCESSORIES**

**MASIMO® ACCESSORIES**

<b>A</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO<sub>2</sub> sensor, 100 pcs.</b>	<b>7496917</b>
	<b>SpO<sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO<sub>2</sub> sensor, 100 pcs.</b>	<b>7496909</b>
<b>B</b>	<b>SpO<sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO<sub>2</sub> sensor, 12 pcs.</b>	<b>7496891</b>
<b>C</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO<sub>2</sub> sensor, 12 pcs.</b>	<b>7496933</b>
<b>D</b>	<b>SpO<sub>2</sub> adhesive wrap Masimo®, for NeoPt SpO<sub>2</sub> sensor, 100 pcs.</b>	<b>7496925</b>

INFINITY®  
MONITORING  
MICRO+®



Not all articles are available worldwide.

**MONITORING ACCESSORIES**

**TEMPERATURE**

**SINGLE-PATIENT USE TEMPERATURE PROBES**

<b>A</b>	<b>Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m</b>	<b>MP00997</b>
<b>B</b>	<b>Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m</b>	<b>MP00998</b>

**REUSABLE TEMPERATURE PROBES**

<b>C</b>	<b>Skin temperature probe, reusable, with 7-pin connector, 1.5 m</b>	<b>4329822</b>
<b>C</b>	<b>Skin temperature probe, reusable, with 7-pin connector, 3 m</b>	<b>5204669</b>

INFINITY®  
MONITORING



Not all articles are available worldwide.

**MONITORING ACCESSORIES**

**NON-INVASIVE BLOOD PRESSURE CUFFS (NIBP)**

<b>A</b>	<b>NIBP hose, neonate, 2.4 m</b>	<b>2870298</b>
<b>B</b>	<b>NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.</b>	<b>2870181</b>
<b>C</b>	<b>NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.</b>	<b>2870199</b>
<b>D</b>	<b>NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.</b>	<b>2870207</b>
<b>E</b>	<b>NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.</b>	<b>2870215</b>
<b>F</b>	<b>NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.</b>	<b>2870173</b>

INFINITY MONITORING



Not all articles are available worldwide.


**MONITORING ACCESSORIES**

**ETCO<sub>2</sub> AND RESPIRATORY MECHANICS**

For Gamma X XL, Delta, Delta XL, Kappa.

<b>A</b>	<b>etCO<sub>2</sub> airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.</b>	<b>7869550</b>
<b>B</b>	<b>etCO<sub>2</sub> nasal cannula Microstream®, child, max. 12 h, 25 pcs.</b>	<b>7869469</b>
	<b>etCO<sub>2</sub> nasal cannula Microstream®, child, max. 24 h, 25 pcs.</b>	<b>7869600</b>
	<b>etCO<sub>2</sub> nasal cannula Microstream®, + O<sub>2</sub>, child, max. 24 h, 25 pcs.</b>	<b>7869485</b>
<b>C</b>	<b>etCO<sub>2</sub> nasal/mouth cannula Microstream®, + O<sub>2</sub>, child, max. 12 h, 25 pcs.</b>	<b>7869584</b>
<b>D</b>	<b>etCO<sub>2</sub> nasal cannula Microstream®, neonate/child, max. 24 h, 25 pcs.</b>	<b>7869618</b>
	For Delta, Delta XL, Kappa, Kappa XLT.	
	<b>Sensor for respiratory mechanics and flow, disposable, neonate, 10 pcs.</b>	<b>5957100</b>
	<b>Sensor for respiratory mechanics, flow and CO<sub>2</sub>, disposable, neonate, 10 pcs.</b>	<b>5957118</b>
	For Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.	
<b>E</b>	<b>etCO<sub>2</sub> airway adapter, reusable, neonate</b>	<b>4721788</b>
<b>F</b>	<b>CO<sub>2</sub> airway adapter, neonatal (infant/pediatric), disposable, 10 pcs.</b>	<b>2606228</b>

INFINITY MONITORING



Not all articles are available worldwide.

**MONITORING ACCESSORIES**

**TRANSCUTANEOUS MONITORING (TPO<sub>2</sub>/TPCO<sub>2</sub>)**

For Delta, Delta XL, Kappa.

<b>A</b>	<b>tpO<sub>2</sub>/tpCO<sub>2</sub> solid-state electrode</b>	<b>4529988</b>
	<b>Membrane replacement set for tcpO<sub>2</sub>/tcpCO<sub>2</sub> electrodes</b>	<b>MP00715</b>
	<b>Fixation set for tpO<sub>2</sub> and tpCO<sub>2</sub> electrodes</b>	<b>MP00716</b>
	<b>Calibration gas, for tpO<sub>2</sub>/tcCO<sub>2</sub>, 20,9% O<sub>2</sub> and 5% CO<sub>2</sub>, 12 pcs.</b>	<b>MP00717</b>
<b>RECORDER PAPER</b>		
<b>B</b>	<b>Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls</b>	<b>4711201</b>

INFINITY MONITORING



D-8969-2009



D-8972-2009

**WARD EQUIPMENT**

**5. WARD EQUIPMENT**

Please find more information in chapter 5 "Ward equipment".

**FLOWMETER**

These O<sub>2</sub> Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
 ± 15% (corresponding to smallest setting value)  
 ± 10% (all other setting values)  
 \*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm  
 (6.3 × 1.6 × 5.1 in)

Material: Housing: Aluminium  
 Pressure dome: Polyamide  
 Flow indicator: Glass

Weight: Approx. 500 g (1.1 lb)

<b>A</b>	<b>O<sub>2</sub> flowmeter, 4 L/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems</b>	<b>MP04551</b>
----------	--	----------------



D-940-2016

**WARD EQUIPMENT**

**TWIN FLOWMETER**

The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
 ± 15% (corresponding to smallest setting value)  
 ± 10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 150 × 190 mm  
 (6.3 × 5.9 × 7.15 in)  
 Material: Housing: Aluminium  
 Pressure dome: Polyamide  
 Flow indicator: Glass  
 Weight: Approx. 900 g (1.98 lb)

- A** O<sub>2</sub> twin flowmeter, CS, 2 × 16 L/min, CS, DIN, ISO, neutral color, M34×1.5 and 9/16" for accessories and sterile water systems MP04560
  
- O<sub>2</sub> twin flowmeter, 2 × 16 L/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16" MP04569



D-944-2016

**WARD EQUIPMENT**

These O<sub>2</sub> flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4 and 16 L/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
 ± 15% (corresponding to smallest setting value)  
 ± 10% (all other setting values)

\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm  
 (6.3 × 1.6 × 5.1 in)  
 Material: Housing: Aluminium  
 Pressure dome: Polyamide  
 Flow indicator: Glass  
 Weight: Approx. 950 g (2.09 lbs)

- A** O<sub>2</sub> flowmeter, 4 L/min, rail with NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems MP04552
  
- B** O<sub>2</sub> flowmeter, 4 L/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems MP04553
  
- C** O<sub>2</sub> flowmeter, 16 L/min, rail, NIST gas inlet, M34×1.5, adapter 9/16" MP04567

**CS hoses**

Several hoses to connect flowmeter with the central supply. For CS hoses see chapter 5, "Accessory for gas supply".



D-962-2016



D-947-2016



D-948-2016

## WARD EQUIPMENT

## COMPACT FLOWMETER

Input pressure:	4.5 ± 0.5 bar*
Adjustable ranges:	0 – 15 L/min (0; 1; 2; 3; 4; 6; 8; 12; 15) 0 – 1 L/min (0; 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.8; 1) 0 – 5 L/min (0; 0.5; 1; 1.5; 2; 2.5; 3; 4; 5)
Accuracy:	0 – 5 L/min and 0 – 15 L/min: ± 20% 0 – 1 L/min ± 30%
Gas inlet:	CS plug O <sub>2</sub> or AIR; NIST (rail)
Gas outlet:	6 mm nozzle, thread 9/16"
Weight:	approx. 420 g (CS); approx. 700 g (rail)
Housing material:	nickel-coated brass
Dimensions:	diameter 40 mm, length 90 mm

\*1 bar = 1 kPa × 100

- A Compact flowmeter configurator, gives you the option of arranging the compact flowmeter according to your requirements, selectable options for configuration:** **MP01200**

Gas type:	O <sub>2</sub> ; AIR
Mounting:	CS; rail with NIST gas inlet
CS connection:	DIN; UNI (Italy); AGA (SSS, Sweden); Carbuos (Spain); Carbamed; JIS (Japan); DISS (USA); BS (England); NF (France)
Version:	single compact flowmeter; double compact flowmeter
Flow:	0.1 – 1 L/min; 0.5 – 5 L/min; 1 – 15 L/min
Gas outlet:	6 mm nozzle, thread 9/16" for sterile water

- B O<sub>2</sub> compact flowmeter, DIN CS, 1-15 L/min, 6 mm nozzle** **2M86793**
- C O<sub>2</sub> compact flowmeter, DIN CS, 1-15 L/min, 9/16"** **MP01204**

Accessories for flowmeter: See section Ward Equipment, chapter 1.4 (humidifier, adapter and application).



## WARD EQUIPMENT

- A Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 L/min** **2M85834**
- B Adapter, to connect e.g a tube or nasal cannula to O<sub>2</sub> flowmeter, M34×1.5 to 6 mm nozzle** **M06258**
- C Adapter, for disposable sterilized water systems to O<sub>2</sub> flowmeters, M34×1.5 to 9/16"** **2M86680**
- C Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16"** **MP03366**
- D Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection** **MP00416**
- E Adapter 9/16" to M34×1.5 for Dräger reusable humidifier** **MP03325**



## WARD EQUIPMENT

**Ultrasonic nebulizer Tropic 2.0\*** for effective humidification of the ambient air surrounding the patient, completely independently of any Central Gas Supply System. The nebulizer is driven by a quartz oscillator, with the result that only electrical energy is needed for operation.

The use of highly effective bacterial filters at the point at which the air enters the system, together with the possibility of nebulizing from sterilized water systems, largely prevents the spread of bacteria, viruses and germs. It is possible to nebulize distilled water both with or without a feeder system for long-term operation. The integrated timer allows presetting a defined therapy time. Medication can be applied in aerosol form using the disposable medicament containers.  
For use with 110/127/230 V.

Includes:

- Short and long disposable hose
- Bacterial filter
- Power cable
- Nebulizer chamber
- Oscillating crystal
- Cap

Technical data:

Power consumption:	Ultrasonic nebulizer 50 VA Hose heating 30 VA
Ultrasonic frequency:	1.68 MHz ± 5%
Sound pressure level:	max. 35 dB(A)
Protection against moisture:	IP 21 (dripping water)
Method of operation:	Continuous operation, timed
Nebuliser output:	to 3 mL/min
Size of droplets:	86% < 5 µm, average 4 µm
Air flow:	up to 20 L/min if the bacterial filter is used
Classification:	Class I, type B

<b>A</b>	<b>Ultrasonic nebulizer Tropic 2.0, basic unit with all accessories</b>	<b>MP03300</b>
<b>B</b>	<b>Trolley Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder</b>	<b>MP03301</b>
	<b>Table set for Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder</b>	<b>MP03302</b>
	<b>Rail set for Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder</b>	<b>MP03303</b>

\*Produced by W. Krömker GmbH



## WARD EQUIPMENT

<b>A</b>	<b>Heatable hose Tropic 2.0, 1.1 m, for aerosol heating, cable, plug</b>	<b>MP03305</b>
<b>B</b>	<b>Corrugated hose Tropic 2.0, reusable, 1.2 m, for nebulizers</b>	<b>MP03306</b>
<b>C</b>	<b>Corrugated hose Tropic 2.0, reusable, 0.3 m, for nebulizers</b>	<b>MP03307</b>
<b>D</b>	<b>Hose for Tropic 2.0, disposable, 1 m, patient side, 15 pcs.</b>	<b>MX22793</b>
<b>D</b>	<b>Hose for Tropic 2.0, disposable, 40 cm, connects fan/chamber, 20 pcs.</b>	<b>MX22790</b>



## WARD EQUIPMENT

<b>A</b>	<b>Automatic refilling set Tropic 2.0, for large sterile water containers</b>	<b>MP03304</b>
<b>B</b>	<b>Disposable medication container for Tropic 2.0, 48 pcs.</b>	<b>MP00006</b>
<b>C</b>	<b>Quartz oscillator for Tropic 2.0, reusable</b>	<b>MP03308</b>
	<b>Nebulizer chamber for Tropic 2.0, spare part</b>	<b>MP03309</b>



## WARD EQUIPMENT

## MEDICAL ASPIRATION

The vacuum regulator is directly connected to a central vacuum supply, or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides. All vacuum regulators include a shut-off valve. You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 L/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

\*Test has been performed by Nelson Lab, USA, before 2010

<b>A</b>	<b>Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connection VAC</b>	<b>MP00511</b>
----------	---	----------------

For CS hoses please refer to chapter "Accessory for gas supply".





## WARD EQUIPMENT

**VarioVac® vacuum regulator for rail.**

The gas supply is ensured by VAC connection hose. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination.

A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

## Technical data:

VarioVac P (MP00660, MP03223)

Maximum vacuum: -55 to 0 kPa (-550 to 0 mbar)

Maximum suction flow: 20 L/min

Maximum sound level: 40 dB(A)

Weight: 800 g

Dimensions (W/H/D) in mm: 80 × 210 × 160 (without VarioSafe)  
80 × 340 × 160 (with VarioSafe)

Hose nozzle: Ø 6 mm

Bacterial retention: 99.99998% (with VarioSafe)\*

Viral retention: 99.9998% (with VarioSafe)\*

\*Test has been performed by Nelson Lab, USA, before 2010

- A Vacuum regulator VarioVac® P Rail, for bronchial suction, gas connection VAC, for connection to all standard wall rails** **MP00660**

The bronchial aspirator can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla.

Minimum distance from the center of the magnetic field:

Magnetic flux density of 40 millitesla (400 gauss).

- B Vacuum regulator VarioVac® MRI P Rail, for bronchial suction, gas connection VAC, for connection to all standard wall rails** **MP03223**

For CS hoses please refer to chapter "Accessory for gas supply".



## WARD EQUIPMENT

Drive unit VarioVac® and jar set are joined together, so that you have a complete, convenient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly. The gas supply is ensured by CS connection hose. You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

## Technical data:

Weight: 1,600 g (empty)

Dimensions (W/H/D) in mm: 300 × 440 × 160

Hose nozzle: Ø 6 mm

Bacterial retention: 99.99998% (with VarioSafe)\*

Viral retention: 99.9998% (with VarioSafe)\*

\*Test has been performed by Nelson Lab, USA, before 2010

- A Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection VAC, including secretion jar set and integrated vacuum regulator** **MP00661**

## Technical data:

Maximum vacuum: -55 to 0 kPa (-550 to 0 mbar)

Maximum suction flow: 20 L/min

Maximum sound level: 40 dB(A)

For CS hoses please refer to chapter "Accessory for gas supply".



## WARD EQUIPMENT

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -16 kPa (-160 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side.

A new **VarioSafe®** disposable filter system reliably protects the **VarioAir®** series and the patient environment against contamination. One piece of the new **VarioSafe®** filter system is always included.

## Technical data:

Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	45 dB (A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

\*Test has been performed by Nelson Lab, USA, before 2010

**A Ejector VarioAir® D Rail,  
for continuous and wound drainage, gas connection AIR,  
for connection to all standard wall rails** MP00542

For gas supply via CS vacuum connection hose.

Connection thread: NIST.

For CS hoses please refer to chapter "Accessory for gas supply".



## WARD EQUIPMENT

**VarioAir® ejector for rail.**

The gas supply is ensured by AIR connection hose. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height). You can use the **VarioSafe®** disposable filter system to reliably protect the **VarioAir®** series and the central vacuum system against contamination.

## Technical data:

VarioAir P (MP00545, MP03221)	
Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 L/min
Maximum gas consumption:	40 L/min
Maximum sound level:	47 dB(A)
Inlet pressure range:	4 to 5.5 bar
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

\*Test has been performed by Nelson Lab, USA, before 2010

**A Ejector VarioAir® P Rail,  
for bronchial suction, gas connection AIR,  
for connection to all standard wall rails** MP00545

The bronchial aspirator can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla.

Minimum distance from the center of the magnetic field:

Magnetic flux density of 40 millitesla (400 gauss).

**A Ejector VarioAir® MRI P Rail,  
for bronchial suction, gas connection AIR,  
for connection to all standard wall rails** MP03221

For CS hoses please refer to chapter "Accessory for gas supply".



## WARD EQUIPMENT

Drive unit VarioAir® and jar set are joined together, so that you have a complete, convenient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly.

The gas supply is ensured by CS connection hose. You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

## Technical data:

Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 × 440 × 160
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

\*Test has been performed by Nelson Lab, USA, before 2010

- A Ejector VarioAir® P compact, for bronchial suction, gas connection AIR, including secretion jar set and integrated ejector** **MP00547**

## Technical data:

Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	40 L/min
Maximum sound level:	47 dB(A)
Pressure relief valve:	Ex 0.1 kPa (1 mbar)

For CS hoses please refer to chapter "Accessory for gas supply".



## WARD EQUIPMENT

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be autoclaved at up to 134 °C. The two 700 mL jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service lives makes the jars both environmentally friendly and cost effective.

An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the secretion jar set quickly.

- A Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1000 mL, scale in steps of 10 mL up to max. 700 mL** **2M85056**
- B Secretion jar set, with protection jar and 700 mL secretion jars (2 pcs.), maximum capacity up to the overflow safeguard 2 × 1000 mL, scale in steps of 10 mL up to max. 700 mL, with additional protection jar 300 mL** **2M85607**



**WARD EQUIPMENT**

**VacuSmart disposable cartridge for bronchial suction**

VacuSmart is a disposable cartridge for 700 ml secretion jars. This product has been specifically designed and thoroughly tested to work with Dräger suction units. Therefore there is absolutely no need to modify the installed base. An integrated hydrophobic filter acts as an overflow safeguard by stopping suction of secretion once maximum capacity has been reached. The closed and leakproof system, optional with an integrated gelling agent, reduces the risk of cross contamination to a minimum.

The optional gelling agent prevent leakages e.g. during the waste disposal in a waste press. The gelling agent is secured in a water soluble bag.

**Technical data:**

Maximum capacity:	700 mL
Maximum capacity up to the overflow safeguard:	1,000 mL
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h
Gelling agent:	Sodium polyacrylate

- A Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 mL, 25 pcs. MX23023**
  - B Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 mL, 25 pcs. MX23025**
  - C Suction tube VacuSmart® Tube, PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs. MX23026**
- You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:
- D Suction set, disposable, VacuSmart®, 700 mL and VacuSmart® Tube, 25 pcs. each MP00061**
  - D Set VacuSmart® Gel and Tube, 25 pcs. MP03211**



**WARD EQUIPMENT**

- A Bacterial filter 767, for ejectors (model range until 2010), 5 pcs. 6723976**
- B Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs. MP00555**  
 The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.  
  
 Technical data:  
 Maximum capacity: 90 mL  
 Bacterial retention: 99.99998%\*  
 Viral retention: 99.9998%\*  
 Material: PS (polystyrol)  
 Recommended duration of use: 7 days  
 Filtration method: Mechanical and hydrophobic (HEPA)\*
- C Suction hose, silicone, reusable, 1.5 m, for medical suction M25780**
- D Connection hose, silicone, reusable, ID 5 mm, wall thickness 2 mm, by meter 1203606**
- E Secretion jar, PSU (Polysulfone), reusable, 300 mL, autoclavable up to 134°C 2M86207**
- F Secretion jar, PSU (Polysulfone), reusable, 700 mL, autoclavable up to 134°C 2M85594**
- G Elbow, angled hose connection for secretion jar caps 2M19063**

\*Test has been performed by Nelson Lab, USA, before 2010



**WARD EQUIPMENT**

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is required.

- A Wall holder, with fixing screws, for compact suction unit and secretion jar set** **M26859**

---

- B Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set** **M26842**

---

- C Ceiling holder, rail holder for compact suction systems and secretion jar sets** **2M85119**

Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.

- D CS connection hose holder** **2M85446**

---

- E Suction hose holder, suitable for various diameters** **2M85239**



Not all articles are available worldwide.

**RAIL ACCESSORIES AND EXAMINATION LIGHT**

**6. RAIL ACCESSORIES AND EXAMINATION LIGHT**

**RAIL ACCESSORIES**

**Wire baskets**

The wire baskets are used for storage of disposable catheters or disposable gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).

- A Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves** **M26146**

---

- A Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters** **M26145**

---

- A Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters** **M25121**

**Catheter receptacle**

These receptacles are for storage of sterile insufflation catheters. The catheter receptacle is provided with a rail clamp and can be attached to intensive care rails. The diameter of the receptacle is 50 mm. Catheter receptacle 710 is designed for catheters up to 600 mm (23.6 in) long, and catheter receptacle 510 for catheters up to 400 mm (15.7 in) long.

- B Rail holder, for catheter receptacle, 12.5 × 8.4 × 18 cm** **MP00652**

---

- C Catheter receptacle, large, 12.2 × 25.2 × 12.2 cm (top) and Ø 85 mm (bottom)** **MP00650**

---

- D Catheter receptacle, small, 12.2 × 16.6 × 12.2 cm (top) and Ø 60 mm (bottom)** **MP00651**

---

- E Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)** **M24695**

---

- Litter bags, disposable, for litter bag holder, 100 pcs.** **M26240**

---

- F Infusion bottle holder, for standard rail, variable height, 3 hooks** **M20719**

---

- G Dish, stainless steel, Ø 20.5 cm, with rail clamp** **2M85233**

Not all articles are available worldwide.



**RAIL ACCESSORIES AND EXAMINATION LIGHT**

**EXAMINATION LIGHT**

The Dräger VarioLux® offers cool, highly efficient, and variable intensity examination light and was specially designed for use in neonatology and pediatric settings. Made for single-handed operation, it features adjustable color temperature settings as well as a dimmer function.

Operating mode:	Continuous operation
Weight:	1.5 kg (3.3 lbs)
Electrical values:	100 – 240 V, 50/60 Hz
Max. illumination intensity Ec at 0.5 m:	30,000 lx
Dimming levels:	30,000 lx, 24,000 lx, 18,000 lx, 12,000 lx, 7,000 lx
Light field diameter d10 at 0.5 m:	20 cm (7.9 in)
Light field diameter d50 at 0.5 m:	9 cm (3.5 in)
Color temperature adjustable:	3,500 K, Warm white (red) 4,100 K, Neutral white (white) 4,700 K, Cool white (blue) > 35,000 h
Min. service life of bulb (LEDs):	> 35,000 h
Color reproduction index:	Ra>= 96 (at 3,500 K) R9 = 89 (at 3,500 K)
Max. radiant power at 0.5 m:	105 W/m²

<b>A</b>	<b>Medical examination light VarioLux® with LED technology, EU</b>	<b>MP00601</b>
	<b>Medical examination light VarioLux® with LED technology, US</b>	<b>MP00602</b>
	<b>Medical examination light VarioLux® with LED technology, GB</b>	<b>MP00603</b>
	<b>Medical examination light VarioLux® with LED technology, CHN</b>	<b>MP00604</b>
	<b>Medical examination light VarioLux® with LED technology, BR</b>	<b>MP00605</b>
	<b>Medical examination light VarioLux® with LED technology, AUS</b>	<b>MP00606</b>
	<b>Medical examination light VarioLux® with LED technology, ZA</b>	<b>MP00607</b>
	<b>Medical examination light VarioLux® with LED technology, JPN</b>	<b>MP00608</b>
	<b>Power cable EU, 1.8 m, 2 pin</b>	<b>MP00591</b>
	<b>Power cable US/JPN, 1.8 m, 2 pin</b>	<b>MP00592</b>
	<b>Power cable GB, 1.8 m, 2 pin</b>	<b>MP00593</b>
	<b>Power cable BR, 1.8 m, 2 pin</b>	<b>MP00625</b>
	<b>Power cable AUS, 1.8 m, 2 pin</b>	<b>MP00626</b>
	<b>Power cable ZA, 1.8 m, 2 pin</b>	<b>MP00597</b>



**RAIL ACCESSORIES AND EXAMINATION LIGHTS**

<b>A</b>	<b>Rail claw for lamp</b>	<b>MP00615</b>
<b>B</b>	<b>Turn knob, compl.</b>	<b>MP00587</b>
<b>C</b>	<b>Control panel</b>	<b>MP00589</b>
<b>D</b>	<b>Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm</b>	<b>2M85274</b>
<b>E</b>	<b>Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg</b>	<b>2M85337</b>



**RAIL ACCESSORIES AND EXAMINATION LIGHTS**

**HINGED ARMS**

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints can be fixed into place and released with just one quick hand movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

- A Hinged arm Quickstop 2, w/ universal ball holder system for optional accessories length 858 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1x), 8404761 (2x), 8409841 (1x)** **2M85706**
- B Hinged arm Quickstop short, with universal tube holder plate, for various cable and tube dimensions and coaxial hoses, specifically designed for OR tables, length 323 mm, max. load 1 kg** **2M86463**
- C Hose clip, for ball mounting, for standard breathing hoses, adult/neonatal, applicable for Hinged arm 240° (8409609), and Hinged arm Quickstop 2 (2M85706)** **8409841**
- D Hose clip double, for standard breathing hoses, adult/neonatal, 2 pcs., applicable for Hinged arm 240° (8409609), Hinged arm Quickstop 2 (2M85706), and Hinged arm Quickstop 1 (2M85705)** **8406138**
- E Hose clip, for coaxial breathing hoses, adult, 2 pcs., for Hinged arm Quickstop (2M85706)** **MP00493**



**RAIL ACCESSORIES AND EXAMINATION LIGHTS**

- A Holder for Y-piece, with ball mounting, applicable for Hinged arm Infinity ACS (MP00690), Hinged arm 240° (8409609), and Hinged arm Quickstop 2 (2M85706)** **8409746**
- B Hose holder plate, for ball mounting, for all cable and hose dimensions, as well as for coaxial and pediatric hoses, applicable for Hinged arm Infinity ACS (MP00690), Hinged arm 240° (8409609), and Hinged arm Quickstop 2 (2M85706)** **2M86465**







## INDEX BY ORDER NUMBER

1	1203606	277, 423	2606228	165, 222, 405	4119071	310		
			2606229	223	4119072	310		
2	2111764	98	2606231	223	4119073	310		
	2112760	38	2606247	210	4119074	310		
	2120461	98, 394	2606248	210	4119075	310		
	2120488	98	2606249	210	4119076	310		
	2120496	98	2606483	211	4119077	310		
	2165619	28, 30, 39	2606484	211	4119078	310		
	2165627	28, 30, 35, 39	2606485	211	4119079	310		
	2165651	31, 33, 41, 373, 375, 377	2606486	211	4119080	310		
	2165678	36, 40, 376	2606487	211	4119081	310		
	2165821	27, 31, 41, 372, 373, 377	2606488	216	4119082	310		
	2165848	27, 31, 40, 372, 373, 377	2606489	216	4119083	310		
	2165856	27, 31, 41, 372, 373, 377	2606490	216	4185140	306		
	2165961	36, 41, 376, 377	2606491	216	4185141	306		
	2166038	30, 34, 35, 39	2606492	210	4185142	307		
	2166046	29, 34, 37, 38, 39	2606493	210	4185143	307		
	2166054	36, 45, 376, 379	2606494	210	4199587	307		
	2166062	34, 35, 45	2606495	210	4199588	307		
	2166070	45	2606496	210	4199589	306		
	2166127	45, 379	2606497	210	4199590	306		
	2170221	137	2606498	210	4199591	306		
	2601190	217	2607034	214	4199592	306		
	2601191	217	2607035	214	4199593	306		
	2601192	217	2607036	214	4199594	306		
	2601195	213	2607037	214	4199595	307		
	2601197	215	2607038	214	4199596	307		
	2601198	215	2607550	218	4199597	307		
	2601199	215	2607551	218	4199598	307		
	2601200	215	2607552	218	4199599	307		
	2601201	217	2607553	218	4199600	306		
	2605081	220	2607554	218	4199601	306		
	2605082	220	2607555	218	4199602	306		
	2605083	219	2870173	147, 195, 404	4199604	306		
	2605084	219	2870181	147, 195, 404	4199605	306		
	2605085	220	2870199	147, 195, 404	4199712	306		
	2605086	221	2870207	147, 195, 404	4199713	307		
	2605087	219	2870215	147, 195, 404	4199714	306		
	2605088	219	2870298	144, 192, 404	4321563	155		
	2605089	221			4322975	165		
	2605124	218	3	3368383	154	4329822	142, 190, 403	
	2605127	219		3368391	115	4329848	142, 190	
	2605128	221		3368425	116, 149, 196	4329889	142, 190	
	2605129	221		3368433	125, 128, 136, 398	4527750	123, 176, 203	
	2605130	220		3368458	157, 197	4528741	156	
	2606151	213		3375834	125, 128, 136, 398	4529988	171, 406	
	2606152	213		3375933	156	4711201	171, 406	
	2606153	213		3375941	152	4714387	165	
	2606154	213		3375958	152, 159	4714395	165	
	2606155	213				4714429	165	
	2606156	213	4	4118453	330	4721408	153	
	2606208	211		4118555	330	4721416	153	
	2606209	211		4119065	310	4721424	153	
	2606210	211		4119066	310	4721614	153	
	2606211	211		4119067	310	4721788	165, 405	
	2606225	216		4119068	310	4721796	165	
	2606226	222		4119069	310			
	2606227	165, 222		4119070	310	5	5001330	277

## INDEX BY ORDER NUMBER

	5191221	115	6850435	166, 198	8402918	28	
	5192112	153	6850645	111, 396	8402953	36, 376	
	5194779	123, 397	6850930	111	8403056	27, 44, 372	
	5195024	123, 176, 210, 397	6870279	55, 166, 198	8403070	33, 375	
	5195180	155	6870280	55, 166, 198, 381	8403075	27, 31, 36, 43, 372, 373, 376, 378	
	5195198	116, 196	6870281	166, 198	8403076	28, 30, 44	
	5196980	152	6871500	55, 381	8403080	33, 375	
	5196998	152	6871950	55, 166, 198, 381	8403201	46	
	5198333	141	6871980	109	8403208	46, 379	
	5202747	116	6872020	170	8403333	27, 372	
	5204644	142, 190	6872128	170	8403566	28, 30	
	5204651	142, 190	6872130	170	8403684	44	
	5204669	142, 190, 403	6873065	111, 329, 396	8403685	28, 30, 37	
	5206581	156			8403735	109	
	5206607	154	7	7014616	142, 190, 215	8404760	27, 372
	5207415	170		7257988	116, 196	8404985	28, 30, 35, 44
	5588095	154		7262764	137, 188, 208, 212	8405000	90
	5588822	150		7265155	197	8405435	28, 43
	5589663	115		7265163	197	8405752	27, 44, 372
	5590539	115, 397		7270460	153	8406138	324, 428
	5591925	150		7485621	116, 149, 150	8407475	37, 97
	5591933	150		7486140	124	8408950	81
	5592147	154		7486876	155	8409609	322
	5592154	141, 189		7489417	155	8409626	110, 395
	5592162	123, 397		7489433	155	8409627	27, 31, 32, 33, 44, 372, 373, 374, 375
	5598128	116		7496875	134, 185, 207	8409634	31, 373
	5702321	95, 393		7496891	134, 185, 207, 402	8409683	72, 386
	5702322	95, 393		7496909	134, 185, 207, 402	8409746	324, 429
	5702881	95		7496917	134, 185, 207, 402	8409841	324, 428
	5703041	21		7496925	134, 185, 402	8409897	31, 33, 44, 373, 375
	5703471	97, 394		7496933	134, 185, 402	8410049	28
	5703701	96, 393		7496947	155	8410079	46, 379
	5703702	96, 393		7864155	155	8410179	109, 395
	5703703	96, 394		7864908	155	8410185	109, 395
	5703704	96, 394		7869469	168, 405	8410547	98
	5703705	96		7869477	168	8410580	79
	5703706	96, 393		7869485	169, 405	8410709	33, 375
	5703707	96, 393		7869493	169	8410814	32, 374
	5703708	97, 394		7869501	169	8410816	32, 374
	5704962	22		7869535	168	8410929	38
	5704964	21		7869543	168	8411024	91, 390
	5731281	154		7869550	168, 405	8411030	90
	5736744	163		7869584	169, 405	8411031	90
	5741975	157, 197		7869592	168	8411041	33, 375
	5790124	98		7869600	405	8411044	31, 33, 44, 373, 375
	5790148	358		7869618	169, 405	8411045	33, 87, 375
	5947226	124		7872174	164	8411047	86, 388
	5947804	163				8411050	89, 389
	5950196	115	8	8201012	137, 399	8411074	87, 358, 388
	5954859	163		8201013	212, 347, 399	8411075	330, 332
	5957100	167, 405		8290274	28	8411130	109, 395
	5957118	167, 405		8290286	170	8411153	32, 374
	5957126	167		8306370	110	8411154	32, 87, 374, 388
	5957134	167		8306488	356	8412001	38
	5957142	167		8401644	30	8412015	80
				8401645	27, 31, 43, 372, 373	8412034	38, 109
				8402041	28, 30		
6	6723976	276, 292, 423		8402868	82		
	6850250	111, 396					

## INDEX BY ORDER NUMBER

8412068	38	8418617	359, 363	2M85835	253
8412217	86	8418619	359, 364	2M85853	253
8412235	38, 43	8419160	157, 197	2M86029	250, 252
8412344	27, 372	8420077	157, 197	2M86185	252
8412710	166, 198	8539983	157, 197	2M86205	249
8412860	29	8601697	295	2M86207	278, 423
8412888	29, 30, 43			2M86291	98
8412913	38	2M 2M16520	339	2M86292	98
8412935	90	2M19063	278	2M86293	98
8412985	90	2M19063	423	2M86410	251, 252
8413125	80	2M20434	338	2M86463	323, 428
8413146	28	2M20827	337	2M86464	323
8413293	38	2M20914	339	2M86464	116, 150
8413660	81	2M21009	353	2M86465	324, 429
8414776	79	2M21010	353	2M86680	254, 411
8414966	88, 389	2M21012	337	2M86752	283
8414968	88, 389	2M21158	338	2M86757	280, 284
8414969	87	2M21161	338	2M86758	277, 284
8414986	30	2M21186	332, 339	2M86793	242, 410
8414987	31, 373	2M21191	338	2M86800	37
8414989	88, 389	2M21342	338	2M86832	37, 97
8414991	20	2M21514	332, 339	2M86837	21
8414992	88	2M30462	354	2M86841	21
8414993	30, 31, 87, 373, 388	2M50040	332	2M86913	98
8414994	20, 370	2M50385	331		
8415270	81	2M50412	331	C CH00102	276, 292
8416347	330	2M60180	330		
8416352	166, 198	2M60390	329	G G01166	310
8416600	110	2M60401	330	G01168	310
8416750	79	2M85003	315	G01169	310
8417050	81	2M85011	277	G12985	319
8418077	379	2M85012	277	G13040	319
8418282	86, 388	2M85013	277	G13171	319
8418289	32, 33, 43, 374, 375	2M85049	316	G13768	319
8418404	32, 374	2M85056	251, 272, 421	G15225	319
8418405	32, 374	2M85119	274, 317, 424		
8418407	32, 374	2M85139	293	M M06258	253, 411
8418415	359, 363	2M85151	290	M07152	98
8418416	359, 363	2M85153	290	M07582	278
8418417	359, 363	2M85163	291	M11015	91, 256
8418455	32, 374	2M85180	291	M12394	91, 256
8418458	33, 375	2M85233	318, 425	M16395	293
8418462	88	2M85239	274, 284, 316, 424	M17717	256
8418490	359, 364	2M85274	316, 321, 427	M19351	31, 32, 33, 373, 374, 375
8418491	359, 364	2M85337	251, 319, 321, 358, 427	M20650	316
8418531	359, 363	2M85380	273	M20668	293
8418533	359, 366	2M85381	273	M20719	318, 358, 425
8418534	359, 366	2M85441	283, 358	M21112	318
8418535	359, 366	2M85446	274, 284, 316, 424	M23840	28, 30
8418536	359, 366	2M85571	256	M24678	315
8418537	359, 366	2M85575	253	M24692	315
8418538	359, 366	2M85594	278, 423	M24695	318, 425
8418539	359, 366	2M85607	272, 421	M25121	317, 425
8418603	359, 363	2M85674	255	M25647	28, 30, 34, 35, 36, 44, 376
8418605	359, 363	2M85705	322	M25649	30, 43
8418607	359, 363	2M85706	322, 428	M25650	42
8418609	359, 363	2M85728	243	M25682	42
8418611	359, 363	2M85834	253, 411	M25739	316

## INDEX BY ORDER NUMBER

M25780	277, 423	M35388	301	M35469	302
M26145	317, 425	M35389	299	M35472	302
M26146	317, 425	M35390	299	M35473	302
M26240	318, 425	M35391	299	M35474	302
M26391	315	M35392	299	M35475	302
M26842	251, 274, 316, 424	M35393	299	M35476	302
M26859	274, 424	M35394	299	M35477	302
M27077	43, 376, 378	M35395	299	M35478	302
M27542	36, 376	M35396	299	M35479	302
M30146	34	M35397	299	M35489	295
M32493	311	M35398	300	M35490	295
M32494	311	M35399	300	M35491	295
M32495	311	M35400	300	M35492	295
M32496	311	M35401	300	M35493	295
M32497	311	M35402	300	M35494	295
M32692	170	M35403	300	M35495	295
M33278	34, 35, 42	M35404	300	M35496	295
M34461	36, 376	M35405	300	M35497	295
M34568	36, 43, 376, 378	M35406	300	M35498	295
M34875	311	M35407	303	M35499	295
M34876	311	M35408	303	M35801	305
M34877	311	M35409	303	M35802	305
M34878	311	M35410	303	M35803	305
M35056	252, 311	M35411	303	M35804	305
M35057	311	M35412	303	M35805	305
M35058	252, 311	M35413	303	M35806	305
M35330	297	M35414	303	M35807	305
M35331	297	M35415	303	M35808	305
M35332	297	M35416	297	M35809	305
M35333	299	M35417	297	M35820	305
M35334	299	M35418	297	M35865	305
M35335	299	M35419	297	M35866	305
M35336	311	M35420	297	M35867	305
M35337	311	M35421	297	M36000	295
M35338	311	M35422	297	M36001	295
M35339	300	M35423	297	M36002	295
M35340	300	M35424	297	M36003	295
M35341	300	M35425	298	M36004	296
M35342	298	M35426	298	M36005	296
M35343	298	M35427	298	M36006	296
M35344	298	M35428	298	M36007	296
M35345	302	M35429	298	M36008	296
M35346	302	M35430	298	M36009	296
M35347	302	M35431	298	M36010	296, 309
M35357	303	M35432	298	M36011	296, 309
M35358	303	M35433	298	M36012	296, 309
M35359	303	M35434	297	M36013	296
M35375	301	M35435	297	M36014	296
M35376	301	M35436	297	M36015	296
M35377	301	M35437	298	M36016	296
M35378	301	M35438	298	M36017	296
M35379	301	M35439	298	M36018	296
M35382	301	M35452	297	M36042	311
M35383	301	M35453	297	M36053	250
M35384	301	M35454	297	M36056	311
M35385	301	M35455	297	M36148	304
M35386	301	M35456	297	M36149	304
M35387	301	M35457	297	M36150	304

## INDEX BY ORDER NUMBER

M36151	304	MP00038	250, 252	MP00497	293
M36152	304	MP00061	275, 422	MP00498	318
M36153	304	MP00090	318	MP00501	262
M36154	304	MP00100	249	MP00502	262
M36155	304	MP00100	250	MP00503	262
M36156	304	MP00220	81	MP00504	262
M36250	311	MP00222	15	MP00505	262, 282
M36290	308	MP00224	81	MP00506	270
M36291	308	MP00234	19, 371	MP00507	286
M36292	308	MP00300	11	MP00508	286
M36293	308	MP00301	16	MP00509	286
M36294	308	MP00303	16	MP00510	286
M36295	308	MP00305	14	MP00511	286, 415
M36296	308	MP00308	19, 370	MP00512	287, 291
M36297	308	MP00309	19, 370	MP00514	262
M36298	308	MP00310	341, 368	MP00515	286
M36299	308	MP00311	341, 368	MP00516	262, 282
M36300	308	MP00312	22	MP00518	291
M36301	308	MP00313	22	MP00530	266
M36723	298	MP00327	14	MP00531	266
M36724	298	MP00329	14, 368	MP00532	266
M36725	298	MP00330	16	MP00533	266
M36726	299	MP00331	16	MP00534	266
M36727	299	MP00333	16, 368	MP00535	266, 282
M36728	299	MP00334	12	MP00536	271
M36729	295	MP00335	21	MP00537	288
M36730	295	MP00337	12	MP00538	288
M36731	295	MP00338	11	MP00539	288
M36732	309	MP00340	23	MP00540	288
M36733	309	MP00341	26	MP00541	288
M36734	309	MP00343	20, 370	MP00542	288, 418
M36735	309	MP00349	11	MP00543	289
M36736	309	MP00350	11	MP00544	289
M36737	309	MP00351	11	MP00545	268, 419
M36738	309	MP00352	11	MP00547	271, 420
M36739	309	MP00353	11, 368	MP00548	266
M36740	309	MP00355	14	MP00549	288
M36741	309	MP00361	12	MP00550	267
M36784	309	MP00362	12	MP00551	267
M36785	309	MP00363	12, 368	MP00552	250, 267, 282
M36786	309	MP00365	17	MP00553	289
M36788	309	MP00366	17	MP00555	276, 292, 423
M36789	309	MP00371	17	MP00565	294
M36826	304	MP00372	17	MP00566	294
M36827	304	MP00373	13	MP00569	294
M36828	304	MP00374	18	MP00570	278
		MP00375	18	MP00578	279
		MP00378	23	MP00579	293
<b>MK</b> MK00514	276, 292, 342	MP00379	13	MP00580	279
MK01418	269	MP00380	15	MP00587	321, 427
MK01420	269	MP00381	15	MP00589	321, 427
MK01422	264	MP00383	15, 368	MP00591	320, 426
MK01900	109	MP00384	15	MP00592	320, 426
MK02588	105	MP00416	244, 254, 358, 361, 411	MP00593	320, 426
MK03140	264	MP00493	324, 428	MP00595	294
MK03320	264	MP00494	279	MP00596	294
MK04248	35	MP00495	293	MP00597	320, 426
		MP00496	279	MP00601	320, 426
<b>MP</b> MP00006	259, 414				

## INDEX BY ORDER NUMBER

MP00602	320, 426	MP00879	120, 175, 202	MP01074	92
MP00603	320, 426	MP00881	120, 175, 202	MP01075	92
MP00604	320, 426	MP00911	145, 193	MP01076	92
MP00605	320, 426	MP00912	145, 193	MP01078	92
MP00606	320, 426	MP00913	145, 193	MP01079	92
MP00607	320, 426	MP00915	145, 193	MP01085	92
MP00608	320, 426	MP00916	145, 193	MP01086	92
MP00615	321, 427	MP00917	145, 193	MP01087	92
MP00625	320, 426	MP00918	145, 193	MP01101	248, 249
MP00626	320, 426	MP00919	145, 193	MP01102	248, 249
MP00634	280, 284, 358	MP00921	145, 193	MP01103	248, 250
MP00635	280	MP00924	146, 194	MP01104	248
MP00636	280	MP00925	146, 194	MP01105	248
MP00637	280	MP00926	146, 194	MP01184	256
MP00646	273	MP00928	146, 194	MP01185	256
MP00650	317, 425	MP00929	146, 194	MP01200	242, 410
MP00651	317, 425	MP00930	146, 194	MP01203	333
MP00652	317, 425	MP00931	146, 194	MP01204	242, 410
MP00653	325	MP00932	146, 194	MP01325	24
MP00653	116, 150	MP00934	146, 194	MP01326	23
MP00656	279	MP00940	228	MP01327	25, 369
MP00657	279	MP00941	228	MP01328	25, 369
MP00658	293	MP00942	228	MP01329	26, 369
MP00659	293	MP00943	226	MP01330	26
MP00660	263, 426	MP00944	226	MP01340	25
MP00661	270, 417	MP00945	228	MP01341	25
MP00663	287	MP00953	144, 192	MP01343	26
MP00664	287	MP00989	143, 191	MP01347	24
MP00686	265	MP00990	209	MP01348	23
MP00687	265	MP00991	141, 189	MP01350	23
MP00689	265	MP00992	141, 189	MP01370	21
MP00690	322	MP00993	141, 189	MP01371	21
MP00692	325	MP00994	141, 189	MP01401	333, 335
MP00693	325	MP00995	141, 189	MP01402	340
MP00715	171, 406	MP00996	141, 189	MP01403	343
MP00716	171, 406	MP00997	141, 189, 403	MP01404	340
MP00717	171, 406	MP00998	141, 189, 403	MP01405	343
MP00718	171	MP00999	143, 191	MP01412	354
MP00721	116	MP01001	89, 399	MP01413	354
MP00721	143, 191	MP01002	87, 388	MP01414	356
MP00722	171	MP01006	89	MP01415	354
MP00744	223	MP01007	30, 43, 89	MP01416	354
MP00747	228	MP01008	87	MP01417	354
MP00748	188, 212	MP01010	91, 390	MP01418	354
MP00788	129, 178, 205	MP01030	91, 390	MP01419	344, 349, 351
MP00789	129, 178, 205, 401	MP01031	91	MP01423	331, 355
MP00790	130, 179, 205	MP01032	91, 390	MP01424	333, 335, 355
MP00791	130, 179, 205	MP01035	91	MP01426	331, 355
MP00792	130, 179, 347, 401	MP01036	91	MP01427	333, 355
MP00793	130, 179, 205	MP01037	91, 390	MP01440	357
MP00794	130, 179, 347, 401	MP01060	79	MP01441	357
MP00795	129, 178, 205	MP01061	81	MP01442	357
MP00796	129, 178, 205	MP01062	54	MP01443	357
MP00797	177	MP01062	166, 198	MP01444	357
MP00799	129, 178, 205	MP01063	54, 166, 198, 381	MP01445	357
MP00800	177	MP01071	92	MP01494	359, 364
MP00875	120, 175, 202	MP01072	92	MP01495	359, 364
MP00877	120, 175, 202	MP01073	92	MP01496	359, 364

## INDEX BY ORDER NUMBER

MP01501	67, 382	MP01620	60
MP01502	67, 382	MP01621	60
MP01503	67	MP01622	60
MP01504	67	MP01623	60
MP01505	67	MP01624	60
MP01506	67	MP01625	60
MP01510	68, 383	MP01656	83
MP01511	68, 383	MP01657	83
MP01512	68, 383	MP01663	84
MP01513	68	MP01664	84
MP01514	68	MP01665	84
MP01515	68	MP01671	57
MP01516	68	MP01673	84
MP01521	69, 383	MP01674	84
MP01522	69, 383	MP01676	83
MP01523	69	MP01677	83
MP01524	69	MP01682	84
MP01531	69, 383	MP01730	50
MP01532	69, 383	MP01735	50
MP01533	69	MP01740	50, 380
MP01534	69	MP01745	50, 380
MP01543	69	MP01755	48
MP01544	69	MP01765	48
MP01545	69	MP01770	48, 259
MP01546	69	MP01780	80
MP01551	72, 386	MP01781	80
MP01552	72	MP01785	49
MP01553	65, 367	MP01790	49, 259
MP01554	65, 367	MP01795	49
MP01555	65, 367	MP01800	47
MP01556	65, 367	MP01801	47
MP01557	71, 386	MP01805	47
MP01558	71	MP01810	47
MP01559	71, 386	MP01815	47
MP01560	71	MP01820	47, 380
MP01561	71, 386	MP01825	47, 380
MP01562	71	MP01840	56
MP01564	65	MP01845	56
MP01565	65	MP01850	56
MP01566	65	MP01855	56
MP01567	65	MP01860	56
MP01568	65	MP01880	341, 357
MP01569	65	MP01890	56
MP01570	59	MP01895	56
MP01571	59	MP01910	70, 341, 384
MP01572	59	MP01911	70, 341, 384
MP01573	59	MP01912	70
MP01574	59	MP01913	70
MP01575	59	MP01914	70
MP01576	64	MP01915	70
MP01577	64	MP01916	72, 386
MP01578	64	MP01917	72
MP01579	64	MP01920	73
MP01580	64	MP01921	73
MP01581	64	MP01922	75
MP01583	66	MP01923	75
MP01585	66	MP01924	74
MP01590	66, 72, 386	MP01925	74

MP01926	73
MP01927	77
MP01930	73
MP01931	73
MP01932	74
MP01933	74
MP01934	73
MP01935	75
MP01936	75
MP01940	77
MP01941	77
MP01942	77
MP01943	77
MP01944	77
MP01945	77
MP02201	143, 191
MP02260	358
MP02400	46
MP02401	46
MP02405	46
MP02425	31, 32, 33, 46, 345, 373, 374, 375, 379
MP02590	19, 371
MP02600	79
MP02605	20
MP02606	20
MP02607	20
MP02608	19, 370
MP02650	19, 370
MP02655	19, 371
MP02710	15, 368
MP02711	15
MP02712	15
MP02713	15
MP02720	17
MP02721	17
MP02900	70, 341, 384
MP02910	61
MP02911	61
MP02912	61
MP02913	61
MP02914	61
MP02915	61
MP02916	61
MP02917	61
MP02918	61
MP02920	76, 385
MP02921	76, 385
MP02922	76
MP02923	76
MP02924	76, 385
MP02925	76, 385
MP02926	76
MP02927	76
MP02928	76, 385
MP02929	76, 385
MP02930	76
MP02931	76

## INDEX BY ORDER NUMBER

MP02932	76, 385
MP02933	76, 385
MP02934	76
MP02935	76
MP02959	183
MP02960	183
MP02961	183
MP02962	183
MP02971	184
MP02972	184
MP02974	183
MP02975	183
MP02991	177
MP02992	177
MP02993	129, 178, 205
MP02997	184
MP02998	184
MP03120	175
MP03121	175
MP03122	120, 175, 202
MP03123	120, 175, 202
MP03191	131, 180
MP03192	131, 180, 401
MP03193	131, 180
MP03194	177
MP03196	177
MP03197	135, 186
MP03198	135, 186
MP03199	184
MP03200	184
MP03201	184
MP03202	184
MP03203	186
MP03211	275, 422
MP03220	268
MP03221	268, 419
MP03222	263
MP03223	263, 416
MP03230	283
MP03231	283
MP03232	283
MP03233	283
MP03300	257, 412
MP03301	257, 412
MP03302	257, 412
MP03303	257, 412
MP03304	259, 414
MP03305	258, 413
MP03306	258, 413
MP03307	258, 413
MP03308	259, 414
MP03309	259, 414
MP03322	256
MP03325	253, 411
MP03366	254, 411
MP03373	13
MP03374	13
MP03375	24

MP03376	13	MP04221	244, 361
MP03377	24	MP04229	244, 360
MP03381	18	MP04230	58
MP03383	18	MP04232	58
MP03384	18	MP04234	58
MP03388	24	MP04236	58
MP03401	121, 174, 201	MP04240	57
MP03402	121, 174, 201	MP04242	57
MP03403	121, 174, 201	MP04244	57
MP03404	121, 174, 201	MP04246	57
MP03405	121, 174, 201	MP04300	224
MP03406	121, 174, 201	MP04301	224
MP03407	174	MP04305	224
MP03408	174	MP04306	224
MP03411	122	MP04310	224
MP03412	122	MP04312	224
MP03413	122	MP04315	224
MP03414	122	MP04316	224
MP03415	122	MP04320	224
MP03416	122	MP04322	224
MP03417	122	MP04325	224
MP03418	122	MP04326	224
MP03421	201	MP04327	224
MP03422	201	MP04350	226
MP03423	201	MP04351	226
MP03424	201	MP04352	226
MP03425	201	MP04353	226
MP03426	201	MP04355	226
MP03587	279	MP04356	226
MP03589	279	MP04357	226
MP03597	293	MP04358	226
MP03700	359, 362	MP04359	226
MP03701	359, 362	MP04365	226
MP03702	359, 362	MP04366	226
MP03703	359, 362	MP04551	233, 407
MP03704	359, 362	MP04552	236, 409
MP03705	362	MP04553	237, 409
MP03730	329, 355	MP04554	234
MP03737	329, 354	MP04555	235
MP03760	353	MP04556	239
MP03770	353	MP04557	235
MP03771	353	MP04558	233
MP03772	353	MP04559	240
MP03826	359, 362	MP04560	235, 408
MP03880	359, 365	MP04561	233
MP03881	359, 365	MP04562	240
MP03882	359, 365	MP04563	234
MP03883	359, 365	MP04564	240
MP03884	359, 365	MP04565	234
MP03885	359, 365	MP04566	234
MP04110	249	MP04567	239, 409
MP04200	244, 360	MP04568	241
MP04201	244	MP04569	235, 408
MP04202	244	MP04570	237
MP04203	244, 360	MP04571	234
MP04204	244, 360	MP04572	240
MP04218	244, 361	MP04573	236
MP04219	244, 361	MP04575	236

## INDEX BY ORDER NUMBER

MP04576	237	MS14693	173	MS23897	196
MP04577	238	MS14694	173	MS23898	196
MP04578	238	MS14796	162	MS24303	128, 205, 400
MP04579	238	MS15007	164	MS25836	199
MP04580	237	MS15053	164	MS25951	176
MP04581	241	MS15084	164	MS26122	148
MP04701	64	MS15085	164	MS26123	148
MP04702	64	MS15086	164	MS26125	148
MP04703	64	MS15087	164	MS26187	169
MP04704	64	MS15893	148	MS26188	169
MP04705	64	MS15894	149	MS28557	118, 173
MP04706	64	MS15895	149	MS28558	118, 173
MP04711	62	MS15896	149	MS28559	118, 173
MP04712	62	MS16160	119	MS28560	118, 173
MP04713	62	MS16161	119	MS28561	118, 173
MP04714	62	MS16229	119	MS29468	163
MP04721	62	MS16230	119	MS31435	176
MP04722	62	MS16232	119	MS32146	199
MP04723	62	MS16233	119	MS32150	199
MP04724	62	MS16256	124, 176, 203	MS32151	199
MP04731	62	MS16444	126, 204	MS32153	199
MP04732	62	MS16445	126, 204	MS32154	199
MP04733	62	MS16446	127, 399	MS32156	199
MP04734	62	MS16447	127, 399	MS32282	159
MP04741	63	MS16448	126, 204	MS32289	199
MP04742	63	MS16449	126, 204	MS32290	199
MP04743	63	MS16492	124	MS32291	199
MP04744	63	MS16734	159	MS32318	199
MP04751	63	MS16916	159	MS33239	191
MP04752	63	MS16918	159	MS33726	133, 181, 206
MP04753	63	MS16919	159	MS33727	133, 181, 206
MP04754	63	MS16920	159	MS33728	133, 181, 206
MP05405	243	MS17075	148	MS33729	133, 181, 401
MP05406	243	MS17185	118, 173	MS33730	133, 181, 401
MP05407	243	MS17330	125, 128, 136, 204, 208, 398	MS33731	132, 206, 400
MP05408	243			MS33732	132, 206, 400
MP05409	243	MS17441	159	MS33733	132, 400
MP05507	78	MS17522	128, 205, 400	MS33736	181
MP05508	78	MS18683	125, 128, 136, 204, 208, 398	MS33737	181
MP05511	78			MS33738	181
MP05512	78	MS20093	115	MS33739	181
MP05513	78	MS20094	115	MS33740	133, 182, 206
MP05601	78	MS20475	173	MS33741	133, 182, 206
MP05700	82	MS20476	173		
MP05701	82	MS20725	150, 196	MU MU03876	334, 336, 344, 349, 351
MP05750	50	MS20783	196	MU04366	344, 349, 351
		MS20979	188, 212	MU04472	345, 349, 351
MS MS13218	164	MS22147	151, 196	MU04771	349
MS13235	126, 204	MS22148	151, 196	MU04804	349
MS14555	117, 172, 200	MS22259	166, 198	MU04991	349
MS14556	117, 172, 200	MS22532	151, 159, 196	MU06008	345, 350, 352
MS14559	117, 172, 200	MS22533	151, 196	MU06011	344, 350, 352
MS14560	117, 172, 200	MS22534	151, 196	MU06570	336, 344, 349, 351
MS14679	124, 176, 203	MS22535	151, 196	MU06933	343, 344, 349, 351
MS14680	124, 176, 203	MS22832	176	MU06943	356
MS14681	124	MS22905	209	MU06944	356
MS14682	117, 172, 200	MS23133	159	MU06951	343, 344, 349, 351
MS14683	117, 172, 200	MS23598	152	MU10841	341

## INDEX BY ORDER NUMBER

MU10900	341	MX03319	94, 392
MU10902	342	MX03320	94, 392
MU10916	342	MX03321	94
MU10917	342	MX03322	94
MU10918	334, 336, 342	MX03323	94
MU11225	340	MX03324	94, 392
MU11228	340	MX03325	94, 392
MU12504	334, 336	MX03326	94
MU12533	335	MX03327	93, 94
MU12551	335	MX03328	94, 392
MU12609	334, 336	MX03329	94, 392
MU16052	350, 352	MX03330	94
MU17191	336	MX03331	94, 392
MU21120	334, 336	MX10209	103
MU24401	345	MX11000	329, 331, 337
MU24402	345	MX11001	329, 331, 337
MU24403	346	MX17012	331
MU24404	346	MX17015	330, 332
MU24405	346	MX17018	330, 332
MU24406	346	MX22790	258, 413
MU24407	346	MX22793	258, 413
MU24408	346	MX23023	275, 422
MU24685	346	MX23025	275, 422
MU24686	347	MX23026	275, 422
MU24688	347	MX37021	284
MU24903	334, 336	MX50004	103
MU25381	348	MX50028	94
MU25382	348	MX50050	103
MU25383	348	MX50052	94, 392
MU25384	348	MX50053	94
MU25426	345	MX50054	94
MU26041	333	MX50065	138, 188, 208
MU26042	333	MX50066	138, 188, 208
		MX50067	138, 188, 399
		MX50068	138, 188, 208, 399
MX MX00001	103	MX50069	139
MX00004	103	MX50070	139, 212
MX00013	105	MX50071	138, 138, 208
MX01004	137, 212	MX50090	105
MX01005	137, 212	MX50100	103
MX01049	111	MX50115	105
MX01050	111, 332	MX50120	103
MX03300	93		
MX03301	93		
MX03302	93, 391		
MX03303	93, 391		
MX03304	93		
MX03305	93		
MX03306	93		
MX03307	93, 391		
MX03308	93, 391		
MX03309	93		
MX03311	93		
MX03312	93, 391		
MX03313	93		
MX03314	93, 391		
MX03316	93, 391		
MX03317	94		
MX03318	94		

## INDEX BY PRODUCT NAME

1	1.5 m spiral hose and M12×1 screw connector	2M86291	98	Adapter for Resutator 2000/MR-100	2120461	98, 394
	1.5 m spiral hose and probe for central supply system	2M86292	98	Adapter N <sub>2</sub> O NF/NIST	M35337	311
3	3.0 m spiral hose and probe for central supply system	2M86293	98	Adapter N <sub>2</sub> O NIST/DIN	M32494	311
				Adapter N <sub>2</sub> O NIST/DIN	M35057	311
A	Absorber adapter CLIC, for Dräger anesthesia workstations	MX50090	105	Adapter N <sub>2</sub> O, DISS-NIST	M34876	311
	Absorber intermediate plate, to connect adapter to Cato, Cicero, or Fabius	MX00013	105	Adapter NIST to DIN CS-Coupling AIR	M35058	252, 311
	Adapter 9/16" to M34×1.5 for Dräger reusable humidifier	MP03325	253, 411	Adapter NIST to DIN CS-Coupling O <sub>2</sub>	M35056	252, 311
	Adapter AIR NF/NIST	M35338	311	Adapter O <sub>2</sub> NF/NIST	M35336	311
	Adapter AIR NIST/DIN	M32495	311	Adapter O <sub>2</sub> NIST/DIN	M32493	311
	Adapter AIR-O <sub>2</sub> /O <sub>2</sub> NIST/DIN	M36042	311	Adapter O <sub>2</sub> , DISS-NIST	M34875	311
	Adapter AIR, DISS-NIST	M34877	311	Adapter VAC NIST/DIN	M32496	311
	Adapter AIR/O <sub>2</sub> NIST/DIN	M32497	311	Adapter VAC, DISS-NIST	M34878	311
	Adapter cable for Infinity® PiCCO SmartPod®, for 10-pin connector	MS16920	159	Adapter WaterLock® 2, set of 6 pcs.	6872128	170
	Adapter cable RD-SET to LNCS	MS33732	132, 206, 400	Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16"	MP03366	254, 411
	Adapter cable RD-SET to LNOP	MS33731	132, 206, 400	Adapter, for disposable sterilized water systems to O <sub>2</sub> flowmeters, M34×1.5 to 9/16"	2M86680	254, 411
	Adapter cable RD-SET to MultiMed®	MS33733	132, 400	Adapter, to connect Dräger humidifier to mixing block, M15×1 to M34×1.5	2M85853	253
	Adapter cable, 7-pin connector for temperature probe with ¼" connector	5198333	141	Adapter, to connect e.g a tube or nasal cannula to AIR flowmeter, M32×1.5 to 6 mm nozzle	2M85575	253
	Adapter DISS M/QC-AIR-Chemetron	4119066	310	Adapter, to connect e.g a tube or nasal cannula to O <sub>2</sub> flowmeter, M34×1.5 to 6 mm nozzle	M06258	253, 411
	Adapter DISS M/QC-AIR-Ohmeda	4119071	310	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416	244, 254, 358, 361, 411
	Adapter DISS M/QC-AIR-Pur Ben	4119076	310	Adhesive Pad LNCS/M-LNCS TF-I, 20 pcs.	MP03198	135, 186
	Adapter DISS M/QC-AIR-Schrader	4119081	310	Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.	8201012	137, 399
	Adapter DISS M/QC-EVAC-Chemetron	4119069	310	Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs.	2170221	137
	Adapter DISS M/QC-EVAC-Ohmeda	4119074	310	Aerogen Solo Starter Kit, ES, IT, PT, GR, TK	MP01073	92
	Adapter DISS M/QC-EVAC-Pur Ben	4119079	310	Aerogen Solo Starter Kit, FR, NL, IT, GE	MP01072	92
	Adapter DISS M/QC-N <sub>2</sub> O-Chemetron	4119065	310	Aerogen Solo Starter Kit, Int.	MP01071	92
	Adapter DISS M/QC-N <sub>2</sub> O-Ohmeda	4119070	310	Aerogen Solo Starter Kit, SW, NO, FI, DK	MP01074	92
	Adapter DISS M/QC-N <sub>2</sub> O-Pur Ben	4119075	310	Aerogen Solo Starter Kit, UK	MP01075	92
	Adapter DISS M/QC-N <sub>2</sub> O-Schrader	4119080	310	Aerogen Solo Starter Kit, US	MP01076	92
	Adapter DISS M/QC-O <sub>2</sub> -Chemetron	4119068	310	AIR compact flowmeter, Carbamed CS, 1 – 15 L/min, 6 mm nozzle	MP05409	243
	Adapter DISS M/QC-O <sub>2</sub> -Ohmeda	4119073	310	AIR compact flowmeter, DIN CS, 1 – 15 L/min, 6 mm nozzle	MP05408	243
	Adapter DISS M/QC-O <sub>2</sub> -Pur Ben	4119078	310	AIR compact flowmeter, DIN CS, 1 – 15 L/min, 9/16"	MP05407	243
	Adapter DISS M/QC-O <sub>2</sub> -Schrader	4119083	310	AIR CS hose 0.9 m (2.95 ft) NF EN NF	M36724	298
	Adapter DISS M/QC-VAC-Chemetron	4119067	310	AIR CS hose 0.9 m (2.95 ft) NIST EN BS	M36727	299
	Adapter DISS M/QC-VAC-Ohmeda	4119072	310			
	Adapter DISS M/QC-VAC-Pur Ben	4119077	310			
	Adapter DISS M/QC-VAC-Schrader	4119082	310			
	Adapter for AIR flowmeter (M32×1.5)	MP01185	256			
Adapter for Ambu Mark III	2120488	98				
Adapter for Combibag	2M86913	98				
Adapter for Laerdal	2120496	98				
Adapter for Laerdal	5790124	98				
Adapter for O <sub>2</sub> flowmeter (M34×1.5)	MP01184	256				
Adapter for Oxidem for M12×1 (for existing hose systems)	8410547	98				

## INDEX BY PRODUCT NAME

AIR CS hose 0.9 m (2.95 ft)			
NIST EN DIN	M36730	295	
AIR CS hose 0.9 m (2.95 ft)			
NIST GB DIN	M36786	309	
AIR CS hose 1.5 m (4.9 ft)			
DISS US KAWA	M35803	305	
AIR CS hose 1.5 m (4.9 ft)			
DISSB EN HAND	M36296	308	
AIR CS hose 1.5 m (4.9 ft)			
NF EN NF	M35429	298	
AIR CS hose 1.5 m (4.9 ft)			
NIST BS straight	M35402	300	
AIR CS hose 1.5 m (4.9 ft)			
NIST EN AS	M36150	304	
AIR CS hose 1.5 m (4.9 ft)			
NIST EN BS	M35393	299	
AIR CS hose 1.5 m (4.9 ft)			
NIST EN Carba	M35475	302	
AIR CS hose 1.5 m (4.9 ft)			
NIST EN DIN	M35495	295	
AIR CS hose 1.5 m (4.9 ft)			
NIST EN NF	M35420	297	
AIR CS hose 1.5 m (4.9 ft)			
NIST EN SS	M35383	301	
AIR CS hose 1.5 m (4.9 ft)			
NIST EN UNI	M35411	303	
AIR CS hose 1.5 m (4.9 ft)			
NIST NEUTRAL DIN	M36010	296, 309	
AIR CS hose 1.5 m (4.9 ft)			
NIST NEUTRAL NF	M35452	297	
AIR CS hose 3 m (9.8 ft)			
DISS US KAWA	M35802	305	
AIR CS hose 3 m (9.8 ft)			
DISSB EN HAND	M36297	308	
AIR CS hose 3 m (9.8 ft)			
NF EN NF	M35430	298	
AIR CS hose 3 m (9.8 ft)			
NIST BS straight	M35403	300	
AIR CS hose 3 m (9.8 ft)			
NIST EN AS	M36149	304	
AIR CS hose 3 m (9.8 ft)			
NIST EN BS	M35394	299	
AIR CS hose 3 m (9.8 ft)			
NIST EN Carba	M35476	302	
AIR CS hose 3 m (9.8 ft)			
NIST EN DIN	M35496	295	
AIR CS hose 3 m (9.8 ft)			
NIST EN NF	M35421	297	
AIR CS hose 3 m (9.8 ft)			
NIST EN SS	M35384	301	
AIR CS hose 3 m (9.8 ft)			
NIST EN UNI	M35412	303	
AIR CS hose 3 m (9.8 ft)			
NIST GB BS	M36736	309	
AIR CS hose 3 m (9.8 ft)			
NIST NEUTRAL DIN	M36011	296, 309	
AIR CS hose 3 m (9.8 ft)			
NIST NEUTRAL NF	M35453	297	
AIR CS hose 5 m (16.4 ft)			
DISS US KAWA	M35801	305	
AIR CS hose 5 m (16.4 ft)			
DISSB EN HAND	M36298	308	
AIR CS hose 5 m (16.4 ft)			
NF EN NF	M35343	298	
AIR CS hose 5 m (16.4 ft)			
NIST BS straight	M35340	300	
AIR CS hose 5 m (16.4 ft)			
NIST EN AS	M36148	304	
AIR CS hose 5 m (16.4 ft)			
NIST EN BS	M35335	299	
AIR CS hose 5 m (16.4 ft)			
NIST EN Carba	M35346	302	
AIR CS hose 5 m (16.4 ft)			
NIST EN DIN	M35497	295	
AIR CS hose 5 m (16.4 ft)			
NIST EN NF	M35332	297	
AIR CS hose 5 m (16.4 ft)			
NIST EN SS	M35385	301	
AIR CS hose 5 m (16.4 ft)			
NIST EN UNI	M35358	303	
AIR CS hose 5 m (16.4 ft)			
NIST GB BS	M36737	309	
AIR CS hose 5 m (16.4 ft)			
NIST NEUTRAL DIN	M36012	296, 309	
AIR CS hose 5 m (16.4 ft)			
NIST NEUTRAL NF	M35454	297	
AIR CS hose 8 m (26,25 ft)			
DISS US KAWA	M35865	305	
AIR flowmeter, 16 L/min, CS,			
CARBA, ISO, M32×1.5	MP04564	240	
AIR flowmeter, 16 L/min, CS,			
DIN, ISO and neutral color, M32×1.5	MP04559	240	
AIR flowmeter, 16 L/min, CS,			
long cs plug (6 cm; 2.4 in), DIN,			
ISO and neutral color, M32×1.5	MP04562	240	
AIR flowmeter, 16 L/min, rail,			
NIST, M32×1.5	MP04568	241	
AIR flowmeter, 32 L/min, CS, DIN,			
ISO and neutral color, M32×1.5	MP04572	240	
AIR flowmeter, 32 L/min, rail,			
NIST, M32×1.5	MP04581	241	
Air intake filter for Caleo® and			
Babyleo TN500, reusable, 20 pcs.	MX17015	330, 332	
Air intake filter for Isolette® C2000,			
8000 and 8000 plus,			
reusable, 4 pcs.	MU12504	334, 336	
Air intake filter for TI 500 and			
TI 500 Globe-Trotter,			
reusable, 6 pcs.	MU04472	345, 349, 351	
AIR/O <sub>2</sub> CS hose 1.5 m (4.9 ft)			
NIST EN DIN	M36001	295	
AIR/O <sub>2</sub> CS hose 1.5 m (4.9 ft)			
NIST NEUTRAL DIN	M36016	296	
AIR/O <sub>2</sub> CS hose 3 m (9.8 ft)			
NIST EN DIN	M36002	295	
AIR/O <sub>2</sub> CS hose 3 m (9.8 ft)			
NIST NEUTRAL DIN	M36017	296	

## INDEX BY PRODUCT NAME

AIR/O <sub>2</sub> CS hose 5 m (16.4 ft)			
NIST EN DIN	M36003	295	
AIR/O <sub>2</sub> CS hose 5 m (16.4 ft)			
NIST NEUTRAL DIN	M36018	296	
Airway connector ErgoStar® AC 90,			
disposable, double-swivel elbow			
w/ double cap, 100 pcs.	MP01890	56	
Airway connector ErgoStar® AC 95,			
disposable, w/ Luer Lock			
sampling port, 100 pcs.	MP01895	56	
Anesthesia mask ComfortStar®,			
disposable, hook rg, bubblg.,			
size 1, neo., 20 pcs.	MP01531	69, 383	
Anesthesia mask ComfortStar®,			
disposable, hook rg, bubblg.,			
size 2, baby, 20 pcs.	MP01532	69, 383	
Anesthesia mask ComfortStar®,			
disposable, hook rg, bubblg.,			
size 3, inf., 20 pcs.	MP01533	69	
Anesthesia mask ComfortStar®,			
disposable, hook rg, bubblg.,			
size 4, adt. S, 20 pcs.	MP01534	69	
Anesthesia mask ComfortStar®,			
disposable, hook rg, mint,			
size 3, inf., 20 pcs.	MP01543	69	
Anesthesia mask ComfortStar®,			
disposable, hook rg, mint,			
size 4, adult S, 20 pcs.	MP01544	69	
Anesthesia mask ComfortStar®,			
disposable, hook rg, mint,			
size 5, adult M, 20 pcs.	MP01545	69	
Anesthesia mask ComfortStar®,			
disposable, hook rg, mint,			
size 6, adult L, 20 pcs.	MP01546	69	
Anesthesia mask ComfortStar®,			
disposable, hook rg, std.,			
size 0, premat., 20 pcs.	MP01510	68, 383	
Anesthesia mask ComfortStar®,			
disposable, hook rg, std.,			
size 1, neo., 20 pcs.	MP01511	68, 383	
Anesthesia mask ComfortStar®,			
disposable, hook rg, std.,			
size 2, baby, 20 pcs.	MP01512	68, 383	
Anesthesia mask ComfortStar®,			
disposable, hook rg, std.,			
size 3, inf., 20 pcs.	MP01513	68	
Anesthesia mask ComfortStar®,			
disposable, hook rg, std.,			
size 4, adt. S, 20 pcs.	MP01514	68	
Anesthesia mask ComfortStar®,			
disposable, hook rg, std.,			
size 5, adt. M, 20 pcs.	MP01515	68	
Anesthesia mask ComfortStar®,			
disposable, hook rg, std.,			
size 6, adt. L, 20 pcs.	MP01516	68	
Anesthesia mask ComfortStar®,			
disposable, hook rg, strawb.,			
size 1, neo., 20 pcs.	MP01521	69, 383	
Anesthesia mask ComfortStar®,			
disposable, hook rg, strawb.,			
size 2, baby, 20 pcs.	MP01522	69, 383	
Anesthesia mask ComfortStar®,			
disposable, hook rg, strawb.,			
size 3, inf., 20 pcs.	MP01523	69	
Anesthesia mask ComfortStar®,			
disposable, hook rg, strawb.,			
size 4, adt. S, 20 pcs.	MP01524	69	
Anesthesia mask LiteStar®,			
disposable, w/o hook ring,			
size 1, premat., 30 pcs.	MP01501	67, 382	
Anesthesia mask LiteStar®,			
disposable, w/o hook ring,			
size 2, baby, 30 pcs.	MP01502	67, 382	
Anesthesia mask LiteStar®,			
disposable, w/o hook ring,			
size 3, infant, 30 pcs.	MP01503	67	
Anesthesia mask LiteStar®,			
disposable, w/o hook ring,			
size 4, adult S, 30 pcs.	MP01504	67	
Anesthesia mask LiteStar®,			
disposable, w/o hook ring,			
size 5, adult M, 30 pcs.	MP01505	67	
Anesthesia mask LiteStar®,			
disposable, w/o hook ring,			
size 6, adult L, 30 pcs.	MP01506	67	
Anesthesia set Infinity® ID,			
disposable, coaxial, water trap,			
2 L, 2.1/1.2 m, 10 pcs.	MP03388	24	
Anesthesia set VentStar, disposable,			
coaxial, 2 L, 1.9 m/1.2 m, 10 pcs.	MP03384	18	
Anesthesia set VentStar, disposable,			
coaxial, 2 L, 2.3 m/1.2 m, 10 pcs.	MP03383	18	
Anesthesia set VentStar®,			
disposable, basic, 2 L,			
1.8 m/1.5 m, 25 pcs.	MP00365	17	
Anesthesia set VentStar®,			
disposable, basic, 2 L,			
2.5 m/1.5 m, 10 pcs.	MP00366	17	
Anesthesia set VentStar®,			
disposable, coaxial, water trap,			
2 L, 2.1/1.2 m, 10 pcs.	MP03381	18	
Anesthesia set VentStar®,			
disposable, N,			
1.8 m/1.1 m, 25 pcs.	MP00333	16, 368	
Anesthesia set VentStar®,			
disposable, P, w/o Luer Lock,			
1.5 m/1.1 m, 25 pcs.	MP00331	16	
Anesthesia set VentStar®,			
disposable, P, WT, 1 L,			
1.8 m/1.1 m, 10 pcs.	MP00374	18	
Anesthesia set VentStar®,			
disposable, P, WT, w/o LL,			
1 L, 1.8 m/1.1 m, 10 pcs.	MP00375	18	
Anesthesia set VentStar®,			
disposable, w/o Luer Lock,			
1.8 m/0.8 m, 25 pcs.	MP00330	16	

## INDEX BY PRODUCT NAME

Anesthesia set VentStar®, disposable, WT, 2 L, 1.8 m/1.5 m, 10 pcs.	MP00372	17
Anesthesia set VentStar®, disposable, WT, 2 L, 2.8 m/1.5 m, 10 pcs.	MP02721	17
Anesthesia set VentStar®, disposable, WT, w/o LL, 2 L, 1.8 m/1.5 m, 10 pcs.	MP00371	17
Anesthesia set VentStar®, disposable, WT, w/o LL, 2 L, 2.8 m/1.5 m, 10 pcs.	MP02720	17
Anesthesia set, disposable, basic, 1.5 m/0.8 m, 25 pcs.	MP00301	16
Anesthesia set, disposable, extendable, 1.8 m/0.8 m, 25 pcs.	MP00303	16
Angle Socket ISO	8290274	28
Automatic refilling set Tropic 2.0, for large sterile water containers	MP03304	259, 414
<b>B</b> BabyFlow plus, disposable, size L, 20 pcs.	MP03702	359, 362
BabyFlow plus, disposable, size M, 20 pcs.	MP03701	359, 362
BabyFlow plus, disposable, size S, 20 pcs.	MP03700	359, 362
Bacteria filter IBF absorber, only use with Zeus®/Zeus® IE, 5 pcs.	MK02588	105
Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs.	MP00555	276, 292, 423
Bacterial filter 767, disposable, for ejectors (model range until 2010)	CH00102	276, 292
Bacterial filter 767, for ejectors (model range until 2010), 5 pcs.	6723976	276, 292, 423
Bacterial filter disposable, 20 pcs.	MK00514	276, 292, 342
Bacterial filter for Dräger patient monitors, disposable	8402868	82
Bacterial filter, disposable, for Evac 40, 10 pcs.	MX37021	284
Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves	M26146	317, 425
Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters	M26145	317, 425
Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters	M25121	317, 425
Battery grip, adult, 2.5 V, 28 mm Ø	MX03301	93
Battery grip, pediatric, 2.5 V, 19 mm Ø	MX03314	93, 391
Battery, 12 V, rechargeable	MU16052	350, 352
Battery, adult, 2.5 V	MX03327	93, 94
Bed clip for cables	MS15087	164
BIS cable	MP00744	223
Blade size 0 (Mac), reusable, 79 × 13 mm	MX03302	93, 391

Blade size 0 (Miller), reusable, 77 × 11 mm	MX03307	93, 391
Blade size 1 (Mac), reusable, 93 × 20 mm	MX03303	93, 391
Blade size 1 (Miller), reusable, 102 × 11 mm	MX03308	93, 391
Blade size 2 (Mac), reusable, 112 × 20 mm	MX03304	93
Blade size 2 (Miller), reusable, 153 × 13 mm	MX03309	93
Blade size 3 (Mac), reusable, 130 × 23 mm	MX03305	93
Blade size 4 (Mac), reusable, 150 × 25 mm	MX03306	93
Block for EEG referential lead conversion	5954859	163
BlueSet Anesthesia (N)	M27542	36, 376
BlueSet Anesthesia (P/A)	M30146	34
BlueSet Anesthesia water trap (P/A)	MK04248	35
BlueSet heated (N)	8414987	31, 373
BlueSet heated (P/A)	8414986	30
BlueSet heated HFV (N)	8411153	32, 374
BlueSet heated Incubator (N)	8411041	33, 375
BlueSet Ventilation (N)	8412344	27, 372
BlueSet Ventilation (P/A)	8413146	28
BlueSet Ventilation HME (P/A)	8412860	29
Breathing bag set Infinity® ID, disposable, 2 L, 1.2 m, 25 pcs.	MP00341	26
Breathing bag set Infinity® ID, disposable, 2 L, 1.5 m, 25 pcs.	MP01330	26
Breathing bag set Infinity® ID, disposable, N, 0.5 L, 1.1 m, 25 pcs.	MP01329	26, 369
Breathing bag set Infinity® ID, disposable, P, 1 L, 1.1 m, 25 pcs.	MP01343	26
Breathing bag set VentStar®, disposable, 2 L, 0.8 m, 25 pcs.	MP00222	15
Breathing bag set VentStar®, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00380	15
Breathing bag set VentStar®, disposable, 2 L, 1.5 m, 25 pcs.	MP00381	15
Breathing bag set VentStar®, disposable, N, 0.5 L, 1.1 m, 25 pcs.	MP00383	15, 368
Breathing bag set VentStar®, disposable, P, 1 L, 1.1 m, 25 pcs.	MP00384	15
Breathing bag, silicone, reusable, 0.5 L	2166054	36, 45, 376, 379
Breathing bag, silicone, reusable, 1.5 L	2166127	45, 379
Breathing bag, silicone, reusable, 2.3 L	2166062	34, 35, 45
Breathing bag, silicone, reusable, 3 L	2166070	45
Breathing circuit Fisher & Paykel RT212, disposable, inspiratory heated, 10 pcs.	8414991	20

## INDEX BY PRODUCT NAME

Breathing circuit Fisher & Paykel RT225, disposable, N, inspiratory heated, 10 pcs.	8414994	20, 370
Breathing circuit for Oxylog 1000 VentStar®, disposable, 1.8 m, 25 pcs. set	2M86837	21
Breathing circuit for Oxylog 2000 VentStar®, disposable, 1.8 m, 5 pcs. set	2M86841	21
Breathing circuit for Resuscitaire VentStar®, disposable, N, 1 m, 25 pcs.	MP00310	341, 368
Breathing circuit for Resuscitaire VentStar®, disposable, N, press. meas. line, 1 m, 25 pcs.	MP00311	341, 368
Breathing circuit Infinity® ID, disposable, basic, 1.8 m, 25 pcs.	MP01350	23
Breathing circuit Infinity® ID, disposable, basic, 2.5 m, 10 pcs.	MP01348	23
Breathing circuit Infinity® ID, disposable, coaxial, 1.9 m, 20 pcs.	MP03375	24
Breathing circuit Infinity® ID, disposable, coaxial, 2.3 m, 20 pcs.	MP03377	24
Breathing circuit Infinity® ID, disposable, extendable, 2.2 m, 25 pcs.	MP01347	24
Breathing circuit Infinity® ID, disposable, N, basic, 1.8 m, 25 pcs.	MP01327	25, 369
Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs.	MP00343	20, 370
Breathing circuit Infinity® ID, disposable, N, water trap, 1.8 m, 25 pcs.	MP01328	25, 369
Breathing circuit Infinity® ID, disposable, P, basic, 1.8 m, 25 pcs.	MP01340	25
Breathing circuit Infinity® ID, disposable, P, water trap, 1.8 m, 25 pcs.	MP01341	25
Breathing circuit Infinity® ID, disposable, smoothbore, 1.6 m, 25 pcs.	MP00340	23
Breathing circuit Infinity® ID, disposable, smoothbore, 3 m, 10 pcs.	MP01325	24
Breathing circuit Infinity® ID, disposable, water trap, 1.8 m, 25 pcs.	MP01326	23
Breathing circuit Infinity® ID, disposable, water trap, 2.1 m, 10 pcs.	MP00378	23
Breathing circuit Oxylog 3000, 3000+ VentStar®, disposable, P, 1.9 m, 5 pcs., Oxylog 3000: ≥ SW 1.20	5704964	21
Breathing circuit Oxylog VE300, VentStar®, disposable, 3 m, 5 pcs.	MP01371	21

Breathing circuit Vent Set, disposable, basic, 1.5 m, 25 pcs.	MP00300	11
Breathing circuit Vent Set, disposable, extendable, 1.8 m, 25 pcs.	MP00305	14
Breathing circuit VentStar® Carina® ExpV, disposable, 1.5 m, 25 pcs.	MP00313	22
Breathing circuit VentStar® Carina® ExpV, disposable, 2 m, 25 pcs.	5704962	22
Breathing circuit VentStar® Carina® LeakV, disposable, 1.5 m, 25 pcs.	MP00312	22
Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs.	MP02650	19, 370
Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs.	MP02608	19, 370
Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 1.5 m (4.92 ft), 5 pcs., for Oxylog VE300 only with Option Plus	5703041	21
Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 3 m (9.8 ft), 5 pcs., for Oxylog VE300 only with Option Plus	MP00335	21
Breathing circuit VentStar® Oxylog VE300, disposable, 1.5 m, 5 pcs.	MP01370	21
Breathing circuit VentStar®, disposable, basic, 1.8 m, 25 pcs.	MP00349	11
Breathing circuit VentStar®, disposable, basic, 2.5 m, 10 pcs.	MP00350	11
Breathing circuit VentStar®, disposable, coaxial, 1.7 m, 20 pcs.	MP03373	13
Breathing circuit VentStar®, disposable, coaxial, 1.9 m, 20 pcs.	MP03374	13
Breathing circuit VentStar®, disposable, coaxial, 2.3 m, 20 pcs.	MP03376	13
Breathing circuit VentStar®, disposable, coaxial, water trap, 2.1 m, 10 pcs.	MP00373	13
Breathing circuit VentStar®, disposable, extendable, 2.2 m, 25 pcs.	MP00355	14
Breathing circuit VentStar®, disposable, N, basic, 1.8 m, 25 pcs.	MP00353	11, 368
Breathing circuit VentStar®, disposable, N, heated, 1.2 m, 10 pcs.	MP00308	19, 370
Breathing circuit VentStar®, disposable, N, heated, w/o chamber, 1.2 m, 10 pcs.	MP00309	19, 370
Breathing circuit VentStar®, disposable, N, MRI, 3 m, 10 pcs.	MP00329	14, 368



## INDEX BY PRODUCT NAME

Breathing circuit VentStar®, disposable, N, water trap, 1.8 m, 25 pcs.	MP00363	12, 368	Breathing hose, silicone, reusable, N, 50 cm, Ø 10 mm	8418458	33, 375
Breathing circuit VentStar®, disposable, P, basic, 1.8 m, 25 pcs.	MP00351	11	Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651	31, 33, 41, 373, 375, 377
Breathing circuit VentStar®, disposable, P, basic, 2.5 m, 25 pcs.	MP00352	11	Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678	36, 40, 376
Breathing circuit VentStar®, disposable, P, basic, w/o LL, 1.5 m, 25 pcs.	MP00338	11	Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961	36, 41, 376, 377
Breathing circuit VentStar®, disposable, P, coaxial, 1.5 m, 20 pcs.	MP00379	13	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856	27, 31, 41, 372, 373, 377
Breathing circuit VentStar®, disposable, P, water trap, 1.8 m, 25 pcs.	MP00361	12	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848	27, 31, 40, 372, 373, 377
Breathing circuit VentStar®, disposable, P, water trap, w/o LL, 1.8 m, 25 pcs.	MP00362	12	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821	27, 31, 41, 372, 373, 377
Breathing circuit VentStar®, disposable, smoothbore, for MRI, 3 m, 10 pcs.	MP00327	14	Breathing hose, silicone, reusable, P/N, 1 m, Ø 10 mm	8403080	33, 375
Breathing circuit VentStar®, disposable, water trap, 1.8 m, 25 pcs.	MP00337	12	Breathing hose, silicone, reusable, P/N, 35 cm, Ø 10 mm	8403070	33, 375
Breathing circuit VentStar®, disposable, water trap, w/o LL, 1.8 m, 25 pcs.	MP00334	12	<b>C Cable holder for rail, 10 pcs.,</b>	<b>G15225</b>	<b>319</b>
Breathing hose for breathing bag, disposable, 15 mm, 25 pcs.	MU10900	341	Cable holder for support pole, 4 pcs.	G13171	319
Breathing hose for Oxylog® 1000, reusable, silicone, 3 m	2112760	38	Calibration gas, for tpO <sub>2</sub> /tcCO <sub>2</sub> , 20,9% O <sub>2</sub> and 5% CO <sub>2</sub> , 12 pcs.	MP00717	171, 406
Breathing hose for Resuscitaire® with AutoBreath, disposable, 25 pcs.	MU10841	341	Calibration kit MultiGas, incl. bottle, regulator, reservoir bag	5207415	170
Breathing hose for TI 500 Globe-Trotter, disposable, 20 pcs.	MU04771	349	Calibration set, with test connection and test gas cylinder	8412710	166, 198
Breathing hose holder for Babytherm®, neonatal, for 10 mm breathing hose	2M21191	338	Canister opener, for canisters MX00001 and MX50050, 5 pcs.	MX10209	103
Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow meas. line, 3 m	8412913	38	Cap BabyFlow, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	8418536	359, 366
Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow meas. line, 1.5 m	8412068	38	Cap BabyFlow, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	8418535	359, 366
Breathing hose, Hytrel, 40 cm	8410816	32, 374	Cap BabyFlow, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	8418534	359, 366
Breathing hose, Hytrel, 65 cm	8410814	32, 374	Cap BabyFlow, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	8418537	359, 366
Breathing hose, Hytrel, 70 cm	8418404	32, 374	Cap BabyFlow, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	8418533	359, 366
Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038	30, 34, 35, 39	Cap BabyFlow, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	8418538	359, 366
Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046	29, 34, 37, 38, 39	Cap BabyFlow, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	8418539	359, 366
Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	2165619	28, 30, 39			
Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2165627	28, 30, 35, 39			

## INDEX BY PRODUCT NAME

Cap for VarioAir® + VarioVac® T, bw	MP00659	293	Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119	274, 317, 424
Cap for VarioAir® + VarioVac® T, ISO	MP00658	293	Clamp for GCX rail, 5 pcs.	2M60401	330
Cap for VarioVac® + VarioAir® B/OR, ISO, 10 pcs.	MP00494	279	CLIC Absorber 800+, disposable absorber, 1.2 L, 6 pcs.	MX00004	103
Cap for VarioVac® + VarioAir® B/OR, neutral color, 10 pcs.	MP00496	279	CLIC Absorber Free, disposable absorber, 1.2 L, 6 pcs.	MX50100	103
Cap for VarioVac® + VarioAir® D, ISO, 10 pcs.	MP00495	293	CNAP™ cuff controller and cradle	MS26125	148
Cap for VarioVac® + VarioAir® D, neutral color, 10 pcs.	MP00497	293	CNAP™ cuff controller forearm strap	MS26122	148
Cap for VarioVac® P + VarioAir®, ISO, 10 pcs.	MP00656	279	CNAP™ intermediate cable for Infinity® CNAP™ SmartPod®, for CNAP™ controller	MS15893	148
Cap for VarioVac® P + VarioAir®, neutral color, 10 pcs.	MP00657	279	CNAP™ sensor cuff, size L	MS15896	149
Cap for water vacuum gauge	MP00595	294	CNAP™ sensor cuff, size M	MS15895	149
Cap Luer Lock	M34461	36, 376	CNAP™ sensor cuff, size S	MS15894	149
Cap secretion jar Medela	MP03231	283	CO cable for Infinity® PiCCO Pod	MS16916	159
Cap set, reusable, 11 mm, 5 pcs.	8402918	28	CO catheter cable	8419160	157, 197
Cap set, reusable, 7 mm, 5 pcs.	8402953	36, 376	CO catheter cable for Infinity® PiCCO Pod	MS16918	159
Cap, for 700 mL secretion jar, with overflow safeguard	2M85011	277	CO connection cable, 1 m	3368458	157, 197
Cap, for secretion jar, for fistula indicator for continuous and thoracic drainage	2M85013	277	CO Control Syringe	2601192	217
Cap, for secretion jar, w/ overflow safeguard and pressure relief valve (≥ 0.1 kPa)	2M85012	277	CO In-line Injection temperature probe Becton Dickinson	2601190	217
Cap, reusable, 11 mm	8401644	30	CO In-line Injection temperature probe housing	2601191	217
Cap, reusable, 7 mm	8401645	27, 31, 43, 372, 373	CO thermistor cable Argon (former Becton Dickinson/Ohmeda)	8420077	157, 197
Cardiac Output cable, 3 m	2601201	217	CO thermistor cable Baxter/Edwards	8539983	157, 197
Cardiac output kit, Argon (former Becton Dickinson/Ohmeda)	7265163	197	CO thermistor cable for Infinity® PiCCO Pod	MS16919	159
Cardiac output kit, Baxter	7265155	197	CO thermistor T-piece Argon (former Becton Dickinson/Ohmeda)	5741975	157, 197
Carrier rack CD	2M85380	273	CO <sub>2</sub> airway adapter, adult, disposable, 10 pcs.	2606227	165, 222
Carrying rack bronchial suction	2M85381	273	CO <sub>2</sub> airway adapter, neonatal (infant/pediatric), disposable, 10 pcs.	2606228	165, 222, 405
Catheter mount ErgoStar® CM 40, disposable, 10 cm, double swivel elbow, 50 pcs.	MP01840	56	CO <sub>2</sub> cuvette disposable, adult, 10 pcs.	MP01062	54
Catheter mount ErgoStar® CM 45, disposable, 15 cm, double swivel elbow, 50 pcs.	MP01845	56	CO <sub>2</sub> cuvette disposable, adult, 10 pcs.	MP01062	166, 198
Catheter mount ErgoStar® CM 50, disposable, 10 – 16 cm, extendable, 50 pcs.	MP01850	56	CO <sub>2</sub> cuvette disposable, pediatric, 10 pcs.	MP01063	54, 166, 198, 381
Catheter mount ErgoStar® CM 55, disposable, 15 cm, straight, 50 pcs.	MP01855	56	CO <sub>2</sub> cuvette reusable, adult, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870279	55, 166, 198
Catheter mount ErgoStar® CM 60, disposable, 10 cm, small, double swivel elbow, 50 pcs.	MP01860	56	CO <sub>2</sub> cuvette reusable, pediatric, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870280	55, 166, 198, 381
Catheter receptacle, large, 12.2 × 25.2 × 12.2 cm (top) and Ø 85 mm (bottom)	MP00650	317, 425	CO <sub>2</sub> LoFlo Adt/Ped. Airway adapter	2605086	221
Catheter receptacle, small, 12.2 × 16.6 × 12.2 cm (top) and Ø 60 mm (bottom)	MP00651	317, 425	CO <sub>2</sub> LoFlo Adt/Ped. Airway adapter with humidification tubing	2605128	221
			CO <sub>2</sub> LoFlo Nasal cannula and O <sub>2</sub> , Adult	2605130	220

## INDEX BY PRODUCT NAME

CO <sub>2</sub> LoFlo Nasal cannula and O <sub>2</sub> , Infant and Pediatric	2605082	220	Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.	MU21120	334, 336
CO <sub>2</sub> LoFlo Nasal cannula and O <sub>2</sub> , Pediatric	2605081	220	Connection cable Babylink	8306488	356
CO <sub>2</sub> LoFlo Nasal cannula, Adult	2605127	219	Connection cable for MX 300 and MX 300-i	MP01444	357
CO <sub>2</sub> LoFlo Nasal cannula, Infant	2605088	219	Connection cable, connects HemoMed Pod to monitor, 3 m	5591925	150
CO <sub>2</sub> LoFlo Nasal cannula, Pediatric	2605087	219	Connection cable, connects HemoMed Pod to monitor, 5 m	5591933	150
CO <sub>2</sub> LoFlo Nasal/Oral cannula and O <sub>2</sub> , Adult	2605085	220	Connection hose Medela	MP03233	283
CO <sub>2</sub> LoFlo Nasal/Oral cannula, Adult	2605083	219	Connection hose, silicone, reus., ID 5 mm, wall thickness 2 mm, by meter	1203606	277, 423
CO <sub>2</sub> LoFlo Nasal/Oral cannula, Pediatric	2605084	219	Connector 900 MR 533, for HFV breathing circuit by F&P	8418407	32, 374
CO <sub>2</sub> LoFlo Pedi/Infant			Connector 900 MR 830, for HFV breathing circuit by F&P	8418455	32, 374
Airway adapter with dehumidification tubing	2605089	221	Connector for breathing hose, reusable, A	8403076	28, 30, 44
CO <sub>2</sub> LoFlo Sampling Line Kit	2605129	221	Connector for endotracheal tube, reusable, size 11 mm	M19351	31, 32, 33, 373, 374, 375
CO <sub>2</sub> mainstream sensor, for Evita, Infinity V500, Infinity M540, and Delta VF9.1 and higher	6871950	55, 166, 198, 381	Connector for endotracheal tube, reusable, size 12.5 mm	M23840	28, 30
CO <sub>2</sub> mainstream sensor, for Evita® 2 dura, Evita® 4 Edition and Evita® XL	6871500	55, 381	Connector for thermometer, reusable, for breathing hose set Aquapor EL	8403056	27, 44, 372
CO <sub>2</sub> nasal cannula + O <sub>2</sub> , adult, disposable for Vista 120, 50 pcs.	2607554	218	Connector set for endotracheal tube, reusable, size 1.5 mm – 5.5 mm, 9 pcs.	8403684	44
CO <sub>2</sub> nasal cannula + O <sub>2</sub> , child, disposable for Vista 120, 50 pcs.	2607555	218	Connector set for endotracheal tube, reusable, size 6 mm – 12.5 mm, 12 pcs.	8403685	28, 30, 37
CO <sub>2</sub> nasal cannula, adult, disposable for Vista 120, 100 pcs.	2607551	218	Connector set for medication nebulizer, for neonatal breathing circuit	8411031	90
CO <sub>2</sub> nasal cannula, infant, disposable for Vista 120, 100 pcs.	2607553	218	Connector, aluminum, reusable, 22 mm/11 mm	8405752	27, 44, 372
CO <sub>2</sub> nasal cannula, pediatric, disposable for Vista 120, 100 pcs.	2607552	218	Continuous drainage 1, for continuous and wound drainage	2M85151	290
CO <sub>2</sub> sampling line, disposable Vista 120, 100 pcs.	2607550	218	Continuous drainage 3, for continuous, wound, and thoracic drainage	2M85153	290
CO <sub>2</sub> sidestream water trap, for Vista 120	2605124	218	Control panel	MP00589	321, 427
CombiStar A Filter HME, 25 pcs.	MP01671	57	Controller cable for Aerogen Pro	MP01036	91
CombiStar F-HME HEPA flex, 25 pcs.	MP04242	57	Corrugated hose Tropic 2.0, reusable, 0.3 m, for nebulizers	MP03307	258, 413
CombiStar F-HME HEPA straight, 25 pcs.	MP04232	58	Corrugated hose Tropic 2.0, reusable, 1.2 m, for nebulizers	MP03306	258, 413
CombiStar Filter flex, 25 pcs.	MP04244	57	Corrugated hose, P, 14 cm, catheter mount	8403333	27, 372
CombiStar Filter HME flex, 25 pcs.	MP04240	57	Corrugated hose, reusable, catheter mount	8402041	28, 30
CombiStar Filter HME straight, 25 pcs.	MP04230	58	Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.	8409634	31, 373
CombiStar Filter straight, 25 pcs.	MP04234	58	Corrugated hose, silicone, N, 20 cm, catheter mount	8410709	33, 375
CombiStar mech. Filter flex, 25 pcs.	MP04246	57			
CombiStar mech. Filter straight, 25 pcs.	MP04236	58			
Compact flowmeter configurator	MP01200	242, 410			
Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm	2M85337	251, 319, 321, 358, 427			

## INDEX BY PRODUCT NAME

Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943	356	CS hoses, several hoses to connect flowmeter with the central supply	8601697	295
Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944	356	Cuff controller cradle allows CNAP™ cuff controller to "slide" with movement of patient's arm	MS26123	148
CS connection hose holder	2M85446	274, 284, 316, 424	Curtain clip, for fixing a curtain to telescopic arm	M21112	318
CS hose AIR			Cylinder jacket, plastic, to protect 10 L gas cylinder	2M86410	251, 252
DISS Hand 10L	4199594	306	Cylinder support	2M85180	291
CS hose AIR					
DISS Hand 15L	4199593	306			
CS hose AIR					
DISS N/DISS N 10L	4199605	306	<b>D</b> Dehumidification tubing for etCO <sub>2</sub> sidestream sampling, Nafion®, 10 pcs.	4714429	165
CS hose AIR			Demo lung SmartLung, reusable, max.1 L	MP02405	46
DISS N/DISS N 15L	4199604	306	Demo lung to simulate neonatal lungs, with suitcase	8418077	379
CS hose AIR			Demo package BabyFlow plus, disposable, size L	MP03705	362
DISS N/DISS N 20L	4199712	306	Demo package BabyFlow plus, disposable, size M	MP03704	359, 362
CS hose EVAC			Demo package BabyFlow plus, disposable, size S	MP03703	359, 362
DISS Hand 10L	4199588	307	Deposit plate for BT 8000	2M21158	338
CS hose EVAC			Dish, stainless steel, Ø 20.5 cm, with rail clamp	2M85233	318, 425
DISS Hand 15L	4199587	307	Disposable Handle Polaris, Dual, 60 pcs., for Polaris 100/200, 600 and Multimedia, adapter required	MP05700	82
CS hose EVAC			Disposable Handle Polaris, Single, 120 pcs., for Polaris 100/200, 600 and Multimedia, adapter required	MP05701	82
DISS N/DISS N 10L	4199599	307	Disposable medication container for Tropic 2.0, 48 pcs.	MP00006	259, 414
CS hose EVAC			Disposable PEEP valve 0 – 20 cmH <sub>2</sub> O	5703471	97, 394
DISS N/DISS N 15L	4199598	307	Distance tube for monitor shelves	M26391	315
CS hose EVAC			Double connector 11ID/15OD, disposable, 10 pcs.	MP02655	19, 371
DISS N/DISS N 20L	4199597	307	Double connector, outer diameter 11 mm	8409897	31, 33, 44, 373, 375
CS hose N <sub>2</sub> O			Double-Plug coupling AIR	G01166	310
DISS Hand 10L	4199596	307	Double-Plug coupling O <sub>2</sub>	G01168	310
CS hose N <sub>2</sub> O			Double-Plug coupling VAC	G01169	310
DISS Hand 15L	4199595	307	Dräger USB stick	8416347	330
CS hose N <sub>2</sub> O			Draw wire for hose heater 1.5 m, for reusable breathing circuit	8411050	89, 389
DISS N/DISS N 10L	4185142	307	Dummy Plug	8410049	28
CS hose N <sub>2</sub> O			Dust filter Perseus, 5 pcs	MX50115	105
DISS N/DISS N 15L	4185143	307			
CS hose N <sub>2</sub> O			<b>E</b> Ear clip for Nellcor® DURA-Y™	MX01005	137, 212
DISS N/DISS N 20L	4199713	307	ECG "4-lead" spacer, 10 pcs.	MS22832	176
CS hose O <sub>2</sub>			ECG adapter for single-pin		
DISS Hand 10L	4199592	306	ECG cable to MultiMed® 5	MS14679	124, 176, 203
CS hose O <sub>2</sub>			ECG adapter for single-pin		
DISS Hand 15L	4199591	306	ECG cable to MultiMed® 6	MS14680	124, 176, 203
CS hose O <sub>2</sub>					
DISS N/DISS N 10L	4185140	306			
CS hose O <sub>2</sub>					
DISS N/DISS N 15L	4185141	306			
CS hose O <sub>2</sub>					
DISS N/DISS N 20L	4199714	306			
CS hose VAC					
DISS Hand 10L	4199590	306			
CS hose VAC					
DISS Hand 15L	4199589	306			
CS hose VAC					
DISS N/DISS N 10L	4199602	306			
CS hose VAC					
DISS N/DISS N 15L	4199601	306			
CS hose VAC					
DISS N/DISS N 20L	4199600	306			

## INDEX BY PRODUCT NAME

ECG adapter tel, GE-AP-CH, 3ld	MP04350	226	ECG cable, 3-lead,		
ECG adapter tel, GE-AP-CH, 5ld	MP04351	226	single-pin connector, single-pat. use,		
ECG adapter tel, GE-AP-CH, 6ld	MP04352	226	IEC1, 1 m, 20 pcs.	MP00875	120, 175, 202
ECG adapter tel, GE-AP-FH, 5ld	MP04353	226	ECG cable, 3-lead,		
ECG adapter tel, PH M, 5ld	MP04358	226	single-pin connector, single-pat. use,		
ECG adapter tel, PH M, 6ld	MP04359	226	IEC2, 1 m, 20 pcs.	MP00877	120, 175, 202
ECG adapter tel, PH MX40, 3ld	MP04355	226	ECG cable, 3-lead,		
ECG adapter tel, PH MX40, 5ld	MP04356	226	dual-pin connector MonoLead® 3,		
ECG adapter tel, PH MX40, 6ld	MP04357	226	IEC1, 2 m	MS16160	119
ECG adapter tel, SL AT, 5ld	MP04365	226	ECG cable, 3-lead,		
ECG adapter tel, SL UV, 5ld	MP04366	226	dual-pin connector MonoLead® 3,		
ECG Adapter, 3 Lead GE	MP04322	224	IEC2, 2 m	MS16233	119
ECG Adapter, 3 Lead Mindray	MP04312	224	ECG cable, 4-lead,		
ECG Adapter, 3 Lead NK	MP04316	224	single-pin connector MonoLead® 4,		
ECG Adapter, 3 Lead Philips	MP04325	224	IEC1, 1.7 m	MS14693	173
ECG Adapter, 3 Lead Spacelabs	MP04300	224	ECG cable, 4-lead,		
ECG Adapter, 3 Lead Welch Allyn	MP04305	224	single-pin connector MonoLead® 4,		
ECG Adapter, 5 Lead GE	MP04320	224	IEC1, 3.7 m	MS20476	173
ECG Adapter, 5 Lead Mindray	MP04310	224	ECG cable, 4-lead,		
ECG Adapter, 5 Lead Philips	MP04326	224	single-pin connector MonoLead® 4,		
ECG Adapter, 5 Lead Spacelabs	MP04301	224	IEC2, 1.7 m	MS14694	173
ECG Adapter, 5 Lead Welch Allyn	MP04306	224	ECG cable, 4-lead,		
ECG Adapter, 6 Lead NK	MP04315	224	single-pin connector MonoLead® 4,		
ECG Adapter, 6 Lead Philips	MP04327	224	IEC2, 3.7 m	MS20475	173
ECG cable for C lead MonoLead® 5,			ECG cable, 4-lead,		
IEC1, 1.5 m	MS16232	119	single-pin connector, IEC1, 1 m	MP03407	174
ECG cable for C lead, IEC1, 1 m	MP03417	122	ECG cable, 4-lead,		
ECG cable for V lead MonoLead® 5,			single-pin connector, IEC2, 1 m	MP03408	174
IEC2, 1.5 m	MS16230	119	ECG cable, 4-lead,		
ECG cable for V lead, IEC2, 1 m	MP03418	122	single-pin connector,		
ECG cable, 3-lead			single-pat. use, IEC1, 1 m,		
Infinity® TruST™, IEC1, 70 cm	MP03421	201	20 pcs.	MP03120	175
ECG cable, 3-lead			ECG cable, 4-lead,		
Infinity® TruST™, IEC2, 70 cm	MP03422	201	single-pin connector,		
ECG cable, 3-lead, AAMI,			single-pat. use, IEC2, 1 m,		
reusable, 2.4 m	MU25381	348	20 pcs.	MP03121	175
ECG cable, 3-lead,			ECG cable, 5-lead Infinity® TruST™,		
dual-pin connector,			IEC1, 70 cm	MP03423	201
IEC1, 1 m	MP03411	122	ECG cable, 5-lead Infinity® TruST™,		
ECG cable, 3-lead,			IEC2, 70 cm	MP03424	201
dual-pin connector, IEC2, 1 m	MP03412	122	ECG cable, 5-lead,		
ECG cable, 3-lead,			dual-pin connector MonoLead® 5,		
IEC, reusable, 2.4 m	MU25382	348	IEC1, 2.5 m	MS16161	119
ECG cable, 3-lead,			ECG cable, 5-lead,		
single-pin connector MonoLead® 3,			dual-pin connector MonoLead® 5,		
IEC1, 2 m	MS14555	117, 172, 200	IEC2, 2.5 m	MS16229	119
ECG cable, 3-lead,			ECG cable, 5-lead,		
single-pin connector MonoLead® 3,			dual-pin connector, IEC1, 1/1.5 m	MP03413	122
IEC1, 4.1 m	MS28561	118, 173	ECG cable, 5-lead,		
ECG cable, 3-lead,			dual-pin connector, IEC2, 1/1.5 m	MP03414	122
single-pin connector MonoLead® 3,			ECG cable, 5-lead,		
IEC2, 2 m	MS14556	117, 172, 200	single-pin connector MonoLead® 5,		
ECG cable, 3-lead,			IEC1, 2.5 m	MS14559	117, 172, 200
single-pin connector MonoLead® 3,			ECG cable, 5-lead,		
IEC2, 4.1 m	MS28557	118, 173	single-pin connector MonoLead® 5,		
ECG cable, 3-lead,			IEC1, 5.3 m	MS28559	118, 173
single-pin connector, IEC1, 1 m	MP03401	121, 174, 201	ECG cable, 5-lead,		
ECG cable, 3-lead,			single-pin connector MonoLead® 5,		
single-pin connector, IEC2, 1 m	MP03402	121, 174, 201	IEC2, 2.5 m	MS14560	117, 172, 200

## INDEX BY PRODUCT NAME

ECG cable, 5-lead,			ECG ESU block, for OR use		
single-pin connector MonoLead® 5,			of 3- or 5-lead ECG cables		
IEC2, 5.3 m	MS28558	118, 173	with MultiMed® 5	5947226	124
ECG cable, 5-lead,			ECG ESU block, for OR use		
single-pin connector,			of 3-, 5-, or 6-lead ECG cables		
IEC1, 1/1.5 m	MP03403	121, 174, 201	with MultiMed® 6	7486140	124
ECG cable, 5-lead,			ECG extension cable, 4-lead,		
single-pin connector,			single-pin connector, 2 m	MS31435	176
IEC2, 1/1.5 m	MP03404	121, 174, 201	ECG extension cable, 6-lead,		
ECG cable, 5-lead,			single-pin connector, 2 m	MS16256	124, 176, 203
single-pin connector,			ECG extension cable,		
single-pat. use, IEC1,			dual-pin connector, 2 m	MS16492	124
1/1.5 m, 20 pcs.	MP00879	120, 175, 202	ECG intermediate cable, 3-lead,		
ECG cable, 5-lead,			for NeoMed Pod, 1.5 m	5592162	123, 397
single-pin connector,			ECG lead wire set, 3-lead,		
single-pat. use,			neonatal pinch connector, AAMI,		
IEC2, 1/1.5 m, 20 pcs.	MP00881	120, 175, 202	reusable, 0.6 m	MU25383	348
ECG cable, 6-lead Infinity® TruST™,			ECG lead wire set, 3-lead,		
IEC1, 70 cm	MP03425	201	neonatal pinch connector, IEC,		
ECG cable, 6-lead Infinity® TruST™,			reusable, 0.6 m	MU25384	348
IEC2, 70 cm	MP03426	201	ECG limb wires, 3-lead,		
ECG cable, 6-lead,			Grabber, AHA colour code	2606497	210
dual-pin connector, IEC1, 1/1.5 m	MP03415	122	ECG limb wires, 3-lead,		
ECG cable, 6-lead,			Grabber, IEC colour code	2606493	210
dual-pin connector, IEC2, 1/1.5 m	MP03416	122	ECG limb wires, 5-lead,		
ECG cable, 6-lead,			Grabber, AHA colour code	2606498	210
single-pin connector MonoLead® 6,			ECG limb wires, 5-lead,		
IEC1, 3 m	MS14683	117, 172, 200	Grabber, IEC colour code	2606494	210
ECG cable, 6-lead,			ECG neonatal 3-lead		
single-pin connector MonoLead® 6,			adapter cable, 2 m	MS25951	176
IEC1, 5.7 m	MS17185	118, 173	ECG trunk cable, 3-lead,		
ECG cable, 6-lead,			for neonates, IEC & AHA	2606492	210
single-pin connector MonoLead® 6,			ECG trunk cable, 3-lead,		
IEC2, 3 m	MS14682	117, 172, 200	IEC/AHA colour code	2606495	210
ECG cable, 6-lead,			ECG trunk cable, 5-lead,		
single-pin connector MonoLead® 6,			IEC/AHA colour code	2606496	210
IEC2, 5.7 m	MS28560	118, 173	EEG electrode cable,		
ECG cable, 6-lead,			color-coded, 9 pcs.	5947804	163
single-pin connector, IEC1,			EEG electrodes,		
1/1.5 m	MP03405	121, 174, 201	disposable, 25 pcs.	MS29468	163
ECG cable, 6-lead,			Ejector suction NIST AIR O <sub>2</sub>		
single-pin connector, IEC2,			for bronchial suction,		
1/1.5 m	MP03406	121, 174, 201	gas connection AIR/O <sub>2</sub>	MK01418	269
ECG cable, 6-lead,			Ejector suction NIST		
single-pin connector, single-pat. use,			for bronchial suction,		
IEC1, 1/1.5 m, 20 pcs.	MP03122	120, 175, 202	gas connection AIR	MK01420	269
ECG cable, 6-lead,			Ejector VarioAir® B AGA,		
single-pin connector, single-pat. use,			for bronchial suction,		
IEC2, 1/1.5 m, 20 pcs.	MP03123	120, 175, 202	gas connection AIR	MP00533	266
ECG electrodes, adult,			Ejector VarioAir® B BS,		
disposable, 300 pcs.	2606247	210	for bronchial suction,		
ECG electrodes, adult/child,			gas connection AIR	MP00531	266
disposable, 1,000 pcs.	2606249	210	Ejector VarioAir® B CARBA,		
ECG electrodes, child,			for bronchial suction,		
disposable, 500 pcs.	2606248	210	gas connection AIR	MP00548	266
ECG electrodes, single-patient use,			Ejector VarioAir® B compact,		
adult/child, 50 pcs.	4527750	123, 176, 203	for bronchial suction,		
ECG electrodes, single-patient use,			gas connection AIR	MP00536	271
neonate, 300 pcs.	5195024	123, 176, 210, 397			

## INDEX BY PRODUCT NAME

Ejector VarioAir® B DIN, for bronchial suction, gas connection AIR	MP00530	266	Ejector VarioO2® B CARBA, for bronchial suction, gas connection O <sub>2</sub>	MP00551	267
Ejector VarioAir® B NF, for bronchial suction, gas connection AIR	MP00532	266	Ejector VarioO2® B DIN, for bronchial suction, gas connection O <sub>2</sub>	MP00550	267
Ejector VarioAir® B UNI, for bronchial suction, gas connection AIR	MP00534	266	Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection O <sub>2</sub>	MP00552	250, 267, 282
Ejector VarioAir® B/OR Rail, for bronchial+OR suction, gas connection AIR	MP00535	266, 282	Elbow for CPAP masks, disposable	8409683	72, 386
Ejector VarioAir® D AGA, for continuous and wound drainage, gas connection AIR	MP00540	288	Elbow, angled hose connection for secretion jar caps	2M19063	278
Ejector VarioAir® D BS, for continuous and wound drainage, gas connection AIR	MP00538	288	Elbow, angled hose connection for secretion jar caps	2M19063	423
Ejector VarioAir® D CARBA, for continuous and wound drainage, gas connection AIR	MP00549	288	Elbow, reusable	8412235	38, 43
Ejector VarioAir® D DIN, for continuous and wound drainage, gas connection AIR	MP00537	288	Elbow, reusable	8418289	32, 33, 43, 374, 375
Ejector VarioAir® D NF, for continuous and wound drainage, gas connection AIR	MP00539	288	Elbow, reusable	M25649	30, 43
Ejector VarioAir® D Rail, for continuous and wound drainage, gas connection AIR	MP00542	288, 418	Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779	123, 397
Ejector VarioAir® D UNI, for continuous and wound drainage, gas connection AIR	MP00541	288	Electrode holder set, Electrode holder, screw, and O-ring	MP00718	171
Ejector VarioAir® MRI B/OR Rail, for bronchial suction, gas connection AIR	MP03220	268	Electrostatic filter and HME TwinStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.	MP01825	47, 380
Ejector VarioAir® MRI P Rail, for bronchial suction, gas connection AIR	MP03221	268, 419	Electrostatic filter and HME TwinStar® 25, disposable, 25 mL deadspace, 50 pcs.	MP01815	47
Ejector VarioAir® P compact, for bronchial suction, gas connection AIR, including secretion jar set and integrated ejector	MP00547	271, 420	Electrostatic filter and HME TwinStar® 55, disposable, 55 mL deadspace, 50 pcs.	MP01805	47
Ejector VarioAir® P Rail, for bronchial suction, gas connection AIR	MP00545	268, 419	Electrostatic filter and HME TwinStar® 65A, disposable, 65 mL deadspace, angled, 50 pcs.	MP01810	47
Ejector VarioAir® T DIN, for thoracic drainage, gas connection DIN, for connecting to the central AIR supply according to DIN standard	MP00553	289	Electrostatic filter and HME TwinStar® 8, disposable, 8 mL deadspace, 50 pcs.	MP01820	47, 380
Ejector VarioAir® T Rail WV, for thoracic drainage, with water vacuum gauge	MP00544	289	Electrostatic filter and HME TwinStar® 90, disposable, 90 mL deadspace, 50 pcs.	MP01800	47
Ejector VarioAir® T Rail, for thoracic drainage, gas connection NIST AIR	MP00543	289	Electrostatic filter CareStar® 30, disposable, 30 mL deadspace, 50 pcs.	MP01770	48, 259
			Electrostatic filter CareStar® 40A, disposable, 40 mL deadspace, angled, 50 pcs.	MP01765	48
			Electrostatic filter CareStar® 45, disposable, 45 mL deadspace, 50 pcs.	MP01755	48
			etCO <sub>2</sub> airway adapter Microstream®, adult/child, max. 12 h, 25 pcs.	7869535	168
			etCO <sub>2</sub> airway adapter Microstream®, adult/child, max. 72 h, 25 pcs.	7869543	168
			etCO <sub>2</sub> airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550	168, 405
			etCO <sub>2</sub> airway adapter Microstream®, neonate/infant, 25 pcs.	MU24408	346

## INDEX BY PRODUCT NAME

etCO <sub>2</sub> airway adapter, reusable, adult	4721796	165	Extension set, for Quickstop hinged arm 2M86464	MP00653	116, 150
etCO <sub>2</sub> airway adapter, reusable, neonate	4721788	165, 405	Eyebrow sensor with electrode connector	MS32291	199
etCO <sub>2</sub> nasal cannula Microstream®, + O <sub>2</sub> , adult, max. 24 h, 25 pcs.	7869493	169	F O.O. battery grip, adult, 2.5 V, 28 mm Ø	MX03318	94
etCO <sub>2</sub> nasal cannula Microstream®, + O <sub>2</sub> , child, max. 24 h, 25 pcs.	7869485	169, 405	F.O. battery grip, pediatric, 2.5 V, 19 mm Ø	MX03331	94, 392
etCO <sub>2</sub> nasal cannula Microstream®, adult, max. 24 h, 25 pcs.	7869592	168	F.O. blade size 0 (Mac), reusable, 82 × 14 mm	MX03319	94, 392
etCO <sub>2</sub> nasal cannula Microstream®, child, max. 12 h, 25 pcs.	7869469	168, 405	F.O. blade size 0 (Miller), reusable, 78 × 11 mm	MX03324	94, 392
etCO <sub>2</sub> nasal cannula Microstream®, child, max. 24 h, 25 pcs.	7869600	405	F.O. blade size 00 (Miller), reusable, 66 × 11 mm	MX50052	94, 392
etCO <sub>2</sub> nasal cannula Microstream®, neonate/child, max. 24 h, 25 pcs.	7869618	169, 405	F.O. blade size 1 (Mac), reusable, 93 × 14 mm	MX03320	94, 392
etCO <sub>2</sub> nasal cannula Microstream®, adult, max. 12 h, 25 pcs.	7869477	168	F.O. blade size 1 (Miller), reusable, 103 × 11 mm	MX03325	94, 392
etCO <sub>2</sub> nasal cannula, adult, 10 pcs.	4714395	165	F.O. blade size 2 (Mac), reusable, 115 × 17 mm	MX03321	94
etCO <sub>2</sub> nasal cannula, child, 10 pcs.	4714387	165	F.O. blade size 2 (Miller), reusable, 154 × 14 mm	MX03326	94
etCO <sub>2</sub> nasal/mouth cannula Microstream®, + O <sub>2</sub> , child, max. 12 h, 25 pcs.	7869584	169, 405	F.O. blade size 3 (Mac), reusable, 135 × 18 mm	MX03322	94
etCO <sub>2</sub> nasal/mouth cannula Microstream®, child, max. 12 h, 25 pcs.	7869501	169	F.O. blade size 3 (Miller), reusable, 195 × 15 mm	MX50053	94
etCO <sub>2</sub> sensor Capnostat 5, reusable	2606226	222	F.O. blade size 4 (Mac), reusable, 155 × 18 mm	MX03323	94
etCO <sub>2</sub> sensor set Capnostat-III	4322975	165	F.O. blade size 4 (Miller), reusable, 210 × 18 mm	MX50054	94
Expiratory filter, disposable, 20 pcs.	MP01781	80	F.O. laryngoscope set, adult, reusable	MX03330	94
Expiratory valve for Babylog® 8000	8408950	81	F.O. laryngoscope set, pediatric, reusable	MX03329	94, 392
Expiratory valve for Babylog® VN 500, reusable	8415270	81	F.O. universal laryngoscope set, reusable	MX03317	94
Expiratory valve for Carina®, disposable	MP00220	81	Fast O <sub>2</sub> sensor, for sidestream measurement	6850930	111
Expiratory valve for Evita Infinity® V500, reusable	8416750	79	Filler cap for Aerogen Pro, silicone, 5 pcs.	MP01035	91
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776	79	Filter and HME for air compressor, disposable	MU04991	349
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600	79	Fixation set for tpO <sub>2</sub> and tpCO <sub>2</sub> electrodes	MP00716	171, 406
Expiratory valve for Evita®, reusable	8410580	79	Flow measuring line for Oxylog® 2000/3000 family, 1.5 m, 2 pcs.	8410929	38
Expiratory valve for Savina® 300, reusable	8417050	81	Flow measuring line for Oxylog® 2000/3000 family, 3 m, 2 pcs.	8413293	38
Expiratory valve for Savina®, reusable	8413660	81	Flow sensor cable for V500 with Neo option and VN500	8416600	110
Expiratory valve, disposable, 10 pcs.	MP01061	81	Flow sensor cable, for neonatal flow sensor, e.g., Babylog	8409626	110, 395
Extension arm set, for cables and hoses, with cable/hose guide channels	G13040	319	Flow sensor for Crossvent 2i+, disposable, infant, 10 pcs.	MU24401	345
Extension cable	MS32153	199			
Extension set, for Hinged arm Quickstop 2M86464	MP00653	325			

## INDEX BY PRODUCT NAME

Flow sensor Infinity® ID, PC/ABS, 5 pcs.	6871980	109	Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in)		
Flow sensor SpiroLife®, PPSU, sterilizable	MK01900	109	head circumference, 5 pcs.	MP03881	359, 365
Flow sensor Spirolog®, PC/ABS, 5 pcs.	8403735	109	Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in)		
Foot sensor with electrode connector	MS32290	199	head circumference, 5 pcs.	MP03880	359, 365
<b>G</b> Gastroschisis arm, complete	2M60180	330	Headgear, disposable, soft fabric, large	MP01560	71
Gel mattress for Babytherm® 8000 / 8010, reusable	2M20827	337	Headgear, disposable, soft fabric, small	MP01559	71, 386
General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889	142, 190	Headgear, disposable, soft rubber, large	MP01562	71
General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644	142, 190	Headgear, disposable, soft rubber, small	MP01561	71, 386
General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848	142, 190	Headgear, reusable, silicone, large	MP01558	71
General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651	142, 190	Headgear, reusable, silicone, small	MP01557	71, 386
General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 1.6 m	MP00991	141, 189	Heatable hose Tropic 2.0, 1.1 m, for aerosol heating, cable, plug	MP03305	258, 413
General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 3 m	MP00992	141, 189	HI-Flow Star Nasal Cannula, disposable, adult L, Flow Range < 60 L/min, 25 pcs.	MP05513	78
General-purpose temperature probe, single-pat. use, child, 7-pin connector, 1.6 m	MP00993	141, 189	HI-Flow Star Nasal Cannula, disposable, adult M, Flow Range < 60 L/min, 25 pcs.	MP05512	78
General-purpose temperature probe, single-pat. use, child, 7-pin connector, 3 m	MP00994	141, 189	HI-Flow Star Nasal Cannula, disposable, adult S, Flow Range < 60 L/min, 25 pcs.	MP05511	78
<b>H</b> Hand port cuff, disposable, oval, 100 pcs.	MU06570	336, 344, 349, 351	HI-Flow Star System, disposable, 25 pcs.	MP05601	78
Hand sensor with electrode connector, adult	MS32154	199	HI-Flow Star Valve Kit w/ Pop-Up Valve and Connector 22 mm, disposable, 15 pcs.	MP05507	78
Hand sensor with electrode connector, pediatric	MS32289	199	Hinged arm 240°, 3 hinges, fixable, ball holder system	8409609	322
Handle, cpl. for BT 8000	2M21161	338	Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses	MP00690	322
Headband LNCS/M-LNCS TF-I, 5 pcs.	MP03197	135, 186	Hinged arm Quickstop 1 includes hose clamps	2M85705	322
Headgear for NovaStar® TS SE NIV oronasal mask	MP01583	66	Hinged arm Quickstop 2, with universal ball holder system for optional accessories	2M85706	322, 428
Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	MP03884	359, 365	Hinged arm Quickstop short with universal tube holder plate	2M86463	323, 428
Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	MP03883	359, 365	Hinged arm Quickstop, for attaching and positioning Dräger pods	2M86464	116, 150
Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	MP03882	359, 365	Hinged arm Quickstop, for attaching and positioning Dräger pods	2M86464	323
Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	MP03885	359, 365	HME HumidStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.	MP01740	50, 380
			HME HumidStar® 2, disposable, 2 mL deadspace, 50 pcs.	MP01745	50, 380
			HME HumidStar® 25, disposable, 25 mL deadspace, 50 pcs.	MP01735	50

## INDEX BY PRODUCT NAME

HME HumidStar® 55, disposable, 55 mL deadspace, 50 pcs.	MP01730	50	Hose heater adapter for F&P MR 700/730, for disposable breathing circuit	8418462	88
HME HumidStar® Trach plus, disposable, 6 mL deadspace, 100 pcs.	MP05750	50	Hose heater adapter for F&P MR 850, for disposable breathing circuit	8414992	88
Holder for cylinder packet for GCX profile	4118453	330	Hose heater adapter for F&P MR 850, for double-heated disposable breathing circuit	MP01006	89
Holder for F&P humidifier U-shaped, for trolley, with rail clamp	MP01002	87, 388	Hose heater adapter for F&P MR 850, for reusable breathing circuit	8414968	88, 389
Holder for hinged hood for Babytherm® 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail	2M21342	338	Hose heater adapter for F&P MR 850, for third-party breathing circuit	MP01001	89, 399
Holder for Infinity® M300 bedside charger, swiveling 360°	MP00990	209	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m	8414993	30, 31, 87, 373, 388
Holder for MultiMed®	MP00721	143, 191	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.5 m	8414969	87
Holder for MultiMed® 12 Pod	5202747	116	Hose heater for F&P MR 700/730, 70 cm	8411154	32, 87, 374, 388
Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods	5598128	116	Hose heater, A, 1.1 m	8411045	33, 87, 375
Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods, swiveling 360°	MP00721	116	Hose holder plate for ball mounting 2M86465	324, 429	
Holder for MX 300 and MX 300-i	MP01443	357	Humidifier chamber F&P MR 340, reusable, N/P	8411047	86, 388
Holder for Y-piece, with ball mounting	8409746	324, 429	Humidifier chamber F&P MR 370, reusable, A	8412217	86
Hook ring for LiteStar® anesthesia masks, disposable, 15 mm OD, for sizes 1 – 2, 30 pcs.	MP01551	72, 386	Humidifier chamber for F&P MR 290, disposable, 10 pcs.	8418282	86, 388
Hook ring for LiteStar® anesthesia masks, disposable, 22 mm ID, for sizes 3 – 6, 30 pcs.	MP01552	72	Humidifier chamber for Isolette® C2000, reusable	MU17191	336
Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916	72, 386	Humidifier chamber VentStar®, disposable, 10 pcs.	MP00234	19, 371
Hook ring for silicone masks, reusable, 22 mm ID, for sizes 2 – 5, 10 pcs.	MP01917	72	Humidifier chamber VentStar®, disposable, N, 10 pcs.	MP02590	19, 371
Hose clip double, for standard breathing hoses, adult/neonatal, 2 pcs.	8406138	324, 428	Humidifier chamber, 10 pcs.	MP02605	20
Hose clip double, gray, for Hinged arm Infinity® ACS (MP00690)	MP00693	325	Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 L/min	2M85834	253, 411
Hose clip, 10 pcs.	8403566	28, 30	Humidifier-nebulizer, for oxygen humidification up to 100% relative humidity and flows up to 5 L/min	2M85835	253
Hose clip, for ball mounting, for standard breathing hoses, adult/neonatal	8409841	324, 428	Humidity pad, disposable, antibacterial, 25 pcs.	MU06008	345, 350, 352
Hose clip, for coaxial breathing hoses, adult, 2 pcs.	MP00493	324, 428	<b>I</b> IBP adapter, 10-pin to 7-pin	3368383	154
Hose for Tropic 2.0, disposable, 1 m, patient side, 15 pcs.	MX22793	258, 413	IBP cable Abbott, Medex	2606490	216
Hose for Tropic 2.0, disposable, 40 cm, connects fan/chamber, 20 pcs.	MX22790	258, 413	IBP cable Becton Dickinson/Argon	2606488	216
			IBP cable Edwards	2606489	216
			IBP cable Utah	2606491	216
			IBP connection cable Argon (former Becton Dickinson/Ohmeda), 3.7 m	3375933	156
			IBP holder for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.	7864155	155

## INDEX BY PRODUCT NAME

IBP press. transducer for Memscap (Capto/SensoNor) 844, disposable, sterile, 50 pcs.	7864908	155	Immersion tube, for continuous drainages, not scaled	M16395	293
IBP pressure transducer cable for Memscap (Capto/SensoNor) 844, 3 m	7486876	155	Immersion tube, for water vacuum gauge of for VarioVac® T + VarioAir® T, scaled	MP00569	294
IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m	4321563	155	Incubator cover for Babyleo TN500, reusable	MP03730	329, 355
IBP pressure transducer for Memscap (Capto/SensoNor) 844, reusable	7489417	155	Incubator cover for Caleo®, reusable	MP01423	331, 355
IBP pressure transducer kit, BD/Argon, disposable, 5 kits	2606225	216	Incubator cover for Isolette® C2000, 8000 and 8000 plus, reusable	MP01424	333, 335, 355
IBP pressure transducer plate, for Hemo2 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721614	153	Infinity ID CLIC Absorber 800+, disposable absorber, 1.2 L, 6 pcs.	MX50004	103
IBP pressure transducer plate, for Hemo2 Pod, universal, 5 pcs.	4721408	153	Infinity ID CLIC Absorber Free, disposable absorber, 1.2 L, 6 pcs.	MX50120	103
IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5 pcs.	7270460	153	Infinity ID Expiratory filter, disposable, 20 pcs.	MP01780	80
IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott TranspacII/III/Braun, 5 pcs.	5192112	153	Infinity ID, expiratory valve, disposable, 10 pcs.	MP01060	79
IBP pressure transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721416	153	Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725	150, 196
IBP pressure transducer plate, for Hemo4 Pod, universal, 5 pcs.	4721424	153	Infinity® PiCCO Gen II SmartPod®	MS23133	159
IBP pressure transducer set Argon (former Becton Dickinson/Ohmeda), disposable, sterile, 5 pcs.	4528741	156	Infinity® PiCCO Gen II SmartPod® kit	MS32282	159
IBP pressure transducer set for Memscap (Capto/SensoNor) 844	7498947	155	Infinity® PiCCO SmartPod®	MS17441	159
IBP pressure transducer set for Memscap (Capto/SensoNor) 844, disposable, 10 pcs.	7489433	155	Infinity® PiCCO SmartPod® Kit	MS16734	159
IBP transducer adapter Abbott/Medex	MS22535	151, 196	Infusion bottle holder for Babytherm®, reusable, neonatal	2M16520	339
IBP transducer adapter Argon (former Becton Dickinson/Ohmeda)	MS22148	151, 196	Infusion bottle holder set, attaches to standard rail 25 × 10 mm	G12985	319
IBP transducer adapter Baxter/Edwards	MS22147	151, 196	Infusion bottle holder, for standard rail, variable height, 3 hooks	M20719	318, 358, 425
IBP transducer adapter cable, Dräger 10-pin	MS22532	151, 159, 196	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514	332, 339
IBP transducer adapter cable, Dräger 7-pin	MS22533	151, 196	Inhalation mask for Inhalette	M11015	91, 256
IBP transducer adapter Utah Medical	MS22534	151, 196	Insert for neonatal flow sensor, PSU, sterilizable, 5 pcs.	8410179	109, 395
IBP Y-adapter, 10-pin	5731281	154	Intake valve MR-100	5703704	96, 394
IBP Y-adapter, 10-pin to 7-pin	5588095	154	Iris port sleeve, disposable, 100 pcs.	MU03876	334, 336, 344, 349, 351
IBP Y-adapter, 7-pin	5592147	154	ISO double connector, reusable, 22 mm/22 mm	M25647	28, 30, 34, 35, 36, 44, 376
IBP Y-cable Argon (former Becton Dickinson/Ohmeda), 3.7 m	5206581	156			
IBP Y-cable, Baxter/Edwards, 3.7 m	5206607	154	<b>K</b> Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.	MP01087	92
IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m	5195180	155	<b>L</b> Laryngoscope set, adult, reusable	MX03313	93
			Laryngoscope set, pediatric, reusable	MX03312	93, 391
			Leakage valve for Carina® SyncVent, disposable, 5 pcs.	MP00224	81

## INDEX BY PRODUCT NAME

Light for Photo Therapy 4000, fluorescent bulb, blue	2M21010	353	Mattress SoftBed, for Caleo®, reusable	MX17012	331
Light for Photo Therapy 4000, fluorescent bulb, white	2M21009	353	Mattress SoftBed, for IICS-90, reusable, large, with scale	MP01405	343
Light shield curtain for BiliLux, reusable	MP03760	353	Mattress SoftBed, for IICS-90, reusable, large, without scale	MP01403	343
Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)	M24695	318, 425	Mattress SoftBed, for Isolette® 8000 plus USA, reusable	MP01203	333
Litter bags, disposable, for litter bag holder, 100 pcs.	M26240	318, 425	Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable	MP01401	333, 335
Locking screw, for immersion tube, with gaskets	MP00596	294	Mattress SoftBed, for Resuscitaire®, reusable, with scale	MP01404	340
Luer Lock elbow, N	M34568	36, 43, 376, 378	Mattress SoftBed, for Resuscitaire®, reusable, without scale	MP01402	340
<b>M</b> M540 Hemo connection cable, 1.5 m	MS23897	196	Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable	MP01419	344, 349, 351
M540 Hemo connection cable, 3 m	MS23898	196	Mechanical filter and HME TwinStar® HEPA, disposable, 55 mL deadspace, 50 pcs.	MP01801	47
Magnetic clip for headgears for NovaStar® TS SE and AAV, 4 pcs.	MP01585	66	Mechanical filter SafeStar® 55, disposable, 55 mL deadspace, 50 pcs.	MP01790	49, 259
Man. breathing bag MR-100, reusable, A, w/ pressure valve, 60±10 mbar	5702881	95	Mechanical filter SafeStar® 60A, disposable, 60 mL deadspace, angled, 50 pcs.	MP01795	49
Man. breathing bag MR-100, reusable, N, w/ press. valve, relief >40±5 mbar	5702322	95, 393	Mechanical filter SafeStar® 80, disposable, 80 mL deadspace, 50 pcs.	MP01785	49
Man. breathing bag MR-100, reusable, P, w/ press. valve, relief >40±5 mbar	5702321	95, 393	Medical examination light VarioLux® with LED technology, AUS	MP00606	320, 426
Masimo® LNCS Trauma sensor, adult, 20 pcs.	MP03191	131, 180	Medical examination light VarioLux® with LED technology, BR	MP00605	320, 426
Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.	MP03193	131, 180	Medical examination light VarioLux® with LED technology, CHN	MP00604	320, 426
Masimo® LNCS Trauma sensor, neonate, 20 pcs.	MP03192	131, 180, 401	Medical examination light VarioLux® with LED technology, EU	MP00601	320, 426
Masimo® rainbow sensor cover, 10 pcs.	MP03203	186	Medical examination light VarioLux® with LED technology, GB	MP00603	320, 426
Masimo® RD-SET DC-IP sensor, pediatric, reusable	MS33741	133, 182, 206	Medical examination light VarioLux® with LED technology, JPN	MP00608	320, 426
Masimo® RD-SET DCI sensor, adult, reusable	MS33740	133, 182, 206	Medical examination light VarioLux® with LED technology, US	MP00602	320, 426
Masimo® RD-SET sensor, adult, disposable	MS33726	133, 181, 206	Medical examination light VarioLux® with LED technology, ZA	MP00607	320, 426
Masimo® RD-SET sensor, infant, disposable	MS33728	133, 181, 206	Medication nebulizer Aerogen Pro	MP01010	91, 390
Masimo® RD-SET sensor, neonatal preterm, disposable	MS33730	133, 181, 401	Medication nebulizer for Babylog® 8000 with quick connector	8411030	90
Masimo® RD-SET sensor, neonatal, disposable	MS33729	133, 181, 401	Medication nebulizer for Evita® 2 dura, Evita® 4, Evita® XL, Savina®	8412935	90
Masimo® RD-SET sensor, pediatric, disposable	MS33727	133, 181, 206	Medication nebulizer Inhalette S	2M85674	255
Mattress SoftBed, for Babyleo TN500, reusable	2M60390	329	Membrane for Evita® 2 dura, Evita® 4, Evita® XL, for expiratory valve	8412015	80
Mattress SoftBed, for Babytherm®, reusable	2M21012	337			

## INDEX BY PRODUCT NAME

Membrane replacement set for tcpO <sub>2</sub> /tcpCO <sub>2</sub> electrodes	MP00715	171, 406
Mixing block, with mixing chart, for O <sub>2</sub> and AIR flowmeter with M34×1.5 and M32×1.5	2M85728	243
Monitor shelf 5035, 50 × 35.5 cm	2M85003	315
Monitor shelf 5450, 50 × 35.5 cm	M24692	315
Mount clamp 10 – 40 mm (0.4 – 1.57 in)	MS32150	199
Mount clamp 20 – 60 mm (0.79 – 2.36 in)	MS32151	199
Mouthpiece for Inhalette	M12394	91, 256
MPod-Dual Hemo, 2 invasive blood pressures for M540	MS20783	196
MRI flow sensor extension cable, for MRI patient monitor	8306370	110
Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 1.5 m	5950196	115
Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	3368391	115
Multiparameter cable MultiMed® 6 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	5191221	115
Multiparameter cable MultiMed® plus OR, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	MS20094	115
Multiparameter cable MultiMed® plus, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	MS20093	115
Multiparameter cable NeoMed Pod, for ECG, resp., SpO <sub>2</sub> , temp., and FiO <sub>2</sub> , 2.5 m	5590539	115, 397
Multiple socket for Babytherm® 8000, 220/240 V	2M20914	339
<b>N</b> N <sub>2</sub> O CS hose 0.9 m (2.95 ft)		
NF EN NF	M36725	298
N <sub>2</sub> O CS hose 0.9 m (2.95 ft)		
NIST EN BS	M36728	299
N <sub>2</sub> O CS hose 0.9 m (2.95 ft)		
NIST EN DIN	M36731	295
N <sub>2</sub> O CS hose 0.9 m (2.95 ft)		
NIST GB DIN	M36788	309
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
DISS US KAWA	M35809	305
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
DISSB EN HAND	M36293	308
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NF EN NF	M35427	298
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST EN AS	M36156	304
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST EN BS	M35391	299
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST EN BS straight	M35400	300
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST EN Carba	M35473	302

N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST EN DIN	M35492	295
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST EN NF	M35418	297
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST EN SS	M35378	301
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST EN UNI	M35409	303
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST GB DIN	M36789	309
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST NEUTRAL DIN	M36007	296
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST NEUTRAL NF	M35437	298
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
DISS US KAWA	M35808	305
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
DISSB EN HAND	M36294	308
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NF EN NF	M35428	298
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN AS	M36155	304
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN BS	M35392	299
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN BS straight	M35401	300
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN Carba	M35474	302
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN DIN	M35493	295
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN NF	M35419	297
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN SS	M35379	301
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN UNI	M35410	303
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST GB BS	M36734	309
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST GB DIN	M36740	309
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST NEUTRAL DIN	M36008	296
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST NEUTRAL NF	M35438	298
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
DISS US KAWA	M35807	305
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
DISSB EN HAND	M36295	308
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NF EN NF	M35344	298
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN AS	M36154	304
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN BS	M35334	299
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN BS straight	M35341	300
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN Carba	M35347	302

## INDEX BY PRODUCT NAME

N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN DIN	M35494	295
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN NF	M35331	297
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN SS	M35382	301
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN UNI	M35359	303
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST GB BS	M36735	309
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST GB DIN	M36741	309
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST NEUTRAL DIN	M36009	296
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST NEUTRAL NF	M35439	298
N <sub>2</sub> O CS hose 8 m (26,25 ft)		
DISS US KAWA	M35867	305
NBP Adapter, (bx10)	MP00945	228
NBP Adapter, GE DINACLICK, (bx10)	MP00747	228
NBP Adapter, GE, (bx10)	MP00942	228
NBP Adapter, Nihon Kohdan, (bx10)	MP00940	228
NBP Adapter, Welch Allyn, (bx10)	MP00941	228
Nebulizer chamber for Tropic 2.0, spare part	MP03309	259, 414
Nebulizer element for Inhalette, spare part	2M85571	256
Nebulizer head, 10 pcs.	MP01079	92
Nebulizer head, 5 pcs.	MP01078	92
Nebulizer hose	8412985	90
Nebulizer unit with filler cap for Aerogen Pro	MP01030	91, 390
Nellcor® intermediate cable, 1.2 m	MP00748	188, 212
Nellcor® intermediate cable, 3 m	MS20979	188, 212
Neo-mask, silicone, disposable, size L, 10 pcs.	8418619	359, 364
Neo-mask, silicone, disposable, size M, 10 pcs.	8418490	359, 364
Neo-mask, silicone, disposable, size S, 10 pcs.	8418491	359, 364
Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494	359, 364
Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495	359, 364
Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496	359, 364
Neonatal flow sensor ISO 15, PSU, sterilizable	8411130	109, 395
Neonatal flow sensor with Y-piece, PSU, sterilizable	8410185	109, 395
NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953	144, 192
NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918	145, 193

NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931	146, 194
NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919	145, 193
NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932	146, 194
NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915	145, 193
NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928	146, 194
NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916	145, 193
NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929	146, 194
NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917	145, 193
NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930	146, 194
NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913	145, 193
NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926	146, 194
NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921	145, 193
NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934	146, 194
NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912	145, 193
NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925	146, 194
NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911	145, 193
NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924	146, 194
NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista120	2606155	213
NIBP cuff, child, 16 cm - 21 cm, reusable, Vista120	2606153	213
NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181	147, 195, 404
NIBP cuff, disposable, neonate, size 1, 3.3 – 5.6 cm, 10 pcs.	MU24403	346
NIBP cuff, disposable, neonate, size 2, 4.2 – 7.1 cm, 10 pcs.	MU24404	346
NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199	147, 195, 404
NIBP cuff, disposable, neonate, size 3, 5.4 – 9.1 cm, 10 pcs.	MU24405	346

## INDEX BY PRODUCT NAME

NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207	147, 195, 404
NIBP cuff, disposable, neonate, size 4, 6.9 – 11.7 cm, 10 pcs.	MU24406	346
NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215	147, 195, 404
NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173	147, 195, 404
NIBP cuff, disposable, neonate, size 5, 8.9 – 15.0 cm, 10 pcs.	MU24407	346
NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista120	2606151	213
NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista120	2606156	213
NIBP cuff, neonatal #1, 3 – 6 cm, disposable, 20 pcs., Vista120	2607034	214
NIBP cuff, neonatal #2, 4 – 8 cm, disposable, 20 pcs., Vista120	2607035	214
NIBP cuff, neonatal #3, 6 – 11 cm, disposable, 20 pcs., Vista120	2607036	214
NIBP cuff, neonatal #4, 7 – 13 cm, disposable, 20 pcs., Vista120	2607037	214
NIBP cuff, neonatal #5, 8 – 15 cm, disposable, 20 pcs., Vista120	2607038	214
NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista120	2606154	213
NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista120	2606152	213
NIBP hose, neonate, 2.4 m	2870298	144, 192, 404
NIBP hose, neonate/infant, 2.4 m	MU24685	346
NIBP tube, 3 m	2601195	213
NIST-NIST Connecting hose 1.2 m	M36053	250
NIV nasal mask ClassicStar® non-vented, disposable, size L	MP01625	60
NIV nasal mask ClassicStar® non-vented, disposable, size M	MP01624	60
NIV nasal mask ClassicStar® non-vented, disposable, size S	MP01623	60
NIV nasal mask ClassicStar® plus non vented, disposable, size L	MP04743	63
NIV nasal mask ClassicStar® plus non vented, disposable, size M	MP04742	63
NIV nasal mask ClassicStar® plus non vented, disposable, size S	MP04741	63
NIV nasal mask ClassicStar® plus non vented, disposable, size XL	MP04744	63

NIV nasal mask ClassicStar® plus vented, disposable, size L	MP04753	63
NIV nasal mask ClassicStar® plus vented, disposable, size M	MP04752	63
NIV nasal mask ClassicStar® plus vented, disposable, size S	MP04751	63
NIV nasal mask ClassicStar® plus vented, disposable, size XL	MP04754	63
NIV nasal mask ClassicStar® vented, disposable, size L	MP01622	60
NIV nasal mask ClassicStar® v ented, disposable, size M	MP01621	60
NIV nasal mask ClassicStar® vented, disposable, size S	MP01620	60
NIV oronasal mask ClassicStar® AAV, disposable, size L	MP01572	59
NIV oronasal mask ClassicStar® AAV, disposable, size M	MP01571	59
NIV oronasal mask ClassicStar® AAV, disposable, size S	MP01570	59
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size L	MP04733	62
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size M	MP04732	62
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size S	MP04731	62
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size XL	MP04734	62
NIV oronasal mask ClassicStar® plus AAV, disposable, size L	MP04723	62
NIV oronasal mask ClassicStar® plus AAV, disposable, size M	MP04722	62
NIV oronasal mask ClassicStar® plus AAV, disposable, size S	MP04721	62
NIV oronasal mask ClassicStar® plus AAV, disposable, size XL	MP04724	62
NIV oronasal mask ClassicStar® plus SE, disposable, size L	MP04713	62
NIV oronasal mask ClassicStar® plus SE, disposable, size M	MP04712	62
NIV oronasal mask ClassicStar® plus SE, disposable, size S	MP04711	62
NIV oronasal mask ClassicStar® plus SE, disposable, size XL	MP04714	62
NIV oronasal mask ClassicStar® SE, disposable, size L	MP01575	59

## INDEX BY PRODUCT NAME

NIV oronasal mask ClassicStar® SE, disposable, size M	MP01574	59
NIV oronasal mask ClassicStar® SE, disposable, size S	MP01573	59
NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size L	MP04703	64
NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size M	MP04702	64
NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size S	MP04701	64
NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size XL	MP04704	64
NIV oronasal mask NovaStar® TS AAV, reusable, size L	MP01578	64
NIV oronasal mask NovaStar® TS AAV, reusable, size M	MP01577	64
NIV oronasal mask NovaStar® TS AAV, reusable, size S	MP01576	64
NIV oronasal mask NovaStar® TS AAV, reusable, size XL	MP04706	64
NIV oronasal mask NovaStar® TS SE, reusable, size L	MP01581	64
NIV oronasal mask NovaStar® TS SE, reusable, size M	MP01580	64
NIV oronasal mask NovaStar® TS SE, reusable, size S	MP01579	64
NIV oronasal mask NovaStar® TS SE, reusable, size XL	MP04705	64
NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size L	MP02918	61
NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size S	MP02916	61
NIV total-face mask ClassicStar® AAV, disposable, size L	MP02915	61
NIV total-face mask ClassicStar® AAV, disposable, size M	MP02914	61
NIV total-face mask ClassicStar® AAV, disposable, size S	MP02913	61
NIV total-face mask ClassicStar® SE, disposable, size L	MP02912	61
NIV total-face mask ClassicStar® SE, disposable, size M	MP02911	61

NIV total-face mask ClassicStar® SE, disposable, size S	MP02910	61
NMT accelerometer Trident®	MS15085	164
NMT electrode cable Trident®, 2-lead, 0.3 m	MS13218	164
NMT hand adapter Trident®	MS15086	164
NMT intermediate cable for Infinity® Trident (NMT) SmartPod®, 1.9 m	7872174	164
NMT thermistor Trident®	MS15053	164
NMT thumb adapter for Infinity® Trident (NMT) SmartPod®, disposable, 50 pcs.	MS15084	164
NovaStar® TS AAV Vpack L, 3 × MP01578, 3 pcs.	MP01569	65
NovaStar® TS AAV Vpack M, 3 × MP01577, 3 pcs.	MP01568	65
NovaStar® TS AAV Vpack S, 3 × MP01576, 3 pcs.	MP01567	65
NovaStar® TS SE Vpack L, 3 × MP01581, 3 pcs.	MP01566	65
NovaStar® TS SE Vpack M, 3 × MP01580, 3 pcs.	MP01565	65
NovaStar® TS SE Vpack S, 3 × MP01579, 3 pcs.	MP01564	65
O <sub>2</sub> analyzer MX 300	MP01441	357
O <sub>2</sub> analyzer MX 300-i	MP01440	357
O <sub>2</sub> compact flowmeter, DIN CS, 1-15 L/min, 6 mm nozzle	2M86793	242, 410
O <sub>2</sub> compact flowmeter, DIN CS, 1-15 L/min, 9/16"	MP01204	242, 410
O <sub>2</sub> compact flowmeter, rail, NIST, 1 – 15 L/min, 9/16"	MP05405	243
O <sub>2</sub> CS hose 0.9 m (2.95 ft)	M36723	298
O <sub>2</sub> CS hose 0.9 m (2.95 ft)	M36726	299
O <sub>2</sub> CS hose 0.9 m (2.95 ft)	M36729	295
O <sub>2</sub> CS hose 0.9 m (2.95 ft)	M36784	309
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	M35806	305
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	M36290	308
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	M35425	298
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	M36153	304
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	M35389	299
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	M35398	300
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	M35469	302
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	M35489	295



## INDEX BY PRODUCT NAME

O <sub>2</sub> CS hose 1.5 m (4.9 ft)			O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST EN NF	M35416	297	NIST EN NF	M35330	297
O <sub>2</sub> CS hose 1.5 m (4.9 ft)			O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST EN SS	M35375	301	NIST EN SS	M35377	301
O <sub>2</sub> CS hose 1.5 m (4.9 ft)			O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST EN UNI	M35407	303	NIST EN UNI	M35357	303
O <sub>2</sub> CS hose 1.5 m (4.9 ft)			O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST GB DIN	M36785	309	NIST GB BS	M36733	309
O <sub>2</sub> CS hose 1.5 m (4.9 ft)			O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST NEUTRAL DIN	M36004	296	NIST GB DIN	M36739	309
O <sub>2</sub> CS hose 1.5 m (4.9 ft)			O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST NEUTRAL NF	M35434	297	NIST NEUTRAL DIN	M36006	296
O <sub>2</sub> CS hose 3 m (9.8 ft)			O <sub>2</sub> CS hose 5 m (16.4 ft)		
DISS US KAWA	M35805	305	NIST NEUTRAL NF	M35436	297
O <sub>2</sub> CS hose 3 m (9.8 ft)			O <sub>2</sub> CS hose 8 m (26,25 ft)		
DISSB EN HAND	M36291	308	DISS US KAWA	M35866	305
O <sub>2</sub> CS hose 3 m (9.8 ft)			O <sub>2</sub> flowmeter for anesthesia,		
NF EN NF	M35426	298	16 L 90°, rail, with NIST		
O <sub>2</sub> CS hose 3 m (9.8 ft)			black hose 1 m,		
NIST EN AS	M36152	304	connector 9/16-18UNF to 6 mm	MP04579	238
O <sub>2</sub> CS hose 3 m (9.8 ft)			O <sub>2</sub> flowmeter for anesthesia,		
NIST EN BS	M35390	299	16 L 90°, rail, with NIST		
O <sub>2</sub> CS hose 3 m (9.8 ft)			ISO hose 1,2 m,		
NIST EN BS straight	M35399	300	connector 9/16-18UNF to 6 mm	MP04578	238
O <sub>2</sub> CS hose 3 m (9.8 ft)			O <sub>2</sub> flowmeter for anesthesia,		
NIST EN Carba	M35472	302	16 L, rail, with NIST		
O <sub>2</sub> CS hose 3 m (9.8 ft)			black hose 1 m,		
NIST EN DIN	M35490	295	connector 9/16-18UNF to 6 mm	MP04577	238
O <sub>2</sub> CS hose 3 m (9.8 ft)			O <sub>2</sub> flowmeter for anesthesia,		
NIST EN NF	M35417	297	16 L/min, rail, with NIST		
O <sub>2</sub> CS hose 3 m (9.8 ft)			ISO hose 1.2 m,		
NIST EN SS	M35376	301	connector 9/16"UNF to 6 mm	MP04576	237
O <sub>2</sub> CS hose 3 m (9.8 ft)			O <sub>2</sub> flowmeter, 10 L/min, CS,		
NIST EN UNI	M35408	303	CARBA, including adapter		
O <sub>2</sub> CS hose 3 m (9.8 ft)			to 9/16" for sterile water	MP04554	234
NIST GB BS	M36732	309	O <sub>2</sub> flowmeter, 10 L/min,		
O <sub>2</sub> CS hose 3 m (9.8 ft)			rail fitting with NIST gas inlet,		
NIST GB DIN	M36738	309	M34×1.5, adapter 9/16"	MP04556	239
O <sub>2</sub> CS hose 3 m (9.8 ft)			O <sub>2</sub> flowmeter, 16 L/min, CS,		
NIST NEUTRAL DIN	M36005	296	British Standard, ISO,		
O <sub>2</sub> CS hose 3 m (9.8 ft)			M34×1.5, adapter 9/16"	MP04565	234
NIST NEUTRAL NF	M35435	297	O <sub>2</sub> flowmeter, 16 L/min, CS,		
O <sub>2</sub> CS hose 5 m (16.4 ft)			CARBA, including adapter		
DISS US KAWA	M35804	305	to 9/16" for sterile water	MP04563	234
O <sub>2</sub> CS hose 5 m (16.4 ft)			O <sub>2</sub> flowmeter, 16 L/min, CS,		
DISSB EN HAND	M36292	308	DIN, ISO and neutral color,		
O <sub>2</sub> CS hose 5 m (16.4 ft)			M34×1.5 and 9/16"		
NF EN NF	M35342	298	for accessories and		
O <sub>2</sub> CS hose 5 m (16.4 ft)			sterile water systems	MP04558	233
O <sub>2</sub> CS hose 5 m (16.4 ft)			O <sub>2</sub> flowmeter, 16 L/min, CS,		
NIST EN AS	M36151	304	French Standard, ISO,		
O <sub>2</sub> CS hose 5 m (16.4 ft)			M34×1.5, adapter 9/16"	MP04566	234
NIST EN BS	M35333	299	O <sub>2</sub> flowmeter, 16 L/min, CS,		
O <sub>2</sub> CS hose 5 m (16.4 ft)			long CS plug (6 cm; 2.4 in),		
NIST EN BS straight	M35339	300	DIN, ISO and neutral color,		
O <sub>2</sub> CS hose 5 m (16.4 ft)			M34×1.5 and 9/16"		
NIST EN Carba	M35345	302	for accessories and		
O <sub>2</sub> CS hose 5 m (16.4 ft)			sterile water systems	MP04561	233
NIST EN DIN	M35491	295			

## INDEX BY PRODUCT NAME

O <sub>2</sub> flowmeter, 16 L/min,			O <sub>2</sub> twin flowmeter, 2 × 10 L/min,		
rail NIST, packed with hose 1.5 m,			CS, CARBA, 2 × M34×1.5,		
DIN, ISO, M34×1.5 and 9/16"			including adapter to 9/16"		
for accessories and			for sterile water	MP04555	235
sterile water systems	MP04573	236	O <sub>2</sub> twin flowmeter, 2 × 10 L/min,		
O <sub>2</sub> flowmeter, 16 L/min,			rail fitting with NIST gas inlet,		
rail NIST, packed with hose 1.5 m,			2 × M34×1.5, adapter 9/16"	MP04557	235
DIN, neutral color, M34×1.5			O <sub>2</sub> twin flowmeter, 2 × 16 L/min,		
and 9/16" for accessories			rail fitting with NIST gas inlet,		
and sterile water systems	MP04575	236	2 × M34×1.5, adapter 9/16"	MP04569	235, 408
O <sub>2</sub> flowmeter, 16 L/min, rail, 90°,			O <sub>2</sub> twin flowmeter, CS,		
NIST gas inlet, M34×1.5			2 × 16 L/min, CS, DIN, ISO,		
and 9/16" for accessories			neutral color, M34×1.5		
and sterile water systems	MP04570	237	and 9/16" for accessories		
O <sub>2</sub> flowmeter, 16 L/min,			and sterile water systems	MP04560	235, 408
rail, NIST gas inlet,			O <sub>2</sub> -Reservoir MR-100, 2,500 mL	5703701	96, 393
M34×1.5, adapter 9/16"	MP04567	239, 409	O <sub>2</sub> -Reservoir MR-100, 600 mL	5703702	96, 393
O <sub>2</sub> flowmeter, 32 L/min, CS,			O <sub>2</sub> -Reservoir valve MR-100	5703703	96, 394
DIN, ISO and neutral color,			O2Star™ Connector 22 mm ID /		
M34×1.5 and 9/16" for accessories			22 mm ID, disposable, 5 pcs.	MP01942	77
and sterile water systems	MP04571	234	O2Star™ Connector kit for		
O <sub>2</sub> flowmeter, 32 L/min,			breathing circuit for Aquapor,		
rail, NIST, M34×1.5			disposable, 5 pcs.	MP01941	77
and Adapter 9/16"	MP04580	237	O2Star™ Connector kit, 6 mm OD/		
O <sub>2</sub> flowmeter, 4 L/min, CS,			22 mm OD + 6 mm OD/22 mm ID		
DIN, ISO and neutral color,			w. connection tube,		
M34×1.5 and 9/16" for accessories			disposable, 5 pcs.	MP01940	77
and sterile water systems	MP04551	233, 407	O2Star™ Face tent,		
O <sub>2</sub> flowmeter, 4 L/min,			disposable, M/L, 50 pcs.	MP01925	74
rail with NIST gas inlet,			O2Star™ Face tent,		
M34×1.5 and 9/16"			disposable, S, 50 pcs.	MP01933	74
for accessories and			O2Star™ Medium concentration		
sterile water systems	MP04552	236, 409	oxygen mask with connection tube		
O <sub>2</sub> flowmeter, 4 L/min,			2.1 m, disposable, M/L, 50 pcs.	MP01921	73
rail, 90°, NIST gas inlet,			O2Star™ Medium concentration		
M34×1.5 and 9/16"			oxygen mask with connection tube		
for accessories and			2.1 m, disposable, S, 50 pcs.	MP01931	73
sterile water systems	MP04553	237, 409	O2Star™ Non-rebreather		
O <sub>2</sub> sensor capsule, for			oxygen mask with connection tube		
mainstream measurement	6850645	111, 396	2.1 m, disposable, M/L, 50 pcs.	MP01920	73
O <sub>2</sub> sensor for Crossvent 2i+	MU24402	345	O2Star™ Non-rebreather		
O <sub>2</sub> sensor for Isolette® C2000,			oxygen mask with connection tube		
8000 and 8000 plus,			2.1 m, disposable, S, 50 pcs.	MP01930	73
reusable, 2 pcs.	MU24903	334, 336	O2Star™ Oxygen and		
O <sub>2</sub> sensor for MX 300			aerosol mask with 22 mm OD,		
and MX 300-i, reusable	MP01442	357	disposable, M/L, 50 pcs.	MP01926	73
O <sub>2</sub> sensor for			O2Star™ Oxygen and		
TI 500 Globe-Trotter, reusable	MU04804	349	aerosol mask with 22 mm OD,		
O <sub>2</sub> sensor housing Oxydig,			disposable, S, 50 pcs.	MP01934	73
for O <sub>2</sub> sensor capsule,			O2Star™ Oxygen connection tube,		
with spiral cable	6850250	111, 396	2.1 m, disposable, 25 pcs.	MP01927	77
O <sub>2</sub> sensor Oxycell,			O2Star™ Oxygen connection tube,		
for Babyleo® TN500	6873065	111, 329, 396	2.1 m, with 9/16" connector,		
O <sub>2</sub> sensor OxyTrace INCU,			disposable, 25 pcs.	MP01944	77
for Caleo®	MX01050	111, 332	O2Star™ Oxygen connection tube,		
O <sub>2</sub> sensor OxyTrace VE,			4 m, disposable, 25 pcs.	MP01943	77
for Savina® ventilator	MX01049	111	O2Star™ Oxygen connection tube,		
O <sub>2</sub> twin compact flowmeter,			4 m, with 9/16" connector,		
DIN CS, 2 × 1 – 15 L/min, 9/16"	MP05406	243	disposable, 25 pcs.	MP01945	77

## INDEX BY PRODUCT NAME

O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, L, 50 pcs.	MP02926	76	O2Star™ Venturi mask kit, fixed venturi valve, disposable, M/L, 25 pcs.	MP01923	75
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs.	MP02925	76, 385	O2Star™ Venturi mask kit, fixed venturi valve, disposable, S, 25 pcs.	MP01936	75
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs.	MP02924	76, 385	Optic serial RS 232 cable (1 meter) to connect the device to a Dräger monitorAC	MS32156	199
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02927	76	OR aspirator Evac 40, mains plug DIN, rated voltage 230 V, 50/60 Hz	2M86752	283
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02934	76	Oxator head OxyLine, pressure reducer G <sup>3</sup> / <sub>4</sub> ", 200 bar, NIST, 2 × DIN-CS, ejector VarioO2	MP01103	248, 250
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02933	76, 385	Oxator head, configurable via OxyLine®	MP00100	250
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02932	76, 385	Oxett adapter plate, to mount Oxett on bed in higher position	2M86205	249
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02935	76	Oxett carrying frame, for Oxett head+O <sub>2</sub> cylinder up to 2.5 L, with secretion jar	MP04110	249
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02930	76	Oxett head OxyLine, pressure reducer G <sup>3</sup> / <sub>4</sub> ", 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2	MP01102	248, 249
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02929	76, 385	Oxett head OxyLine, pressure reducer G <sup>3</sup> / <sub>4</sub> ", 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2	MP01101	248, 249
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02928	76, 385	Oxett head, configurable via OxyLine®	MP00100	249
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02931	76	Oxidem 3000 demand valve incl. adapter (2120496, 2120488)	2111764	98
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, L, 50 pcs.	MP02922	76	Oxymixer configuration, configurable Oxymixer	MP04200	244, 360
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs.	MP02921	76, 385	Oxymixer High Flow	MP04201	244
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs.	MP02920	76, 385	Oxymixer High Flow with monitor	MP04202	244
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02923	76	Oxymixer Low Flow	MP04203	244, 360
O2Star™ Tracheostomy mask, disposable, M/L, 50 pcs.	MP01924	74	Oxymixer Low Flow with 1 – 15 L flowmeter right	MP04229	244, 360
O2Star™ Tracheostomy mask, disposable, S, 50 pcs.	MP01932	74	Oxymixer Low Flow with monitor	MP04204	244, 360
O2Star™ Venturi mask kit, adjustable venturi valve, disposable, M/L, 25 pcs.	MP01922	75	Oxymixer oxygen sensor (spare part)	MP04221	244, 361
O2Star™ Venturi mask kit, adjustable venturi valve, disposable, S, 25 pcs.	MP01935	75	Oxymixer sound damper 22 and 15 mm	MP04219	244, 361
			Oxymixer sound damper 9/16"	MP04218	244, 361

<b>P</b> Pack2Go® anesthesia pack, A, with anesthesia set + watertrap	MP01682	84
Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size L	MP01665	84
Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size M	MP01664	84

## INDEX BY PRODUCT NAME

Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size S	MP01663	84	Phototherapy mask Eyemax 2, disposable, preemie, head circumference 26-32 cm, 20 pcs.	MP03771	353
Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, basic, + cuvette	MP01656	83	Phototherapy mask Eyemax 2, disposable, regular, head circumference 33-38 cm, 20 pcs.	MP03772	353
Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, basic, 1.8 m	MP01657	83	Plug nozzle water vacuum gauge	MP00566	294
Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, coaxial, + cuvette	MP01676	83	Pneumatic medication nebulizer, for Evita® and Evita® 2	8405000	90
Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, coaxial, 1.8 m	MP01677	83	Pod adapter SensoNor, for connecting pressure transducer cables, 7-pin	MS23598	152
Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, basic, 1.8 m	MP01674	84	Pod adapter, 10-pin, for pressure transducer	3375958	152,159
Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, coaxial, 1.8 m	MP01673	84	Pod adapter, for Abbott/Medex pressure transducer	5196998	152
Parking holder for CO <sub>2</sub> sensor	8416352	166, 198	Pod adapter, for Argon pressure transducer (former Becton Dickinson/Ohmeda)	3375941	152
Patient parameter unit Infinity® BISx SmartPod®	MS14796	162	Pod adapter, for Edwards pressure transducer	5196980	152
Patient parameter unit Infinity® EEG Pod	5736744	163	Pod connection cable, 3 m	3368425	116, 149, 196
Patient parameter unit Infinity® HemoMed Pod	5588822	150	Pod connection cable, 30 cm	7257988	116, 196
Patient parameter unit MultiMed® 12 Pod	5589663	115	Pod connection cable, 5 m	5195198	116, 196
Patient parameter unit set Infinity® Trident® NMT SmartPod®	MS15007	164	Positioning aid "Hug it", reusable, size L, for patients up to 2,000 g	MP01412	354
Patient valve for adults, 60 mbar, volume of dead space 18 mL	5703706	96, 393	Positioning aid "Hug it", reusable, size M, for patients up to 1,500 g	MP01416	354
Patient valve for adults, standard	5703705	96	Positioning aid "Hug it", reusable, size S, for patients up to 800 g	MP01415	354
Patient valve for child/baby, 40 mbar, volume of dead space 18 mL	5703707	96, 393	Positioning aid "Hug it", reusable, size XL, for patients up to 3,000 g	MP01413	354
Pediatric nasal mask MiniMe2 non vented, disposable, size M/L	MP01556	65, 367	Positioning aid Nesting, reusable, for patients up to 1,200 g	MP01417	354
Pediatric nasal mask MiniMe2 non vented, disposable, size S/M	MP01555	65, 367	Positioning aid Set, reusable, 4 small pillows, for patients up to 1,000 g	MP01418	354
Pediatric nasal mask MiniMe2 vented, disposable, size M/L	MP01554	65, 367	Power cable AUS, 1.8 m, 2 pin	MP00626	320, 426
Pediatric nasal mask MiniMe2 vented, disposable, size S/M	MP01553	65, 367	Power cable BR, 1.8 m, 2 pin	MP00625	320, 426
PEEP valve diverter, reusable	5703708	97, 394	Power cable EU, 1.8 m, 2 pin	MP00591	320, 426
PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar	2M86832	37, 97	Power cable GB, 1.8 m, 2 pin	MP00593	320, 426
PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar	8407475	37, 97	Power cable US/JPN, 1.8 m, 2 pin	MP00592	320, 426
Phototherapy mask Eyemax 2, disposable, micro, head circumference 20-25 cm, 20 pcs.	MP03770	353	Power cable ZA, 1.8 m, 2 pin	MP00597	320, 426
			Pressure difference flow sensor, PPSU, sterilizable	8412034	38, 109
			Pressure gauge -100 kPa MRI double scale kPa/ mmHg, -100 kPa (-1000 mbar)	MP03589	279
			Pressure gauge -60 kPa MRI double scale kPa/ mmHg, -60 kPa (-600 mbar)	MP03587	279

## INDEX BY PRODUCT NAME

Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -8 kPa (-80 mbar)	MP03597	293	Rail clamp, for 25 × 10 mm standard rail, drilling distance 22 mm, for M5 screws	M20650	316
Pressure gauge for VarioVac® and VarioAir®, double scale kPa/mmHg, -16 kPa (-160 mbar)	MP00579	293	Rail clamp, for attachment to poles of different diameters	2M85274	316, 321, 427
Pressure gauge for VarioVac® and VarioAir®, double scale kPa/mmHg, -100 kPa (-1000 mbar)	MP00578	279	Rail claw for lamp	MP00615	321, 427
Pressure gauge for VarioVac® and VarioAir®, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP00580	279	Rail holder, for 38 mm tube	2M86185	252
Pressure reducer w/ flowmeter OxyLine, G <sup>3</sup> / <sub>4</sub> ", 200 bar, 16 L/min, M34×1.5, 9/16", nozzle	MP01104	248	Rail holder, for catheter receptacle, 12.5 × 8.4 × 18 cm	MP00652	317, 425
Pressure reducer with NIST OxyLine, G <sup>3</sup> / <sub>4</sub> ", for 200 bar, NIST	MP01105	248	Rail set for Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder	MP03303	257, 412
Prong BabyFlow, standard, disposable, size L, 10 pcs.	8418531	359, 363	Rail set, attaches to standard rail 25 × 10 mm	G13768	319
Prong BabyFlow, standard, disposable, size M, 10 pcs.	8418416	359, 363	Rail, 100 mm for GCX profile	4118555	330
Prong BabyFlow, standard, disposable, size S, 10 pcs.	8418605	359, 363	Rainbow ReSposable system R2-20, pedi, 20 DOS and 1 ROS per box	MP03200	184
Prong BabyFlow, standard, disposable, size XL, 10 pcs.	8418417	359, 363	Rainbow ReSposable system R2-25, adult, 20 DOS and 1 ROS per box	MP03199	184
Prong BabyFlow, standard, disposable, size XS, 10 pcs.	8418415	359, 363	Rainbow sensor DCI, Adt	MP02971	184
Prong BabyFlow, standard, disposable, size XXL, 10 pcs.	8418617	359, 363	Rainbow sensor DCIP, pedi	MP02972	184
Prong BabyFlow, wide, disposable, size 3, 10 pcs.	8418603	359, 363	Rainbow sensor R20-L, infant, 10 pcs.	MP02962	183
Prong BabyFlow, wide, disposable, size 4, 10 pcs.	8418607	359, 363	Rainbow sensor R20, pedi, 10 pcs.	MP02960	183
Prong BabyFlow, wide, disposable, size 5, 10 pcs.	8418609	359, 363	Rainbow sensor R25-L, adult, 10 pcs.	MP02961	183
Prong BabyFlow, wide, disposable, size 6, 10 pcs.	8418611	359, 363	Rainbow sensor R25, adult, 10 pcs.	MP02959	183
Protection jar, PSU (polysulfone), reus., w/ rail clamp, autoclav. up to 134 °C	2M86758	277, 284	Rainbow sensor ReSposable R2-20a (DOS), pedi, 25 pcs.	MP02998	184
Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616	142, 190, 215	Rainbow sensor ReSposable R2-20r (ROS), pedi, 5 pcs.	MP03202	184
<b>Q</b> Quartz oscillator for Tropic 2.0, reusable	MP03308	259, 414	Rainbow sensor ReSposable R2-25a (DOS), adult, 25 pcs.	MP02997	184
<b>R</b> Rail clamp for F&P humidifier	8411074	87, 358, 388	Rainbow sensor ReSposable R2-25r (ROS), adult, 5 pcs.	MP03201	184
Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail	M25739	316	RD-SET intermediate cable for Masimo® rainbow SET Mcable, 1.5 m	MS33738	181
Rail clamp lever type, for the attachment of devices to standard rail	2M85049	316	RD-SET intermediate cable for Masimo® rainbow SET Mcable, 3.6 m	MS33739	181
Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail	M26842	251, 274, 316, 424	RD-SET intermediate cable for Masimo® SET Mcable, 1.5 m	MS33736	181
			RD-SET intermediate cable for Masimo® SET Mcable, 3.6 m	MS33737	181
			Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	4711201	171, 406
			Restraining strap, disposable, 10 pcs.	MU06011	344, 350, 352
			Rubber plug, for immersion tube of water vacuum gauge	2M85139	293
			<b>S</b> Sample gas return line for Fabius®, with filter	M32692	170
			Sample line, disposable, 10 pcs.	8290286	170
			Sealing plug for Y-piece, 5 pcs.	8411024	91, 390
			Sealing rings for spiral hoses, pack of 20	M07152	98
			Seattle PAP plus	MP02260	358
			Secretion control glass	M07582	278
			Secretion jar 3 L Medela	MP03230	283

## INDEX BY PRODUCT NAME

Secretion jar set with clamp	MP00646	273	Simple cylinder trolley, for one gas cylinders up to a volume of 11 L	MP00038	250, 252
Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose	2M85056	251, 272, 421	Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933	343, 344, 349, 351
Secretion jar set, with protection jar and 700 mL secretion jars (2 pcs.)	2M85607	272, 421	Skin temperature probe Premi-Probe 1, reusable	MU06951	343, 344, 349, 351
Secretion jar set, with rail holder and secretion jar 700 mL, for continuous drainage units	2M85163	291	Skin temperature probe Premi-Probe 3, disposable, 10 pcs.	MU11228	340
Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 mL, 25 pcs.	MX23025	275, 422	Skin temperature probe Premi-Probe 3, reusable	MU11225	340
Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 mL, 25 pcs.	MX23023	275, 422	Skin temperature probe Premi-Probe 5, disposable, 10 pcs.	MU12551	335
Secretion jar, PSU (Polysulfone), reusable, 300 mL, autoclavable up to 134°C	2M86207	278, 423	Skin temperature probe Premi-Probe 5, reusable	MU12533	335
Secretion jar, PSU (Polysulfone), reusable, 700 mL, autoclavable up to 134°C	2M85594	278, 423	Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, white, peripheral, 10 pcs.	MU26042	333
Sensor for respiratory mechanics and flow, disposable, adult/child, 10 pcs.	5957134	167	Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, yellow, central, 10 pcs.	MU26041	333
Sensor for respiratory mechanics and flow, disposable, neonate, 10 pcs.	5957100	167, 405	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001	329, 331, 337
Sensor for respiratory mechanics, flow and CO <sub>2</sub> , disposable, adult/child, 10 pcs.	5957126	167	Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000	329, 331, 337
Sensor for respiratory mechanics, flow and CO <sub>2</sub> , disposable, child, 10 pcs.	5957142	167	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822	142, 190, 403
Sensor for respiratory mechanics, flow and CO <sub>2</sub> , disposable, neonate, 10 pcs.	5957118	167, 405	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669	142, 190, 403
Set VacuSmart® Gel and Tube, 25 pcs.	MP03211	275, 422	Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995	141, 189
Shelf 3020, 30 × 20 cm	M24678	315	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996	141, 189
Shut-off valve for VarioVac®, for temporary opening and closing of suction flow	MP00570	278	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997	141, 189, 403
Silicone hose 6 × 2.5, 2 m	5001330	277	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998	141, 189, 403
Silicone mask, reusable, size 0, small neonate	MP01910	70, 341, 384	Smart Capnoline® Plus O <sub>2</sub> , adult/intermediate, (pack of 25)	MS26188	169
Silicone mask, reusable, size 00, premature baby	MP02900	70, 341, 384	Smart Capnoline® Plus, adult/intermediate, (pack of 25)	MS26187	169
Silicone mask, reusable, size 1, large neonate	MP01911	70, 341, 384	Soda lime Drägersorb® 800+, for CO <sub>2</sub> absorption, canister, 5 L, 2 pcs.	MX00001	103
Silicone mask, reusable, size 2, small child	MP01912	70	Soda lime Drägersorb® Free, for CO <sub>2</sub> absorption, canister, 5 L, 2 pcs.	MX50050	103
Silicone mask, reusable, size 3, large child	MP01913	70	Soft connector N, disposable, 20 pcs.	MP03826	359, 362
Silicone mask, reusable, size 4, small adult	MP01914	70	Spare parts set SelfTestLung, with locking brace and attachment bolt	MP02401	46
Silicone mask, reusable, size 5, large adult	MP01915	70			

## INDEX BY PRODUCT NAME

Spiral hose flowmeter/ nebulizer element	MP03322	256
SpO <sub>2</sub> adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447	127, 399
SpO <sub>2</sub> adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446	127, 399
SpO <sub>2</sub> adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445	126, 204
SpO <sub>2</sub> adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444	126, 204
SpO <sub>2</sub> adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449	126, 204
SpO <sub>2</sub> adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448	126, 204
SpO <sub>2</sub> adhesive sensor Masimo® LNCS A dx, disposable, adult, 20 pcs.	MP00790	130, 179, 205
SpO <sub>2</sub> adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791	130, 179, 205
SpO <sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792	130, 179, 347, 401
SpO <sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794	130, 179, 347, 401
SpO <sub>2</sub> adhesive sensor Masimo® LNCS P dx, disposable, child, 20 pcs.	MP00793	130, 179, 205
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065	138, 188, 208
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071	138, 138, 208
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.	MX50070	139, 212
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067	138, 188, 399
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068	138, 188, 208, 399
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066	138, 188, 208
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-R, disposable, application on nose, 24 pcs.	MX50069	139
SpO <sub>2</sub> adhesive square Masimo®, 12 pcs.	7496875	134, 185, 207
SpO <sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI	7496917	134, 185, 207, 402
SpO <sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI	7496909	134, 185, 207, 402

SpO <sub>2</sub> adhesive wrap Masimo® Posey-Wrap, for NeoPt			
SpO <sub>2</sub> sensor, 12 pcs.	7496933	134, 185, 402	
SpO <sub>2</sub> adhesive wrap Masimo®, for NeoPt SpO <sub>2</sub> sensor, 100 pcs.	7496925	134, 185, 402	
SpO <sub>2</sub> extension cable, 2 m, reusable	2606487	211	
SpO <sub>2</sub> finger sensor Dräger, reusable	MS13235	126, 204	
SpO <sub>2</sub> finger sensor Masimo® LNCS DCI, reusable, adult	MP00796	129, 178, 205	
SpO <sub>2</sub> finger sensor Masimo® LNCS DCIP, reusable, child	MP00795	129, 178, 205	
SpO <sub>2</sub> finger sensor Nellcor® DURA DS 100A	7262764	137, 188, 208, 212	
SpO <sub>2</sub> finger sensor, adult, 1 m, reusable	2606484	211	
SpO <sub>2</sub> finger sensor, adult, 2.5 m, reusable	2606483	211	
SpO <sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO <sub>2</sub> sensor, 12 pcs.	7496891	134, 185, 207, 402	
SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m	3368433	125, 128, 136, 398	
SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m	3375834	125, 128, 136, 398	
SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	MS18683	125, 128, 136, 204, 208, 398	
SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	MS17330	125, 128, 136, 204, 208, 398	
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m	MP00800	177	
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m	MS24303	128, 205, 400	
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 3 m	MP00797	177	
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 3 m	MS17522	128, 205, 400	
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 4.3 m	MP03194	177	
SpO <sub>2</sub> intermediate cable Masimo® rainbow, 1.2 m	MP02974	183	
SpO <sub>2</sub> intermediate cable Masimo® rainbow, 3.6 m	MP02975	183	
SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 1.2 m	MP02991	177	
SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 3 m	MP02992	177	
SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 4.3 m	MP03196	177	
SpO <sub>2</sub> Masimo® sensor LNCS-DBI, reusable, adult	MP02993	129, 178, 205	
SpO <sub>2</sub> Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788	129, 178, 205	

## INDEX BY PRODUCT NAME

SpO <sub>2</sub> Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799	129, 178, 205
SpO <sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789	129, 178, 205, 401
SpO <sub>2</sub> multisite sensor Nellcor® DURA-Y™, reusable	MX01004	137, 212
SpO <sub>2</sub> multisite sensor Nellcor® Oxiband™ A/N, reusable, neonate/adult	8201013	212, 347, 399
SpO <sub>2</sub> sensor cable Masimo® LNCS, 3 m	MU24688	347
SpO <sub>2</sub> sensor cable Nellcor®, 2.4 m	MU24686	347
SpO <sub>2</sub> sensor, adult, 0.5 m, disposable, 25 pcs.	2606208	211
SpO <sub>2</sub> sensor, infant, 0.5 m, disposable, 25 pcs.	2606210	211
SpO <sub>2</sub> sensor, neonate, 0.5 m, disposable, 25 pcs.	2606211	211
SpO <sub>2</sub> sensor, pediatric, 0.5 m, disposable, 25 pcs.	2606209	211
SpO <sub>2</sub> silicone Soft-tip sensor, adult, 1 m, reusable	2606485	211
SpO <sub>2</sub> silicone Soft-tip sensor, pediatric, 1 m, reusable	2606486	211
Stable 4-wheeled cylinder trolley, holder for cylinder, for one gas cylinders up to a volume of 11 L	2M86029	250, 252
Starter kit for patient parameter unit Infinity® CNAP™ SmartPod®	MS17075	148
Starter package for Caleo®, incubator cover and positioning aids, reusable	MP01426	331, 355
Starter package for Isolette® C2000/8000/8000 plus, cover and positioning aids, reusable	MP01427	333, 355
Straight hose (3 m; 118.1 in) flowmeter/nebulizer element	M17717	256
Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.	MU10918	334, 336, 342
Suction bottle with holder for Resuscitaire, disposable, 40 mL	MU10916	342
Suction bottle, disposable, 40 mL, 10 pcs.	MU10917	342
Suction hose holder, suitable for various diameters	2M85239	274, 284, 316, 424
Suction hose, silicone, reusable, 1.5 m, for medical suction	M25780	277, 423
Suction set, disposable, VacuSmart®, 700 mL and VacuSmart® Tube, 25 pcs. each	MP00061	275, 422
Suction tube VacuSmart® Tube, PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs.	MX23026	275, 422
Swivel table, reusable, for poles with Ø 38 mm	MP03232	283

T-Adapter, adult, 10 pcs.	MP01085	92
T-Adapter, pediatric, 10 pcs.	MP01086	92
T-connector for Aerogen Pro, 12 mm, with plug, 5 pcs.	MP01037	91, 390
T-connector, disposable, Ø 15 mm, 25 pcs.	MU10902	342
T-piece adapter for MX 300 and MX 300-i, reusable	MP01445	357
T-piece adapter for MX300/MX300i and HI-Flow Star System, disposable, 20 pcs.	MP05508	78
T-piece adapter for MX300/MX300i and Resuscitaire® breathing circuit, disposable, 20 pcs.	MP01880	341, 357
T-piece AIR NIST	M36056	311
T-piece connector, reusable	8411044	31, 33, 44, 373, 375
T-piece connector, reusable, for F&P temperature probe	8418405	32, 374
T-piece O <sub>2</sub> NIST	M36250	311
T-piece set with plug for Aerogen Pro (N), 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.	MP01032	91, 390
T-piece with plug for Aerogen Pro, A, ISO 22 mm, 5 pcs.	MP01031	91
Table set for Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder	MP03302	257, 412
TCC calibration unit	MP00722	171
Tcore® adapter (reusable)	MP00999	143, 191
Tcore® extension cable	MP02201	143, 191
Tcore® mount for M540	MS33239	191
Tcore® sensor (single patient use)	MP00989	143, 191
Telemetry cable adapter, connects single-pin cable to telemetry transmitter	MS14681	124
Telemetry transmitter pouch, disposable, 100 pcs.	MS22905	209
Telescopic arm, with curtains (2 pcs.)	MP00498	318
TEMP Adapter 2-pin	MP00944	226
TEMP Adapter Jack	MP00943	226
Temperature probe adapter 900 MR 532, for F&P humidifiers	MP01007	30, 43, 89
Temperature probe skin, adult, 3 m, reusable	2601197	215
Temperature probe skin, neonate/infant, 3 m, reusable	2601200	215
Temperature probe, rectal/oral, adult, 3 m, reusable	2601198	215
Temperature probe, rectal/oral, neonatal/Infant, 3 m, reusable	2601199	215
Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m	8414989	88, 389

## INDEX BY PRODUCT NAME

Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m	8414966	88, 389
Test filter	6870281	166, 198
Test gas cylinder 5 Vol.% CO <sub>2</sub> , 95 Vol. % N <sub>2</sub>	6850435	166, 198
Test lung 1.5-liter bag lung, silicone	8403201	46
Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex	MP02425	31, 32, 33, 46, 345, 373, 374, 375, 379
Test lung SelfTestLung, reusable, max. 1 L, not made with natural rubber latex	MP02400	46
Test lung, silicone, N	8403208	46, 379
Test lung, silicone, N, with hose	8410079	46, 379
ToFscan® Kit configurator	MS32318	199
ToFscan® monitor	MS32146	199
ToFscan® to IACS connectivity kit	MS25836	199
Towel doll Babyleo TN500, lion, orange	MP03737	329, 354
Towel doll Cally, reusable, light blue or pink	2M30462	354
tpO <sub>2</sub> /tpCO <sub>2</sub> solid-state electrode	4529988	171, 406
Trolley complete	5790148	358
Trolley for rail accessories, stainless steel, 2 rails (50 cm each), 55 × 82 × 47 cm	MP00090	318
Trolley Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder	MP03301	257, 412
Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars	2M85441	283, 358
Tubing grommet for Caleo®, reusable, angle	2M50385	331
Tubing grommet for Caleo®, reusable, flap	2M50412	331
Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable	MU12609	334, 336
Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366	344, 349, 351
Tubing grommet, reusable	2M20434	338
Turn knob, compl.	MP00587	321, 427
Two-sided pump ball for air management	MP01590	66, 72, 386
<b>U</b> Ultrasonic nebulizer Tropic 2.0, basic unit with all accessories	MP03300	257, 412
Universal charging station		
MedCharge 4000 "ALL in ONE"	MX50028	94
Universal holder flex 15 for wall rails 25 × 8 to 35 × 10 mm w. bottle screw	MP00637	280
Universal holder for wall rails 25 × 8 to 35 × 10 mm w. M5 drill hole 15 mm distance	MP00635	280
Universal holder for wall rails 25 × 8 to 35 × 10 mm w. M5 drill hole 22 mm distance	MP00636	280

Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm, for secretion jars Medela	MP00634	280, 284, 358
Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set	2M86757	280, 284
Universal hose clip, for Hinged arm Infinity ACS (MP00690)	MP00692	325
Universal laryngoscope set, reusable	MX03300	93
Universal pole mount	7485621	116, 149, 150
<b>V</b> VAC CS hose 1.5 m (4.9 ft)		
DISSB EN HAND	M36299	308
VAC CS hose 1.5 m (4.9 ft)		
NF EN NF	M35431	298
VAC CS hose 1.5 m (4.9 ft)		
NIST BS straight	M35404	300
VAC CS hose 1.5 m (4.9 ft)		
NIST EN AS	M36826	304
VAC CS hose 1.5 m (4.9 ft)		
NIST EN BS	M35395	299
VAC CS hose 1.5 m (4.9 ft)		
NIST EN Carba	M35477	302
VAC CS hose 1.5 m (4.9 ft)		
NIST EN DIN	M35498	295
VAC CS hose 1.5 m (4.9 ft)		
NIST EN NF	M35422	297
VAC CS hose 1.5 m (4.9 ft)		
NIST EN SS	M35386	301
VAC CS hose 1.5 m (4.9 ft)		
NIST EN UNI	M35413	303
VAC CS hose 1.5 m (4.9 ft)		
NIST NEUTRAL DIN	M36013	296
VAC CS hose 1.5 m (4.9 ft)		
NIST NEUTRAL NF	M35455	297
VAC CS hose 3 m (9.8 ft)		
DISSB EN HAND	M36300	308
VAC CS hose 3 m (9.8 ft)		
NF EN NF	M35432	298
VAC CS hose 3 m (9.8 ft)		
NIST BS straight	M35405	300
VAC CS hose 3 m (9.8 ft)		
NIST EN AS	M36827	304
VAC CS hose 3 m (9.8 ft)		
NIST EN BS	M35396	299
VAC CS hose 3 m (9.8 ft)		
NIST EN Carba	M35478	302
VAC CS hose 3 m (9.8 ft)		
NIST EN DIN	M35499	295
VAC CS hose 3 m (9.8 ft)		
NIST EN NF	M35423	297
VAC CS hose 3 m (9.8 ft)		
NIST EN SS	M35387	301
VAC CS hose 3 m (9.8 ft)		
NIST EN UNI	M35414	303
VAC CS hose 3 m (9.8 ft)		
NIST NEUTRAL DIN	M36014	296

## INDEX BY PRODUCT NAME

VAC CS hose 3 m (9.8 ft)		
NIST NEUTRAL NF	M35456	297
VAC CS hose 5 m (16.4 ft)		
DISSB EN HAND	M35820	305
VAC CS hose 5 m (16.4 ft)		
DISSB EN HAND	M36301	308
VAC CS hose 5 m (16.4 ft)		
NF EN NF	M35433	298
VAC CS hose 5 m (16.4 ft)		
NIST BS straight	M35406	300
VAC CS hose 5 m (16.4 ft)		
NIST EN AS	M36828	304
VAC CS hose 5 m (16.4 ft)		
NIST EN BS	M35397	299
VAC CS hose 5 m (16.4 ft)		
NIST EN Carba	M35479	302
VAC CS hose 5 m (16.4 ft)		
NIST EN DIN	M36000	295
VAC CS hose 5 m (16.4 ft)		
NIST EN NF	M35424	297
VAC CS hose 5 m (16.4 ft)		
NIST EN SS	M35388	301
VAC CS hose 5 m (16.4 ft)		
NIST EN UNI	M35415	303
VAC CS hose 5 m (16.4 ft)		
NIST NEUTRAL DIN	M36015	296
VAC CS hose 5 m (16.4 ft)		
NIST NEUTRAL NF	M35457	297
Vacuum aspirator DISS Canada, version for Perseus A500	MP00687	265
Vacuum aspirator DISS, version for Perseus A500	MP00686	265
Vacuum aspirator NIST version for Perseus A500	MP00689	265
Vacuum lamp for blade (size 00 – 1)	MX03316	93, 391
Vacuum lamp for blade (size 2 – 5)	MX03311	93
Vacuum regulator dual VarioVac® B/OR Rail, for bronchial suction, gas connection VAC	MP00516	262, 282
Vacuum regulator VarioVac® B AGA, for bronchial suction, gas connection VAC	MP00504	262
Vacuum regulator VarioVac® B BS, for bronchial suction, gas connection VAC	MP00502	262
Vacuum regulator VarioVac® B CARBA, for bronchial suction, gas connection VAC	MP00514	262
Vacuum regulator VarioVac® B compact, for bronchial suction, gas connection VAC	MP00506	270
Vacuum regulator VarioVac® B DIN, for bronchial suction, gas connection VAC	MP00501	262
Vacuum regulator VarioVac® B NF, for bronchial suction, gas connection VAC	MP00503	262

Vacuum regulator VarioVac® B/OR Rail, for bronchial suction, gas connection VAC	MP00505	262, 282
Vacuum regulator VarioVac® D AGA, for continuous and wound drainage, gas connection VAC	MP00510	286
Vacuum regulator VarioVac® D BS, for continuous and wound drainage, gas connection VAC	MP00508	286
Vacuum regulator VarioVac® D CARBA, for continuous and wound drainage, gas connection VAC	MP00515	286
Vacuum regulator VarioVac® D DIN, for continuous and wound drainage, gas connection VAC	MP00507	286
Vacuum regulator VarioVac® D NF, for continuous and wound drainage, gas connection VAC	MP00509	286
Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connect. VAC	MP00511	286, 415
Vacuum regulator VarioVac® MRI B/OR Rail, for bronchial suction, gas connection VAC	MP03222	263
Vacuum regulator VarioVac® MRI P Rail, for bronchial suction, gas connection VAC	MP03223	263, 416
Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection VAC	MP00661	270, 417
Vacuum regulator VarioVac® P Rail, for bronchial suction, gas connection VAC	MP00660	263, 426
Vacuum regulator VarioVac® T DIN, for thoracic drainage, gas connection VAC	MP00664	287
Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included	MP00512	287, 291
Vacuum regulator VarioVac® T Rail, for thoracic drainage, gas connection VAC	MP00663	287
Vacuum suction DISS Canada for bronchial suction, gas connection VAC	MK03320	264
Vacuum suction DISS for bronchial suction, gas connection VAC	MK03140	264
Vacuum suction NIST for bronchial suction, gas connection VAC	MK01422	264
Ventilation hose holder, reusable, 40 cm	8411075	330, 332
Ventilation valve for Oxylog® 1000, reusable	2M86800	37
Ventilation valve for Oxylog® 2000/3000, reusable	8412001	38

## INDEX BY PRODUCT NAME

VentStar® Breathing Bag 0.5 L, 25 pcs.	MP02710	15, 368	Y-piece, polyamide, reusable, A, with angled Luer Lock	M33278	34, 35, 42
VentStar® Breathing Bag 1 L, 25 pcs.	MP02711	15	Y-piece, reusable, for Dräger temperature probe	8405435	28, 43
VentStar® Breathing Bag 2 L, 25 pcs.	MP02712	15	Y-piece, reusable, for temperature probe adapter 900 MR 532	8412888	29, 30, 43
VentStar® Breathing Bag 3 L, 25 pcs.	MP02713	15	Y-piece, reusable, P, angled, with suction opening	8403075	27, 31, 36, 43, 372, 373, 376, 378
VentStar® Helix, dual heated, 10 pcs.	MP02606	20	Y-piece, reusable, P, straight	M27077	43, 376, 378
VentStar® Helix, heated, 10 pcs.	MP02607	20			
Vista 120 printing paper, 4 rolls	2606231	223			
Vista 120 rechargeable Lithium-Ion battery	2606229	223			
<b>W</b> Wall holder, with fixing screws, for compact suction unit and secretion jar set	M26859	274, 424			
Warming mattress TransWarmer®, disposable, self warming for approx. 2 h, 6 pcs.	MP01414	356			
Water bag holder 900 MR 290	MP01008	87			
Water container with screw thread and gaskets	MP00565	294			
Water container, for continuous drainage system 2 – 4, w/o screw thread	M20668	293			
Water nozzle for humidity pad, disposable, 25 pcs.	MU25426	345			
Water tank and water transfer hose, for Caleo®, reusable	2M50040	332			
Water transfer hose for Caleo® and Babyleo TN500, disposable, 20 pcs.	MX17018	330, 332			
Water trap for Evita® 2 dura, Evita® 4, Evita® XL, reusable	8413125	80			
Water trap Infinity® ID	6872020	170			
WaterLock® 2, 12 pcs.	8404985	28, 30, 35, 44			
Water trap, reusable, A	8409627	27, 31, 32, 33, 44, 372, 373, 374, 375			
Water trap, reusable, N	8404760	27, 372			
Water trap, reusable, P	8404760	27, 372			
Water vacuum gauge, for thor. drainage	MP00518	291			
Watertrap WaterLock® 2, 12 pcs.	6872130	170			
<b>X</b> Xenon lamps for battery grip, 2.5 V	MX03328	94, 392			
<b>Y</b> Y-cable CO <sub>2</sub> and analog/sync	MS22259	166, 198			
Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154	141, 189			
Y-piece, polyamide, reusable, A, angled, without Luer Lock	M25682	42			
Y-piece, polyamide, reusable, A, straight	M25650	42			

Not all products, features, or services are for sale in all countries.  
Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to [www.draeger.com/trademarks](http://www.draeger.com/trademarks) to find the current status.

#### CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany

[www.draeger.com](http://www.draeger.com)

#### Manufacturer:

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany

#### REGION DACH

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany  
Tel +49 451 882 0  
Fax +49 451 882 2080  
[info@draeger.com](mailto:info@draeger.com)

#### REGION EUROPE

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany  
Tel +49 451 882 0  
Fax +49 451 882 2080  
[info@draeger.com](mailto:info@draeger.com)

#### REGION MIDDLE EAST, AFRICA

Drägerwerk AG & Co. KGaA  
Branch Office  
P.O. Box 505108  
Dubai, United Arab Emirates  
Tel +971 4 4294 600  
Fax +971 4 4294 699  
[contactuae@draeger.com](mailto:contactuae@draeger.com)

#### REGION ASIA / PACIFIC

Draeger Singapore Pte. Ltd.  
25 International Business Park  
#04-20/21 German Centre  
Singapore 609916  
Tel +65 6308 9400  
Fax +65 6308 9401  
[asia.pacific@draeger.com](mailto:asia.pacific@draeger.com)

#### REGION NORTH AMERICA

Draeger, Inc.  
3135 Quarry Road  
Telford, PA 18969-1042, USA  
Tel +1 800 4DRAGER  
(+1 800 437 2437)  
Fax +1 215 723 5935  
[info.usa@draeger.com](mailto:info.usa@draeger.com)

#### REGION CENTRAL AND SOUTH AMERICA

Dräger Panama S. de R.L.  
59 East Street, Nuevo Paitilla,  
House 30, San Francisco Town  
Panama City, Panama  
Tel +507 377 9100  
Fax +507 377 9130  
[servicioalcliente@draeger.com](mailto:servicioalcliente@draeger.com)

Locate your Regional Sales  
Representative at:  
[www.draeger.com/contact](http://www.draeger.com/contact)

