

ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



1 A



1 B



2



3

ECG Cables and Leads – Bedside ECG IntelliVue Cable Family

Lead Sets AAMI Color Coding (continued)

| | # of Leads | Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* (Also for use with Efficia CM monitors) |
|---|------------|--------------|---|------------------------------------|--|-----------|---|
| 4 | 5 limb | M1968A | ICU, grabber | Reusable | Limb 1m (3.3ft) chest 1,6m (5.3 ft) | 1 each | Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) |
| | | M1644A | ICU, snap | | | | |
| | | 989803192181 | ICU, DIN to Tab | | | | |
| 5 | | M1973A | OR, grabber | | | | |
| 6 | 5 limb | M1647A | Miniclip grabber, unshielded | | Limb 70 cm (28") chest 1,3m (2.3ft) | | Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) |
| 7 | | 989803173131 | ICU, grabber | Single patient use | | 20 each | |
| 8 | 5 chest | M1976A | ICU, grabber | Reusable | 1m (3.3ft) | 1 each | Efficia CM12 (863303), CM120 (863302), CM150 (863304) |
| | | M1602A | ICU, snap Reusable Length: 1m (3.3ft) | | | | |
| | | 989803192201 | ICU, DIN to Tab | | | | |
| | | M1979A | OR, grabber | | | | Efficia CM12 (863303), CM120 (863302), CM150 (863304) |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



ECG Cables and Leads – Bedside ECG IntelliVue Cable Family

Trunk cables

| # of Leads | Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* (Also for use with Efficia CM monitors) |
|------------|--------------|---|------------------------------------|---------------|---|---|
| 1 A | M1669A CE | ECG Trunk Cable, 12 pin connector, AAMI and IEC labels included | Reusable | 2,7 m (9.9ft) | 1 cable | Modules: M1001B, M1002B, Multi-Measurement Modules: M3000A, M3001A, M3002A, MP2: M8102A, MP5: M8105A, SureSigns Monitors: 863063, 863064, 863065, 863066, 863068, 863077, 863085, 863086, 863087, 863088, 863317; Efficia Monitors 863300, 863301, 863302, 863303, 863304, 863320, 863321, 863322; Defibrillators M3534A, M3535A, M3536A (Heart Start MRx), M4735A (HeartStart XL), 861290 HeartStartXL+, DFM 100, Efficia CM12 (863303), CM120 (863302), CM150 (863304) |
| | 3 | 989803170171 (Orange) CE | | | OR ECG Trunk Cable, 12-pin connector. AAMI and IEC labels included. For use in operating room | 1 cable |
| 2 | M1668A CE | ECG Trunk Cable, 12 pin connector, AAMI and IEC labels included | | | 1 cable | Modules: M1001B, M1002B, Multi-Measurement Modules: M3000A, M3001A, M3002A, MP2: M8102A, MP5: M8105A, SureSigns Monitors: 863064, 863065, 863066, 863068, 863087, 863088, 863317; Efficia Monitors 863300, 863301, 863302, 863303, 863304, 863320, 863321, 863322; Defibrillators: M3534A, M3535A, M3536A (Heart Start MRx), M4735A (HeartStart XL), 861290 HeartStartXL+, DFM 100, Xper Flex Cardio: 860338, 850335, Efficia CM12 (863303), CM120 (863302), CM150 (863304) |
| | 5 | 989803170181 CE | | | OR ECG Trunk Cable, 12-pin connector. AAMI and IEC labels included. For use in operating room | 1 cable |
| 3 | M1667A CE | ECG Trunk Cable, 12 pin connector, AAMI and IEC labels included | | | 1 cable | Multi Measurement Server: M3000A, M3001A Opt C12 or Opt C18, M3002A Opt C12 or Opt C18, MP2: M8102A Opt C12, MP5: M8105A Opt C12, Defibrillator HeartStartXL+ 861290 |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



ECG Cables and Leads – Bedside ECG IntelliVue Cable Family

Trunk cables (continued)

| | # of Leads | Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* (Also for use with Efficia CM monitors) |
|---|------------|--------------|---|------------------------------------|---------------|--|---|
| 4 | | M1663A CE | ECG Trunk Cable, 12 pin connector, AAMI and IEC labels included | Reusable | 2m (6.5ft) | 1 cable | Multi-Measurement Modules: M3000A, M3001A Opt C12 or Opt C18, M3002A Opt C12 or Opt C18; Patient Monitors: MP5: M8105A Opt C12, MP2: M8102A Opt C12, ECG Modules: M1001B, M1002B, Efficia Monitors: 863302, 862202, 863304, 863321, 863322 Defibrillators: M3535A (HeartStart MRx), M4735 (HeartStart XL), Defibrillator Heart Start XL+ 861290, Efficia CM12 (863303), CM120 (863302), CM150 (863304) |
| | 10 (5+5) | M1949A CE | ECG Trunk Cable, 12 pin connector, AAMI and IEC labels included | | 2,7 m (9.9ft) | 1 cable | Multi-Measurement Modules: M3001A Opt C12 or Opt C18, M3002A Opt C12 or Opt C18; Patient Monitors: MP5: M8105A Opt C12, MP2: M8102A Opt C12, ECG, Efficia Monitors: 863302, 863303, 863304, 863321, 863322 Defibrillators: M3535A, M3536A (HeartStart MRx), M4735A (HeartStart XL), Defibrillator Heart Start XL+ 861290 XPer Flex Cardio 860335, 860338, Efficia CM12 (863303), CM120 (863302), CM150 (863304) |
| 5 | 10 (6+4) | M1665A CE | ECG Trunk Cable, 12 pin connector, AAMI and IEC labels included | | 1 cable | Multi-Measurement Modules: M3001A Opt C12 or Opt C18, M3002A Opt C12 or Opt C18; Patient Monitors: MP5: M8105A Opt C12, MP2: M8102A Opt C12, ECG | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

ECG Cables and Leads - Bedside ECG IntelliVue Cable Family




ECG Cables and Leads – Bedside ECG IntelliVue Cable Family

Trunk cable adapter for non Philips monitors (connects non Philips trunk cables to IntelliVue Lead sets)


| # of Leads | Product # | Description | Reusable/ Single patient use | Packaging | Use with:* |
|---|--------------------|--|------------------------------------|-----------|---|
| 5 (can also be used for 3 lead ECG) | 989803174501 CE | ECG Trunk Cable Adapter- GE, AAMI/IEC | Reusable | 1 adapter | Connects to GE 5-lead monitoring trunk cables with MultiLink-style connectors (such as product numbers 41-2931-XXX, 411910-0011) |
| | 989803174511 CE | ECG Trunk Cable Adapter - Spacelabs, AAMI/IEC | | | Connects to Spacelabs 5-lead monitoring trunk cables with TruLink-style connectors (such as Spacelabs 700-0008-06 shielded trunk) |
| | 989803174521 CE | ECG Trunk Cable Adapter - Datascope AAMI | | | Connects to Datascope 5-lead monitoring AAMI trunk cables with DIN-style connector (0012-00-0620-02) |
| | 989803174531 CE | ECG Trunk Cable Adapter - Mindray, AAMI/IEC | | | Connects to Mindray 5-lead monitoring trunk cables (such as 0012-00-1255-02) |
| | 989803177881 CE | ECG Trunk Cable Adapter - Datascope IEC | | | Connects to Datascope 5-lead monitoring IEC trunk cables with DIN-style connector |
| | 989803182171 CE | ECG Trunk Cable Adapter - Draeger/Fukuda Denshi, AAMI/IEC | | | Connect Philips 3- and 5-lead leadsets to Draeger monitoring trunk cables (such as 3368391, 5950196, 5191221) |
| 4 | 989803182181 CE | ECG Trunk Cable Adapter - Nihon Kohden, AAMI /IEC | | | Connect any Philips 3- and 5-lead leadsets to Nihon Kohden monitoring trunk cables (such as JC-906P) |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



4



5



6



7



8

ECG Cables and Leads – Bedside ECG IntelliVue Cable Family

Lead Sets AAMI Color Coding

| | # of Leads | Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* |
|---|------------|--------------|-------------------------------|------------------------------------|------------|-----------|---|
| | | | | | | | (Also for use with Efficia CM monitors) |
| 1 | 3 | M1671A | ICU, grabber | Reusable | 1m (3.3ft) | 1 each | Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) |
| | | M1673A | ICU, snap | | | | |
| 2 | | M1675A | OR, grabber | | | | |
| | | M1622A | Miniclip, grabber, unshielded | Single Patient Use | 45cm (18") | | |
| 3 | | M1624A | Miniclip, grabber, unshielded | | 70cm (28") | | |
| | | 989803173121 | ICU grabber | | | 20 each | |
| | 4 chest | M1532A | ICU, grabber | Reusable | 1m (3.3ft) | 1 each | 6+4 trunk cable M1665A |
| | | M1537A | ICU, snap | | | | |
| | | 989803192241 | ICU, DIN to Tab | | | | |
| | | M1557A | OR, grabber | | | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

ECG Cables and Leads - Bedside ECG IntelliVue Cable Family




ECG Cables and Leads – Bedside ECG IntelliVue Cable Family

Lead Sets AAMI Color Coding (continued)

| | # of Leads | Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* |
|----|------------|--------------|-----------------|------------------------------------|--|-----------|---|
| | | | | | | | (Also for use with Efficia CM monitors) |
| | 5 chest | 989803192141 | ICU, grabber | Single patient use | 1m (3.3ft) | 20 each | 5+5 Trunk cable M1949A, M1663A |
| 9 | 6 | M1680A | ICU, grabber | Reusable | Limb 1m (3.3ft) chest 1,6m (5.3 ft) | 1 each | 6 lead Trunk cable M1667A or 6+4 Trunk cable M1665A |
| | | M1682A | ICU, snap | | | | |
| | | 989803192221 | ICU, DIN to Tab | | | | |
| 10 | | M1684A | OR, grabber | | | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



ECG Cables and Leads – Bedside ECG IntelliVue Cable Family

Lead Sets IEC Color Coding

| | # of Leads | Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* (Also for use with Efficia CM monitors) |
|---|------------|--------------------|-------------------------------|------------------------------------|------------|-----------|---|
| 1 | 3 | M1672A CE | ICU, grabber | Reusable | 1m (3.3ft) | 1 each | Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) |
| | | M1674A CE | ICU, snap | | | | |
| 2 | | M1678A CE | OR, grabber | | | | |
| 3 | | M1626A CE | Miniclip, grabber, unshielded | | | | |
| | | 989803174201 CE | ICU, grabber | Single patient use | | 20 each | |
| 4 | 4 chest | M1533A CE | ICU, grabber | Reusable | 1m (3.3ft) | 1 each | 6+4 trunk cable M1665A |
| | | M1538A CE | ICU, snap | | | | |
| | | 989803192251 CE | ICU, DIN to Tab | | | | |
| 5 | | M1558A CE | OR, grabber | | | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

ECG Cables and Leads - Bedside ECG IntelliVue Cable Family

4



5



6



ECG Cables and Leads – Bedside ECG IntelliVue Cable Family

Lead Sets IEC Color Coding (continued)


| | # of Leads | Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* (Also for use with Efficia CM monitors) |
|---|--------------------|------------------------------|--|------------------------------------|---|-------------|---|
| 4 | 5 limb | M1971A CE | ICU, grabber | Reusable | Limb 1m (3.3ft) chest 1,6m (5.3 ft) | 1 each | Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) |
| | | M1645A CE | ICU, snap | | | | |
| | | 989803192191 CE | ICU, DIN to Tab | | | | 5 lead Trunk cable M1668A, OR trunk cable 989803170181 or 5+5 trunk cable M1949A, M1663A |
| | | M1974A CE | OR, grabber | | | | Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) |
| 5 | M1648A CE | Miniclip grabber, unshielded | Limb 70 cm (28in) chest 1,3m (2.3ft) | 20 each | 5 lead Trunk cable M1668A, OR trunk cable 989803170181 or 5+5 trunk cable M1949A, M1663A | | |
| | 989803174211 CE | ICU, grabber | Single patient use | | | 1 m (3.3ft) | 1 each |
| 6 | 5 chest | M1978A CE | ICU, grabber | Reusable | | | |
| | | M1604A CE | ICU, snap | | | | |
| | | 989803192211 CE | ICU, DIN to Tab | | | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



7



8



9

ECG Cables and Leads – Bedside ECG IntelliVue Cable Family

Lead Sets IEC Color Coding (continued)

| | # of Leads | Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* |
|---|------------|--------------------|-----------------|------------------------------------|--|-----------|---|
| | | | | | | | (Also for use with Efficia CM monitors) |
| 7 | 5 chest | M1984A CE | OR, grabber | Reusable | 1m (3.3ft) | 1 each | Efficia CM12 (863303), CM120 (863302), CM150 (863304) |
| | | 989803192151 CE | ICU, grabber | Single patient use | | 20 each | |
| 8 | 6 | M1681A CE | ICU, grabber | Reusable | Limb 1m (3.3ft) chest 1,6m (5.3 ft) | 1 each | 6 lead Trunk cable M1667A or 6+4 Trunk cable M1665A |
| | | M1683A CE | ICU, snap | | | | |
| | | 989803192231 CE | ICU, DIN to Tab | | | | |
| 9 | | M1685A CE | OR, grabber | | | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

ECG Cables and Leads - Bedside ECG IntelliVue Cable Family




ECG Cables and Leads - Bedside ECG IntelliVue Cable Family

Radiolucent ECG Lead Sets - AAMI/IEC Color Coding

| | # of Leads | Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* |
|---|------------|--------------|--|------------------------------------|------------|--------------------|--|
| 1 | 5 | M1649A CE | 5 unshielded radiolucent grabber leads with Safety DIN connectors, AAMI/IEC color markers included | Reusable | 91cm (36") | 5 individual leads | 5 lead trunk cable M1668A, OR trunk cable 989803170181 or 5+5 trunk cable M1949A, M1663A |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

ECG Cables and Leads - Bedside ECG IntelliVue Cable Family



1



2



3



4




5



6



7



8


ECG Cables and Leads – Bedside ECG IntelliVue Cable Family

IntelliVue Cable family - Leads Accessories

| Product # | Description | Packaging | Use with:* |
|----------------------|---|---------------|----------------------------------|
| 989803193821 | DIN to Tab Adapters | 10 adapters | All DIN to Tab lead sets |
| 1 989803148841 C€ | IntelliVue Cable Management Kit | 5 organizers | All cables |
| 2 989803148861 C€ | IntelliVue Trunk Cable Covers (5 leads) | 10 covers | M1663A or M1949 5+5 trunk cables |
| 3 M1636A | Organizer for unshielded 3-lead sets | 10 organizers | All unshielded 3 lead set |
| 4 M1638A | Organizer for unshielded 5-lead sets | | All unshielded 5 lead sets |
| M1503A | Organizer for shielded 3-lead sets | | All shielded 3-lead sets |
| 5 M1664A | Organizer for shielded 4-lead sets | | All shielded 4-lead sets |
| M1504A | Organizer for shielded 5-lead sets | | All shielded 5-lead sets |
| 6 M1679A | Organizer for shielded 6-lead sets | | All shielded 6-lead sets |
| 7 M1509A | Bedsheet clip for trunk cables | 3 clips | All trunk cables |
| 8 M2281A | Patient cable organizer (hook) | 8 hooks | All cables |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

Sure Signs one piece trunk/leadset cable



Sure Signs one piece trunk/leadset cable

One Piece Trunk/Leadset cables AAMI and IEC Color Coding

| | # of Leads | Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* |
|---|------------|--------------|--------------------|------------------------------------|--------------|-----------|--|
| 1 | 3 | 989803143171 | Grabber IEC CE | Reusable | 2,5m (8.2ft) | 1 cable | SureSigns monitors 863063 86064,86065, 863066, 86068, 863077, 863085, 863086, 863087, 863088, 863300, 863301, 863302, 863303, 863304, 863317, 863320, 863321, 863322, Measurement Server M3001A M3001AL, MP2 M8102A, MP5 M8105A, X2 M3002A, Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) |
| 2 | | 989803143181 | Grabber AAMI | | | | |
| 3 | 5 | 989803143191 | Grabber, IEC CE | | | | |
| | 6 | 989803143201 | Grabber, AAMI | | | | |


ECG Cables and Leads- Hemodynamic Monitoring

Leads for Hemodynamic Monitoring

| | # of Leads | Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* |
|---|------------|--------------|-------------------------------------|------------------------------------|--------------|-----------|--|
| 4 | 4 | 989803174231 | Grabber AAMI for 16 Lead Hemo CE | Reusable | 1,6m (3.3ft) | 1 each | Xper Flex Cardio physiomonitring system FC2010 and FC2020. Use with M1949A 5+5 ECG trunk cable |
| 5 | | 989803174241 | Grabber IEC for 16 Lead Hemo CE | | | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

Efficia ECG Cables



Efficia ECG Cables

One Piece Sets

| | Product # | Description | IEC Part number | Length | Use with:* |
|---|--------------|----------------|-----------------|--------|--|
| 1 | 989803160731 | 3-Lead grabber | 989803160741 | 2.5 m | Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) |
| 2 | 989803160751 | 3-Lead snap | 989803160761 | | |
| 3 | 989803160771 | 5-Lead grabber | 989803160781 | | |
| 4 | 989803160791 | 5-Lead snap | 989803160801 | | |

3-Lead Sets


| | Product # | Description | IEC Part number | Use with:* |
|---|--------------|-------------|-----------------|--|
| 5 | 989803160651 | Grabber | 989803160661 | Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) |
| 6 | 989803160671 | Snap | 989803160681 | |

5-Lead Sets

| | Product # | Description | IEC Part number | Use with:* |
|--|--------------|-------------|-----------------|--|
| | 989803160691 | Grabber | 989803160701 | Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) |
| | 989803160711 | Snap | 989803160721 | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

IntelliVue MX 40 Wearable Patient Monitoring Supplies - Patient Cables



IntelliVue MX 40 Wearable Patient Monitoring Supplies - Patient Cables

Patient Cables AAMI color coding

| | # of Leads | Product # | Parameter | Lead Termination | Reusable/ Single patient use | Length | Packaging | Use with:* |
|----|--------------|--------------|-----------------------|--------------------|---------------------------------|------------|-----------|---|
| 1 | 3 | 989803171801 | ECG | Grabbers | Reusable | 85cm (34") | 1 each | MX40 1.4 GHz - SH Patient Worn Monitor 865350 (US only), MX40 2.4 GHz - SH Patient Worn Monitor 865351 |
| 2 | | 989803171811 | ECG+ SpO ₂ | | | | | |
| 3 | 989803171821 | ECG | Snaps | | | | | |
| 4 | 5 | 989803171831 | ECG | Grabbers | | | | |
| 5 | | 989803171841 | ECG+ SpO ₂ | Snaps | | | | |
| 6 | | 989803171851 | ECG+ SpO ₂ | Grabbers | | | | |
| 7 | | 989803172031 | ECG | | | | | |
| 8 | | 989803172051 | ECG+ SpO ₂ | | | | | |
| 9 | 6 | 989803171861 | ECG | Single patient use | | | 20 each | |
| 10 | | 989803171871 | ECG+ SpO ₂ | Reusable | | | 1 each | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

IntelliVue MX 40 Wearable Patient Monitoring Supplies - Patient Cables



IntelliVue MX 40 Wearable Patient Monitoring Supplies - Patient Cables

Patient Cables IEC Color coded

| # of Leads | Product # | Parameter | Lead Termination | Reusable/ Single patient use | Length | Packaging | Use with:* |
|------------|--------------------|-----------------------|------------------|---------------------------------|------------|-----------|---|
| 3 | 989803171901 CE | ECG | Grabbers | Reusable | 85cm (34") | 1 each | MX40 1.4 GHz - SH Patient Worn Monitor 865350 (US only), MX40 2.4 GHz - SH Patient Worn Monitor 865351 |
| | 989803171911 CE | ECG+ SpO ₂ | | | | | |
| 5 | 989803171931 CE | ECG | | Single patient use | | | |
| | 989803171951 CE | ECG+ SpO ₂ | | | | | |
| | 989803172131 CE | ECG | | | | | |
| 6 | 989803172151 CE | ECG+ SpO ₂ | | Reusable | | | |
| | 989803171961 CE | ECG | | | | | |
| | 989803171971 CE | ECG+ SpO ₂ | | | | 1 each | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

IntelliVue MX 40 Wearable Patient Monitoring Supplies - Patient Cables





IntelliVue MX 40 Wearable Patient Monitoring Supplies – Patient Cables

Miscellaneous MX40 Cable/Supplies

| Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* |
|--------------------|--|------------------------------------|-------------|-----------|---|
| 989803172221 CE | Patient Monitor ECG Trunk Cable AAMI/IEC | Reusable | 2,7m (9 ft) | 1 each | MX40 1.4 GHz - SH Patient Worn Monitor 865350 (US only), MX40 2.4 GHz - SH Patient Worn Monitor 865351 |
| 989803172241 CE | Extender cable | | 1m (3.2 ft) | | |
| 989803172211 CE | IntelliVue Adapter Cable Bedside/Tele ECG+SpO ₂ | | 30cm (1 ft) | | |
| 989803176491 | Protective Cap for reusable Leads | | | 10 caps | All MX40 reusable leads |
| 989803176501 | Protective Cap for adapter cable 989803172211 | | | | SpO ₂ socket of adapter cable 989803172211 |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

IntelliVue Telemetry ECG Cables and Leads - Patient Cables






IntelliVue Telemetry ECG Cables and Leads – Patient Cables

IntelliVue Telemetry Leadsets AAMI

| | # of Leads | Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* |
|---|------------|--------------|---------------------------|------------------------------------|------------|-----------|--|
| 1 | 3 | 989803151971 | Grabber and shower shield | Reusable | 85cm (34") | 1 each | Telemetry 862231 None U.S. TRx4851A 2.4 Ghz IntelliVue Tele TRX, 862439: U.S. only TRx4841A 1.4. Ghz IntelliVue Tele TRX |
| 2 | | 989803151991 | Snap and shower shield | | | | |
| 3 | | 989803173141 | Grabber and shower shield | Single patient use | | 20 each | |
| 4 | 5 | 989803152051 | Grabber and shower shield | Reusable | | 1 each | |
| 5 | | 989803152071 | Snap and shower shield | | | 20 each | |
| 6 | | 989803173151 | Grabber and shower shield | Single patient use | | 20 each | |
| 7 | 6 | 989803152131 | Grabber and shower shield | Reusable | 1 each | | |
| 8 | | 989803152151 | Snap and shower shield | | 1 each | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

IntelliVue Telemetry ECG Cables and Leads - Patient Cables



IntelliVue Telemetry ECG Cables and Leads - Patient Cables

IntelliVue Telemetry Leadsets IEC

| | # of Leads | Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* |
|---|------------|--------------|---------------------------------|------------------------------------|------------|-----------|--|
| 1 | 3 | 989803151981 | Grabber and shower shield CE | Reusable | 85cm (34") | 1 each | Telemetry 862231 None U.S. TRx4851A 2.4 Ghz IntelliVue Tele TRX, 862439: U.S. only TRx4841A 1.4. Ghz IntelliVue Tele TRX |
| 2 | | 989803152001 | Snap and shower shield CE | | | | |
| 3 | 5 | 989803152061 | Grabber and shower shield CE | | | | |
| 4 | | 989803152081 | Snap and shower shield CE | | | | |
| 5 | 6 | 989803152141 | Grabber and shower shield CE | | | | |
| 6 | | 989803152161 | Snap and shower shield CE | | | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

IntelliVue Telemetry ECG Cables and Leads - Patient Cables



IntelliVue Telemetry ECG Cables and Leads – Patient Cables

IntelliVue Telemetry Shields and Alignment Guides

| Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* |
|----------------------|---|------------------------------------|--|-----------|--|
| 1 989803143481 C€ | Tether cable connects PWD to TeleMon tether cable or MP5 tether cable | Reusable | 51 cm (20") | 1 cable | 862231 TRX4851A 2.4 GHz IntelliVue Tele TRX, 862439 1.4 GHZ IntelliVue Tele TRX, M8105A IntelliVue MP5 |
| 2 989803143491 C€ | TeleMon tether cable connects the M2636C to the PWD tether cable | | 2 m (79") | | 862231 TRX4851A 2.4 GHz IntelliVue Tele TRX, 862439 1.4 GHZ IntelliVue Tele TRX |
| 3 989803146911 C€ | MP5 tether cable connects the MP5 to the PWD tether cable | | 862231 TRX4851A 2.4 GHz IntelliVue Tele TRX, 862439 1.4 GHZ IntelliVue Tele TRX, M8105A IntelliVue MP5 | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

IntelliVue Telemetry ECG Cables and Leads - Patient Cables



IntelliVue Telemetry ECG Cables and Leads – Patient Cables

IntelliVue Telemetry Shields and Alignment Guides

| | Product # | Description | Packaging | Use with:* |
|---|--------------|--|------------|--|
| 1 | 989803153031 | 3 lead detachable shield replacements | 10 shields | All IntelliVue Telemetry lead sets |
| 2 | 989803153041 | 5 lead detachable shield replacements | | |
| 3 | 989803153051 | 6 lead detachable shield replacements | | |
| | 989803140401 | Single ECG alignment guide protective insert, untethered | | IntelliVue Telemetry: 862231:TRx4851A Transceiver; 862439: TRx4841A Transceiver; 862108: M2601B Transmitter |
| | 989803140411 | Single ECG alignment guide protective insert, tethered | | |
| | 989803140421 | Double ECG alignment guide protective insert, untethered | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.


EEG Supplies (Electroencephalogram)




1




2



3



4



5



6



7



8

EEG Supplies (Electroencephalogram)

EEG Supplies (Electroencephalogram)

| | Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* | |
|---|--------------------|---|------------------------------------|--------------|-----------|-------------------|------------------------|
| 1 | M2268A C€ | 5 lead trunk cable | Reusable | 2,7m (8.8ft) | 1 cable | M1027A EEG Module | |
| 2 | 989803180541 C€ | 4 channel trunk cable | | | | | |
| 3 | M1931A C€ | 5 lead EEG adult cup electrode set | | 80cm (31.5") | 5 leads | | |
| 4 | M1932A C€ | 5 lead EEG pediatric cup electrode set | | | | | |
| 5 | M1934A C€ | 5 lead EEG miniclip lead set | | | | | |
| 6 | 989803180561 C€ | 9 lead EEG adult cup electrode set | | 9 leads | 1 tube | | Cup electrodes |
| | 989803180531 C€ | 9 lead EEG miniclip lead set | | | | | |
| 7 | 989803180521 C€ | 9 lead EEG infant and pediatric cup electrode set | | | | | |
| | M1937A C€ | EEG conductive paste | | | | | |
| 8 | M1935A C€ | EEG Snap electrodes | | | 100 each | | Miniclip EEG lead sets |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

IntelliVue NMT (Neuro Muscular Transmission) Patient Cable



1

IntelliVue NMT (Neuro Muscular Transmission) Patient Cable

IntelliVue NMT (Neuro Muscular Transmission) Patient Cable

| Product # | Description | Reusable/ Single patient use | Length | Packaging | Use with:* |
|----------------------|--|------------------------------------|------------|-----------|---|
| ① 989803174581 C€ | Patient cable with 12 pin instrument connector | Reusable | 3m (9.8ft) | 1 each | IntelliVue Neuro muscular Transmission Module 865383 |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.


Disposable ECG Electrodes



1



2



3



4




5



6



7



8

Disposable ECG Electrodes

Disposable Adult ECG Monitoring Electrodes

| Product # | Description | Packaging | Use with:* |
|----------------|--|--------------------------|--|
| 1 989803148801 | Small Adult, foam, solid gel snap ECG electrode, shelf life: 6 months Size: 1.6" x 1.26" | 30/pack 1500/case | Adult AEG monitoring Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) |
| 2 989803148821 | Small Adult, radiolucent foam, solid gel ECG electrode, shelf life: 6 months Size: 1.4" x 1.6" | 30/pack 600/case | |
| 3 40489E | Adult paper tape ECG electrode, shelf life: 6 months Recommended for diaphoretic patients Dimensions: 2 3/8" (59mm) diameter | 30/pack 300/case | Adult ECG Monitoring |
| 40493D | Adult foam, wet gel ECG electrode Dimensions: 2 1/8" (54mm) diameter Shelf life: 6 months | 30/pack 60 packs/case | Efficia CM10 (863301), CM12 (863303), CM100 (863300), CM120 (863302), CM150 (863304) Adult ECG Monitoring: M2735A, M2738A, M2720A; Cableless Toco+ MP Transducer: 866075; Cableless ECG/IUP Transducer 866077 to Use with column for 40493D and 40493E |
| 4 40493E | Adult foam, wet gel ECG electrode Dimensions: 2 1/8" (54mm) diameter Shelf life: 6 months | | |
| M4612A | Adult foam, solid gel ECG electrode Teardrop shape, 2" (50mm) diameter Shelf life: 6 months | | |
| 5 M4613A | Adult foam, solid gel ECG electrode Teardrop shape, 2" (50mm) diameter Shelf life: 6 months | | |
| 6 13941E | Adult cloth, wet gel ECG electrode Contains non-allergenic skin balance gel Dimensions: 54mm (2 1/8") diameter Shelf life: 6 months | | |
| M2202A | Adult radiotranslucent foam electrode Shelf life: 6 months | | Adult ECG Monitoring |
| 7 13942E | Adult plastic tape ECG electrode, Disposable Shelf life: 6 months | | |
| 8 M4606A | Skin prep paper | 100 per bag | Use to prep skin for electrodes |


* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

Disposable ECG Electrodes

1



2



Disposable ECG Electrodes

Disposable Adult Metallic ECG Lead Wire Electrodes - AAMI Color Coding

| Product # | Description | Packaging | Use with:* |
|----------------|--|----------------------------|----------------------|
| 1 989803156201 | Preattached metallic 3-leadwire (36") electrode set, non-shielded, solid gel Dimensions: 1.2" x 1.8" Shelf life: 24 months, unopened | 1 set/pack 100 sets/box | Adult ECG monitoring |
| 2 989803156241 | Preattached metallic 5-leadwire (36") electrode set, non-shielded, solid gel Dimensions: 1.2" x 1.8" Shelf life: 24 months, unopened | 1 set/pack 60 sets/box | |

Disposable Adult Metallic ECG Lead Wire Electrodes - IEC Color Coding

| Product # | Description | Packaging | Use with:* |
|--------------|--|----------------------------|----------------------|
| 989803156211 | Preattached metallic 3-leadwire (1m) electrode set, non-shielded, solid gel Dimensions: 30mm x 45mm, Shelf life: 24 months, unopened | 1 set/pack 100 sets/box | Adult ECG monitoring |
| 989803156251 | Preattached metallic 5-leadwire (1m) electrode set, non-shielded, solid gel Dimensions: 30mm x 45mm Shelf life: 24 months, unopened | 1 set/pack 60 sets/box | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.



Disposable ECG Electrodes

Disposable Adult Radiolucent ECG Lead Wire Electrode - IEC Color Coding


| Product # | Description | Packaging | Use with:* |
|--------------|--|----------------------------|----------------------|
| 989803156231 | Preattached radiolucent 3-leadwire (1m) electrode set, non-shielded, solid gel Dimensions: 30mm x 45mm Shelf life: 24 months, unopened | 1 set/pack 100 sets/box | Adult ECG monitoring |
| 989803156271 | Preattached radiolucent 5-leadwire (1m) electrode set, non-shielded, solid gel Dimensions: 30mm x 45mm Shelf life: 24 months, unopened | 1 set/pack 60 sets/box | |

Disposable Adult Radiolucent ECG Lead Wire Electrode - AAMI Color Coding

| Product # | Description | Packaging | Use with:* |
|--------------|--|----------------------------|----------------------|
| 989803156221 | Preattached radiolucent 3-leadwire (36in) electrode set, non-shielded, solid gel Dimensions: 1.2" x 1.8" Shelf life: 24 months, unopened | 1 set/pack 100 sets/box | Adult ECG monitoring |
| 989803156261 | Preattached radiolucent 5-leadwire (36in) electrode set, non-shielded, solid gel Dimensions: 1.2" x 1.8" Shelf life: 24 months, unopened | 1 set/pack 60 sets/box | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

Disposable ECG Electrodes






Disposable ECG Electrodes

Disposable Pediatric ECG Monitoring Electrodes

| Product # | Description | Packaging | Use with:* |
|-----------|---|--------------------------|-----------------------------|
| 1 13950B | Disposable cloth electrode with KCl foam gel retaining ring, snap (Individually wrapped) Diameter: 1.25" (32mm) Shelf life: 6 months | 30/box 10 boxes/case | Pediatric/neonatal monitors |
| 2 13951C | Disposable, repositionable solid gel electrode, snap Dimensions: 7/8" x 1 1/4" (22mm x 33mm) 3 electrodes mounted on plastic card Shelf life: 6 months | 3/pack 100 packs/case | |
| 3 13955C | Disposable, repositionable solid gel electrode, snap Dimensions: 7/8" x 7/8" (22mm x 22mm) 3 electrodes mounted on plastic card Shelf life: 6 months | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

Disposable ECG Electrodes






Disposable ECG Electrodes

Disposable Infant/Pediatric Metallic Lead Wire Electrodes: AAMI Color Coding

| Product # | Description | Packaging | Use with:* |
|----------------|--|-----------------------------------|--|
| 1 13952A | Pre-attached metallic 46 cm (18") leadwire electrode, nonshielded, AAMI solid gel. Dimension: 22mm x 33mm (7/8" x 1 1/4"); socket size 1.5mm. Shelf life: 6 months. | 3 electrodes/pack; 300/case | IntelliVue MP2 - M8102A, IntelliVue MP5 -M8105A, MMS - M3000A, M3001A, M3002A, M1001A, M1001B, M1002A, M1002B, 78260A, 78261A, 78801A, 78801B, 78831A, 78832A, 78833A, 78833B, 78834A, 78834C, Monitors (Neonatal/Pediatric), 863063, 863064, 863065, 863066, 863068, 863077 |
| 13953A | Pre-attached metallic 45cm (18") leadwire electrode, nonshielded, AAMI solid gel. Dimension: 22mm x 22mm (7/8" x 7/8"); socket size 1.5mm; Shelf life: 6 months | 3 electrodes/pack; 300/case | |
| 2 989803183101 | NeoLead, metallic, pre-attached leadwire (24") pediatric/neonatal ECG electrodes. Hydrogel/Hydrocolloid adhesive. AAMI, Standard DIN connector. 1" round. | 3 electrodes/pack 50 packs/box | ECG modules: M1001B, M1002B; Multi-measurement servers: M3000A, M3001A, M3002A; Patient monitors: M8105A, M8102A, 863064, 863065, 863066, 863068, 860338, 860335; Requires ECG trunk cable: M1668A or 989803170181 |
| 3 989803183081 | Mini NeoLead, metallic pre-attached leadwire (24") pediatric/neonatal ECG electrodes. Hydrogel/Hydrocolloid adhesive. AAMI, Standard DIN connector, 3/4" round | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

Disposable ECG Electrodes





Disposable ECG Electrodes

Disposable Infant/Pediatric Radiolucent Lead Wire Electrodes: AAMI Color Coding

| Product # | Description | Packaging | Use with:* |
|----------------|--|--------------------------------------|---|
| 1 13952B | Preattached radiolucent (18") 3-leadwire electrode, non-shielded, solid gel Dimension: 7/8" x 1-1/4" (socket size: 1.5mm) Shelf life: 6 months | 3 electrodes/pack 300/case | MP2 - M8102A, MP5 -M8105A, MMS - M3000A, M3001A, M3002A, ECG modules -M1001A, M1001B, M1002A, M1002B, 78260A, 78261A, 78801A, 78801B, 78831A, 78832A, 78833A, 78833B, 78834A, 78834C, Monitors (Neonatal/Pediatric) 863063, 863064, 863065, 863066, 863068, 863077; Requires ECG trunk cable: M1668A or 989803170181 |
| 13953B | Preattached radiolucent (18") 3-leadwire electrode, non-shielded, solid gel Dimension: 7/8" x 7/8" (socket size: 1.5mm) Shelf life: 6 months | | |
| 2 989803183121 | NeoLead, radiolucent pre-attached leadwire (24") pediatric/neonatal ECG electrodes. AAMI; Standard DIN connector 1" round. | 3 electrodes per pouch 50 per box | ECG modules: M1001B, M1002B; multi-measurement servers: M3000A, M3001A, M3002A; Patient monitors MP5 -M8105A, MP2-M8102A, 863064, 863065, 833066, 863068, 860338, 860335; Requires ECG trunk cable: M1668A or 989803170181 |
| 3 989803183141 | Micro NeoLead, radiolucent pre-attached leadwire (24") pediatric/neonatal ECG electrodes. AAMI, standard DIN connector 1" x 3/8". | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

Disposable ECG Electrodes





Disposable ECG Electrodes

Disposable Infant/Pediatric Metallic Lead Wire Electrodes: IEC Color Coding

| Product # | Description | Packaging | Use with:* |
|----------------|---|-----------------------------------|---|
| 1 13952D | Preattached metallic (46cm) 3-leadwire electrode, non-shielded, solid gel Dimension: 22mm x 33mm, (socket size: 1.5mm) Shelf life: 6 months | 3 electrodes /pack; 300/case | MP2 - M8102A, MP5 -M8105A, MMS - M3000A, M3001A, M3002A, ECG modules -M1001A, M1001B, M1002A, M1002B, 78260A, 78261A, 78801A, 78801B, 78831A, 78832A, 78833A, 78833B, 78834A, 78834C, Monitors (Neonatal/Pediatric) 863063, 863064, 863065, 863066, 863068, 863077; Requires ECG trunk cable: M1668A or 989803170181 |
| 13953D | Preattached metallic (46cm) 3-leadwire electrode, non-shielded, solid gel Dimension: 22mm x 22mm, (socket size: 1.5mm) Shelf life: 6 months | | |
| 2 989803183111 | NeoLead, metallic pre-attached leadwire (60 cm) pediatric/neonatal ECG electrodes; IEC; standard DIN connector, 25 mm round | 3 electrodes /pack; 50 per box | ECG modules: M1001B, M1002B; multi-measurement servers: M3000A, M3001A, M3002A; Patient monitors MP5 -M8105A, MP2-M8102A, 863064, 863065, 833066, 863068, 860338, 860335; Requires ECG trunk cable: M1668A or 989803170181 |
| 3 989803183091 | Mini NeoLead, metallic pre-attached leadwire (60 cm) pediatric/neonatal ECG electrodes; AAMI; standard DIN connector. 19 mm round | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.

Disposable ECG Electrodes



Disposable ECG Electrodes

Disposable Infant/Pediatric Radiolucent Lead Wire Electrodes: IEC Color Coding

| Product # | Description | Packaging | Use with:* |
|----------------|---|--------------------------------|--|
| 1 13952E | Preattached radiolucent (46cm) 3-leadwire electrode, non-shielded, solid gel Dimension: 22mm x 33mm, (socket size: 1.5mm), Shelf life: 6 months | 3 electrodes/pack; 300/case | MP2 - M8102A, MP5 -M8105A, MMS - M3000A, M3001A, M3002A, ECG modules -M1001A, M1001B, M1002A, M1002B, 78260A, 78261A, 78801A, 78801B, 78831A, 78832A, 78833A, 78833B, 78834A, 78834C, Monitors (Neonatal/Pediatric)- 863063, 863064, 863065, 863066, 863068, 863077; Requires ECG trunk cable: M1668A or 989803170181 |
| 13953E | Preattached radiolucent (46cm) 3-leadwire electrode, non-shielded, solid gel Dimension: 22mm x 22mm, (socket size: 1.5mm) Shelf life: 6 months | | |
| 2 989803183131 | NNeoLead, radiolucent pre-attached leadwire (60 cm) pediatric/neonatal ECG electrodes; IEC, standard DIN controller, 25 mm round | 3/pack 50 packs/box | ECG modules: M1001B, M1002B; multi-measurement servers: M3000A, M3001A, M3002A; Patient monitors MP5 -M8105A, MP2-M8102A, 863064, 863065, 833066, 863068, 860338, 860335; Requires ECG trunk cable: M1668A or 989803170181 |
| 3 989803183151 | Micro NeoLead, radiolucent pre-attached leadwire (60 cm) pediatric/neonatal ECG electrodes; IEC, standard DIN connector, 25mm x 9.5 mm | | |

* Please reference the [MySupplies](#) or the [e-store](#) website for more details on hardware compatibility.