



## Accessory catalogue 2019/2020

Dear Customer,

You have chosen Dräger's high-quality acute care workstations.

Our accessories offer you a tailor-made solution for your application, original accessories from Dräger, to ensure that they support your therapy as ideally as possible. We take just as much care in their specification, development and manufacture as we do in the manufacture of our ventilators, anesthesia workstations, incubators and monitoring products.

In addition, Dräger Accessories are underpinned by our own strict quality guidelines. Dräger's high standards of quality and innovation are ensured by testing processes in an accredited test center. For Dräger doesn't just design and manufacture technology, but technology for life. For over 100 years our medical devices and solutions have been used for one purpose – to support you in treatment and care every day in your task of protecting and preserving life.

Something you can count on. Dräger – technology for life.

# The original accessories from Dräger – at a glance

## SOMETHING YOU CAN COUNT ON: ORIGINAL ACCESSORIES BY DRÄGER

Day in, day out in the hospital you are faced with enormous time and cost pressures at the same time you are taking care of the welfare of your patients. You need technical medical accessories which you can use to unlock the full potential of your equipment, which work smoothly, guarantee the best possible care of your patients and help you to improve your processes. In short: accessories you can rely on, Dräger can supply it for you.



D-623-2016

## ORIGINAL QUALITY PAYS OFF

Whether for patient monitoring, care and treatment of neonates, anesthesia, intensive care, the emergency department or on the ward: each original accessory from Dräger doesn't just fulfil all the official quality standards. We also measure our accessories against our own strict Dräger quality standards.

## INDIVIDUAL THE IDEAL SOLUTION FOR EVERY APPLICATION

Dräger supplies over 2,000 accessory items which offer a solution for almost every need – from breathing bags to flowsensors to headbands in either disposable or re-usable. Because we design and develop all of our products according to the specific requirements of hospitals the world over – you get all accessories from one company and you have just one contact person.

## COMPATIBLE

### TESTED WITH SAFETY

Our original accessories have been tested and approved for use in conjunction with the respective Dräger device or connector, this ensures perfect interaction between device and accessory.

This means for you:

- The operating time of your Dräger devices is optimized.
- Your Dräger devices develop their full potential and thus ensure optimal patient care.

## STANDARDIZED

### ONE ORDER FOR ALL WARDS

There are comprehensively developed accessories based on proven technologies for the entire portfolio of Dräger devices. These accessories are not intended just for one specific Dräger device but can be used for nearly every Dräger device – and even across wards.

This means for you:

- Your logistics are simplified.
- This saves you labor, cost and time.

## VENTILATION ACCESSORIES



> on page 8 onward

1

## SODA LIME



> on page 100 onward

2

## SENSORS



> on page 106 onward

3

## MONITORING ACCESSORIES



> on page 112 onward

4

## WARD EQUIPMENT



> on page 230 onward

5

## RAIL ACCESSORIES AND EXAMINATION LIGHT



> on page 312 onward

6

## NEONATAL CARE AND THERMOREGULATION



> on page 326 onward

7

# On this way you'll find your accessories:

### 1. FIND ACCESSORIES IN THE CATALOG

Looking for a new expiratory valve? In the back of the catalog, from page 430 onwards, you will find an index with key words listed alphabetically. They lead directly to the product page.

INDEX		
Expiratory valve for Babylog® VN 500, reusable	8415270	81
Expiratory valve for Carina® disp.	MP00220	81
Expiratory valve for Evita Infinity® V500, Evita® V300, reusable	8416750	79
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776	79
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600	79
Expiratory valve for Evita® reusable	8410580	79
Expiratory valve for Savina® 300, reusable	8417050	81
Expiratory valve for Savina® reusable	MP01061	81
Expiratory valve for Savina® reusable	8413660	81
Extension arm set for cables and hoses, with cable/hose guide channels	G13040	279
silicone, 5 pcs.		
Filling kit for Aquapod		
Filter and HME for air compressor, disposable		
Filter and tube for su		
disposable, 25 pcs.		
Filter for Dev-ette® disposable, for humidity sensor,		
Filter for suction bott		
disposable, 10 pcs.		
Filter paper for F&P MR 340, 100 p		
Filter paper for F&P MR 370, 100 p		
FiO <sub>2</sub> sensor cable, 1m		
Fixation set for tpCO <sub>2</sub>		
Fixation strap BabyF		
size L, green, 10 pc		
Fixation strap BabyF		

### 2. NOTE DOWN ORDER NUMBER

Have you chosen a particular accessory? Simply note down the order number.

DEVICE RELATED ACCESSORIES		
6. DEVICE RELATED ACCESSORIES		
A Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776	
Expiratory valve for Evita®, reusable	8410580	
B Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600	
C Infinity ID, expiratory valve, disposable, 10 pcs.	MP01060	
D Expiratory valve for Evita Infinity® V500, reusable	8416750	

### 3. ORDER ACCESSORIES

There are two options for ordering Dräger accessories:

a) by telephone, mail or fax

Please refer to the back of this catalog for your region's contact details.

b) do you have a direct line to Dräger field sales?

Use it and mail or fax your order to your contact.

## OVERVIEW

### VENTILATION ACCESSORIES 08

1. Breathing circuits
2. Breathing system filters and HMEs
3. CO<sub>2</sub> cuvettes
4. Catheter mounts and airway connectors
5. Non-invasive patient interfaces and accessories
6. Device related accessories

7. Pack2Go®/Set2go
8. Humidifier and nebulizer
9. Intubation kits
10. Resuscitators

### SODA LIME 100

### SENSORS 106

### MONITORING ACCESSORIES 112

1. Infinity® Monitoring: Gamma, Delta, Kappa and Vista series
2. Infinity® Acute Care System
3. Infinity® M300
4. Vista 120
5. Multi Vendor Adapter

### WARD EQUIPMENT 230

1. Oxygen therapy
2. Aerosol therapy
3. Medical aspiration
4. Accessory for gas supply

### RAIL ACCESSORIES AND EXAMINATION LIGHTS 312

1. Rail accessories
2. Examination light
3. Hinged arms

### NEONATAL CARE AND THERMOREGULATIONS 326

1. Warming therapy
2. Ventilation accessories
3. Sensors
4. Monitoring accessories
5. Ward equipment
6. Rail accessories and examination light

### INDEX BY ORDER NUMBER 430

### INDEX BY PRODUCT NAME 443





# Ventilation accessories

**SOMETHING YOU CAN COUNT ON:**

- All system components from a single source: uniform accessories for all departments – from the emergency department, to the surgical area, and to intensive care and neonate wards
- A system of closely matched ventilation accessories – from the Dräger device to the patient
- The right product for each patient and the various forms of therapy – high quality materials that ensure that your patients are perfectly cared for

1

CONTENT

VENTILATION ACCESSORIES	
1. Breathing circuits	11
1.1 Disposable breathing circuits/sets and related accessories	11
1.2 Reusable breathing circuits/sets and related accessories	27
2. Breathing system filters and HMEs	47
3. CO <sub>2</sub> cuvettes	54
3.1 Disposable	54
3.2 Reusable	55
4. Catheter mounts and airway connectors	56
5. Non-invasive patient interfaces and accessories	59
5.1 NIV masks and accessories	59
5.2 Anesthesia masks and accessories	67
5.3 Oxygen (O <sub>2</sub> ) and aerosol therapy masks, venturi mask kits, nasal cannulas and accessories	73
5.4 High-Flow Therapy Nasal Cannula and accessories	78
6. Device related accessories	79
7. Pack2Go®/Set2go	83
8. Humidifier and nebulizer	86
9. Intubation kits	93
10. Resuscitators	95

Note: size classification to adults (A), pediatrics (P) and neonats (N).

## NOTES

## DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

## 1. BREATHING CIRCUITS

## 1.1 DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

With VentStar® Family Dräger offers a wide range of disposable breathing circuits for different applications as well as for different patient groups (neo, ped, adult). Customers can choose between various kinds of materials. All disposable breathing circuits are made of high quality material and all gas leading components are PVC-free (no harm through softeners like e.g. DEHP). Special focus at Dräger is – additionally to CE – the interaction between Dräger device and related breathing circuit what is documented in our declarations of system compatibility.

Declarations of system compatibility underlie intensive testing in various scenarios which are based on our long-time experience concerning interaction of device with accessory. With respect to the newest device generation we enlarged our portfolio with ID breathing circuits which support the Infinity® ID functionality of the relevant Dräger devices.

A	Breathing circuit Vent Set, disposable, basic, 1.5 m, 25 pcs., not made with natural rubber latex	MP00300
B	Breathing circuit VentStar®, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00349
C	Breathing circuit VentStar®, disposable, basic, 2.5 m, 10 pcs., not made with natural rubber latex	MP00350
D	Breathing circuit VentStar®, disposable, P, basic, w/o LL, 1.5 m, 25 pcs., not made with natural rubber latex	MP00338
E	Breathing circuit VentStar®, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00351
F	Breathing circuit VentStar®, disposable, P, basic, 2.5 m, 25 pcs., not made with natural rubber latex	MP00352
G	Breathing circuit VentStar®, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00353

Not all articles are available worldwide.

ADULTS  
PEDIATRICS  
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit VentStar®, disposable, water trap, w/o LL, 1.8 m, 25 pcs., not made with natural rubber latex	MP00334
B	Breathing circuit VentStar®, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00337
C	Breathing circuit VentStar®, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00361
D	Breathing circuit VentStar®, disposable, P, water trap, w/o LL, 1.8 m, 25 pcs., not made with natural rubber latex	MP00362
E	Breathing circuit VentStar®, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00363

ADULTS  
PEDIATRICS  
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit VentStar®, disposable, coaxial, 1.7 m, 20 pcs., not made with natural rubber latex	MP03373
B	Breathing circuit VentStar®, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	MP03374
C	Breathing circuit VentStar®, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	MP03376
D	Breathing circuit VentStar®, disposable, coaxial, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	MP00373
E	Breathing circuit VentStar®, disposable, P, coaxial, 1.5 m, 20 pcs., not made with natural rubber latex	MP00379

ADULTS  
PEDIATRICS  
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit Vent Set, disposable, extendable, 1.8 m, 25 pcs., not made with natural rubber latex	MP00305
B	Breathing circuit VentStar®, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex	MP00355
C	Breathing circuit VentStar®, disposable, smoothbore, for MRI, 3 m, 10 pcs., not made with natural rubber latex	MP00327
D	Breathing circuit VentStar®, disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex	MP00329


ADULTS  
PEDIATRICS  
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing bag set VentStar®, disposable, 2 L, 0.8 m, 25 pcs., not made with natural rubber latex	MP00222
B	Breathing bag set VentStar®, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00380
B	Breathing bag set VentStar®, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP00381
C	Breathing bag set VentStar®, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00384
D	Breathing bag set VentStar®, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00383
E	① VentStar® Breathing Bag 3 L, 25 pcs.	MP02713
E	② VentStar® Breathing Bag 2 L, 25 pcs.	MP02712
E	③ VentStar® Breathing Bag 1 L, 25 pcs.	MP02711
E	④ VentStar® Breathing Bag 0.5 L, 25 pcs.	MP02710

ADULTS  
PEDIATRICS  
NEONATES






DISPOSABLE BREATHING CIRCUITS/SETS AND  
RELATED ACCESSORIES

A	Anesthesia set, disposable, basic, 1.5 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00301
B	Anesthesia set, disposable, extendable, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00303
C	Anesthesia set VentStar®, disposable, w/o Luer Lock, 1.8 m/0.8 m, 25 pcs., not made with natural rubber latex	MP00330
D	Anesthesia set VentStar®, disposable, P, w/o Luer Lock, 1.5 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00331
E	Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00333

ADULTS  
PEDIATRICS  
NEONATES




Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND  
RELATED ACCESSORIES

A	Anesthesia set VentStar®, disposable, basic, 2 L, 1.8 m/1.5 m, 25 pcs., not made with natural rubber latex	MP00365
B	Anesthesia set VentStar®, disposable, basic, 2 L, 2.5 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00366
C	Anesthesia set VentStar®, disposable, WT, w/o LL, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00371
D	Anesthesia set VentStar®, disposable, WT, 2 L, 1.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP00372
E	Anesthesia set VentStar®, disposable, WT, w/o LL, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP02720
F	Anesthesia set VentStar®, disposable, WT, 2 L, 2.8 m/1.5 m, 10 pcs., not made with natural rubber latex	MP02721

ADULTS  
PEDIATRICS  
NEONATES




Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Anesthesia set VentStar®, disposable, P, WT, w/o LL, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex	MP00375
B	Anesthesia set VentStar®, disposable, P, WT, 1 L, 1.8 m/1.1 m, 10 pcs., not made with natural rubber latex	MP00374
	Anesthesia set VentStar®, disposable, coaxial, water trap, 2 L, 2.1/1,2 m, 10 pcs., not made with natural rubber latex	MP03381
	Anesthesia set VentStar, disposable, coaxial, 2 L, 1.8 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03383
	Anesthesia set VentStar, disposable, coaxial, 2 L, 1.9 m/1.2 m, 10 pcs., not made with natural rubber latex	MP03384

ADULTS  
PEDIATRICS  
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES





A	Breathing circuit VentStar®, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00308
B	Breathing circuit VentStar®, disposable, N, heated, w/o chamber, 1.2 m, 10 pcs., not made with natural rubber latex	MP00309
C	Humidifier chamber VentStar®, disposable, 10 pcs.	MP00234
D	Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02650
E	Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02608
F	Humidifier chamber VentStar®, disposable, N, 10 pcs.	MP02590
G	Double connector 11ID/15OD, disposable, 10 pcs.	MP02655

ADULTS  
PEDIATRICS  
NEONATES










Not all articles are available worldwide.

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES			ADULTS	PEDIATRICS	NEONATES
A	VentStar® Helix, dual heated, 10 pcs.	MP02606	■		
B	VentStar® Helix, heated, 10 pcs.	MP02607	■		
C	Humidifier chamber, 10 pcs.	MP02605	■	■	
D	Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00343			■
TRADEWARE					
	Breathing circuit Fisher & Paykel RT212, disposable, inspiratory heated, 10 pcs.*	8414991		■	
	Breathing circuit Fisher & Paykel RT225, disposable, N, inspiratory heated, 10 pcs.*	8414994			■
*Produced by Fisher & Paykel					
A		D-2202-2015			
B					
C					
D					
A		D-6592-2016			
B					
C					
D					
A		D-94685-2013			
B					
C					
D					
A		D-31560-2011			
B					
C					
D					

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES			ADULTS	PEDIATRICS	NEONATES
A	Breathing circuit for Oxylog 1000 VentStar®, disposable, 1.8 m, 25 pcs. set, not made with natural rubber latex	2M86837	■		
B	Breathing circuit for Oxylog 2000 VentStar®, disposable, 1.8 m, 5 pcs. set, not made with natural rubber latex	2M86841	■		
C	Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 1.5 m (4.92 ft), 5 pcs., for Oxylog VE300 only with Option Plus	5703041	■		
D	Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 3 m (9.8 ft), 5 pcs., for Oxylog VE300 only with Option Plus	MP00335	■		
E	Breathing circuit VentStar® Oxylog VE300, disposable, 1.5 m, 5 pcs., not made with natural rubber latex	MP01370	■		
F	Breathing circuit Oxylog VE300, VentStar®, disposable, 3 m, 5 pcs., not made with natural rubber latex	MP01371	■		
G	Breathing circuit Oxylog 3000, 3000+ VentStar®, disposable, P, 1.9 m, 5 pcs., Oxylog 3000: ≥ SW 1.20, not made with natural rubber latex	5704964	■		
A		D-7165-2010			
B					
C					
D					
E					
F					
G					
A		D-5692-2016			
B					
C					
D					
E					
F					
G					
A		D-2907-2018			
B					
C					
D					
E					
F					
G					
A		D-2908-2018			
B					
C					
D					
E					
F					
G					
A		D-10515-2016			
B					
C					
D					
E					
F					
G					
A		D-10516-2016			
B					
C					
D					
E					
F					
G					
A		D-9328-2014			
B					
C					
D					
E					
F					
G					

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit VentStar® Carina® LeakV, disposable, 1.5 m, 25 pcs., not made with natural rubber latex	MP00312
B	Breathing circuit VentStar® Carina® ExpV, disposable, 1.5 m, 25 pcs., not made with natural rubber latex	MP00313
C	Breathing circuit VentStar® Carina® ExpV, disposable, 2 m, 25 pcs., not made with natural rubber latex	5704962

ADULTS  
PEDIATRICS  
NEONATES



DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit Infinity® ID, disposable, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01350
B	Breathing circuit Infinity® ID, disposable, basic, 2.5 m, 25 pcs., not made with natural rubber latex	MP01348
C	Breathing circuit Infinity® ID, disposable, smoothbore, 1.6 m, 25 pcs., not made with natural rubber latex	MP00340
D	Breathing circuit Infinity® ID, disposable, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01326
E	Breathing circuit Infinity® ID, disposable, water trap, 2.1 m, 10 pcs., not made with natural rubber latex	MP00378

ADULTS  
PEDIATRICS  
NEONATES





DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit Infinity® ID, disposable, smoothbore, 3 m, 10 pcs., not made with natural rubber latex	MP01325
B	Breathing circuit Infinity® ID, disposable, extendable, 2.2 m, 25 pcs., not made with natural rubber latex	MP01347
C	Breathing circuit Infinity® ID, disposable, coaxial, 1.9 m, 20 pcs., not made with natural rubber latex	MP03375
D	Breathing circuit Infinity® ID, disposable, coaxial, 2.3 m, 20 pcs., not made with natural rubber latex	MP03377
	Anesthesia set Infinity® ID, disposable, coaxial, water trap, 2 L, 2.1/1,2 m, 10 pcs., not made with natural rubber latex	MP03388

ADULTS  
PEDIATRICS  
NEONATES



D-638-2016



D-641-2016



D-27580-2017



D-27579-2017

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing circuit Infinity® ID, disposable, P, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01340
B	Breathing circuit Infinity® ID, disposable, P, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01341
C	Breathing circuit Infinity® ID, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01327
	Breathing circuit Infinity® ID, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01328

ADULTS  
PEDIATRICS  
NEONATES



D-640-2016



D-45196-2015



D-45195-2015

Not all articles are available worldwide.

DISPOSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing bag set Infinity® ID, disposable, 2 L, 1.2 m, 25 pcs., not made with natural rubber latex	MP00341
B	Breathing bag set Infinity® ID, disposable, 2 L, 1.5 m, 25 pcs., not made with natural rubber latex	MP01330
C	Breathing bag set Infinity® ID, disposable, P, 1 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01343
D	Breathing bag set Infinity® ID, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01329

ADULTS  
PEDIATRICS  
NEONATES



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

1.2 REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


REUSABLE BREATHING SYSTEMS: BLUESET VENTILATION

A	BlueSet Ventilation (N)	8412344
Consists of:		
1	Y-piece, reusable, P, angled, with suction opening	8403075
2	Corrugated hose, P, 14 cm, catheter mount	8403333
3	Connector for thermometer, reusable, for breathing hose set Aquapor EL	8403056
4	Water trap, reusable, P	8404760
5	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848
6	Water trap, reusable, N	8409627
7	Cap, reusable, 7 mm	8401645
8	Connector, aluminum, reusable, 22 mm/11 mm	8405752
9	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
10	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


A	BlueSet Ventilation (P/A)	8413146
	Consists of:	
❶	Connector for endotracheal tube, reusable, size 12.5 mm	M23840
❷	ISO double connector, reusable, 22 mm/22 mm	M25647
❸	Angle Socket ISO	8290274
❹	Corrugated hose, reusable, catheter mount	8402041
❺	Connector for breathing hose, reusable, A	8403076
❻	Hose clip, 10 pcs.	8403566
❼	Y-piece, reusable, for Dräger temperature probe	8405435
❼	Dummy Plug	8410049
❾	Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	2165619
❿	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2165627
❶❶	Cap set, reusable, 11 mm, 5 pcs.	8402918
❶❶	Connector set for endotracheal tube, reusable, size 6 mm – 12.5 mm, 12 pcs.	8403685
❶❷	Water trap, reusable, A	8404985



D-101207-2013

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet Ventilation HME (P/A)	8412860
	Consists of:	
❶	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046
❷	Y-piece, reusable, for temperature probe adapter 900 MR 532	8412888




D-101196-2013

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

REUSABLE HEATED SYSTEMS:  
BLUESET HEATED

A	BlueSet heated (P/A)	8414986
Consists of:		
1	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038
2	Hose clip, 10 pcs.	8403566
3	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2165627
4	Connector for breathing hose, reusable, A	8403076
5	Water trap, reusable, A	8404985
6	ISO double connector, reusable, 22 mm/22 mm	M25647
7	Connector set for endotracheal tube, reusable, size 6 mm – 12.5 mm, 12 pcs.	8403685
8	Connector for endotracheal tube, reusable, size 12.5 mm	M23840
9	Cap, reusable, 11 mm	8401644
10	Corrugated hose, reusable, catheter mount	8402041
11	Y-piece, reusable, for temperature probe adapter 900 MR 532	8412888
12	Temperature probe adapter 900 MR 532, for F&P humidifiers*	MP01007
13	Elbow, reusable	M25649
14	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*	8414993
15	Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	2165619

\*Produced by Fisher & Paykel




D-101208-2013

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet heated (N)	8414987
Consists of:		
1	Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651
2	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848
3	Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.	8409634
4	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
5	Water trap, reusable, N	8409627
6	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*	8414993
7	Cap, reusable, 7 mm	8401645
8	Y-piece, reusable, P, angled, with suction opening	8403075
9	Connector for endotracheal tube, reusable, size 11 mm	M19351
10	T-piece connector, reusable	8411044
11	Double connector, outer diameter 11 mm	8409897
12	Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex	MP02425
13	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821

\*Produced by Fisher & Paykel



D-151-2016



REUSABLE BREATHING CIRCUITS/SETS AND  
RELATED ACCESSORIES

A	BlueSet heated HFV (N)	8411153
Consists of:		
1	Breathing hose, Hytrel, 70 cm	8418404
2	Breathing hose, Hytrel, 65 cm	8410814
3	Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex	MP02425
4	Hose heater for F&P MR 700/730, 70 cm*	8411154
4	Connector 900 MR 830, for HFV breathing circuit by F&P*	8418455
5	Connector 900 MR 533, for HFV breathing circuit by F&P*	8418407
6	Connector for endotracheal tube, reusable, size 11 mm	M19351
7	Water trap, reusable, N	8409627
8	Elbow, reusable	8418289
9	Breathing hose, Hytrel, 40 cm	8410816
10	T-piece connector, reusable, for F&P temperature probe*	8418405


\*Produced by Fisher & Paykel



D-152-2018

REUSABLE BREATHING CIRCUITS/SETS AND  
RELATED ACCESSORIES

A	BlueSet heated Incubator (N)	8411041
Consists of:		
1	Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651
2	Breathing hose, silicone, reusable, P/N, 1 m, Ø 10 mm	8403080
3	Breathing hose, silicone, reusable, P/N, 35 cm, Ø 10 mm	8403070
4	Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex	MP02425
5	Water trap, reusable, N	8409627
6	Elbow, reusable	8418289
7	Double connector, outer diameter 11 mm	8409897
8	Connector for endotracheal tube, reusable, size 11 mm	M19351
9	T-piece connector, reusable	8411044
10	Hose heater, A, 1.1 m	8411045
11	Corrugated hose, silicone, N, 20 cm, catheter mount	8410709
12	Breathing hose, silicone, reusable, N, 50 cm, Ø 10 mm	8418458




D-152-2018

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES


REUSABLE ANESTHESIA SYSTEMS:  
BLUESET ANESTHESIA

A	BlueSet Anesthesia (P/A)	M30146
Consists of:		
1	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046
2	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038
3	Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062
4	Y-piece, polyamide, reusable, A, with angled Luer Lock	M33278
5	ISO double connector, reusable, 22 mm/22 mm	M25647




REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	BlueSet Anesthesia water trap (P/A)	MK04248
Consists of:		
1	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2165627
2	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038
3	ISO double connector, reusable, 22 mm/22 mm	M25647
4	Water trap, reusable, A	8404985
5	Y-piece, polyamide, reusable, A, with angled Luer Lock	M33278
6	Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A BlueSet Anesthesia (N)		M27542
Consists of:		
1 Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm		2165961
2 Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm		2165678
3 Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex		2166054
4 ISO double connector, reusable, 22 mm/22 mm		M25647
5 Y-piece, reusable, P, angled, with suction opening		8403075
6 Luer Lock elbow, N		M34568
6 Cap Luer Lock		M34461
7 Cap set, reusable, 7 mm, 5 pcs.		8402953



D-42-2016

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046
B Ventilation valve for Oxylog® 1000, reusable	2M86800
C PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar	8407475
D PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar	2M86832
E Connector set for endotracheal tube, reusable, size 6 mm – 12.5 mm, 12 pcs.	8403685



D-36225-2011




MT-161-2001



D-5705-2010




D-14955-2010



D-35656-2009


REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Breathing hose set for Oxylog® 2000/3000 family, reusable,w/ flow meas. line, 1.5 m	8412068
	Consists of:	
	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046
	Flow measuring line for Oxylog® 2000/3000 family, 1.5 m, 2 pcs.	8410929
A	Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow meas. line, 3 m	8412913
	Consists of:	
	Breathing hose for Oxylog® 1000, reusable, silicone, 3 m	2112760
	Flow measuring line for Oxylog® 2000/3000 family, 3 m, 2 pcs.	8413293
B	Ventilation valve for Oxylog® 2000/3000, reusable	8412001
C	Pressure difference flow sensor, PPSU, sterilizable	8412034
D	Elbow, reusable	8412235



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (adult) with standard sleeves 22 mm/22 mm (0.9 in/0.9 in)		
A	Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	2165619
B	Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2165627
C	Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038
D	Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046





REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

A Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm, Ø 10 mm 2165848

Silicone breathing hose (pediatric) with standard sleeves 22 mm (0.9 in) on both sides and 10 mm (0.4 in) inner diameter

B Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm 2165678



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

A Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm, Ø 10 mm 2165856

B Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm, Ø 10 mm 2165821

C Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm 2165651

D Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm 2165961



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	<u>Y-piece, polyamide, reusable, A, straight</u>	<u>M25650</u>
B	<u>Y-piece, polyamide, reusable, A, angled, without Luer Lock</u>	<u>M25682</u>
C	<u>Y-piece, polyamide, reusable, A, with angled Luer Lock</u>	<u>M33278</u>

MT-0805-2008



MT-392-98



MT-0809-2008



Not all articles are available worldwide.

REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	<u>Y-piece, reusable, for temperature probe adapter 900 MR 532</u>	<u>8412888</u>
B	<u>Temperature probe adapter 900 MR 532, for F&amp;P humidifiers*</u>	<u>MP01007</u>
C	<u>Y-piece, reusable, for Dräger temperature probe</u>	<u>8405435</u>
D	<u>Y-piece, reusable, P, straight</u>	<u>M27077</u>
E	<u>Y-piece, reusable, P, angled, with suction opening</u>	<u>8403075</u>
	<u>Cap, reusable, 7 mm</u>	<u>8401645</u>
	<u>Elbow, reusable</u>	<u>8412235</u>
F	<u>Elbow, reusable</u>	<u>M25649</u>
	<u>Elbow, reusable</u>	<u>8418289</u>
G	<u>Luer Lock elbow, N</u>	<u>M34568</u>

\*Produced by Fisher & Paykel

Not all articles are available worldwide.

MT-1321-2008



MT-4036-2006



MT-2688-2004



MT-520-2002



MT-2728-2004



MT-2688-2004



D-1528-2009



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	ISO double connector, reusable, 22 mm/22 mm	M25647
	Connector for breathing hose, reusable, A	8403076
	Connector for thermometer, reusable, for breathing hose set Aquapor EL	8403056
	T-piece connector, reusable	8411044
	Double connector, outer diameter 11 mm	8409897
B	Connector, aluminum, reusable, 22 mm/11 mm	8405752
	Connector set for endotracheal tube, reusable, size 1.5 mm – 5.5 mm, 9 pcs.	8403684
	Water trap, reusable, A	8404985
C	Water trap, reusable, N	8409627

MT-0732-2008



D-35676-2009




D-35677-2009



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A Transparent breathing bags of silicone elastomer	
① Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054
② Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex	2166127
③ Breathing bag, silicone, reusable, 2.3 L, not made with natural rubber latex	2166062
④ Breathing bag, silicone, reusable, 3 L, not made with natural rubber latex	2166070

D-50823-2015



REUSABLE BREATHING CIRCUITS/SETS AND RELATED ACCESSORIES

A	Test lung SelfTestLung, reusable, max. 1 L, not made with natural rubber latex	MP02400
	Spare parts set SelfTestLung, with locking brace and attachment bolt	MP02401
B	Demo lung SmartLung, reusable, max.1 L, not made with natural rubber latex	MP02405
C	Test lung 1.5-liter bag lung, silicone	8403201
D	Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex	MP02425
	Test lung, silicone, N, with hose	8410079
	Test lung, silicone, N	8403208



BREATHING SYSTEM FILTERS AND HMEs

2. BREATHING SYSTEM FILTERS AND HMEs

The TwinStar® filter/HME from Dräger is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and blue color coding for quick identification

A	Electrostatic filter and HME TwinStar® 90, disposable, 90 mL deadspace, 50 pcs.	MP01800
B	Electrostatic filter and HME TwinStar® 65A, disposable, 65 mL deadspace, angled, 50 pcs.	MP01810
C	Electrostatic filter and HME TwinStar® 55, disposable, 55 mL deadspace, 50 pcs.	MP01805
D	Electrostatic filter and HME TwinStar® 25, disposable, 25 mL deadspace, 50 pcs.	MP01815
E	Electrostatic filter and HME TwinStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.	MP01825
F	Electrostatic filter and HME TwinStar® 8, disposable, 8 mL deadspace, 50 pcs.	MP01820
G	Mechanical filter and HME TwinStar® HEPA, disposable, 55 mL deadspace, 50 pcs.	MP01801





BREATHING SYSTEM FILTERS

The CareStar® breathing system filter significantly contributes to infection prophylaxis in anesthesia and ventilation treatment through high retention rates.

- High-performance electrostatic filter
- Patient-side or device-side use
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color coding for quick identification

A	Electrostatic filter CareStar® 45, disposable, 45 mL deadspace, 50 pcs.	MP01755
B	Electrostatic filter CareStar® 40A, disposable, 40 mL deadspace, angled, 50 pcs.	MP01765
C	Electrostatic filter CareStar® 30, disposable, 30 mL deadspace, 50 pcs.	MP01770

MT-4387-2007



MT-4747-2007



MT-0011-2007



BREATHING SYSTEM FILTERS

The SafeStar® mechanical high performance breathing system filter shows excellent retention rates, thereby significantly contributing to infection prophylaxis in anesthesia and ventilation treatment.

- High-performance mechanical HEPA filter
- High hydrophobicity
- Patient-side or device-side use
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and red color coding for quick identification

A	Mechanical filter SafeStar® 80, disposable, 80 mL deadspace, 50 pcs.	MP01785
B	Mechanical filter SafeStar® 60A, disposable, 60 mL deadspace, angled, 50 pcs.	MP01795
C	Mechanical filter SafeStar® 55, disposable, 55 mL deadspace, 50 pcs.	MP01790

MT-4386-2007



MT-4746-2007



MT-1165-2006




HMEs

HumidStar® heat and moisture exchangers from Dräger partially take over the function of the upper airways and efficiently heat and humidify the inspired air.

- High return of heat and moisture
- Reduced condensation in the breathing circuit
- Minimal workload and low cost
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components
- Clear labeling and green color coding for quick identification

A	HME HumidStar® 55, disposable, 55 mL deadspace, 50 pcs.	MP01730
B	HME HumidStar® 25, disposable, 25 mL deadspace, 50 pcs.	MP01735
C	HME HumidStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.	MP01740
D	HME HumidStar® 2, disposable, 2 mL deadspace, 50 pcs.	MP01745
	HME HumidStar® Trach plus, disposable, 6 mL deadspace, 100 pcs.	MP05750



BREATHING SYSTEM FILTERS AND HMEs

SPECIFICATIONS

	Filter/HME TwinStar® 90	Filter/HME TwinStar® 65A	Filter/HME TwinStar® 55	Filter/HME TwinStar® 25
Deadspace (mL)	90	65	55	25
Recommended tidal volume (mL)	300 to 1,500	300 to 1,500	300 to 1,500	75 to 500
Bacterial retention (%)**	99.999	99.999	99.999	99.999
Viral retention (%)**	99.999	99.99	99.99	99.99
Filtration method	Electrostatic	Electrostatic	Electrostatic	Electrostatic
Moisture loss* (mg H <sub>2</sub> O/l air)	4.7@Vt 500 mL	6.9@Vt 500 mL	7.2@Vt 500 mL	5.8@Vt 250 mL
Moisture output (mg H <sub>2</sub> O/l air)	39.3	37.1	36.8	38.2
Resistance (mbar)	1.0 at 30 L/min	1.1 at 30 L/min	0.9 at 30 L/min	1.3 at 15 L/min
Weight (g)	37	30	28	18
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	3 years	3 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

SPECIFICATIONS

	Filter/HME TwinStar® 10A	Filter/HME TwinStar® 8	Filter/HME TwinStar® HEPA
Deadspace (mL)	10	8	55
Recommended tidal volume (mL)	30 to 200	30 to 200	300 to 1,500
Bacterial retention (%)**	99.9	99.9	99.9999
Viral retention (%)**	99.9	99.9	99.9999
Filtration method	Electrostatic	Electrostatic	Mechanical (HEPA)
Moisture loss* (mg H <sub>2</sub> O/l air)	6.4@Vt 50 mL	6.1@Vt 50 mL	9.8@Vt 500 mL
Moisture output (mg H <sub>2</sub> O/l air)	37.6	37.9	34.2
Resistance (mbar)	0.4 at 5 L/min	0.6 at 5 L/min	1.3 at 30 L/min
Weight (g)	9	9	40
ISO connectors	22M/15F – 15M	22M/15F – 15F/8.5M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

\*According to ISO EN 9360-1:2009.

\*\*Test has been performed by Nelson Lab, USA, before 2010

BREATHING SYSTEM FILTERS

SPECIFICATIONS

	Filter CareStar® 45	Filter CareStar® 40A	Filter CareStar® 30
Deadspace (mL)	45	40	30
Recommended tidal volume (mL)	300 to 1,500	300 to 1,500	100 to 1,500
Bacterial retention (%)**	99.999	99.999	99.999
Viral retention (%)**	99.999	99.99	99.99
Filtration method	Electrostatic	Electrostatic	Electrostatic
Moisture loss* (mg H <sub>2</sub> O/l air)	–	–	–
Moisture output (mg H <sub>2</sub> O/l air)	–	–	–
Resistance (mbar)	0.7 at 30 L/min	1.0 at 30 L/min	0.6 at 30 L/min
Weight (g)	29	25	23
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	3 years	3 years	3 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

SPECIFICATIONS

	Filter SafeStar® 80	Filter SafeStar® 60A	Filter SafeStar® 55
Deadspace (mL)	80	60	55
Recommended tidal volume (mL)	300 to 1,500	300 to 1,500	300 to 1,500
Bacterial retention (%)**	99.9999	99.9999	99.9999
Viral retention (%)**	99.9999	99.9999	99.9999
Filtration method	Mechanical (HEPA)	Mechanical (HEPA)	Mechanical (HEPA)
Moisture loss* (mg H <sub>2</sub> O/l air)	–	–	–
Moisture output (mg H <sub>2</sub> O/l air)	–	–	–
Resistance (mbar)	1.4 at 30 L/min	1.5 at 30 L/min	1.3 at 30 L/min
Weight (g)	47	42	39
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 22F/15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

\*According to ISO EN 9360-1:2009.

\*\*Test has been performed by Nelson Lab, USA, before 2010

Not all articles are available worldwide.

HMEs

SPECIFICATIONS

	HME HumidStar® 55	HME HumidStar® 25	HME HumidStar® 10A
Deadspace (mL)	55	25	10
Recommended tidal volume (mL)	300 to 1,500	75 to 500	30 to 200
Moisture loss* (mg H <sub>2</sub> O/l air)	6.3@Vt 500 mL	6.2@Vt 250 mL	6.4@Vt 50 mL
Moisture output (mg H <sub>2</sub> O/l air)	37.7	37.8	37.6
Resistance (mbar)	0.4@30 L/min	0.4@30 L/min	0.1@5 L/min
Weight (g)	28	18	9
ISO connectors	22M/15F – 22F/15M	22M/15F – 22F/15M	22M/15F – 15M
Sampling port	Luer Lock with tethered cap	Luer Lock with tethered cap	Luer Lock with tethered cap
Housing	Polypropylene	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free	PVC-free/ Latex free

SPECIFICATIONS

	HME HumidStar® 2	HME HumidStar® Trach plus
Deadspace (mL)	2	6
Recommended tidal volume (mL)	10 to 30	100 to 1,500
Moisture loss* (mg H <sub>2</sub> O/l air)	6.4@Vt 50 mL	<30@Vt 750 mL
Moisture output (mg H <sub>2</sub> O/l air)	37.6	>14
Resistance (mbar)	1.9@15 L/min	<0.1@30 L/min
Weight (g)	3.5	4.9
ISO connectors	15M – 15F	15F
Sampling port	–	O <sub>2</sub> port
Housing	Polypropylene	Polypropylene
Maximum duration of use	24 hours	24 hours
Shelf life in undamaged packaging	5 years	5 years
Product	PVC-free/ Latex free	PVC-free/ Latex free

Cleanroom manufactured according to EN ISO 14644-1:2014.

\*According to ISO EN 9360-1:2009.

Not all articles are available worldwide.

CO<sub>2</sub> CUVETTES

3. CO<sub>2</sub> CUVETTES

CO<sub>2</sub> cuvettes are designed for the monitoring of CO<sub>2</sub> concentration during patient ventilation.

3.1 DISPOSABLE

A	CO <sub>2</sub> cuvette disposable, adult, 10 pcs.	MP01062
B	CO <sub>2</sub> cuvette disposable, pediatric, 10 pcs.	MP01063

A



D-7059-2009

B



D-7061-2009

CO<sub>2</sub> CUVETTES

3.2 REUSABLE

A	CO <sub>2</sub> cuvette reusable, adult, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870279
B	CO <sub>2</sub> cuvette reusable, pediatric, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870280
C	CO <sub>2</sub> mainstream sensor, for Evita® 2 dura, Evita® 4 Edition and Evita® XL	6871500
D	CO <sub>2</sub> mainstream sensor, for Evita, Infinity V500, Infinity M540, and Delta VF9.1 and higher	6871950

A



D-7062-2009

B



D-7060-2009

C



MT-0986-2007

D




D-28791-2017

CATHETER MOUNTS AND AIRWAY CONNECTORS

4. CATHETER MOUNTS AND AIRWAY CONNECTORS

- Smoothbore products provide low resistance to flow while external coil reduces kinks and blockages
- Extendable product provides a lightweight and flexible solution
- Double swivel connector increases ease of use
- Double cap to maintain PEEP during suctioning or bronchoscopy
- Each catheter mount and airway connector is equipped with a red safety cap so that the system is completely closed and protected until directly prior to use on the patient
- 22F/15M connector on device side as a two-in-one solution
- Standardized connectors for safe connection to other components
- Luer Lock port for gas sampling
- Disposable convenience enhances workflow
- PVC-free design of gas leading components eliminates risk of softeners such as DEHP

A	Catheter mount ErgoStar® CM 40, disposable, 10 cm, double swivel elbow, 50 pcs.	MP01840
B	Catheter mount ErgoStar® CM 45, disposable, 15 cm, double swivel elbow, 50 pcs.	MP01845
C	Catheter mount ErgoStar® CM 50, disposable, 10 – 16 cm, extendable, 50 pcs.	MP01850
D	Catheter mount ErgoStar® CM 55, disposable, 15 cm, straight, 50 pcs.	MP01855
E	Catheter mount ErgoStar® CM 60, disposable, 10 cm, small, double swivel elbow, 50 pcs.	MP01860
F	Airway connector ErgoStar® AC 90, disposable, double-swivel elbow w/ double cap, 100 pcs.	MP01890
G	Airway connector ErgoStar® AC 95, disposable, w/ Luer Lock sampling port, 100 pcs.	MP01895




Not all articles are available worldwide.

COMBINATIONS OF FILTER AND TUBE EXTENTION

COMBINATIONS OF FILTER AND TUBE EXTENTION

A	CombiStar Filter HME flex, combination of flexible tube extention MP01850 and filter TwinStar® 55 (MP01805), 25 pcs.	MP04240
B	CombiStar F-HME HEPA flex, combination of flexible tube extention MP01850 and filter TwinStar® HEPA (MP01801), 25 pcs.	MP04242
C	CombiStar Filter flex, combination of flexible tube extention MP01850 and filter CareStar® 30 (MP01770), 25 pcs.	MP04244
D	CombiStar mech. Filter flex, combination of flexible tube extention MP01850 and filter SafeStar® 55 (MP01790), 25 pcs.	MP04246
E	CombiStar A Filter HME, combination of airway connector MP01845 and filter TwinStar® 55 (MP01805), 25 pcs.	MP01671



Not all articles are available worldwide.



COMBINATIONS OF FILTER AND TUBE EXTENTION

A	CombiStar Filter HME straight, combination of straight tube extention MP01855 and filter TwinStar® 55 (MP01805), 25 pcs.	MP04230
B	CombiStar F-HME HEPA straight, combination of straight tube extention MP01855 and filter TwinStar® HEPA (MP01801), 25 pcs.	MP04232
C	CombiStar Filter straight, combination of straight tube extention and filter CareStar® 30 (MP01770), 25 pcs.	MP04234
D	CombiStar mech. Filter straight, combination of straight tube extention MP01855 and filter SafeStar® 55 (MP01790), 25 pcs.	MP04236



NIV MASKS AND ACCESSORIES

5. NON-INVASIVE PATIENT INTERFACES AND ACCESSORIES  
5.1 NIV MASKS AND ACCESSORIES

ClassicStar® NIV oronasal masks cover the nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing.

The mask design ensures high patient comfort combined with anatomical fit and effective seal due to individually adjustable mask cushion. The 6-point headgear provides a stable and secure fixation. Adjustable forehead support and forehead pad allow for distributing the pressure from the bridge of nose towards the forehead for more patient comfort.

ClassicStar® NIV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NIV-option. Variants with Anit-Asphyxia Valve (AAV) are intended for Multi-Vendor-Accessory business.

All ClassicStar® NIV masks are for single patient use.

Sizing gauges for easy mask size identification as well as a pumpball are delivered together with the masks.


A	NIV oronasal mask ClassicStar® SE, disposable, size S	MP01573
	NIV oronasal mask ClassicStar® SE, disposable, size M	MP01574
	NIV oronasal mask ClassicStar® SE, disposable, size L	MP01575
B	NIV oronasal mask ClassicStar® AAV, disposable, size S	MP01570
	NIV oronasal mask ClassicStar® AAV, disposable, size M	MP01571
	NIV oronasal mask ClassicStar® AAV, disposable, size L	MP01572



NIV MASKS AND ACCESSORIES

Oronasal masks are often the first-line strategy in the initial management of acute respiratory failure as they cover nose and mouth. Nasal masks are often chosen if NIV therapy has to be prolonged due to improved comfort and reduced complications associated with oronasal masks. Similar to ClassicStar® oronasal masks, the nasal mask cushion can be individually adjusted to the patient's face providing high patient comfort and effective seal. The 4-point-headgear ensures a stable and secure fixation reducing mask displacement. All ClassicStar® NIV nasal masks are for single patient use. Sizing gauges for easy mask size identification as well as a pumpball are delivered together with the masks.


A	NIV nasal mask ClassicStar® non-vented, disposable, size S	MP01623
	NIV nasal mask ClassicStar® non-vented, disposable, size M	MP01624
	NIV nasal mask ClassicStar® non-vented, disposable, size L	MP01625
B	NIV nasal mask ClassicStar® vented, disposable, size S	MP01620
	NIV nasal mask ClassicStar® vented, disposable, size M	MP01621
	NIV nasal mask ClassicStar® vented, disposable, size L	MP01622



NIV MASKS AND ACCESSORIES

The ClassicStar® NIV total-face mask seals around the perimeter of the face, covering mouth, nose and eyes. These areas are less pressure sensitive and have smoother facial contours compared to the areas a oronasal masks covers (nasal bridge). The mask is suitable for patients with nasal bridge breakdown or facial irregularities. The air filled cushion can be adjusted individually to the patients face, providing high patient comfort and effective seal. The 5-point headgear which includes a headstrap at the top of the mask provides a stable and secure attachment, thus preventing mask displacement and reducing pressure. Quick release clips are integrated for quick removal of the mask.

A	NIV total-face mask ClassicStar® SE, disposable, size S	MP02910
	NIV total-face mask ClassicStar® SE, disposable, size M	MP02911
	NIV total-face mask ClassicStar® SE, disposable, size L	MP02912
B	NIV total-face mask ClassicStar® AAV, disposable, size S	MP02913
	NIV total-face mask ClassicStar® AAV, disposable, size M	MP02914
	NIV total-face mask ClassicStar® AAV, disposable, size L	MP02915
C	NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size S	MP02916
	NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size M	MP02917
	NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size L	MP02918



NIV MASKS AND ACCESSORIES

The ClassicStar® plus mask series features a soft and anatomically shaped silicone lip as sealing interface to the patients face. The mask has an easy to adjust forehead pad with silicone cushion which allows optimal adaption to the sensitive nasal bridge. The mask is available in four sizes (S, M, L, XL) as oronasal and nasal mask. ClassicStar® plus NIV masks with standard elbow (SE) have been successfully tested for compatibility with Dräger ventilators which have NIV-option. Variants with Anti-Asphyxia-Valve (AAV) are intended for Multi-Vendor-Accessory business.

A	NIV oronasal mask ClassicStar® plus SE, disposable, size S	MP04711
	NIV oronasal mask ClassicStar® plus SE, disposable, size M	MP04712
	NIV oronasal mask ClassicStar® plus SE, disposable, size L	MP04713
	NIV oronasal mask ClassicStar® plus SE, disposable, size XL	MP04714
B	NIV oronasal mask ClassicStar® plus AAV, disposable, size S	MP04721
	NIV oronasal mask ClassicStar® plus AAV, disposable, size M	MP04722
	NIV oronasal mask ClassicStar® plus AAV, disposable, size L	MP04723
	NIV oronasal mask ClassicStar® plus AAV, disposable, size XL	MP04724
C	NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size S	MP04731
	NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size M	MP04732
	NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size L	MP04733
	NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size XL	MP04734



NIV MASKS AND ACCESSORIES

A	NIV nasal mask ClassicStar® plus non vented, disposable, size S	MP04741
	NIV nasal mask ClassicStar® plus non vented, disposable, size M	MP04742
	NIV nasal mask ClassicStar® plus non vented, disposable, size L	MP04743
	NIV nasal mask ClassicStar® plus non vented, disposable, size XL	MP04744
B	NIV nasal mask ClassicStar® plus vented, disposable, size S	MP04751
	NIV nasal mask ClassicStar® plus vented, disposable, size M	MP04752
	NIV nasal mask ClassicStar® plus vented, disposable, size L	MP04753
	NIV nasal mask ClassicStar® plus vented, disposable, size XL	MP04754



NIV MASKS AND ACCESSORIES

NovaStar® TS NIV oronasal masks cover the nose and mouth of the patient. Therefore, they provide effective therapy even in case of mouth breathing. The NovaStar® TS NIV masks have very soft silicone-gel filled mask cushion. In combination with the pliable ring embedded inside the flexible, clear mask body, – which allows the mask to be bent and adjusted individually to the patient's face ('customized fit'), – the masks provide ultimate comfort and effective seal. The forehead support can be adapted gradually to the patient's forehead providing stable mask position and enhanced comfort. The unique magnetic clips support fast and easy fixation.

All NovaStar® TS NIV masks are for multi patient use. Replacement headgears and clips are available individually (cf. accessories for NIV masks).

A	NIV oronasal mask NovaStar® TS SE, reusable, size S	MP01579
	NIV oronasal mask NovaStar® TS SE, reusable, size M	MP01580
	NIV oronasal mask NovaStar® TS SE, reusable, size L	MP01581
	NIV oronasal mask NovaStar® TS SE, reusable, size XL	MP04705
B	NIV oronasal mask NovaStar® TS AAV, reusable, size S	MP01576
	NIV oronasal mask NovaStar® TS AAV, reusable, size M	MP01577
	NIV oronasal mask NovaStar® TS AAV, reusable, size L	MP01578
	NIV oronasal mask NovaStar® TS AAV, reusable, size XL	MP04706
C	NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size S	MP04701
	NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size M	MP04702
	NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size L	MP04703
	NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size XL	MP04704



Not all articles are available worldwide.

NIV MASKS AND ACCESSORIES

NovaStar® TS SE Vpack S, 3 × MP01579, 3 pcs.	MP01564
NovaStar® TS SE Vpack M, 3 × MP01580, 3 pcs.	MP01565
NovaStar® TS SE Vpack L, 3 × MP01581, 3 pcs.	MP01566
NovaStar® TS AAV Vpack S, 3 × MP01576, 3 pcs.	MP01567
NovaStar® TS AAV Vpack M, 3 × MP01577, 3 pcs.	MP01568
NovaStar® TS AAV Vpack L, 3 × MP01578, 3 pcs.	MP01569


TRADEWARE

The **MiniMe2\*** nasal mask is designed for children ages 2 – 12. It features an ergonomic silicone gel cushion and a shapeable shell mask to fit individual needs and thus ensuring an effective seal and a comfortable fit.

A	Pediatric nasal mask MiniMe2 non vented, disposable, size S/M	MP01555
	Pediatric nasal mask MiniMe2 non vented, disposable, size M/L	MP01556
B	Pediatric nasal mask MiniMe2 vented, disposable, size S/M	MP01553
	Pediatric nasal mask MiniMe2 vented, disposable, size M/L	MP01554

\*Produced by SleepNet Corporation

Not all articles are available worldwide.





NIV MASKS AND ACCESSORIES

ACCESSORIES FOR NIV MASKS

A	Headgear for NovaStar® TS SE NIV oronasal mask	MP01583
B	Magnetic clip for headgears for NovaStar® TS SE and AAV, 4 pcs.	MP01585
C	Two-sided pump ball for air management	MP01590



ANESTHESIA MASKS AND ACCESSORIES

5.2 ANESTHESIA MASKS AND ACCESSORIES

LiteStar® anesthesia mask is for disposable use. The teardrop shape of the mask supports an anatomical fit. The transparent mask body allows for continuous observation of the patient's condition. The colored reinforcing ring along the mask connector provides a secure connection with the ventilation system. The color coding of the reinforcing rings\* contributes to easy size identification. Additional disposable hook rings and disposable headgears for fixation are available (cf. accessories for anesthesia masks).

A	1 Anesthesia mask LiteStar®, disposable, w/o hook ring, size 1, prenat., 30 pcs.	MP01501
	2 Anesthesia mask LiteStar®, disposable, w/o hook ring, size 2, baby, 30 pcs.	MP01502
	3 Anesthesia mask LiteStar®, disposable, w/o hook ring, size 3, infant, 30 pcs.	MP01503
	4 Anesthesia mask LiteStar®, disposable, w/o hook ring, size 4, adult S, 30 pcs.	MP01504
	5 Anesthesia mask LiteStar®, disposable, w/o hook ring, size 5, adult M, 30 pcs.	MP01505
	6 Anesthesia mask LiteStar®, disposable, w/o hook ring, size 6, adult L, 30 pcs.	MP01506

\*They are color coded from red (size 3), yellow (size 4 – 5) to green (size 6).





ANESTHESIA MASKS AND ACCESSORIES

Patient comfort and ease of use were the top priorities when developing the Dräger disposable ComfortStar® anesthesia mask portfolio. Patient comfort is supported by teardrop or round-shaped masks and adjustable (inflatable) mask cushion which provide anatomical fit with effective seal. Non-slip ridges (sizes 4 – 6) and a flexible mask body provide healthcare professionals an easy and comfortable grip.

ComfortStar® scented anesthesia masks have the same excellent benefits of the ComfortStar® standard masks, but in addition, they have added aromas. The appropriate color scheme provides optical stimulation and is intended to reduce pre-operative anxiety in patients.

All masks are pre-equipped with 'Traffic Light' colored hook rings. They are color coded for easier size identification. Smaller sizes (0 – 1) have reddish color, mid-sizes (2 – 3) yellowish color and large sizes (4 – 6) greenish color.

All ComfortStar® masks are compatible with all Dräger anesthesia devices.

Pumpball as well as different headgears for fixation are available (cf. accessories for anesthesia masks).

A	1	Anesthesia mask ComfortStar®, disposable, hook rg, std., size 0, premat., 20 pcs.	MP01510
	2	Anesthesia mask ComfortStar®, disposable, hook rg, std., size 1, neo., 20 pcs.	MP01511
	3	Anesthesia mask ComfortStar®, disposable, hook rg, std., size 2, baby, 20 pcs.	MP01512
	4	Anesthesia mask ComfortStar®, disposable, hook rg, std., size 3, inf., 20 pcs.	MP01513
	5	Anesthesia mask ComfortStar®, disposable, hook rg, std., size 4, adt. S, 20 pcs.	MP01514
	6	Anesthesia mask ComfortStar®, disposable, hook rg, std., size 5, adt. M, 20 pcs.	MP01515
	7	Anesthesia mask ComfortStar®, disposable, hook rg, std., size 6, adt. L, 20 pcs.	MP01516



MT-4205-2008

ANESTHESIA MASKS AND ACCESSORIES

A	1	Anesthesia mask ComfortStar®, disposable, hook rg, strawb., size 1, neo., 20 pcs.	MP01521
	2	Anesthesia mask ComfortStar®, disposable, hook rg, strawb., size 2, baby, 20 pcs.	MP01522
	3	Anesthesia mask ComfortStar®, disposable, hook rg, strawb., size 3, inf., 20 pcs.	MP01523
	4	Anesthesia mask ComfortStar®, disposable, hook rg, strawb., size 4, adt. S, 20 pcs.	MP01524
B	1	Anesthesia mask ComfortStar®, disposable, hook rg, bubblg., size 1, neo., 20 pcs.	MP01531
	2	Anesthesia mask ComfortStar®, disposable, hook rg, bubblg., size 2, baby, 20 pcs.	MP01532
	3	Anesthesia mask ComfortStar®, disposable, hook rg, bubblg., size 3, inf., 20 pcs.	MP01533
	4	Anesthesia mask ComfortStar®, disposable, hook rg, bubblg., size 4, adt. S, 20 pcs.	MP01534
C	1	Anesthesia mask ComfortStar®, disposable, hook rg, mint, size 3, inf., 20 pcs.	MP01543
	2	Anesthesia mask ComfortStar®, disposable, hook rg, mint, size 4, adult S, 20 pcs.	MP01544
	3	Anesthesia mask ComfortStar®, disposable, hook rg, mint, size 5, adult M, 20 pcs.	MP01545
	4	Anesthesia mask ComfortStar®, disposable, hook rg, mint, size 6, adult L, 20 pcs.	MP01546



MT-4170-2008



MT-4126-2008



MT-4149-2008

ANESTHESIA MASKS AND ACCESSORIES

New silicone masks are made of medical grade silicone because this is generally considered the material of choice for its superior ability to conform to the patient's facial anatomy. The field of application includes anesthesia and mask ventilation for pediatric and adult patients. The masks are available in various shapes and sizes. The smaller sizes have a rather round shape in order to provide comfortable fit and effective seal for the faces of infants. The bigger sizes have an anatomically formed teardrop shape to ensure convenient fit and seal for facial contours of adult patients. New silicone masks have a flexible, soft and transparent mask body. The mask body design provides a comfortable grip. Shape and material allow for safe handling by doctors and nurses. The silicone masks are reusable.

A	➊ Silicone mask, reusable, size 00, premature baby	MP02900
	➋ Silicone mask, reusable, size 0, small neonate	MP01910
	➌ Silicone mask, reusable, size 1, large neonate	MP01911
	➍ Silicone mask, reusable, size 2, small child	MP01912
	➎ Silicone mask, reusable, size 3, large child	MP01913
	➏ Silicone mask, reusable, size 4, small adult	MP01914
	➐ Silicone mask, reusable, size 5, large adult	MP01915

Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. accessories for anesthesia masks).



ANESTHESIA MASKS AND ACCESSORIES

ACCESSORIES FOR ANESTHESIA MASKS


There are three different headgears in small and large designs offering patients and physicians a soft, elastic, lightweight fixation of disposable and/or reusable anesthesia/ventilation masks.

A	➊ Headgear, reusable, silicone, small	MP01557
	➋ Headgear, reusable, silicone, large	MP01558
B	➊ Headgear, disposable, soft fabric, small	MP01559
	➋ Headgear, disposable, soft fabric, large	MP01560
C	➊ Headgear, disposable, soft rubber, small	MP01561
	➋ Headgear, disposable, soft rubber, large	MP01562



ANESTHESIA MASKS AND ACCESSORIES

A	① Hook ring for LiteStar® anesthesia masks, disposable, 15 mm OD, for sizes 1 – 2, 30 pcs.	MP01551
	② Hook ring for LiteStar® anesthesia masks, disposable, 22 mm ID, for sizes 3 – 6, 30 pcs.	MP01552
B	① Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916
	② Hook ring for silicone masks, reusable, 22 mm ID, for sizes 2 – 5, 10 pcs.	MP01917
C	Elbow for CPAP masks, disposable	8409683
D	Two-sided pump ball for air management	MP01590




OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

5.3 OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS, VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

Oxygen therapy is the administration of oxygen at a concentration higher than in ambient air. The purpose is to prevent and/or treat the symptoms and manifestation of hypoxia. Aerosol therapy is used to administer medicine in the patient airways/lungs in order to reduce inflammation caused by different respiratory conditions. The aerosol and oxygen therapy masks are for disposable use.

A	O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01930
B	O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01920
C	O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01931
D	O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01921
E	O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, S, 50 pcs.	MP01934
F	O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, M/L, 50 pcs.	MP01926



OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS,  
VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

A	<u>O2Star™ Tracheostomy mask, disposable, S, 50 pcs.</u>	<u>MP01932</u>
B	<u>O2Star™ Tracheostomy mask, disposable, M/L, 50 pcs.</u>	<u>MP01924</u>
C	<u>O2Star™ Face tent, disposable, S, 50 pcs.</u>	<u>MP01933</u>
D	<u>O2Star™ Face tent, disposable, M/L, 50 pcs.</u>	<u>MP01925</u>




OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS,  
VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

A	<u>O2Star™ Venturi mask kit, adjustable venturi valve, disposable, S, 25 pcs.</u>	<u>MP01935</u>
B	<u>O2Star™ Venturi mask kit, adjustable venturi valve, disposable, M/L, 25 pcs.</u>	<u>MP01922</u>
C	<u>O2Star™ Venturi mask kit, fixed venturi valve, disposable, S, 25 pcs.</u>	<u>MP01936</u>
D	<u>O2Star™ Venturi mask kit, fixed venturi valve, disposable, M/L, 25 pcs.</u>	<u>MP01923</u>



OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS,  
VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES


A	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs.	MP02920
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs.	MP02921
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, L, 50 pcs.	MP02922
	O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02923
B	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs.	MP02924
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs.	MP02925
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, L, 50 pcs.	MP02926
	O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02927
C	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02928
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02929
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02930
	O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02931
D	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02932
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02933
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02934
	O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02935



OXYGEN (O<sub>2</sub>) AND AEROSOL THERAPY MASKS,  
VENTURI MASK KITS, NASAL CANNULAS AND ACCESSORIES

ACCESSORIES FOR OXYGEN (O<sub>2</sub>)  
AND AEROSOL THERAPY MASKS,  
VENTURI MASK KITS, NASAL CANNULAS

A	O2Star™ Connector kit, 6 mm OD/22 mm OD + 6 mm OD/22 mm ID w. connection tube, disposable, 5 pcs.	MP01940
B	O2Star™ Connector kit for breathing circuit for Aquapor, disposable, 5 pcs.	MP01941
C	O2Star™ Connector 22 mm ID / 22 mm ID, disposable, 5 pcs.	MP01942
D	O2Star™ Oxygen connection tube, 2.1 m, disposable, 25 pcs.	MP01927
	O2Star™ Oxygen connection tube, 2.1 m, with 9/16" connector, disposable, 25 pcs.	MP01944
E	O2Star™ Oxygen connection tube, 4 m, disposable, 25 pcs.	MP01943
	O2Star™ Oxygen connection tube, 4 m, with 9/16" connector, disposable, 25 pcs.	MP01945





HIGH-FLOW THERAPY NASAL CANNULA AND ACCESSORIES

5.4 HIGH-FLOW THERAPY NASAL CANNULA AND ACCESSORIES

High Flow Therapy allows to provide warm humidified air with enriched oxygen concentration at flow rates up to 60 L per minute to patients via nasal cannulas. Patient comfort is one of the advantages of High Flow therapy over other treatment forms for patient with compromised respiration and can in many cases successfully avoid using less comfortable or even invasive forms of respiratory support. The HI-Flow Star Nasal Cannula and the inspiratory breathing circuit offer advanced features designed for enhanced patient safety and comfort such as integrated clips in order to provide effective breathing circuit tension relief, a flexible, breathable hose minimizing internal condensation in the high flow nasal cannula as well as soft materials for the prongs and the headgear. Thanks to its symmetrical design, the nasal cannula can be connected from either the left or the right side of the bed. This helps caregivers save time and effort. The HI-Flow Star products are disposable.

A	① HI-Flow Star Nasal Cannula, disposable, adult S, Flow Range < 60 L/min, 25 pcs.	MP05511
A	② HI-Flow Star Nasal Cannula, disposable, adult M, Flow Range < 60 L/min, 25 pcs.	MP05512
A	③ HI-Flow Star Nasal Cannula, disposable, adult L, Flow Range < 60 L/min, 25 pcs.	MP05513
B	HI-Flow Star System, heated inspiratory breathing circuit, consists of: heated inspiratory hose, humidifier chamber, breathing hose when used with a ventilator, O <sub>2</sub> hose when used with an O <sub>2</sub> blender, bed clip, disposable, 25 pcs.	MP05601
C	HI-Flow Star Valve Kit w/ Pop-Up Valve and Connector 22 mm, disposable, 15 pcs.	MP05507
D	T-piece adapter for MX300/MX300i and HI-Flow Star System, disposable, 20 pcs.	MP05508



DEVICE RELATED ACCESSORIES

6. DEVICE RELATED ACCESSORIES

A	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776
	Expiratory valve for Evita®, reusable	8410580
B	Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600
C	Infinity ID, expiratory valve, disposable, 10 pcs.	MP01060
D	Expiratory valve for Evita Infinity® V500, reusable	8416750



DEVICE RELATED ACCESSORIES

	Membrane for Evita® 2 dura, Evita® 4, Evita® XL, for expiratory valve	8412015
A	Water trap for Evita® 2 dura, Evita® 4, Evita® XL, reusable	8413125
B	Infinity ID Expiratory filter, disposable, 20 pcs.	MP01780
C	Expiratory filter, disposable, 20 pcs.	MP01781

A



MT-220-99

B



D-12244-2010

C



D-43830-2012

NON DEDICATED ACCESSORIES

A	Expiratory valve, disposable, 10 pcs.	MP01061
	Expiratory valve for Savina®, reusable	8413660
B	Expiratory valve for Savina® 300, reusable	8417050
C	Expiratory valve for Carina®, disposable	MP00220
D	Leakage valve for Carina® SyncVent, disposable, 5 pcs.	MP00224
	Expiratory valve for Babylog® 8000	8408950
E	Expiratory valve for Babylog® VN 500, reusable	8415270

A



D-5888-2018

B



D-45109-2015

C



D-665-2016

D



MT-1985-2008

E



D-45107-2015

DEVICE RELATED ACCESSORIES

A	Disposable Handle Polaris, Dual, 60 pcs., for Polaris 100/200, 600 and Multimedia, adapter required	MP05700
A	Disposable Handle Polaris, Single, 120 pcs., for Polaris 100/200, 600 and Multimedia, adapter required	MP05701
B	Bacterial filter for Dräger patient monitors, disposable	8402868



PACK2GO®/SET2GO

[7. PACK2GO®](#)

Dräger has developed a comprehensive range of disposable accessories. These accessories can now also be ordered together in a Pack2Go® package, in order to benefit the hospital's costs and logistical/clinical processes. Pack2Go® package solutions include dedicated Dräger and general accessories, which can be used as a system solution with Dräger devices.

A	Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, basic, + cuvette	MP01656
B	Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, basic, 1.8 m	MP01657
C	Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, coaxial, + cuvette	MP01676
D	Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, coaxial, 1.8 m	MP01677



PACK2GO®/SET2GO

A	Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size S	MP01663
	Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size M	MP01664
	Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size L	MP01665
B	Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, coaxial, 1.8 m	MP01673
C	Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, basic, 1.8 m	MP01674
D	Pack2Go® anesthesia pack, A, with anesthesia set + watertrap	MP01682



PACK2GO®/SET2GO

SET2GO

With Dräger's Set2go solutions we offer you totally customised sets consisting of an individual selection of single-patient-use accessories. Dräger Set2go makes using and ordering consumables and accessories much simpler for you. You just need one article number to get all the items in a single package and accomplish your specific task.

Please contact your local Dräger sales organisation to create your individual accessory solution.

HUMIDIFIER AND NEBULIZER

8. HUMIDIFIER AND NEBULIZER

TRADEWARE

A	Humidifier chamber for F&P MR 290, disposable, 10 pcs.*	8418282
B	Humidifier chamber F&P MR 340, reusable, N/P*	8411047
C	Humidifier chamber F&P MR 370, reusable, A*	8412217

\*Produced by Fisher & Paykel

A



MT-0099-2004

B



MT-148-98

C



MT-296-94

HUMIDIFIER AND NEBULIZER

TRADEWARE

A	Rail clamp for F&P humidifier*	8411074
B	Holder for F&P humidifier U-shaped, for trolley, with rail clamp*	MP01002
C	Water bag holder 900 MR 290	MP01008
D	Hose heater for F&P MR 700/730, 70 cm*	8411154
D	Hose heater, A, 1.1 m	8411045
E	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*	8414993
F	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.5 m*	8414969

\*Produced by Fisher & Paykel

A



MT-139-98

B



MT-1883-2004

C



MT-7701-2006

D



MT-2264-2004

E



MT-2266-2004

F



MT-2263-2004



HUMIDIFIER AND NEBULIZER

TRADEWARE

A	Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m*	8414989
A	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m*	8414966
B	Hose heater adapter for F&P MR 850, for reusable breathing circuit*	8414968
C	Hose heater adapter for F&P MR 700/730, for disposable breathing circuit*	8418462
D	Hose heater adapter for F&P MR 850, for disposable breathing circuit*	8414992

\*Produced by Fisher & Paykel

A

MT-2265-2004



B

MT-2262-2004



C

MT-2268-2004



D

MT-2261-2004



HUMIDIFIER AND NEBULIZER

TRADEWARE

A	Hose heater adapter for F&P MR 850, for third-party breathing circuit*	MP01001
B	Hose heater adapter for F&P MR 850, for double-heated disposable breathing circuit*	MP01006
C	Draw wire for hose heater 1.5 m, for reusable breathing circuit	8411050
D	Temperature probe adapter 900 MR 532, for F&P humidifiers*	MP01007

\*Produced by Fisher & Paykel

A

MT-1887-2004



B

MT-4049-2006



C

MT-142-98



D

MT-4036-2006



HUMIDIFIER AND NEBULIZER

A	Medication nebulizer for Babylog® 8000 with quick connector	8411030
B	Medication nebulizer for Evita® 2 dura, Evita® 4, Evita® XL, Savina®	8412935
C	Pneumatic medication nebulizer, for Evita® and Evita® 2	8405000
D	Connector set for medication nebulizer, for neonatal breathing circuit	8411031
E	Nebulizer hose	8412985



HUMIDIFIER AND NEBULIZER

<b>AEROGEN PRO*</b>		
Aerogen Pro works with an electronic micropump. Aerogen Pro is ideally suited to nebulizer therapy requirements for inline mechanical ventilation and it accommodates all patient age ranges from neonates to adults. It operates without changing patient ventilator parameters, without heating or degrading medications and it can be refilled without interrupting ventilation.		
A	Medication nebulizer Aerogen Pro	MP01010
B	Nebulizer unit with filler cap for Aerogen Pro	MP01030
C	T-piece with plug for Aerogen Pro, A, ISO 22 mm, 5 pcs.	MP01031
D	T-piece set with plug for Aerogen Pro (N), 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.	MP01032
E	T-connector for Aerogen Pro, 12 mm, with plug, 5 pcs.	MP01037
F	Controller cable for Aerogen Pro	MP01036
G	Filler cap for Aerogen Pro, silicone, 5 pcs.	MP01035
Sealing plug for Y-piece, 5 pcs.		8411024
Inhalation mask for Inhalette		M11015
Mouthpiece for Inhalette		M12394

\*Produced by Aerogen



HUMIDIFIER AND NEBULIZER

AEROGEN SOLO\*

Aerogen Solo Starter Kit

Consists of: Control module, 2 Aerogen Solo Nebulizers with filler caps, adult T-adapter with silicone plug, Universal mounting bracket, AC/DC adapter and Instruction manual.

A	Aerogen Solo Starter Kit, Int.	MP01071
	Aerogen Solo Starter Kit, FR, NL, IT, GE	MP01072
	Aerogen Solo Starter Kit, ES, IT, PT, GR, TK	MP01073
	Aerogen Solo Starter Kit, SW, NO, FI, DK	MP01074
	Aerogen Solo Starter Kit, UK	MP01075
	Aerogen Solo Starter Kit, US	MP01076
B	Nebulizer head, 5 pcs.	MP01078
C	Nebulizer head, 10 pcs.	MP01079
	T-Adapter, adult, 10 pcs.	MP01085
	T-Adapter, pediatric, 10 pcs.	MP01086
	Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.	MP01087

\*Produced by Aerogen



INTUBATION KITS

9. INTUBATION KITS

TRADEWARE

The practical design of the laryngoscope family\* ensures optimum hygiene and reliable functioning in every situation. Its ergonomic design guarantees problem free handling. \*Made by Kirchner&Wilhelm, Asperg, Germany.

WARM LIGHT (WL) LARYNGOSCOPES

	Blade size 0 (Mac), reusable, 79 × 13 mm	MX03302
A	Blade size 1 (Mac), reusable, 93 × 20 mm	MX03303
	Blade size 2 (Mac), reusable, 112 × 20 mm	MX03304
	Blade size 3 (Mac), reusable, 130 × 23 mm	MX03305
	Blade size 4 (Mac), reusable, 150 × 25 mm	MX03306
B	Blade size 0 (Miller), reusable, 77 × 11 mm	MX03307
	Blade size 1 (Miller), reusable, 102 × 11 mm	MX03308
	Blade size 2 (Miller), reusable, 153 × 13 mm	MX03309
C	Universal laryngoscope set, reusable (Battery grip adult; blade size 0 (Miller); blade size 1 (Mac); blade size 2 (Mac); blade size 3 (Mac); blade size 4 (Mac))	MX03300
	Laryngoscope set, adult, reusable (Battery grip adult; blade size 2 (Mac); blade size 3 (Mac); blade size 4 (Mac))	MX03313
	Laryngoscope set, pediatric, reusable (Battery grip pediatric; blade size 0 (Miller); blade size 1 (Miller), blade size 2 (Mac))	MX03312
D	Battery grip, adult, 2.5 V, 28 mm Ø	MX03301
	Battery grip, pediatric, 2.5 V, 19 mm Ø	MX03314
E	Battery, adult, 2.5 V	MX03327
F	Vacuum lamp for blade (size 00 – 1)	MX03316
	Vacuum lamp for blade (size 2 – 5)	MX03311




INTUBATION KITS

TRADEWARE

Made by Kirchner&Wilhelm, Asperg, Germany

FIBER OPTIC (F.O.) LARYNGOSCOPES

A	F.O. blade size 0 (Mac), reusable, 82 × 14 mm	MX03319
	F.O. blade size 1 (Mac), reusable, 93 × 14 mm	MX03320
	F.O. blade size 2 (Mac), reusable, 115 × 17 mm	MX03321
	F.O. blade size 3 (Mac), reusable, 135 × 18 mm	MX03322
	F.O. blade size 4 (Mac), reusable, 155 × 18 mm	MX03323
B	F.O. blade size 00 (Miller), reusable, 66 × 11 mm	MX50052
	F.O. blade size 0 (Miller), reusable, 78 × 11 mm	MX03324
	F.O. blade size 1 (Miller), reusable, 103 × 11 mm	MX03325
	F.O. blade size 2 (Miller), reusable, 154 × 14 mm	MX03326
	F.O. blade size 3 (Miller), reusable, 195 × 15 mm	MX50053
	F.O. blade size 4 (Miller), reusable, 210 × 18 mm	MX50054
	F.O. universal laryngoscope set, reusable (F.O. battery grip adult; F.O. blade size 0 (Miller); F.O. blade size 1 (Mac); F.O. blade size 2 (Mac); F.O. blade size 3 (Mac); F.O. blade size 4 (Mac))	MX03317
	F.O. laryngoscope set, adult, reusable (F.O. battery grip adult; F.O. blade size 2 (Mac); F.O. blade size 3 (Mac); F.O. blade size 4 (Mac))	MX03330
	F.O. laryngoscope set, pediatric, reusable (F.O. battery grip pediatric; F.O. blade size 0 (Miller); F.O. blade size 1 (Miller); F.O. blade size 2 (Mac))	MX03329
C	F.O. battery grip, adult, 2.5 V, 28 mm Ø	MX03318
	F.O. battery grip, pediatric, 2.5 V, 19 mm Ø	MX03331
	Xenon lamps for battery grip, 2.5 V	MX03328
D	Battery, adult, 2.5 V	MX03327
E	Universal charging station MedCharge 4000 "ALL in ONE"	MX50028



RESUSCITATORS


10. RESUSCITATORS

TRADEWARE

The MR-100 is a reusable, silicone, manual resuscitator that is so compact it can be folded to approximately half its normal size when not in use. A pop-off valve is included, to prevent high airway pressures. The resuscitator is available in three sizes: adult (A), child (P) and infant (N).

A	Man. breathing bag MR-100, reusable, A, w/ pressure valve, 60±10 mbar, not made with natural rubber latex*	5702881
B	Man. breathing bag MR-100, reusable, P, w/ press. valve, relief >40±5 mbar, not made with natural rubber latex*	5702321
C	Man. breathing bag MR-100, reusable, N, w/ press. valve, relief >40±5 mbar, not made with natural rubber latex*	5702322

\*Made by GaleMed Corporation, Taiwan



RESUSCITATORS

TRADEWARE

ACCESSORIES

A	O <sub>2</sub> -Reservoir MR-100, 2,500 mL*	5703701
B	O <sub>2</sub> -Reservoir MR-100, 600 mL*	5703702
C	Patient valve for adults, standard*	5703705
D	Patient valve for adults, 60 mbar, volume of dead space 18 mL*	5703706
E	Patient valve for child/baby, 40 mbar, volume of dead space 18 mL*	5703707
F	O <sub>2</sub> -Reservoir valve MR-100*	5703703
G	Intake valve MR-100*	5703704

\*Made by GaleMed Corporation, Taiwan



Not all articles are available worldwide.

RESUSCITATORS

A	PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar	2M86832
B	PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar	8407475
C	Disposable PEEP valve 0 – 20 cmH <sub>2</sub> O	5703471
D	PEEP valve diverter, reusable*	5703708

\*Made by GaleMed Corporation, Taiwan



Not all articles are available worldwide.



## RESUSCITATORS

## O<sub>2</sub> OXIDEM DEMAND VALVE

A	Oxidem 3000 demand valve incl. adapter (2120496, 2120488)	2111764
	1.5 m spiral hose and M12×1 screw connector	2M86291
	1.5 m spiral hose and probe for central supply system	2M86292
	3.0 m spiral hose and probe for central supply system	2M86293
	Adapter for Oxidem for M12×1 (for existing hose systems)	8410547
B	Adapter for Ambu Mark III*	2120488
C	Adapter for Laerdal**	2120496
	Adapter for Laerdal	5790124
D	Adapter for Combibag	2M86913
E	Adapter for Resutator 2000/MR100**	2120461
F	Sealing rings for spiral hoses, pack of 20	M07152

\*Made by Spiracle Technology

\*\*Made by Allied Healthcare, USA



## NOTES



# Soda lime

## SOMETHING YOU CAN COUNT ON:

- High quality soda lime – directly from the manufacturer of the anesthesia device
- Drägersorb CLIC, disposable absorber:
  - even greater ease of use
  - easier handling thanks to hygienic, practical cartridge
  - no contact with the soda lime when replacing the cartridge
  - no dust exposure
  - cost savings: absorber filling is used up completely
  - easy to replace absorber at any time – even during surgery

# 2

## CONTENT

SODA LIME

103



SODA LIME

A	Absorber adapter CLIC, for Dräger anesthesia workstations	MX50090
B	Absorber intermediate plate, to connect adapter to Cato, Cicero, or Fabius	MX00013
C	Bacteria filter IBF absorber, only use with Zeus®/Zeus® IE, 5 pcs.	MK02588
D	Dust filter Perseus, 5 pcs.	MX50115





## CONTENT

## SENSORS

109

# Sensors

### SOMETHING YOU CAN COUNT ON:

- Highly sensitive measuring technology for fast and accurate results
- 100 percent system compatibility with Dräger devices and systems
- High measuring accuracy – guaranteed through Dräger's above-average quality standards and confirmed by extensive testing

# 3





SENSORS

A	Flow sensor cable, for neonatal flow sensor, e.g., Babylog	8409626
B	MRI flow sensor extension cable, for MRI patient monitor	8306370
C	Flow sensor cable for V500 with Neo option and VN500	8416600



SENSORS

Oxygen sensors by Dräger

Oxygen for Life

Oxygen sensors have the important task of measuring and monitoring the inspiratory and/or expiratory O<sub>2</sub> concentration in anesthesia and respiratory devices. Oxygen sensors from Dräger satisfy the highest national and international requirements. Furthermore, they have been extensively tested and fine-tuned for proper functional performance with Dräger devices and systems. Dräger's years of experience in the field of sensors, and their high quality has even convinced NASA. Dräger O<sub>2</sub> sensors are electrochemical transducers used to measure O<sub>2</sub> partial pressure. They operate on the principle of a galvanic cell. Examples of locations where the sensors are used include the Fabius® family, Evita® family and the Primus®. To take into account the high value of oxygen measurement, we only recommend using O<sub>2</sub> sensors from Dräger.

A	O <sub>2</sub> sensor capsule, for mainstream measurement	6850645
B	Fast O <sub>2</sub> sensor, for sidestream measurement	6850930
C	O <sub>2</sub> sensor OxyTrace VE, for Savina® ventilator	MX01049
D	O <sub>2</sub> sensor OxyTrace INCU, for Caleo®	MX01050
E	O <sub>2</sub> sensor Oxycell, for Babyleo® TN500	6873065
F	O <sub>2</sub> sensor housing Oxydig, for O <sub>2</sub> sensor capsule, with spiral cable	6850250





# Monitoring accessories

4

SOMETHING YOU CAN COUNT ON:

- The right accessory for every need (such as disposable and reusable products)
- Precise measurement data thanks to the highest medical technological standard
- Disposable accessories:
  - Prevention of cross infection in hospital
  - Simplify and speed up the workflow
- MonoLead®
  - ECG single cable solution that can replace conventional multi-cable systems
- MultiMed® Pods
  - Unify ECG, pulse oximetry and temperature monitoring in one cable
  - Reduce cable clutter

CONTENT

MONITORING ACCESSORIES

1. Infinity® Monitoring: Gamma, Delta, Kappa and Vista series	115
1.1 MultiMed® Pods	115
1.2 Electrocardiography (ECG)	117
1.3 Pulse oximetry (SpO <sub>2</sub> )	125
1.4 Temperature	141
1.5 Tcore® Temperature Monitoring System	143
1.6 Non-invasive blood pressure (NIBP)	144
1.7 CNAP continuous non-invasive arterial pressure	148
1.8 Invasive blood pressure (IBP) and cardiac output (CO)	150
1.9 Infinity® PiCCO	159
1.10 Bispectral index (BIS)	162
1.11 Electroencephalography (EEG)	163
1.12 Neuromuscular Transmission (NMT)	164
1.13 Capnography etCO <sub>2</sub>	165
1.14 Scio	170
1.15 Transcutaneous monitoring (tpO <sub>2</sub> /tpCO <sub>2</sub> )	171
1.16 Recorder paper	171

2. Infinity® Acute Care System	172
2.1 Electrocardiography (ECG)	172
2.2 Pulse oximetry (SpO <sub>2</sub> )	177
2.3 Temperature	189
2.4 Tcore® Temperature Monitoring System	191
2.5 Non-invasive blood pressure (NIBP)	192
2.6 Invasive blood pressure (IBP) and cardiac output (CO)	196
2.7 etCO <sub>2</sub>	198
2.8 TOFscan® Neuromuscular Transmission Monitor	199
3. Infinity® M300	200
3.1 Electrocardiography (ECG)	200
3.2 Pulse oximetry (SpO <sub>2</sub> )	204
3.3 Pouch	209
3.4 Codensation	209

4. Vista 120	210
4.1 Electrocardiography (ECG)	210
4.2 Pulse oximetry (SpO <sub>2</sub> )	211
4.3 Non-invasive blood pressure (NIBP)	213
4.4 Temperature	215
4.5 Invasive blood pressure (IBP)	216
4.6 CO <sub>2</sub> Sidestream	218
4.7 CO <sub>2</sub> Mainstream	222
4.8 Device accessories	223
5. Multi Vendor Adapter	224
5.1 ECG Adapter	224
5.2 ECG Adapter Telemetry	226
5.3 TEMP Adapter	226
5.4 NBP Adapter	228





**MULTIMED® PODS**

[illegible]

	GAMMA / GAMMA XL
GAMMA X XL	
DELTA / DELTA XL	
KAPPA	
KAPPA XLT	
VISTA	
VISTA XI	



Not all articles are available worldwide.

### ELECTROCARDIOGRAPHY (ECG)







## 1.2 ELECTROCARDIOGRAPHY (ECG)

## MONOLEAD® SINGLE-PIN CONNECTOR

ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.

MonoLead® is an ECG single cable solution patented by Dräger that replaces multi-cable systems. The single tangle-proof lead set accommodates standard electrodes while eliminating the tangled mess that frequently occurs with traditional multi-lead sets.

Note: Not for use with Infinity® TruST™ Telemetry.

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, <u>IEC1 (European color code), 2 m</u>	<u>MS14555</u>	
	ECG cable, 3-lead, single-pin connector MonoLead® 3, <u>IEC2 (AHA/US color code), 2 m</u>	<u>MS14556</u>	
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, <u>IEC1 (European color code), 2.5 m</u>	<u>MS14559</u>	
	ECG cable, 5-lead, single-pin connector MonoLead® 5, <u>IEC2 (AHA/US color code), 2.5 m</u>	<u>MS14560</u>	
C	ECG cable, 6-lead, single-pin connector MonoLead® 6, <u>IEC1 (European color code), 3 m</u>	<u>MS14683</u>	
	ECG cable, 6-lead, single-pin connector MonoLead® 6, <u>IEC2 (AHA/US color code), 3 m</u>	<u>MS14682</u>	

[illegible]

Not all articles are available worldwide.



ELECTROCARDIOGRAPHY (ECG)

MONOLEAD LONG, SINGLE-PIN CONNECTOR

Not for use with ECG extension cable MS16256.

ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 4.1 m	MS28561
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m	MS28557
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 5.3 m	MS28559
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m	MS28558
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 5.7 m	MS28560
A ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 5.7 m	MS17185

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A



D-7685-2010

Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® DUAL PIN CONNECTOR

ECG dual-pin connectors can be connected directly to MultiMed® 5,6 and MultiMed® 12.

A ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS16160
ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS16233
B ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS16161
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS16229
CHESTLEADS FOR USE WITH MULTIMED® 12	
ECG dual-pin connectors can be connected directly to MultiMed® 12.	
ECG cable for C lead MonoLead® 5, IEC1 (European color code), 1.5 m	MS16232
ECG cable for V lead MonoLead® 5, IEC2 (AHA/US color code), 1.5 m	MS16230

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A



MT-5687-2005

B



MT-5688-2005

Not all articles are available worldwide.


ELECTROCARDIOGRAPHY (ECG)

SINGLE-PATIENT USE ECG LEADS  
SINGLE-PIN CONNECTOR

ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.

A	ECG cable, 3-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1 m, 20 pcs.	MP00875
	ECG cable, 3-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP00877
B	ECG cable, 5-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP00879
	ECG cable, 5-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP00881
	ECG cable, 6-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP03122
	ECG cable, 6-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP03123

GAMMA / GAMMA XL	
GAMMA X XL	
DELTA / DELTA XL	
KAPPA	
KAPPA XLT	
VISTA	
VISTA XL	



Not all articles are available worldwide.


ELECTROCARDIOGRAPHY (ECG)

REUSABLE ECG LEADS  
SINGLE-PIN CONNECTOR

ECG single-pin connectors can be connected directly to MultiMed® plus/MultiMed® plus OR as well as to Infinity® M300 and Infinity® M540.

A	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402
B	ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404
C	ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03405
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03406

GAMMA / GAMMA XL	
GAMMA X XL	
DELTA / DELTA XL	
KAPPA	
KAPPA XLT	
VISTA	
VISTA XL	



Not all articles are available worldwide.

ELECTROCARDIOGRAPHY (ECG)

REUSABLE ECG LEADS  
DUAL-PIN CONNECTOR

ECG dual-pin connectors can be connected directly to MultiMed® 5,6 and MultiMed® 12.

A	ECG cable, 3-lead, dual-pin connector, IEC1 (European color code), 1 m	MP03411
	ECG cable, 3-lead, dual-pin connector, IEC2 (AHA/US color code), 1 m	MP03412
B	ECG cable, 5-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03413
	ECG cable, 5-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03414
C	ECG cable, 6-lead, dual-pin connector, IEC1 (European color code), 1/1.5 m	MP03415
	ECG cable, 6-lead, dual-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03416

CHESTLEADS FOR USE WITH  
MULTIMED® 12

ECG dual-pin connectors can be connected directly to MultiMed® 12.

	ECG cable for C lead, IEC1 (European color code), 1 m	MP03417
	ECG cable for V lead, IEC2 (AHA/US color code), 1 m	MP03418

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A

D-86309-2013



B

D-86312-2013



C

D-86313-2013



ELECTROCARDIOGRAPHY (ECG)

ELECTRODES

A	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

NEONATAL ECG

C	Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779
D	ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A

D-8966-2009



B

D-8963-2009



C

D-2341-2011



D

D-9001-2009




ELECTROCARDIOGRAPHY (ECG)


ECG ACCESSORIES

A	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680
	Telemetry cable adapter, connects single-pin cable to telemetry transmitter	MS14681
B	ECG extension cable, 6-lead, single-pin connector, 2 m	MS16256
C	ECG extension cable, dual-pin connector, 2 m	MS16492
D	ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed® 5	5947226
E	ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed® 6	7486140


GAMMA / GAMMA XL						
GAMMA X XL						
DELTA / DELTA XL						
KAPPA						
KAPPA XLT						
VISTA						
VISTA XL						

A


MT-2716-2004

B


D-1599-2009

C

MT-350-2008

D

D-9016-2009

E

D-9038-2009

Not all articles are available worldwide.

PULSE OXIMETRY (SPO<sub>2</sub>)

1.3 PULSE OXIMETRY (SPO<sub>2</sub>)


DRÄGER

DRÄGER/NELLCOR® CABLES


SpO<sub>2</sub> intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

A	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m	3368433
	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m	3375834
	SpO <sub>2</sub> intermediate cables for connection to MultiMed® plus/plus OR and Infinity® M300.	
B	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	MS18683
C	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	MS17330


GAMMA / GAMMA XL						
GAMMA X XL						
DELTA / DELTA XL						
KAPPA						
KAPPA XLT						
VISTA						
VISTA XL						

A

MT-344-2008

B

D-2394-2011

C

D-2393-2011

Not all articles are available worldwide.

PULSE OXIMETRY (SPO<sub>2</sub>)

DRÄGER REUSABLE SENSOR

A SpO<sub>2</sub> finger sensor Dräger, reusable MS13235

DRÄGER DISPOSABLE SENSORS

B SpO<sub>2</sub> adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs. MS16449

C SpO<sub>2</sub> adhesive sensor Dräger, foam, disposable, adult, 24 pcs. MS16445

D SpO<sub>2</sub> adhesive sensor Dräger, vinyl, disposable, child, 24 pcs. MS16448

E SpO<sub>2</sub> adhesive sensor Dräger, foam, disposable, child, 24 pcs. MS16444

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A



MT-3057-2003

B



MT-8243-2005

C



MT-8242-2005

D



MT-8245-2005

E



MT-8237-2005

Not all articles are available worldwide.

PULSE OXIMETRY (SPO<sub>2</sub>)

A SpO<sub>2</sub> adhesive sensor Dräger, cloth, disposable, baby, 24 pcs. MS16447

B SpO<sub>2</sub> adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs. MS16446

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL

A



MT-8240-2005

B



MT-8238-2005

Not all articles are available worldwide.



PULSE OXIMETRY (SPO<sub>2</sub>)

MASIMO®

DRÄGER/NELLCOR® CABLES

SpO<sub>2</sub> intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

A SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m\* 3368433

SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m\* 3375834

SpO<sub>2</sub> intermediate cables for connection to MultiMed® plus/plus OR.

B SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m\* MS18683

C SpO<sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m\* MS17330

MASIMO® LNCS CABLES

SpO<sub>2</sub> intermediate cables for connection to Infinity® M300 and Masimo® SET Pod.

D SpO<sub>2</sub> intermediate cable Masimo® LNCS, 3 m MS17522

D SpO<sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m MS24303

\*Note: Requires Nellcor sensor software setting.

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					



PULSE OXIMETRY (SPO<sub>2</sub>)

MASIMO® LNCS REUSABLE SENSORS

A SpO<sub>2</sub> finger sensor Masimo® LNCS DCI, reusable, adult MP00796

B SpO<sub>2</sub> finger sensor Masimo® LNCS DCIP, reusable, child MP00795

SpO<sub>2</sub> Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult MP00788

SpO<sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult MP00789

SpO<sub>2</sub> Masimo® sensor LNCS-TF-I, reusable, pediatric/adult MP00799

C SpO<sub>2</sub> Masimo® sensor LNCS-DBI, reusable, adult MP02993

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					



Not all articles are available worldwide.

Not all articles are available worldwide.

PULSE OXIMETRY (SPO<sub>2</sub>)

MASIMO® LNCS DISPOSABLE SENSORS

A	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Amtx, disposable, adult, 20 pcs.	MP00790
B	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791
C	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792
D	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Pmtx, disposable, child, 20 pcs.	MP00793
E	SpO <sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A



D-32549-2011

B



D-32551-2011

C



D-32560-2011

D



D-501-2014

E



D-32550-2011

Not all articles are available worldwide.

PULSE OXIMETRY (SPO<sub>2</sub>)

MASIMO® LNCS TRAUMA SENSORS

Masimo® LNCS Trauma sensors are for use with Masimo® SET technology only.

A	Masimo® LNCS Trauma sensor, adult, 20 pcs.	MP03191
B	Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.	MP03193
C	Masimo® LNCS Trauma sensor, neonate, 20 pcs.	MP03192

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A




D-460-2014

B



D-462-2014

C



D-461-2014

Not all articles are available worldwide.

## PULSE OXIMETRY (SPO<sub>2</sub>)

## MASIMO® RD-SET ADAPTER CABLES

A	<p>Adapter cable RD-SET to LNCP, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNCP intermediate cables MS18680 and MS17041, as well as to MultiMed® 5/6/12, NeoMed Pods and MultiMed® Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163*</p>	MS33731
B	<p>Adapter cable RD-SET to LNCS, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNCS intermediate cables MS24303 or MS17522</p>	MS33732
B	<p>Adapter cable RD-SET to MultiMed®, for connection of RD-SET sensors to MultiMed® 5/6/12, NeoMed Pods as well as MultiMed® Plus/Plus OR via the according intermediate cables 3368433/3375834 or MS18683/MS17330</p>	MS33733

\*Products are not available any more.  
Adapter is to be used to switch from sensors  
to the installed base.

	GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
<b>A</b>							
D-2711-2017							
<b>B</b>							
D-2857-2017							

Not all articles are available worldwide.

## PULSE OXIMETRY (SPO<sub>2</sub>)

MASIMO® RD-SET DISPOSABLE SENSORS

A	<u>Masimo® RD-SET sensor, adult, disposable</u>	MS33726
B	<u>Masimo® RD-SET sensor, pediatric, disposable</u>	MS33727
C	<u>Masimo® RD-SET sensor, infant, disposable</u>	MS33728
D	<u>Masimo® RD-SET sensor, neonatal, disposable</u>	MS33729
E	<u>Masimo® RD-SET sensor, neonatal preterm, disposable</u>	MS33730

MASIMO® RD-SET REUSABLE SENSORS

F	<u>Masimo® RD-SET DCI sensor, adult, reusable</u>	<u>MS33740</u>
G	<u>Masimo® RD-SET DC-IP sensor, pediatric, reusable</u>	<u>MS33741</u>

	GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
A							
D-260-2017							
B							
D-261-2017							
C							
D-262-2017							
D							
D-263-2017							
E							
D-264-2017							
F							
D-265-2017							
G							
D-266-2017							

Not all articles are available worldwide.

PULSE OXIMETRY (SPO<sub>2</sub>)

MASIMO® ACCESSORIES

A	SpO <sub>2</sub> adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO <sub>2</sub> sensor, 12 pcs.	7496933
B	SpO <sub>2</sub> adhesive wrap Masimo®, for NeoPt SpO <sub>2</sub> sensor, 100 pcs.	7496925
C	SpO <sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO <sub>2</sub> sensor, 100 pcs.	7496917
D	SpO <sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO <sub>2</sub> sensor, 100 pcs.	7496909
E	SpO <sub>2</sub> adhesive square Masimo®, 12 pcs.	7496875
F	SpO <sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO <sub>2</sub> sensor, 12 pcs.	7496891

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A

D-2382-2011



B

D-2381-2011



C

MT-4305-2004



D

D-445-2014



E

D-2388-2011



F

MT-4304-2004



Not all articles are available worldwide.

PULSE OXIMETRY (SPO<sub>2</sub>)

A	Headband LNCS/M-LNCS TF-I, 5 pcs.	MP03197
B	Adhesive Pad LNCS/M-LNCS TF-I, 20 pcs.	MP03198

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A

D-446-2014



B

D-447-2014



Not all articles are available worldwide.

PULSE OXIMETRY (SPO<sub>2</sub>)

NELLCOR®

DRÄGER/NELLCOR® CABLES

SpO<sub>2</sub> intermediate cables for connection to MultiMed® 5, 6, 12 and NeoMed Pods.

A	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m	3368433
	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m	3375834
	SpO <sub>2</sub> intermediate cables for connection to, MultiMed® plus/plus OR, Infinity® M300 and Nellcor® Oximax.	
B	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	MS18683
C	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	MS17330

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A



MT-344-2008

B



D-2394-2011

C



D-2393-2011

Not all articles are available worldwide.

PULSE OXIMETRY (SPO<sub>2</sub>)

NELLCOR® REUSABLE SENSORS

A	SpO <sub>2</sub> finger sensor Nellcor® DURA DS 100A	7262764
B	SpO <sub>2</sub> multisite sensor Nellcor® DURA-Y™, reusable	MX01004
C	Ear clip for Nellcor® DURA-Y™	MX01005
D	Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.	8201012
E	Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs.	2170221

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A



D-500-2014

B



D-35680-2009

C



MT-2355-2004

D



MT-2257-2004

E



MT-2218-2004


Not all articles are available worldwide.




PULSE OXIMETRY (SPO<sub>2</sub>)

NELLCOR® DISPOSABLE SENSORS		
A	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065
B	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071
C	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067
D	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068
E	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066


GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A


MT-162-2003

B


MT-166-2003

C

MT-166-2003

D

MT-168-2003

E

MT-154-2003

Not all articles are available worldwide.

PULSE OXIMETRY (SPO<sub>2</sub>)

For use with Oximax® technology.		
A	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.	MX50070
B	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-R, disposable, application on nose, 24 pcs.	MX50069

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A

MT-164-2003


B

MT-162-2003

Not all articles are available worldwide.

## PULSE OXIMETRY (SPO<sub>2</sub>)

## SpO<sub>2</sub> Sensor Connectivity



Not all articles are available worldwide.

## TEMPERATURE

## 1.4 TEMPERATURE







## ADAPTER CABLES

- |   |  |         |
|---|--|---------|
| A | Adapter cable, 7-pin connector for temperature probe with ¼" connector | 5198333 |
| B | Y-cable, reusable, 7-pin connector, for 2 temperature probes           | 5592154 |

## SINGLE-PATIENT USE TEMPERATURE PROBES

- |   |   |         |
|---|---|---------|
| C | General-purpose temperature probe,<br>single-pat. use, adult, 7-pin connector, 1.6 m  | MP00991 |
|   | General-purpose temperature probe,<br>single-pat. use, adult, 7-pin connector, 3 m    | MP00992 |
| D | General-purpose temperature probe,<br>single-pat. use, child, 7-pin connector, 1.6 m  | MP00993 |
|   | General-purpose temperature probe,<br>single-pat. use, child, 7-pin connector, 3 m    | MP00994 |
| E | Skin temperature probe, single-patient use,<br>adult, 7-pin connector, 1.6 m          | MP00995 |
|   | Skin temperature probe, single-patient use,<br>adult, 7-pin connector, 3 m            | MP00996 |
| F | Skin temperature probe, single-patient use,<br>child/neonatal, 7-pin connector, 1.6 m | MP00997 |
|   | Skin temperature probe, single-patient use,<br>child/neonatal, 7-pin connector, 3 m   | MP00998 |

Not all articles are available worldwide.

	GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL
<b>A</b>	■	■		■	■	■	■
D-2344-2011							
<b>B</b>	■	■	■	■	■	■	■
D-9000-2009							
<b>C</b>	■	■	■	■	■	■	■
D-7371-2011							
<b>D</b>	■	■	■	■	■	■	■
D-7373-2011							
<b>E</b>	■	■	■	■	■	■	■
D-7375-2011							
<b>F</b>	■	■	■	■	■	■	■
D-7377-2011							

## TEMPERATURE

## REUSABLE TEMPERATURE PROBES

<b>A</b>	<b>General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m</b>	<b>4329889</b>
<b>A</b>	<b>General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m</b>	<b>5204644</b>
<b>A</b>	<b>General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m</b>	<b>4329848</b>
<b>A</b>	<b>General-purpose temperature probe, reusable, child, 7-pin connector, 3 m</b>	<b>5204651</b>
<b>B</b>	<b>Skin temperature probe, reusable, with 7-pin connector, 1.5 m</b>	<b>4329822</b>
<b>B</b>	<b>Skin temperature probe, reusable, with 7-pin connector, 3 m</b>	<b>5204669</b>
<b>C</b>	<b>Protective cover for general-purpose temperature probe, contains latex, 10 pcs.</b>	<b>7014616</b>

	GAMMA	GAMMA XL
GAMMA / GAMMA XL		
GAMMA X XL		
DELTA / DELTA XL		
KAPPA		
KAPPA XLT		
VISTA		
VISTA XL		

**A**



D-2336-2011

**B**



D-2335-2011

C



D-2354-2011

## TCORE® TEMPERATURE MONITORING SYSTEM

## 1.5 TCORE® TEMPERATURE MONITORING SYSTEM

Tcore® – a new non-invasive technology for accurate core temperature monitoring Tcore® employs a unique dual-sensor heat flux technology, which, following a short ramp-up time, calculates core body temperature continuously and accurately. A simple, self-adhesive sensor – for children from 5 years of age and adults – placed on the patient's forehead is all that's required. This single-use sensor can be connected through a battery-powered adapter to all current Dräger monitors\*, eliminating the need for a dedicated display.

\*Exception: Vista 120 product family, patient monitors.

<b>A</b>	<b>Tcore® adapter (reusable)</b>	<b>MP00999</b>
<b>B</b>	<b>Tcore® sensor (single patient use)</b>	<b>MP00989</b>
	<b>Tcore® extension cable</b>	<b>MP02201</b>
<b>C</b>	<b>Holder for MultiMed®</b>	<b>MP00721</b>

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLIT
VISTA
VISTA XI

A



D-19408-2015

B



D-19411-2015

C



MT-8451-2005


NON-INVASIVE BLOOD PRESSURE (NIBP)

1.6 NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP HOSES

A	NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953
B	NIBP hose, neonate, 2.4 m	2870298

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



Not all articles are available worldwide.

NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP CUFFS, REUSABLE

A	1 NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911
	2 NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912
	3 NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913
	4 NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915
	5 NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916
	6 NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917
	7 NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918
	8 NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919
	9 NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921

GAMMA / GAMMA XL
GAMMA X XL
DELTA / DELTA XL
KAPPA
KAPPA XLT
VISTA
VISTA XL



Not all articles are available worldwide.

NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP CUFFS, SINGLE-PATIENT USE

A	1 NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924							
	2 NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925							
	3 NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926							
	4 NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928							
	5 NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929							
	6 NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930							
	7 NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931							
	8 NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932							
	9 NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934							

GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL




Not all articles are available worldwide.

NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP CUFFS NEONATAL, DISPOSABLE

A	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181							
B	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199							
C	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207							
D	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215							
E	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173							

GAMMA / GAMMA XL	GAMMA X XL	DELTA / DELTA XL	KAPPA	KAPPA XLT	VISTA	VISTA XL



Not all articles are available worldwide.




CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

1.7 CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

A	Starter kit for patient parameter unit Infinity® CNAP™ SmartPod®	MS17075
Includes the following accessories:		
	CNAP™ cuff controller and cradle	MS26125
B	CNAP™ intermediate cable for Infinity® CNAP™ SmartPod®, for CNAP™ controller	MS15893
C	CNAP™ cuff controller forearm strap	MS26122
D	Cuff controller cradle allows CNAP™ cuff controller to “slide” with movement of patient’s arm	MS26123


GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A




D-3543-2011

B




MT-1543-2005

C



D-27351-2017

D



D-16416-2010


Not all articles are available worldwide.

CNAP CONTINUOUS NON-INVASIVE ARTERIAL PRESSURE

A	CNAP™ sensor cuff, size L	MS15896
B	CNAP™ sensor cuff, size M	MS15895
C	CNAP™ sensor cuff, size S	MS15894
D	Pod connection cable, 3 m	3368425
E	Universal pole mount	7485621


GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A




D-556-2014

B




D-557-2014

C




D-558-2014

D



D-418-2014

E



D-439-2014

Not all articles are available worldwide.



INVASIVE BLOOD PRESSURE (IBP)  
AND CARDIAC OUTPUT (CO)

1.8 INVASIVE BLOOD PRESSURE (IBP)  
AND CARDIAC OUTPUT (CO)

IBP AND CO HEMO PODS

A	Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725
B	Patient parameter unit Infinity® HemoMed Pod	5588822
C	Connection cable, connects HemoMed Pod to monitor, 3 m	5591925
	Connection cable, connects HemoMed Pod to monitor, 5 m	5591933
D	Hinged arm Quickstop, for attaching and positioning Dräger pods	2M86464
E	Extension set, for Quickstop hinged arm 2M86464	MP00653
F	Universal pole mount	7485621

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A	
D-19899-2009	
B	
D-104506-2013	
C	
D-431-2014	
D	
MT-317-2008	
E	
MT-1641-2007	
F	
D-433-2014	





Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP)  
AND CARDIAC OUTPUT (CO)

IBP QUADHEMO ADAPTERS

A	IBP transducer adapter Abbott/Medex	MS22535
	IBP transducer adapter Argon (former Becton Dickinson/Ohmeda)	MS22148
	IBP transducer adapter Baxter/Edwards	MS22147
B	IBP transducer adapter Utah Medical	MS22534
C	IBP transducer adapter cable, Dräger 7-pin	MS22533
D	IBP transducer adapter cable, Dräger 10-pin	MS22532

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A	
D-16392-2010	
B	
D-16393-2010	
C	
D-45145-2015	
D	
D-45144-2015	

Not all articles are available worldwide.

INVASIVE BLOOD PRESSURE (IBP)  
AND CARDIAC OUTPUT (CO)


IBP HEMO POD ADAPTERS AND PLATES

A	Pod adapter, 10-pin, for pressure transducer	3375958
B	Pod adapter, for Abbott/Medex pressure transducer	5196998
C	Pod adapter, for Edwards pressure transducer	5196980
D	Pod adapter, for Argon pressure transducer (former Becton Dickinson/Ohmeda)	3375941
	Pod adapter SensoNor, for connecting pressure transducer cables, 7-pin	MS23598

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					


A

D-8955-2009




B

D-8986-2009




C

D-8985-2009



D

D-8955-2009



Not all articles are available worldwide.


INVASIVE BLOOD PRESSURE (IBP)  
AND CARDIAC OUTPUT (CO)

A	IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5 pcs.	7270460
B	IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott TranspacII/III/Braun, 5 pcs.	5192112
C	IBP pressure transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721416
D	IBP pressure transducer plate, for Hemo4 Pod, universal, 5 pcs.	4721424
	IBP pressure transducer plate, for Hemo2 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721614
E	IBP pressure transducer plate, for Hemo2 Pod, universal, 5 pcs.	4721408

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					


A

D-2357-2011




B

D-9077-2009




C

D-2339-2011




D

D-8977-2009



E

D-2338-2011



Not all articles are available worldwide.


INVASIVE BLOOD PRESSURE (IBP)  
AND CARDIAC OUTPUT (CO)

IBP Y-CABLES AND ADAPTERS

A	IBP Y-adapter, 7-pin	5592147
B	IBP Y-adapter, 10-pin	5731281
C	IBP adapter, 10-pin to 7-pin	3368383
D	IBP Y-adapter, 10-pin to 7-pin	5588095
E	IBP Y-cable, Baxter/Edwards, 3.7 m	5206607


GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A




D-2352-2011

B




D-9021-2009

C




D-2332-2011

D



D-2350-2011

E



D-8894-2009

Not all articles are available worldwide.


INVASIVE BLOOD PRESSURE (IBP)  
AND CARDIAC OUTPUT (CO)

IBP MEMSCAP CABLES  
AND TRANSDUCERS

A	IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m	4321563
	IBP press. transducer for Memscap (Capto/SensoNor) 844, disposable, sterile, 50 pcs.	7864908
B	IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m	5195180
C	IBP pressure transducer set for Memscap (Capto/SensoNor) 844, disposable, 10 pcs.	7489433
D	IBP holder for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.	7864155
E	IBP pressure transducer for Memscap (Capto/SensoNor) 844, reusable	7489417
F	IBP pressure transducer cable for Memscap (Capto/SensoNor) 844, 3 m	7486876
	IBP pressure transducer set for Memscap (Capto/SensoNor) 844	7498947


GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A




D-8961-2009

B




D-423-2014

C




D-9042-2009

D




D-2366-2011

E



D-9041-2009

F



D-9040-2009

Not all articles are available worldwide.


INVASIVE BLOOD PRESSURE (IBP)  
AND CARDIAC OUTPUT (CO)

IBP OHMEDA CABLES  
AND TRANSDUCERS

A	IBP connection cable Argon (former Becton Dickinson/Ohmeda), 3.7 m	3375933
B	IBP Y-cable Argon (former Becton Dickinson/Ohmeda), 3.7 m	5206581
C	IBP pressure transducer set Argon (former Becton Dickinson/Ohmeda), disposable, sterile, 5 pcs.	4528741


GAMMA / GAMMA XL	
GAMMA X XL	
DELTA / DELTA XL	
KAPPA	
KAPPA XLT	
VISTA	
VISTA XL	

A




D-420-2014

B



D-2349-2011

C



D-5967-2009

Not all articles are available worldwide.


INVASIVE BLOOD PRESSURE (IBP)  
AND CARDIAC OUTPUT (CO)

CO CABLES, CATHETERS AND THERMISTORS

A	CO thermistor cable Argon (former Becton Dickinson/Ohmeda)	8420077
B	CO thermistor T-piece Argon (former Becton Dickinson/Ohmeda)	5741975
C	CO thermistor cable Baxter/Edwards	8539983
D	CO connection cable, 1 m	3368458
E	CO catheter cable	8419160


GAMMA / GAMMA XL	
GAMMA X XL	
DELTA / DELTA XL	
KAPPA	
KAPPA XLT	
VISTA	
VISTA XL	

A




D-9062-2009

B




D-9030-2009

C




D-2377-2011

D



D-8952-2009

E



D-9060-2009

Not all articles are available worldwide.



INVASIVE BLOOD PRESSURE (IBP)  
AND CARDIAC OUTPUT (CO)

Hemodynamic Connectivity

Infinity Acute Care System

Infinity M540

MS23807 2.0 M  
MS23808 2.0 M

Hemo

Monitor  
IBP

Infinity Bedside Monitors

Infinity Gamma X XL  
Vista XL

HemoMed

Aux/Hemo 2, 3

HemoMed

Aux/Hemo 2, 3

Infinity Kappa

HemoMed

Aux/Hemo 2, 3

HemoMed

Aux/Hemo 2, 3

Infinity Kappa XLT

\*PICCO not supported

7207868 0.3 M  
3389428 3.0 M  
5919381 5.0 M

Aux/Hemo 2, 3

or

Monitor  
IBP

Aux/Hemo

Quad Hemo

MS20725

Temp A  
Temp B  
C.O.

Temp A  
Temp B  
C.O.

Monitor

A B C D

A B C D

Dual Hemo

MS20783

Hemo

A B

Hemo4

4315981

Temp A  
Temp B  
C.O.

Temp A  
Temp B  
C.O.

IBP

A B

CD

Hemo2

4319435

Temp A  
Temp B  
C.O.

Temp A  
Temp B  
C.O.

IBP

A B

PiCCO

MS16734

Kappa XLT does not support PiCCO

C.O.

Aux/Hemo

A B CD

PiCCO Gen II

MS23133

Kappa XLT does not support PiCCO

C.O.

Aux/Hemo

A B C D

HemoMed

5568822

C.O.

A B CD

HemoMed

A B

Vendor specific adapter cables [A-B-C-D]

7 Pin  
MS22533

10 Pin  
MS22532

Abbott Medex  
(Transstar)  
MS22535

Baxter  
Edwards  
MS22147

Argon/BD  
MS22148

Unih  
Medical  
MS22834

Vendor specific Hemo Pod adapters [AB-CD]

7 Pin  
MS23698

10 Pin  
3375968

Abbott Medex  
(Transstar)  
5196998

Baxter  
Edwards  
5196980

Argon/BD  
3375941

Temperature

4329821 1.5 m  
5204668 3 m

Single Patient Use

Adult  
4329889 1.5 m  
5204644 3 m

Pediatric  
MP00995 1.6 m  
MP00996 3 m

Pediatric  
MP00997 1.6 m  
MP00998 3 m

Pediatric  
MP00999 1.6 m  
MP00994 3 m

Cardiac Output (C.O.)

3398458 8419180

Argon/BD

2

1

2

1

2

8530983

PiCCO

MS16916 MS16918 MS16919

10-2016

INFINITY® PiCCO

1.9 INFINITY® PiCCO

A	Infinity® PiCCO Gen II SmartPod®	MS23133
	Infinity® PiCCO Gen II SmartPod® kit	MS32282
B	Infinity® PiCCO SmartPod®	MS17441
	Infinity® PiCCO SmartPod® Kit	MS16734
C	CO thermistor cable for Infinity® PiCCO Pod	MS16919
	CO catheter cable for Infinity® PiCCO Pod	MS16918
	CO cable for Infinity® PiCCO Pod	MS16916
D	IBP transducer adapter cable, Dräger 10-pin	MS22532
E	Pod adapter, 10-pin, for pressure transducer	3375958
	Adapter cable for Infinity® PiCCO SmartPod®, for 10-pin connector	MS16920

Not all articles are available worldwide.

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL

A

D-13-2016

B

MT-340-2008

C

MT-5840-2006


D

D-45144-2015

E


D-8956-2009

INFINITY® PiCCO



Not all articles are available worldwide.

INFINITY® PiCCO GEN II SMARTPOD®



Not all articles are available worldwide.

BISPECTRAL INDEX (BIS)

1.10 BISPECTRAL INDEX (BIS)

INFINITY® BISX SMARTPOD®

A	Patient parameter unit Infinity® BISx SmartPod®	MS14796
---	--	---------

GAMMA / GAMMA XL	
GAMMA X XL	
DELTA / DELTA XL	
KAPPA	
KAPPA XLT	
VISTA	
VISTA XL	



Not all articles are available worldwide.

ELECTROENCEPHALOGRAPHY (EEG)

1.11 ELECTROENCEPHALOGRAPHY (EEG)

INFINITY® EEG POD AND ACCESSORIES

A	Patient parameter unit Infinity® EEG Pod	5736744
B	EEG electrode cable, color-coded, 9 pcs.	5947804
C	Block for EEG referential lead conversion	5954859
D	EEG electrodes, disposable, 25 pcs.	MS29468

GAMMA / GAMMA XL	
GAMMA X XL	
DELTA / DELTA XL	
KAPPA	
KAPPA XLT	
VISTA	
VISTA XL	



Not all articles are available worldwide.

NEUROMUSCULAR TRANSMISSION (NMT)

1.12 NEUROMUSCULAR TRANSMISSION (NMT)

INFINITY® TRIDENT (NMT) SMARTPOD® AND ACCESSORIES

A	Patient parameter unit set Infinity® Trident® NMT SmartPod®	MS15007
Includes the following accessories:		
	NMT accelerometer Trident®	MS15085
	NMT thermistor Trident®	MS15053
	NMT hand adapter Trident®	MS15086
	NMT thumb adapter for Infinity® Trident (NMT) SmartPod®, disposable, 50 pcs.	MS15084
	NMT intermediate cable for Infinity® Trident (NMT) SmartPod®, 1.9 m	7872174
	NMT electrode cable Trident®, 2-lead, 0.3 m	MS13218
	Bed clip for cables	MS15087

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A

MT-5600-2004



Not all articles are available worldwide.

CAPNOGRAPHY ETCO<sub>2</sub>

1.13 CAPNOGRAPHY ETCO<sub>2</sub>

ETCO<sub>2</sub> ACCESSORIES FOR CAPNOSTAT III

A	etCO <sub>2</sub> sensor set Capnostat-III	4322975
B	etCO <sub>2</sub> airway adapter, reusable, adult	4721796
B	etCO <sub>2</sub> airway adapter, reusable, neonate	4721788
C	CO <sub>2</sub> airway adapter, adult, disposable, 10 pcs.	2606227
D	CO <sub>2</sub> airway adapter, neonatal (infant/pediatric), disposable, 10 pcs.	2606228
SIDESTREAM MEASUREMENT ACCESSORIES		
E	Dehumidification tubing for etCO <sub>2</sub> sidestream sampling, Nafion®, 10 pcs.	4714429
F	etCO <sub>2</sub> nasal cannula, adult, 10 pcs.	4714395
F	etCO <sub>2</sub> nasal cannula, child, 10 pcs.	4714387

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A

D-8963-2009



B

D-8978-2009




C

D-16293-2010




D

D-16294-2010



E

D-8973-2009



F

D-8971-2009



Not all articles are available worldwide.

CAPNOGRAPHY ETCO<sub>2</sub>

CO<sub>2</sub> CABLES

A	CO <sub>2</sub> mainstream sensor, for Evita, Infinity V500, Infinity M540, and Delta VF9.1 and higher	6871950
	Y-cable CO <sub>2</sub> and analog/sync	MS22259

CO<sub>2</sub> CUVETTES, DISPOSABLE

B	CO <sub>2</sub> cuvette disposable, adult, 10 pcs.	MP01062
C	CO <sub>2</sub> cuvette disposable, pediatric, 10 pcs.	MP01063

CO<sub>2</sub> CUVETTES, REUSABLE

D	CO <sub>2</sub> cuvette reusable, adult, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870279
E	CO <sub>2</sub> cuvette reusable, pediatric, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870280

ACCESSORIES

	Calibration set, with test connection and test gas cylinder	8412710
	Test gas cylinder 5 Vol.% CO <sub>2</sub> , 95 Vol. % N <sub>2</sub>	6850435
	Parking holder for CO <sub>2</sub> sensor	8416352
	Test filter	6870281

Not all articles are available worldwide.

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL

A



D-28791-2017

B



D-7059-2009

C



D-7061-2009

D



D-7062-2009

E



D-7060-2009

CAPNOGRAPHY ETCO<sub>2</sub>

RESPIRATORY MECHANICS ACCESSORIES

A	Sensor for respiratory mechanics and flow, disposable, adult/child, 10 pcs.	5957134
	Sensor for respiratory mechanics and flow, disposable, neonate, 10 pcs.	5957100
B	Sensor for respiratory mechanics, flow and CO <sub>2</sub> , disposable, adult/child, 10 pcs.	5957126
	Sensor for respiratory mechanics, flow and CO <sub>2</sub> , disposable, child, 10 pcs.	5957142
	Sensor for respiratory mechanics, flow and CO <sub>2</sub> , disposable, neonate, 10 pcs.	5957118

Not all articles are available worldwide.

GAMMA / GAMMA XL  
GAMMA X XL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL

A



D-9036-2009

B



D-9035-2009









CAPNOGRAPHY ETCO<sub>2</sub>

ETCO<sub>2</sub> MICROSTREAM ADAPTERS  
AND CANNULAS

A	etCO <sub>2</sub> airway adapter Microstream®, adult/child, max. 12 h, 25 pcs.	7869535
B	etCO <sub>2</sub> airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550
C	etCO <sub>2</sub> airway adapter Microstream®, adult/child, max. 72 h, 25 pcs.	7869543
D	etCO <sub>2</sub> nasal cannula Microstream®, adult, max. 12 h, 25 pcs.	7869477
E	etCO <sub>2</sub> nasal cannula Microstream®, child, max. 12 h, 25 pcs.	7869469
F	etCO <sub>2</sub> nasal cannula Microstream®, adult, max. 24 h, 25 pcs.	7869592

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					





A	
D-1070-2014	
B	
D-1478-2009	
C	
MT-3011-2004	
D	
D-9157-2009	
E	
D-1065-2014	
F	
MT-3013-2004	

Not all articles are available worldwide.

CAPNOGRAPHY ETCO<sub>2</sub>

A	etCO <sub>2</sub> nasal cannula Microstream®, + O <sub>2</sub> , adult, max. 24 h, 25 pcs.	7869493
	etCO <sub>2</sub> nasal cannula Microstream®, + O <sub>2</sub> , child, max. 24 h, 25 pcs.	7869485
B	etCO <sub>2</sub> nasal/mouth cannula Microstream®, + O <sub>2</sub> , child, max. 12 h, 25 pcs.	7869584
C	etCO <sub>2</sub> nasal cannula Microstream®, neonate/child, max. 24 h, 25 pcs.	7869618
D	etCO <sub>2</sub> nasal/mouth cannula Microstream®, child, max. 12 h, 25 pcs.	7869501
	Smart Capnoline® Plus, adult/intermediate, (pack of 25)	MS26187
	Smart Capnoline® Plus O <sub>2</sub> , adult/intermediate, (pack of 25)	MS26188

GAMMA / GAMMA XL					
GAMMA X XL					
DELTA / DELTA XL					
KAPPA					
KAPPA XLT					
VISTA					
VISTA XL					

A	
MT-3012-2004	
B	
MT-3010-2004	
C	
MT-3014-2004	
D	
D-1067-2014	

Not all articles are available worldwide.

SCIO

1.14 SCIO

SCIO ACCESSORIES

A	Calibration kit MultiGas, incl. bottle, regulator, reservoir bag	5207415
B	Sample line, disposable, 10 pcs.	8290286
C	Watertrap WaterLock® 2, 12 pcs.	6872130
D	Adapter WaterLock® 2, set of 6 pcs.	6872128
E	Water trap Infinity® ID WaterLock® 2, 12 pcs.	6872020
	Sample gas return line for Fabius®, with filter	M32692



TRANSCUTANEOUS MONITORING/  
RECORDER PAPER

1.15 TRANSCUTANEOUS MONITORING  
(TPO<sub>2</sub>/TPCO<sub>2</sub>)

A	tpO <sub>2</sub> /tpCO <sub>2</sub> solid-state electrode	4529988
	Membrane replacement set for tcpO <sub>2</sub> /tcpCO <sub>2</sub> electrodes	MP00715
	Fixation set for tpO <sub>2</sub> and tpCO <sub>2</sub> electrodes	MP00716
	Calibration gas, for tpO <sub>2</sub> /tcCO <sub>2</sub> , 20,9% O <sub>2</sub> and 5% CO <sub>2</sub> , 12 pcs.	MP00717
	Electrode holder set, Electrode holder, screw, and O-ring	MP00718
	TCC calibration unit	MP00722

1.16 RECORDER PAPER

B	Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	4711201
---	---	---------




GAMMA / GAMMA XL  
GAMMA XXL  
DELTA / DELTA XL  
KAPPA  
KAPPA XLT  
VISTA  
VISTA XL

INFINITY® ACUTE CARE SYSTEM

2. INFINITY® ACUTE CARE SYSTEM  
2.1 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS14555
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS14556
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS14559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS14560
C	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m	MS14683
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m	MS14682



INFINITY® ACUTE CARE SYSTEM

MONOLEAD LONG, SINGLE-PIN CONNECTOR

Not for use with ECG extension cable MS16256.

	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 4.1 m	MS28561
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 4.1 m	MS28557
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 5.3 m	MS28559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 5.3 m	MS28558
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 5.7 m	MS28560
A	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 5.7 m	MS17185

**CHESTLEADS MONOLEAD®**

	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 1.7 m	MS14693
	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 1.7 m	MS14694
	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1 (European color code), 3.7 m*	MS20476
	ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2 (AHA/US color code), 3.7 m*	MS20475


\*Not for use with extension cable MS31435.



INFINITY® ACUTE CARE SYSTEM

REUSABLE ECG LEADS  
SINGLE-PIN CONNECTOR


A	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402
B	ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404
C	ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03405
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03406
CHESTLEADS		
D	ECG cable, 4-lead, single-pin connector, IEC1 (European color code), 1 m	MP03407
	ECG cable, 4-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03408



INFINITY® ACUTE CARE SYSTEM

SINGLE-PATIENT USE ECG LEADS  
SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1 m, 20 pcs.	MP00875
	ECG cable, 3-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP00877
B	ECG cable, 5-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP00879
	ECG cable, 5-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP00881
	ECG cable, 6-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP03122
	ECG cable, 6-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP03123
SINGLE-PATIENT USE ECG LEADS SINGLE-PIN CONNECTOR FOR CHESTLEADS		
	ECG cable, 4-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1 m, 20 pcs.	MP03120
	ECG cable, 4-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP03121



INFINITY® ACUTE CARE SYSTEM

ELECTRODES

A	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

NEONATAL ECG

	ECG neonatal 3-lead adapter cable, 2 m	MS25951
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

ECG ACCESSORIES

C	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680
	ECG "4-lead" spacer, 10 pcs.	MS22832
D	ECG extension cable, 6-lead, single-pin connector, 2 m	MS16256
	ECG extension cable, 4-lead, single-pin connector, 2 m	MS31435



INFINITY® ACUTE CARE SYSTEM

2.2 PULSE OXIMETRY (SPO<sub>2</sub>)

MASIMO®

For Masimo® accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

MASIMO® LNCS CABLES

For connection of LNCS sensors to Masimo® SET Mcable.

A	SpO <sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m	MP00800
A	SpO <sub>2</sub> intermediate cable Masimo® LNCS, 3 m	MP00797
A	SpO <sub>2</sub> intermediate cable Masimo® LNCS, 4.3 m	MP03194

For connection of LNCS sensors to Masimo® rainbow SET Mcable.

B	SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 1.2 m	MP02991
B	SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 3 m	MP02992
B	SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 4.3 m	MP03196






INFINITY® ACUTE CARE SYSTEM

MASIMO® LNCS REUSABLE SENSORS

A	SpO <sub>2</sub> finger sensor Masimo® LNCS DCI, reusable, adult	MP00796
B	SpO <sub>2</sub> finger sensor Masimo® LNCS DCIP, reusable, child	MP00795
	SpO <sub>2</sub> Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788
	SpO <sub>2</sub> Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799
	SpO <sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789
C	SpO <sub>2</sub> Masimo® sensor LNCS-DBI, reusable, adult	MP02993




Not all articles are available worldwide.

INFINITY® ACUTE CARE SYSTEM

MASIMO® DISPOSABLE SENSORS

A	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Actx, disposable, adult, 20 pcs.	MP00790
B	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791
C	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792
D	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Pctx, disposable, child, 20 pcs.	MP00793
E	SpO <sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794



Not all articles are available worldwide.


INFINITY® ACUTE CARE SYSTEM

MASIMO® LNCS TRAUMA SENSORS

Masimo® LNCS Trauma sensors are for use with Masimo® SET technology only.

A	Masimo® LNCS Trauma sensor, adult, 20 pcs.	MP03191
B	Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.	MP03193
C	Masimo® LNCS Trauma sensor, neonate, 20 pcs.	MP03192

A



D-460-2014

B



D-462-2014

C



D-461-2014

INFINITY® ACUTE CARE SYSTEM

MASIMO® RD-SET CABLES

Connection of RD-SET sensors to Masimo® SET Mcable

A	RD-SET intermediate cable for Masimo® SET Mcable, 1.5 m	MS33736
A	RD-SET intermediate cable for Masimo® SET Mcable, 3.6 m	MS33737

For connection of RD-SET sensors to Masimo® rainbow SET Mcable

B	RD-SET intermediate cable for Masimo® rainbow SET Mcable, 1.5 m	MS33738
B	RD-SET intermediate cable for Masimo® rainbow SET Mcable, 3.6 m	MS33739

MASIMO® RD-SET DISPOSABLE SENSORS

C	Masimo® RD-SET sensor, adult, disposable	MS33726
	Masimo® RD-SET sensor, pediatric, disposable	MS33727
D	Masimo® RD-SET sensor, infant, disposable	MS33728
	Masimo® RD-SET sensor, neonatal, disposable	MS33729
E	Masimo® RD-SET sensor, neonatal preterm, disposable	MS33730

A




D-267-2017

B



D-268-2017

C



D-260-2017

D



D-262-2017

E



D-264-2017

INFINITY® ACUTE CARE SYSTEM

MASIMO® RD-SET REUSABLE SENSORS

A	Masimo® RD-SET DCI sensor, adult, reusable	MS33740
B	Masimo® RD-SET DC-IP sensor, pediatric, reusable	MS33741

A



D-265-2017

B



D-266-2017

INFINITY® ACUTE CARE SYSTEM

MASIMO® RAINBOW CABLES

For connection of rainbow sensors to Masimo® rainbow SET Mcable.

A	SpO <sub>2</sub> intermediate cable Masimo® rainbow, 1.2 m	MP02974
A	SpO <sub>2</sub> intermediate cable Masimo® rainbow, 3.6 m	MP02975

MASIMO® RAINBOW DISPOSABLE SENSORS (SPCO, SPMET, SPOC, PVI)

B	Rainbow sensor R25-L, adult, 10 pcs.	MP02961
C	Rainbow sensor R20-L, infant, 10 pcs.	MP02962
D	Rainbow sensor R25, adult, 10 pcs.	MP02959
E	Rainbow sensor R20, pedi, 10 pcs.	MP02960

A



D-486-2014

B



D-482-2014

C



D-483-2014

D



D-484-2014

E



D-485-2014

INFINITY® ACUTE CARE SYSTEM


MASIMO® RAINBOW RESPONSABLE SENSORS  
(SPHB, SPMET, SPOC, PVI)

A	Rainbow sensor ReSposable R2-25a (DOS), adult, 25 pcs.	MP02997
B	Rainbow sensor ReSposable R2-20a (DOS), pedi, 25 pcs.	MP02998
C	Rainbow ReSposable system R2-25, adult, 20 DOS and 1 ROS per box	MP03199
D	Rainbow ReSposable system R2-20, pedi, 20 DOS and 1 ROS per box	MP03200
E	Rainbow sensor ReSposable R2-25r (ROS), adult, 5 pcs.*	MP03201
F	Rainbow sensor ReSposable R2-20r (ROS), pedi, 5 pcs.*	MP03202

\*To be replaced after using 20 DOS.

MASIMO® RAINBOW REUSABLE SENSORS  
(SPCO, SPMET, SPOC, PVI)

G	Rainbow sensor DCI, Adt	MP02971
	Rainbow sensor DCIP, pedi	MP02972



INFINITY® ACUTE CARE SYSTEM


MASIMO® ACCESSORIES

A	SpO <sub>2</sub> adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO <sub>2</sub> sensor, 12 pcs.	7496933
B	SpO <sub>2</sub> adhesive wrap Masimo®, for NeoPt SpO <sub>2</sub> sensor, 100 pcs.	7496925
C	SpO <sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO <sub>2</sub> sensor, 100 pcs.	7496917
D	SpO <sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO <sub>2</sub> sensor, 100 pcs.	7496909
E	SpO <sub>2</sub> adhesive square Masimo®, 12 pcs.	7496875
F	SpO <sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO <sub>2</sub> sensor, 12 pcs.	7496891



INFINITY® ACUTE CARE SYSTEM

A	Headband LNCS/M-LNCS TF-I, 5 pcs.	MP03197
B	Adhesive Pad LNCS/M-LNCS TF-I, 20 pcs.	MP03198
C	Masimo® rainbow sensor cover, 10 pcs.	MP03203



INFINITY® ACUTE CARE SYSTEM



Masimo SpO<sub>2</sub> and rainbow® Sensor Connectivity

**INFINITY PATIENT MONITORS**

**M540**

Masimo SET MCable MS2087 + Masimo rainbow® SET MCable MS27003\*\*\*

Multimed 5 558196 3.0 M  
Multimed 6 339493 1.0 M  
Multimed 12 558683 3.0 M

Multimed 5 558196 3.0 M  
Multimed 6 339493 1.0 M  
Multimed 12 558683 3.0 M

Multimed 5 558196 3.0 M  
Multimed 6 339493 1.0 M  
Multimed 12 558683 3.0 M

**INFINITY PATIENT MONITORS**

**Gamma XL (VF6, VF7)**

Masimo SET Pod MS1838

Multimed 5 558196 3.0 M  
Multimed 6 339493 1.0 M  
Multimed 12 558683 3.0 M

Multimed 5 558196 3.0 M  
Multimed 6 339493 1.0 M  
Multimed 12 558683 3.0 M

**INFINITY PATIENT MONITORS**

**Vista XL (VF6, VF7, VF8)**

Masimo SET Pod MS1838

Multimed 5 558196 3.0 M  
Multimed 6 339493 1.0 M  
Multimed 12 558683 3.0 M

Multimed 5 558196 3.0 M  
Multimed 6 339493 1.0 M  
Multimed 12 558683 3.0 M

**INFINITY PATIENT MONITORS**

**Delta/Delta XL/Kappa (VF6, VF7, VF8)**

Masimo SET Pod MS1838

Multimed 5 558196 3.0 M  
Multimed 6 339493 1.0 M  
Multimed 12 558683 3.0 M

Multimed 5 558196 3.0 M  
Multimed 6 339493 1.0 M  
Multimed 12 558683 3.0 M

**INFINITY PATIENT MONITORS**

**Infinity M300**

Multimed 5 558196 3.0 M  
Multimed 6 339493 1.0 M  
Multimed 12 558683 3.0 M

Multimed 5 558196 3.0 M  
Multimed 6 339493 1.0 M  
Multimed 12 558683 3.0 M

**rainbow® Sensors for SpO<sub>2</sub>, PLS, PI, SpMet, SpOC, PVI and SpHb or SpCO**

Reusable

rainbow R25a MP02997  
rainbow R25b MP02998  
rainbow R25c MP02999  
rainbow R25d MP03000  
rainbow R25e MP03001  
rainbow R25f MP03002  
rainbow R25g MP03003  
rainbow R25h MP03004  
rainbow R25i MP03005  
rainbow R25j MP03006  
rainbow R25k MP03007  
rainbow R25l MP03008  
rainbow R25m MP03009  
rainbow R25n MP03010  
rainbow R25o MP03011  
rainbow R25p MP03012  
rainbow R25q MP03013  
rainbow R25r MP03014  
rainbow R25s MP03015  
rainbow R25t MP03016  
rainbow R25u MP03017  
rainbow R25v MP03018  
rainbow R25w MP03019  
rainbow R25x MP03020  
rainbow R25y MP03021  
rainbow R25z MP03022

Disposable

rainbow R25a MP02997  
rainbow R25b MP02998  
rainbow R25c MP02999  
rainbow R25d MP03000  
rainbow R25e MP03001  
rainbow R25f MP03002  
rainbow R25g MP03003  
rainbow R25h MP03004  
rainbow R25i MP03005  
rainbow R25j MP03006  
rainbow R25k MP03007  
rainbow R25l MP03008  
rainbow R25m MP03009  
rainbow R25n MP03010  
rainbow R25o MP03011  
rainbow R25p MP03012  
rainbow R25q MP03013  
rainbow R25r MP03014  
rainbow R25s MP03015  
rainbow R25t MP03016  
rainbow R25u MP03017  
rainbow R25v MP03018  
rainbow R25w MP03019  
rainbow R25x MP03020  
rainbow R25y MP03021  
rainbow R25z MP03022

SpHb

SpCO

SpCO

**rainbow® Sensors for SpO<sub>2</sub>, PLS, PI, SpMet, SpOC, PVI and SpHb or SpCO**

Reusable

rainbow DC-IP MP02971  
rainbow DC-IP MP02972  
rainbow DC-IP MP02973  
rainbow DC-IP MP02974  
rainbow DC-IP MP02975  
rainbow DC-IP MP02976  
rainbow DC-IP MP02977  
rainbow DC-IP MP02978  
rainbow DC-IP MP02979  
rainbow DC-IP MP02980  
rainbow DC-IP MP02981  
rainbow DC-IP MP02982  
rainbow DC-IP MP02983  
rainbow DC-IP MP02984  
rainbow DC-IP MP02985  
rainbow DC-IP MP02986  
rainbow DC-IP MP02987  
rainbow DC-IP MP02988  
rainbow DC-IP MP02989  
rainbow DC-IP MP02990  
rainbow DC-IP MP02991  
rainbow DC-IP MP02992  
rainbow DC-IP MP02993  
rainbow DC-IP MP02994  
rainbow DC-IP MP02995  
rainbow DC-IP MP02996  
rainbow DC-IP MP02997  
rainbow DC-IP MP02998  
rainbow DC-IP MP02999  
rainbow DC-IP MP03000  
rainbow DC-IP MP03001  
rainbow DC-IP MP03002  
rainbow DC-IP MP03003  
rainbow DC-IP MP03004  
rainbow DC-IP MP03005  
rainbow DC-IP MP03006  
rainbow DC-IP MP03007  
rainbow DC-IP MP03008  
rainbow DC-IP MP03009  
rainbow DC-IP MP03010  
rainbow DC-IP MP03011  
rainbow DC-IP MP03012  
rainbow DC-IP MP03013  
rainbow DC-IP MP03014  
rainbow DC-IP MP03015  
rainbow DC-IP MP03016  
rainbow DC-IP MP03017  
rainbow DC-IP MP03018  
rainbow DC-IP MP03019  
rainbow DC-IP MP03020  
rainbow DC-IP MP03021  
rainbow DC-IP MP03022

Disposable

rainbow DC-IP MP02971  
rainbow DC-IP MP02972  
rainbow DC-IP MP02973  
rainbow DC-IP MP02974  
rainbow DC-IP MP02975  
rainbow DC-IP MP02976  
rainbow DC-IP MP02977  
rainbow DC-IP MP02978  
rainbow DC-IP MP02979  
rainbow DC-IP MP02980  
rainbow DC-IP MP02981  
rainbow DC-IP MP02982  
rainbow DC-IP MP02983  
rainbow DC-IP MP02984  
rainbow DC-IP MP02985  
rainbow DC-IP MP02986  
rainbow DC-IP MP02987  
rainbow DC-IP MP02988  
rainbow DC-IP MP02989  
rainbow DC-IP MP02990  
rainbow DC-IP MP02991  
rainbow DC-IP MP02992  
rainbow DC-IP MP02993  
rainbow DC-IP MP02994  
rainbow DC-IP MP02995  
rainbow DC-IP MP02996  
rainbow DC-IP MP02997  
rainbow DC-IP MP02998  
rainbow DC-IP MP02999  
rainbow DC-IP MP03000  
rainbow DC-IP MP03001  
rainbow DC-IP MP03002  
rainbow DC-IP MP03003  
rainbow DC-IP MP03004  
rainbow DC-IP MP03005  
rainbow DC-IP MP03006  
rainbow DC-IP MP03007  
rainbow DC-IP MP03008  
rainbow DC-IP MP03009  
rainbow DC-IP MP03010  
rainbow DC-IP MP03011  
rainbow DC-IP MP03012  
rainbow DC-IP MP03013  
rainbow DC-IP MP03014  
rainbow DC-IP MP03015  
rainbow DC-IP MP03016  
rainbow DC-IP MP03017  
rainbow DC-IP MP03018  
rainbow DC-IP MP03019  
rainbow DC-IP MP03020  
rainbow DC-IP MP03021  
rainbow DC-IP MP03022

SpHb

SpCO

SpCO

**rainbow® Sensors for SpO<sub>2</sub>, PLS, PI, SpMet, SpOC, PVI and SpHb or SpCO**

Reusable

rainbow DC-IP MP02971  
rainbow DC-IP MP02972  
rainbow DC-IP MP02973  
rainbow DC-IP MP02974  
rainbow DC-IP MP02975  
rainbow DC-IP MP02976  
rainbow DC-IP MP02977  
rainbow DC-IP MP02978  
rainbow DC-IP MP02979  
rainbow DC-IP MP02980  
rainbow DC-IP MP02981  
rainbow DC-IP MP02982  
rainbow DC-IP MP02983  
rainbow DC-IP MP02984  
rainbow DC-IP MP02985  
rainbow DC-IP MP02986  
rainbow DC-IP MP02987  
rainbow DC-IP MP02988  
rainbow DC-IP MP02989  
rainbow DC-IP MP02990  
rainbow DC-IP MP02991  
rainbow DC-IP MP02992  
rainbow DC-IP MP02993  
rainbow DC-IP MP02994  
rainbow DC-IP MP02995  
rainbow DC-IP MP02996  
rainbow DC-IP MP02997  
rainbow DC-IP MP02998  
rainbow DC-IP MP02999  
rainbow DC-IP MP03000  
rainbow DC-IP MP03001  
rainbow DC-IP MP03002  
rainbow DC-IP MP03003  
rainbow DC-IP MP03004  
rainbow DC-IP MP03005  
rainbow DC-IP MP03006  
rainbow DC-IP MP03007  
rainbow DC-IP MP03008  
rainbow DC-IP MP03009  
rainbow DC-IP MP03010  
rainbow DC-IP MP03011  
rainbow DC-IP MP03012  
rainbow DC-IP MP03013  
rainbow DC-IP MP03014  
rainbow DC-IP MP03015  
rainbow DC-IP MP03016  
rainbow DC-IP MP03017  
rainbow DC-IP MP03018  
rainbow DC-IP MP03019  
rainbow DC-IP MP03020  
rainbow DC-IP MP03021  
rainbow DC-IP MP03022

Disposable

rainbow DC-IP MP02971  
rainbow DC-IP MP02972  
rainbow DC-IP MP02973  
rainbow DC-IP MP02974  
rainbow DC-IP MP02975  
rainbow DC-IP MP02976  
rainbow DC-IP MP02977  
rainbow DC-IP MP02978  
rainbow DC-IP MP02979  
rainbow DC-IP MP02980  
rainbow DC-IP MP02981  
rainbow DC-IP MP02982  
rainbow DC-IP MP02983  
rainbow DC-IP MP02984  
rainbow DC-IP MP02985  
rainbow DC-IP MP02986  
rainbow DC-IP MP02987  
rainbow DC-IP MP02988  
rainbow DC-IP MP02989  
rainbow DC-IP MP02990  
rainbow DC-IP MP02991  
rainbow DC-IP MP02992  
rainbow DC-IP MP02993  
rainbow DC-IP MP02994  
rainbow DC-IP MP02995  
rainbow DC-IP MP02996  
rainbow DC-IP MP02997  
rainbow DC-IP MP02998  
rainbow DC-IP MP02999  
rainbow DC-IP MP03000  
rainbow DC-IP MP03001  
rainbow DC-IP MP03002  
rainbow DC-IP MP03003  
rainbow DC-IP MP03004  
rainbow DC-IP MP03005  
rainbow DC-IP MP03006  
rainbow DC-IP MP03007  
rainbow DC-IP MP03008  
rainbow DC-IP MP03009  
rainbow DC-IP MP03010  
rainbow DC-IP MP03011  
rainbow DC-IP MP03012  
rainbow DC-IP MP03013  
rainbow DC-IP MP03014  
rainbow DC-IP MP03015  
rainbow DC-IP MP03016  
rainbow DC-IP MP03017  
rainbow DC-IP MP03018  
rainbow DC-IP MP03019  
rainbow DC-IP MP03020  
rainbow DC-IP MP03021  
rainbow DC-IP MP03022

SpHb

SpCO

SpCO

2018.10-5



INFINITY® ACUTE CARE SYSTEM

NELLCOR®

NELLCOR® CABLES

A	Nellcor® intermediate cable, 1.2 m	MP00748
	Nellcor® intermediate cable, 3 m	MS20979

NELLCOR® REUSABLE SENSOR

B	SpO <sub>2</sub> finger sensor Nellcor® DURA DS 100A	7262764
---	--	---------

NELLCOR® DISPOSABLE SENSORS

C	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065
D	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071
E	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067
F	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068
G	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066

A



D-45130-2016

B



D-500-2014

C



MT-162-2003

D



MT-166-2003

E



MT-166-2003

F



MT-168-2003

G



MT-164-2003

INFINITY® ACUTE CARE SYSTEM

2.3 TEMPERATURE

ADAPTER CABLE

A	Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154
---	--	---------

SINGLE-PATIENT USE TEMPERATURE PROBES

B	General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 1.6 m	MP00991
	General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 3 m	MP00992
C	General-purpose temperature probe, single-pat. use, child, 7-pin connector, 1.6 m	MP00993
	General-purpose temperature probe, single-pat. use, child, 7-pin connector, 3 m	MP00994
D	Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m	MP00995
	Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m	MP00996
E	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997
	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998

A



D-9000-2009

B



D-7371-2011

C



D-7373-2011

D



D-7375-2011

E




D-7377-2011

INFINITY® ACUTE CARE SYSTEM

REUSABLE TEMPERATURE PROBES

A	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889
A	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644
A	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848
A	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651
B	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822
B	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669
C	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616




INFINITY® ACUTE CARE SYSTEM

2.4 TCORE® TEMPERATURE MONITORING SYSTEM

Tcore® – a new non-invasive technology for accurate core temperature monitoring Tcore® employs a unique dual-sensor heat flux technology, which, following a short ramp-up time, calculates core body temperature continuously and accurately. A simple, self-adhesive sensor – for children from 5 years of age and adults – placed on the patient's forehead is all that's required. This single-use sensor can be connected through a battery-powered adapter to all current Dräger monitors\*, eliminating the need for a dedicated display.

\*Exception: Vista 120 product family, patient monitors.

A	Tcore® adapter (reusable)	MP00999
B	Tcore® sensor (single patient use)	MP00989
	Tcore® extension cable	MP02201
	Tcore® mount for M540	MS33239
C	Holder for MultiMed®	MP00721



INFINITY® ACUTE CARE SYSTEM

2.5 NON-INVASIVE BLOOD PRESSURE (NIBP)

NIBP HOSES

A	NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953
B	NIBP hose, neonate, 2.4 m	2870298



INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS, REUSABLE

A	1 NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911
	2 NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912
	3 NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913
	4 NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915
	5 NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916
	6 NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917
	7 NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918
	8 NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919
	9 NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921



INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS, SINGLE-PATIENT USE

A	1 NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924
	2 NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925
	3 NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926
	4 NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928
	5 NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929
	6 NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930
	7 NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931
	8 NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932
	9 NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934




D-25297-2009

INFINITY® ACUTE CARE SYSTEM

NIBP CUFFS NEONATAL, DISPOSABLE

A	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181
B	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199
C	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207
D	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215
E	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173



INFINITY® ACUTE CARE SYSTEM

2.6 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT (CO)

A	MPOd-Dual Hemo, 2 invasive blood pressures for M540*	MS20783
B	Infinity® MPOd-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725
Required to connect MPOd-QuadHemo, Hemo2 or Hemo4 to IACS:		
C	M540 Hemo connection cable, 1.5 m	MS23897
	M540 Hemo connection cable, 3 m	MS23898
Required to connect two MPOd-QuadHemo:		
	Pod connection cable, 30 cm	7257988
	Pod connection cable, 3 m	3368425
	Pod connection cable, 5 m	5195198

IBP TRANSDUCER ADAPTER CABLES

D	IBP transducer adapter Abbott/Medex	MS22535
	IBP transducer adapter Argon (former Becton Dickinson/Ohmeda)	MS22148
	IBP transducer adapter Baxter/Edwards	MS22147
E	IBP transducer adapter Utah Medical	MS22534
F	IBP transducer adapter cable, Dräger 7-pin	MS22533
G	IBP transducer adapter cable, Dräger 10-pin	MS22532

\*Note: Infinity® M cable-Dual Hemo does not require an additional hemo connection cable.



INFINITY® ACUTE CARE SYSTEM

CO CABLES AND THERMISTORS

A	CO thermistor cable Argon (former Becton Dickinson/Ohmeda)	8420077
B	CO thermistor T-piece Argon (former Becton Dickinson/Ohmeda)	5741975
C	CO thermistor cable Baxter/Edwards	8539983
D	CO connection cable, 1 m	3368458
E	CO catheter cable	8419160

CARDIAC OUTPUT KITS

	Cardiac output kit, Baxter	7265155
	Cardiac output kit, Argon (former Becton Dickinson/Ohmeda)	7265163



Not all articles are available worldwide.

Not all articles are available worldwide.



INFINITY® ACUTE CARE SYSTEM

2.7 ETCO<sub>2</sub>

CO<sub>2</sub> CABLES

A	CO <sub>2</sub> mainstream sensor, for Evita, Infinity V500, Infinity M540, and Delta VF9.1 and higher	6871950
---	--	---------

	Y-cable CO <sub>2</sub> and analog/sync	MS22259
--	---	---------

CO<sub>2</sub> CUVETTES, DISPOSABLE

B	CO <sub>2</sub> cuvette disposable, adult, 10 pcs.	MP01062
---	--	---------

C	CO <sub>2</sub> cuvette disposable, pediatric, 10 pcs.	MP01063
---	--	---------

CO<sub>2</sub> CUVETTES, REUSABLE

D	CO <sub>2</sub> cuvette reusable, adult, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870279
---	--	---------

E	CO <sub>2</sub> cuvette reusable, pediatric, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870280
---	--	---------

ACCESSORIES

	Calibration set, with test connection and test gas cylinder	8412710
--	---	---------

	Test gas cylinder 5 Vol.% CO <sub>2</sub> , 95 Vol. % N <sub>2</sub>	6850435
--	--	---------

	Parking holder for CO <sub>2</sub> sensor	8416352
--	---	---------

	Test filter	6870281
--	-------------	---------



INFINITY® ACUTE CARE SYSTEM

2.8 TOFSCAN® NEUROMUSCULAR TRANSMISSION MONITOR

ToFscan® is a nerve stimulator module for the measurement of neuromuscular transmission, via accelerometry. It provides an easy, accurate way to measure of patient muscle relaxation. ToFscan® supports evidence-based judgment about the state of a patient's neuromuscular blockade.

	ToFscan® Kit configurator	MS32318
--	---------------------------	---------

Order basic kit through material confi MS32318 device.

A	ToFscan® monitor	MS32146
---	------------------	---------

B	Hand sensor with electrode connector, adult	MS32154
---	---	---------

	Hand sensor with electrode connector, pediatric	MS32289
--	---	---------

C	Eye brow sensor with electrode connector	MS32291
---	--	---------

D	Foot sensor with electrode connector	MS32290
---	--------------------------------------	---------

E	Extension cable	MS32153
---	-----------------	---------

F	Mount clamp 10 – 40 mm (0.4 – 1.57 in)	MS32150
---	--	---------

	Mount clamp 20 – 60 mm (0.79 – 2.36 in)	MS32151
--	---	---------

G	Optic serial RS 232 cable (1 meter) to connect the device to a Dräger monitorAC	MS32156
---	---	---------

	ToFscan® to IACS connectivity kit	MS25836
--	-----------------------------------	---------



INFINITY® M300

3. INFINITY® M300

3.1 ELECTROCARDIOGRAPHY (ECG)

MONOLEAD® SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1 (European color code), 2 m	MS14555
	ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2 (AHA/US color code), 2 m	MS14556
B	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1 (European color code), 2.5 m	MS14559
	ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2 (AHA/US color code), 2.5 m	MS14560
C	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1 (European color code), 3 m	MS14683
	ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2 (AHA/US color code), 3 m	MS14682

A



MT-8510-2005

B



MT-353-2008

C



MT-8497-2005

INFINITY® M300

ECG-LEAD SETS FOR TELEMETRY

Infinity® TruST™ Telemetry lead sets can also be used in combination with MultiMed® plus. Shielded, not for use in the OR.

A	ECG cable, 3-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03421
	ECG cable, 3-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03422
B	ECG cable, 5-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03423
	ECG cable, 5-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03424
C	ECG cable, 6-lead Infinity® TruST™, IEC1 (European color code), 70 cm	MP03425
	ECG cable, 6-lead Infinity® TruST™, IEC2 (AHA/US color code), 70 cm	MP03426

REUSABLE ECG LEADS  
SINGLE-PIN CONNECTOR

D	ECG cable, 3-lead, single-pin connector, IEC1 (European color code), 1 m	MP03401
	ECG cable, 3-lead, single-pin connector, IEC2 (AHA/US color code), 1 m	MP03402
E	ECG cable, 5-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03403
	ECG cable, 5-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03404
F	ECG cable, 6-lead, single-pin connector, IEC1 (European color code), 1/1.5 m	MP03405
	ECG cable, 6-lead, single-pin connector, IEC2 (AHA/US color code), 1/1.5 m	MP03406

A



D-86318-2013

B



D-86323-2013

C



D-86324-2013

D



D-86298-2013

E



D-86306-2013

F




D-86307-2013

INFINITY® M300

SINGLE-PATIENT USE ECG LEADS  
SINGLE-PIN CONNECTOR

A	ECG cable, 3-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1 m, 20 pcs.	MP00875
	ECG cable, 3-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1 m, 20 pcs.	MP00877
B	ECG cable, 5-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP00879
	ECG cable, 5-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP00881
	ECG cable, 6-lead, single-pin connector, single-pat. use, IEC1 (European color code), 1/1.5 m, 20 pcs.	MP03122
	ECG cable, 6-lead, single-pin connector, single-pat. use, IEC2 (AHA/US color code), 1/1.5 m, 20 pcs.	MP03123




INFINITY® M300

ELECTRODES

A	ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750
---	--	---------

ECG ACCESSORIES

B	ECG adapter for single-pin ECG cable to MultiMed® 5	MS14679
	ECG adapter for single-pin ECG cable to MultiMed® 6	MS14680
C	ECG extension cable, 6-lead, single-pin connector, 2 m	MS16256



INFINITY® M300

3.2 PULSE OXIMETRY (SPO<sub>2</sub>)

DRÄGER

DRÄGER CABLES

A	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	MS18683
B	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	MS17330

DRÄGER REUSABLE SENSOR

C	SpO <sub>2</sub> finger sensor Dräger, reusable	MS13235
---	---	---------

DRÄGER DISPOSABLE SENSORS

D	SpO <sub>2</sub> adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449
E	SpO <sub>2</sub> adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445
F	SpO <sub>2</sub> adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448
G	SpO <sub>2</sub> adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444



INFINITY® M300

MASIMO®

For Masimo® accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

MASIMO® LNCS CABLES

A	SpO <sub>2</sub> intermediate cable Masimo® LNCS, 3 m	MS17522
A	SpO <sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m	MS24303

MASIMO® LNCS REUSABLE SENSORS

B	SpO <sub>2</sub> finger sensor Masimo® LNCS DCI, reusable, adult	MP00796
C	SpO <sub>2</sub> finger sensor Masimo® LNCS DCIP, reusable, child	MP00795

	SpO <sub>2</sub> Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788
--	--	---------

	SpO <sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789
--	--	---------

	SpO <sub>2</sub> Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799
--	--	---------

D	SpO <sub>2</sub> Masimo® sensor LNCS-DBI, reusable, adult	MP02993
---	---	---------

MASIMO® LNCS DISPOSABLE SENSORS

E	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Amtx, disposable, adult, 20 pcs.	MP00790
---	--	---------

F	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791
---	--	---------

G	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Pmtx, disposable, child, 20 pcs.	MP00793
---	--	---------





INFINITY® M300

MASIMO® RD-SET ADAPTER CABLES

A	Adapter cable RD-SET to LNOP, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed® 5/6/12, NeoMed Pods and MultiMed® Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163*	MS33731
B	Adapter cable RD-SET to LNCS, for connection of RD-SET sensors to Infinity® M300 and Masimo® SET Pod via the LNCS intermediate cables MS24303 or MS17522	MS33732



MASIMO® RD-SET DISPOSABLE SENSORS

C	Masimo® RD-SET sensor, adult, disposable	MS33726
D	Masimo® RD-SET sensor, pediatric, disposable	MS33727
E	Masimo® RD-SET sensor, infant, disposable	MS33728

MASIMO® RD-SET REUSABLE SENSORS

F	Masimo® RD-SET DCI sensor, adult, reusable	MS33740
G	Masimo® RD-SET DC-IP sensor, pediatric, reusable	MS33741


\*Products are not available any more.  
Adapter is to be used to switch from sensors to the installed base.



INFINITY® M300

MASIMO® ACCESSORIES

A	SpO <sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO <sub>2</sub> sensor, 100 pcs.	7496917
	SpO <sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO <sub>2</sub> sensor, 100 pcs.	7496909
B	SpO <sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO <sub>2</sub> sensor, 12 pcs.	7496891
C	SpO <sub>2</sub> adhesive square Masimo®, 12 pcs.	7496875



Not all articles are available worldwide.

Not all articles are available worldwide.



INFINITY® M300

NELLCOR®

NELLCOR® CABLES

A	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	MS18683
B	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	MS17330

NELLCOR® REUSABLE SENSOR

C	SpO <sub>2</sub> finger sensor Nellcor® DURA DS 100A	7262764
---	--	---------

NELLCOR® DISPOSABLE SENSORS

D	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065
E	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071
F	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066
G	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068

A



D-2394-2011

B



D-2393-2011

C



D-500-2014

D



MT-152-2003

E



MT-166-2003

F



MT-154-2003

G



MT-158-2003

INFINITY® M300

3.3 POUCH

A	Telemetry transmitter pouch, disposable, 100 pcs.	MS22905
---	---	---------

3.4 CODENSATION

B	Holder for Infinity® M300 bedside charger, swiveling 360°	MP00990
---	---	---------

A



D-32541-2011

B



D-35689-2009

VISTA 120


4. VISTA 120

4.1 ELECTROCARDIOGRAPHY (ECG)

Not all articles are available worldwide.

A	ECG trunk cable, 5-lead, IEC/AHA colour code	2606496
	ECG trunk cable, 3-lead, IEC/AHA colour code	2606495
B	ECG trunk cable, 3-lead, for neonates, IEC & AHA	2606492
C	ECG limb wires, 5-lead, Grabber, IEC colour code	2606494
	ECG limb wires, 3-lead, Grabber, IEC colour code	2606493
	ECG limb wires, 5-lead, Grabber, AHA colour code	2606498
	ECG limb wires, 3-lead, Grabber, AHA colour code	2606497
	ECG electrodes, adult, disposable, 300 pcs.	2606247
	ECG electrodes, child, disposable, 500 pcs.	2606248
	ECG electrodes, adult/child, disposable, 1,000 pcs.	2606249
D	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024

Not all articles are available worldwide.



VISTA 120


4.2 PULSE OXIMETRY (SPO<sub>2</sub>)

DRÄGER SPO<sub>2</sub>

Not for use with Vista 120 Nellcor models.

A	SpO <sub>2</sub> extension cable, 2 m, reusable	2606487
B	SpO <sub>2</sub> silicone Soft-tip sensor, adult, 1 m, reusable	2606485
	SpO <sub>2</sub> silicone Soft-tip sensor, pediatric, 1 m, reusable	2606486
C	SpO <sub>2</sub> sensor, adult, 0.5 m, disposable, 25 pcs.	2606208
D	SpO <sub>2</sub> sensor, pediatric, 0.5 m, disposable, 25 pcs.	2606209
E	SpO <sub>2</sub> sensor, infant, 0.5 m, disposable, 25 pcs.	2606210
F	SpO <sub>2</sub> sensor, neonate, 0.5 m, disposable, 25 pcs.	2606211
	SpO <sub>2</sub> finger sensor, adult, 2.5 m, reusable	2606483
G	SpO <sub>2</sub> finger sensor, adult, 1 m, reusable	2606484

Not all articles are available worldwide.




VISTA 120

NELLCOR OXIMAX SPO<sub>2</sub>

Only for use with Vista 120 Nellcor models.

A	Nellcor® intermediate cable, 1.2 m	MP00748
	Nellcor® intermediate cable, 3 m	MS20979
B	SpO <sub>2</sub> finger sensor Nellcor® DURA DS 100A	7262764
C	SpO <sub>2</sub> multisite sensor Nellcor® Oxiband™ A/N, reusable, neonate/adult	8201013
D	SpO <sub>2</sub> multisite sensor Nellcor® DURA-Y™, reusable	MX01004
E	Ear clip for Nellcor® DURA-Y™	MX01005
F	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.	MX50070




Not all articles are available worldwide.

VISTA 120

4.3 NON-INVASIVE BLOOD PRESSURE (NIBP)


A	NIBP tube, 3 m	2601195
B	NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista120	2606151
C	NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista120	2606152
D	NIBP cuff, child, 16 cm - 21 cm, reusable, Vista120	2606153
E	NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista120	2606154
F	NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista120	2606155
G	NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista120	2606156



Not all articles are available worldwide.

VISTA 120


A	NIBP cuff, neonatal #1, 3 – 6 cm, disposable, 20 pcs., Vista120	2607034
B	NIBP cuff, neonatal #2, 4 – 8 cm, disposable, 20 pcs., Vista120	2607035
C	NIBP cuff, neonatal #3, 6 – 11 cm, disposable, 20 pcs., Vista120	2607036
D	NIBP cuff, neonatal #4, 7 – 13 cm, disposable, 20 pcs., Vista120	2607037
E	NIBP cuff, neonatal #5, 8 – 15 cm, disposable, 20 pcs., Vista120	2607038



VISTA 120

4.4 TEMPERATURE

	Temperature probe skin, adult, 3 m, reusable	2601197
	Temperature probe, rectal/oral, adult, 3 m, reusable	2601198
A	Temperature probe skin, neonate/infant, 3 m, reusable	2601200
B	Temperature probe, rectal/oral, neonatal/Infant, 3 m, reusable	2601199
	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.	7014616



VISTA 120

4.5 INVASIVE BLOOD PRESSURE (IBP) AND CARDIAC OUTPUT\* (C.O)

\*For supported Vista 120 models only.

A	IBP pressure transducer kit, BD/Argon, disposable, 5 kits	2606225
B	IBP cable Becton Dickinson/Argon	2606488
	IBP cable Edwards	2606489
	IBP cable Abbott, Medex	2606490
	IBP cable Utah	2606491

A



D-16296-2010

B



D-16312-2010

VISTA 120

A	Cardiac Output cable, 3 m	2601201
B	CO In-line Injection temperature probe Becton Dickinson	2601190
	CO In-line Injection temperature probe housing	2601191
C	CO Control Syringe	2601192

A



D-6391-2017

B



D-6392-2017

C



D-6390-2017




VISTA 120

4.6 CO<sub>2</sub> SIDESTREAM

DRÄGER G2 SIDESTREAM

A	CO <sub>2</sub> sampling line, disposable, for Vista 120, 100 pcs.	2607550
B	CO <sub>2</sub> nasal cannula, adult, disposable, for Vista 120, 100 pcs.	2607551
C	CO <sub>2</sub> nasal cannula, pediatric, disposable, for Vista 120, 100 pcs.	2607552
D	CO <sub>2</sub> nasal cannula, infant, disposable, for Vista 120, 100 pcs.	2607553
E	CO <sub>2</sub> nasal cannula + O <sub>2</sub> , adult, disposable, for Vista 120, 50 pcs.	2607554
F	CO <sub>2</sub> nasal cannula + O <sub>2</sub> , child, disposable, for Vista 120, 50 pcs.	2607555
G	CO <sub>2</sub> sidestream water trap, for Vista 120, 20 pcs.	2605124



Not all articles are available worldwide.

VISTA 120

LOFLO SIDE-STREAM

For non intubated patients (without O<sub>2</sub> delivery).

A	CO <sub>2</sub> LoFlo Nasal cannula, Adult, disposable, 10 pcs.	2605127
B	CO <sub>2</sub> LoFlo Nasal cannula, Pediatric, disposable, 10 pcs.	2605087
	CO <sub>2</sub> LoFlo Nasal cannula, Infant, disposable, 10 pcs.	2605088
C	CO <sub>2</sub> LoFlo Nasal/Oral cannula, Adult, disposable, 10 pcs.	2605083
D	CO <sub>2</sub> LoFlo Nasal/Oral cannula, Pediatric, disposable, 10 pcs.	2605084



Not all articles are available worldwide.

VISTA 120

For non intubated patients (with O<sub>2</sub> delivery).

A	CO <sub>2</sub> LoFlo Nasal cannula + O <sub>2</sub> , Adult, disposable, 10 pcs.	2605130
B	CO <sub>2</sub> LoFlo Nasal cannula + O <sub>2</sub> , Pediatric, disposable, 10 pcs.	2605081
C	CO <sub>2</sub> LoFlo Nasal cannula + O <sub>2</sub> , Infant and Pediatric, disposable, 10 pcs.	2605082
D	CO <sub>2</sub> LoFlo Nasal/Oral cannula + O <sub>2</sub> , Adult, disposable, 10 pcs.	2605085



VISTA 120

For intubated patients.

A	CO <sub>2</sub> LoFlo Airway adapter Adt/Ped., disposable, 10 pcs.	2605086
	CO <sub>2</sub> LoFlo Airway adapter Pedi/Infant with dehumidification tubing, disposable, 10 pcs.	2605089
B	CO <sub>2</sub> LoFlo Airway adapter Adt/Ped. with dehumidification tubing, disposable, 10 pcs.	2605128
C	CO <sub>2</sub> LoFlo Sampling Line Kit, disposable, 10 pcs.	2605129



VISTA 120

4.7 CO<sub>2</sub> MAINSTREAM

A	etCO <sub>2</sub> sensor Capnostat 5, reusable	2606226
B	CO <sub>2</sub> airway adapter, adult, disposable, 10 pcs.	2606227
C	CO <sub>2</sub> airway adapter, neonatal (infant/pediatric), disposable, 10 pcs.	2606228

A




D-508-2014

B



D-16293-2010

C



D-16294-2010

VISTA 120

4.8 DEVICE ACCESSORIES

	Vista 120 rechargeable Lithium-Ion battery	2606229
A	Vista 120 printing paper, 4 rolls	2606231
	Comes with Vista120 V3: BIS cable	MP00744

A



D-16319-2010


MULTI VENDOR ADAPTER

5. MULTI VENDOR ADAPTER


**Multi Vendor Accessories (MVA)**  
Dräger Multi Vendor Accessories (MVA) are original Dräger accessories and consumables for possible use with a Non-Dräger Installed Base.  
The original Dräger accessories are connected (if necessary with an adapter) of a mixed Installed Base at customer side.

5.1 ECG ADAPTER

A	ECG Adapter, 3 Lead GE	MP04322
	ECG Adapter, 5 Lead GE	MP04320
B	ECG Adapter, 3 Lead Mindray	MP04312
	ECG Adapter, 5 Lead Mindray	MP04310
C	ECG Adapter, 3 Lead NK	MP04316
	ECG Adapter, 6 Lead NK	MP04315
D	ECG Adapter, 3 Lead Philips	MP04325
	ECG Adapter, 5 Lead Philips	MP04326
	ECG Adapter, 6 Lead Philips	MP04327
E	ECG Adapter, 3 Lead Spacelabs	MP04300
	ECG Adapter, 5 Lead Spacelabs	MP04301
F	ECG Adapter, 3 Lead Welch Allyn	MP04305
	ECG Adapter, 5 Lead Welch Allyn	MP04306



MULTI VENDOR ADAPTER





MULTI VENDOR ADAPTER

5.2 ECG ADAPTER TELEMETRY

A	ECG adapter tel, GE-AP-CH, 3ld	MP04350
	ECG adapter tel, GE-AP-CH, 5ld	MP04351
	ECG adapter tel, GE-AP-CH, 6ld	MP04352
B	ECG adapter tel, GE-AP-FH, 5ld	MP04353
C	ECG adapter tel, PH MX40, 3ld	MP04355
	ECG adapter tel, PH MX40, 5ld	MP04356
	ECG adapter tel, PH MX40, 6ld	MP04357
D	ECG adapter tel, PH M, 5ld	MP04358
	ECG adapter tel, PH M, 6ld	MP04359
E	ECG adapter tel, SL AT, 5ld	MP04365
F	ECG adapter tel, SL UV, 5ld	MP04366

5.3 TEMP ADAPTER

	TEMP Adapter Jack	MP00943
G	TEMP Adapter 2-pin	MP00944



MULTI VENDOR ADAPTER



Not all articles are available worldwide.

Not all articles are available worldwide.




MULTI VENDOR ADAPTER

5.4 NBP ADAPTER

A	NBP Adapter, GE, (bx10)	MP00942
B	NBP Adapter, Nihon Kohdan, (bx10)	MP00940
C	NBP Adapter, Welch Allyn, (bx10)	MP00941
D	NBP Adapter, (bx10)	MP00945
E	NBP Adapter, GE DINACLICK, (bx10)	MP00747



MULTI VENDOR ADAPTER





D-12729-2009



D-28142-2009



D-8443-2009

- SOMETHING YOU CAN COUNT ON:**
- Dräger has been developing and manufacturing high-quality ward accessories for decades
  - Ongoing expansion of the portfolio with innovative products such as the Dräger VarioAir® suction ejector or the Dräger compact flowmeter
  - Intelligent workstation concepts through safe interaction of accessory products with hospital installations

5

CONTENT

WARD EQUIPMENT	
1. Oxygen therapy	233
1.1 Flowmeter	233
1.2 Oxymixer	244
1.3 Pressure reducer	245
1.4 Humidifier, adapter and application	253
2. Aerosol therapy	255
3. Medical aspiration	261
3.1 Bronchial aspiration	261
3.2 OR aspiration	281
3.3 Continuous and thoracic drainage	285
4. Accessory for gas supply	295
4.1 CS hoses	295
4.1.1 German standard – DIN	295
4.1.2 French standard – NF	297
4.1.3 British standard – BS	299
4.1.4 Sweden standard – SS	301
4.1.5 Swiss standard – Carba	302
4.1.6 Italian standard – UNI	303
4.1.7 Australian standard – AS	304
4.1.8 Japanese standard – KAWA	305
4.1.9 US american standard – US	306
4.1.10 Canadian standard – CA	308
4.1.11 Chinese standard – GB	309
4.2 Adapter	310

## NOTES

## FLOWMETER

## 1. OXYGEN THERAPY

## 1.1 FLOWMETER

These O<sub>2</sub> Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates of up to 32 L/min can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at 4.5 bar  $\pm$  0.5 bar (1,013 hPa/20 °C)\*\*  
 $\pm$  15% (corresponding to smallest setting value)  
 $\pm$  10% (all other setting values)  
 \*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm  
(6.3 × 1.6 × 5.1 in)

Material: Housing: Aluminium  
Pressure dome: Polyamide  
Flow indicator: Glass

Weight: Approx. 500 g (1.1 lb)

- |   |  |         |
|---|--|---------|
| A | O <sub>2</sub> flowmeter, 4 L/min, CS,<br>DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories<br>and sterile water systems                               | MP04551 |
| B | O <sub>2</sub> flowmeter, 16 L/min, CS,<br>DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories<br>and sterile water systems                              | MP04558 |
| C | O <sub>2</sub> flowmeter, 16 L/min, CS, long CS plug (6 cm; 2.4 in),<br>DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories<br>and sterile water systems | MP04561 |

**A**



9-840-2016

**B**




D-641-2016




FLOWMETER

A	O <sub>2</sub> flowmeter, 16 L/min, CS, British Standard, ISO, M34×1.5, adapter 9/16"	MP04565
B	O <sub>2</sub> flowmeter, 16 L/min, CS, French Standard, ISO, M34×1.5, adapter 9/16"	MP04566
C	O <sub>2</sub> flowmeter, 10 L/min, CS, CARBA, including adapter to 9/16" for sterile water	MP04554
D	O <sub>2</sub> flowmeter, 16 L/min, CS, CARBA, including adapter to 9/16" for sterile water	MP04563
E	O <sub>2</sub> flowmeter, 32 L/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04571



FLOWMETER

TWIN FLOWMETER		
The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.		
Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)** ± 15% (corresponding to smallest setting value) ± 10% (all other setting values) ** Using the flowmeters outside the specified ambient conditions could affect flow accuracy.		
Dimensions (H × W × D): 160 × 150 × 190 mm (6.3 × 5.9 × 7.15 in) Material: Housing: Aluminium Pressure dome: Polyamide Flow indicator: Glass Weight: Approx. 900 g (1.98 lb)		
A	O <sub>2</sub> twin flowmeter, CS, 2 × 16 L/min, CS, DIN, ISO, neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04560
B	O <sub>2</sub> twin flowmeter, 2 × 10 L/min, CS, CARBA, 2 × M34×1.5, including adapter to 9/16" for sterile water	MP04555
C	O <sub>2</sub> twin flowmeter, 2 × 10 L/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16"	MP04557
	O <sub>2</sub> twin flowmeter, 2 × 16 L/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16"	MP04569



FLOWMETER

These O<sub>2</sub> flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4 and 16 L/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
± 15% (corresponding to smallest setting value)  
± 10% (all other setting values)  
\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D):    160 × 40 × 130 mm  
  (6.3 × 1.6 × 5.1 in)

Material:                         Housing: Aluminium  
  Pressure dome: Polyamide  
  Flow indicator: Glass

Weight:                         Approx. 950 g (2.09 lbs)

- A

O<sub>2</sub> flowmeter, 4 L/min, rail with NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems


MP04552
- B

O<sub>2</sub> flowmeter, 16 L/min, rail NIST, packed with hose 1.5 m, DIN, ISO, M34×1.5 and 9/16" for accessories and sterile water systems

MP04573
- C

O<sub>2</sub> flowmeter, 16 L/min, rail NIST, packed with hose 1.5 m, DIN, neutral color, M34×1.5 and 9/16" for accessories and sterile water systems

MP04575



FLOWMETER

- A

O<sub>2</sub> flowmeter, 4 L/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems

MP04553
- B

O<sub>2</sub> flowmeter, 16 L/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems


MP04570
- C

O<sub>2</sub> flowmeter, 32 L/min, rail, NIST, M34×1.5 and Adapter 9/16"

MP04580
- D

O<sub>2</sub> flowmeter for anesthesia, 16 L/min, rail, with NIST ISO hose 1.2 m, connector 9/16"UNF to 6 mm

MP04576





FLOWMETER

- A

O<sub>2</sub> flowmeter for anesthesia, 16 L, rail, with NIST black hose 1 m, connector 9/16-18UNF to 6 mm


MP04577
- B

O<sub>2</sub> flowmeter for anesthesia, 16 L 90°, rail, with NIST ISO hose 1,2 m, connector 9/16-18UNF to 6 mm

MP04578
- C

O<sub>2</sub> flowmeter for anesthesia, 16 L 90°, rail, with NIST black hose 1 m, connector 9/16-18UNF to 6 mm

MP04579



FLOWMETER

- A


O<sub>2</sub> flowmeter, 16 L/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"

MP04567
- B

O<sub>2</sub> flowmeter, 10 L/min, rail fitting with NIST gas inlet, M34×1.5, adapter 9/16"

MP04556
- CS hoses

Several hoses to connect flowmeter with the central supply. For CS hoses see chapter 4, "Accessory for gas supply".




FLOWMETER

These flowmeters are plugged directly into a wall terminal unit for medical air and are used to control the flow of medical air for aerosoltherapy. Flow rates of up to 16 or 32 L/min can be set with a high degree of accuracy. The large rotary knob makes setting easier. With integrated sintered filter.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
± 15% (corresponding to smallest setting value)  
± 10% (all other setting values)  
\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D):        160 × 40 × 130 mm  
  (6.3 × 1.6 × 5.1 in)  
Material:                            Housing: Aluminium  
  Pressure dome: Polyamide  
  Flow indicator: Glass  
Weight:                              Approx. 500 g (1.1 lb)

A	AIR flowmeter, 16 L/min, CS, DIN, ISO and neutral color, M32×1.5	MP04559
B	AIR flowmeter, 16 L/min, CS, long cs plug (6 cm; 2.4 in), DIN, ISO and neutral color, M32×1.5	MP04562
C	AIR flowmeter, 16 L/min, CS, CARBA, ISO, M32×1.5	MP04564
D	AIR flowmeter, 32 L/min, CS, DIN, ISO and neutral color, M32×1.5	MP04572



FLOWMETER

These Flowmeters for rail attachment can be used to control the flow of medical air for aerosol therapy. Flow rates of up to 16 L/min can be set with a high degree of accuracy. The large setting knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to standard rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.


Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
± 15% (corresponding to smallest setting value)  
± 10% (all other setting values)  
\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D):        160 × 40 × 130 mm  
  (6.3 × 1.6 × 5.1 in)  
Material:                            Housing: Aluminium  
  Pressure dome: Polyamide  
  Flow indicator: Glass  
Weight:                              Approx. 950 g (2.09 lbs)

A	AIR flowmeter, 16 L/min, rail, NIST, M32×1.5	MP04568
B	AIR flowmeter, 32 L/min, rail, NIST, M32×1.5	MP04581

CS hoses

Several hoses to connect flowmeter with the central supply.  
For CS hoses see chapter 4, "Accessory for gas supply".



FLOWMETER

COMPACT FLOWMETER

Input pressure:	4.5 ± 0.5 bar*
Adjustable ranges:	0 – 15 L/min (0; 1; 2; 3; 4; 6; 8; 12; 15) 0 – 1 L/min (0; 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.8; 1) 0 – 5 L/min (0; 0.5; 1; 1.5; 2; 2.5; 3; 4; 5)
Accuracy:	0 – 5 L/min and 0 – 15 L/min: ± 20% 0 – 1 L/min ± 30%
Gas inlet:	CS plug O <sub>2</sub> or AIR; NIST (rail)
Gas outlet:	6 mm nozzle, thread 9/16"
Weight:	approx. 420 g (CS); approx. 700 g (rail)
Housing material:	nickel-coated brass
Dimensions:	diameter 40 mm, length 90 mm

\*1 bar = 1 kPa × 100


<b>A</b>	<b>Compact flowmeter configurator, gives you the option of arranging the compact flowmeter according to your requirements, selectable options for configuration:</b>	<b>MP01200</b>
	Gas type: O <sub>2</sub> ; AIR	
	Mounting: CS; rail with NIST gas inlet	
	CS connection: DIN; UNI (Italy); AGA (SSS, Sweden); Carbueros (Spain); Carbamed; JIS (Japan); DISS (USA); BS (England); NF (France)	
	Version: single compact flowmeter; double compact flowmeter	
	Flow: 0.1 – 1 L/min; 0.5 – 5 L/min; 1 – 15 L/min	
	Gas outlet: 6 mm nozzle, thread 9/16" for sterile water	
<b>B</b>	<b>O<sub>2</sub> compact flowmeter, DIN CS, 1-15 L/min, 6 mm nozzle</b>	<b>2M86793</b>
<b>C</b>	<b>O<sub>2</sub> compact flowmeter, DIN CS, 1-15 L/min, 9/16"</b>	<b>MP01204</b>



FLOWMETER

<b>A</b>	<b>O<sub>2</sub> compact flowmeter, rail, NIST, 1 – 15 L/min, 9/16"</b>	<b>MP05405</b>
<b>B</b>	<b>O<sub>2</sub> twin compact flowmeter, DIN CS, 2 × 1 – 15 L/min, 9/16"</b>	<b>MP05406</b>
<b>C</b>	<b>AIR compact flowmeter, DIN CS, 1 – 15 L/min, 9/16"</b>	<b>MP05407</b>
<b>D</b>	<b>AIR compact flowmeter, DIN CS, 1 – 15 L/min, 6 mm nozzle</b>	<b>MP05408</b>
<b>E</b>	<b>AIR compact flowmeter, Carbamed CS, 1 – 15 L/min, 6 mm nozzle</b>	<b>MP05409</b>
<b>F</b>	<b>Mixing block, with mixing chart, for O<sub>2</sub> and AIR flowmeter with M34×1.5 and M32×1.5</b>	<b>2M85728</b>

Accessories for Flowmeter in chapter 1.3 (Humidifier, adapter and application).




OXYMIXER

1.2 OXYMIXER\*

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O<sub>2</sub> concentration is easily adjusted to a highly accurate flow by means of the bleed – even with flow rates of less than 3 L/min.

Oxymixer configuration	
Configurable Oxymixer	MP04200
A Oxymixer High Flow	MP04201
B Oxymixer High Flow with monitor	MP04202
C Oxymixer Low Flow	MP04203
D Oxymixer Low Flow with monitor	MP04204
E Oxymixer Low Flow with 1 – 15 L flowmeter right	MP04229
F Oxymixer sound damper 9/16"	MP04218
G Oxymixer sound damper 22 and 15 mm	MP04219
H Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416
Oxymixer oxygen sensor (spare part)	MP04221


\*Produced by DEHAS



PRESSURE REDUCER

1.3 PRESSURE REDUCER

A Pressure reducer OxyLine, customized configuration of pressure reducers		MP00100
OxyLine's modular design means you can accurately choose the pressure reducer you need from the following components:		
<ul style="list-style-type: none"><li>– O<sub>2</sub> or AIR pressure reducer with 200 or 300 bar</li><li>– Manometer, vertical or horizontal</li><li>– Flow regulator settings (1, 2, 3, 4, 6, 8, 12 and 15 L/min) and 9/16" sterile water connector</li><li>– Flowmeter for up to 16 L/min with connector for Dräger reusable humidifier, sterile water connector and 6 mm (0.2 in) nozzle for an oxygen mask</li><li>– Self-closing NIST connector</li><li>– Centralized gas supply coupling, e.g. to connect up a mains-operated ventilation device</li><li>– Ejector for short-time suction of eg. secret</li></ul>		
Type:	Single-stage pre-set pressure reducer	
Permissible inlet pressure range:	11 to 300 kPa × 100	
Nominal outlet pressure (p2):	non-adjustable, output pressure as per rating plate	
Weight:	1.2 kg to 2 kg (depending on connector type)	
Material:	Brass with chemical nickel surface	




PRESSURE REDUCER


OxyLine® Pressure reducer MP00100  
Order information international

Make your own configuration by setting a cross or a number.

- ☐ = One position must be chosen  
☐ = One position can be chosen



PRESSURE REDUCER





PRESSURE REDUCER

A	<u>Oxett head OxyLine, pressure reducer G¾", 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2</u>	<u>MP01101</u>
B	<u>Oxett head OxyLine, pressure reducer G¾", 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2</u>	<u>MP01102</u>
C	<u>Oxator head OxyLine, pressure reducer G¾", 200 bar, NIST, 2 × DIN-CS, ejector VarioO2</u>	<u>MP01103</u>
D	<u>Pressure reducer w/ flowmeter OxyLine, G¾", 200 bar, 16 L/min, M34×1.5, 9/16", nozzle</u>	<u>MP01104</u>
E	<u>Pressure reducer with NIST OxyLine, G¾", for 200 bar, NIST</u>	<u>MP01105</u>



PRESSURE REDUCER

<b>Oxett</b>		
Oxett is a portable oxygen supply unit for mobile use. Oxett ensures consistent treatment, because the device can be mounted to bed, rail and stretcher. All devices for inhalation, insufflation and suction are available on a solid aluminum plate. Precise O <sub>2</sub> delivery is handled through the pressure compensated flow meter or the compact flowmeter. Manual or automatic short-term ventilation is even possible, because the Oxylog® can be connected via the O <sub>2</sub> standard coupling. The portable Oxett unit meets the requirements of daily hospital and emergency medical practice in a simple way. It removes all well-practiced temporary supply solutions.		
<b>Oxett carrying frame, for Oxett head+O<sub>2</sub> cylinder up to 2.5 L, with secretion jar</b>		<b>MP04110</b>
<b>Oxett head, configurable via OxyLine®</b>		<b>MP00100</b>
<b>Oxett head OxyLine, pressure reducer G¾", 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2</b>		<b>MP01101</b>
<b>Oxett head OxyLine, pressure reducer G¾", 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2</b>		<b>MP01102</b>
<b>Oxett adapter plate, to mount Oxett on bed in higher position</b>		<b>2M86205</b>




PRESSURE REDUCER

A	<b>Small Oxator</b> Space-saving solution for transportation of large gas-cylinder. The stable trolley can be used flexible. Set up from components below:	
B	<b>Simple cylinder trolley, for one gas cylinders up to a volume of 11 L</b>	<b>MP00038</b>
C	<b>Stable 4-wheeled cylinder trolley, holder for cylinder, for one gas cylinders up to a volume of 11 L</b>	<b>2M86029</b>
D	<b>Oxator head, configurable via OxyLine® Oxator head OxyLine, pressure reducer G¾", 200 bar, NIST, 2 × DIN-CS, ejector</b>	<b>MP00100</b> <b>MP01103</b>
E	<b>Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection O₂</b>	<b>MP00552</b>
E	<b>NIST-NIST Connecting hose 1.2 m</b>	<b>M36053</b>


A

D-6406-2017




B

MT-219-2003




C

D-8482-2016




D

D-6378-2017



E

D-4939-2017



PRESSURE REDUCER

A	<b>Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg</b>	<b>2M85337</b>
B	<b>Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1000 mL, scale in steps of 10 mL up to max. 700 mL</b>	<b>2M85056</b>
C	<b>Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set</b>	<b>M26842</b>
D	<b>Cylinder jacket, plastic, to protect 10 L gas cylinder</b>	<b>2M86410</b>

For CS hoses please refer to chapter "Accessory for gas supply".

A

MT-21198-94



B

D-7354-2011



C

MT-2542-95



D

MT-768-2000



PRESSURE REDUCER

A	Simple cylinder trolley, for one gas cylinders up to a volume of 11 L	MP00038
B	Stable 4-wheeled cylinder trolley, holder for cylinder, for one gas cylinders up to a volume of 11 L	2M86029
C	Rail holder, for 38 mm tube, standard rail profile 25 × 10 mm, 40 cm, length: 40 cm, weight: 0.9 kg, max. load: 5 kg	2M86185
D	Cylinder jacket, plastic, to protect 10 L gas cylinder	2M86410
E	Adapter NIST to DIN CS-Coupling O <sub>2</sub>	M35056
F	Adapter NIST to DIN CS-Coupling AIR	M35058



HUMIDIFIER, ADAPTER AND APPLICATION

1.4 HUMIDIFIER, ADAPTER AND APPLICATION

A	Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 L/min	2M85834
B	Humidifier-nebulizer, for oxygen humidification up to 100% relative humidity and flows up to 5 L/min	2M85835
C	Adapter, to connect e.g a tube or nasal cannula to O <sub>2</sub> flowmeter, M34×1.5 to 6 mm nozzle	M06258
C	Adapter, to connect e.g a tube or nasal cannula to AIR flowmeter, M32×1.5 to 6 mm nozzle	2M85575
D	Adapter, to connect Dräger humidifier to mixing block, M15×1 to M34×1.5	2M85853
E	Adapter 9/16" to M34×1.5 for Dräger reusable humidifier	MP03325



HUMIDIFIER, ADAPTER AND APPLICATION

A	Adapter, for disposable sterilized water systems to O <sub>2</sub> flowmeters, M34×1.5 to 9/16"	2M86680
A	Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16"	MP03366
B	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416

Oxygen and aerosol therapy masks, venturi mask kids, nasal cannulas and accessories in chapter 5.3, breathing accessories.



AEROSOL THERAPY


2. AEROSOL THERAPY

Pneumatically operated medicament nebulizer for clinical use.

Drive gas: O<sub>2</sub> or compressed air  
Particle size (MMAD): 3.7 µm with toggle switch valve or adjustable 2.5 to 7 µm via flow regulation

Nebulizer element, mask, mouth piece are sterilizable up to 134 °C (273.2 °F)  
Materials: Mask and nebulizer housing: Polyamide  
Atomiser and medicament container: Polysulphone

A	Medication nebulizer Inhalette S, with toggle switch valve, O <sub>2</sub> /AIR, DIN, nebulizer element, mouth piece, mask, connecting hose 3 m	2M85674
B	Inhalette medication nebulizer »Vario«	
C	Inhalette medication nebulizer »Vario« with rail system	



AEROSOL THERAPY

Inhalette "Vario" built up with following parts:

A	Nebulizer element for Inhalette, spare part	2M85571
B	Inhalation mask for Inhalette	M11015
C	Adapter for O <sub>2</sub> flowmeter (M34×1.5) or Adapter for AIR flowmeter (M32×1.5)	MP01184 MP01185
D	Spiral hose flowmeter/nebulizer element or	MP03322
E	Straight hose (3 m; 118.1 in) flowmeter/nebulizer element	M17717
As a replacement part:		
F	Mouthpiece for Inhalette	M12394

All 16 L/min, 32 L/min Flowmeter:  
see at Flowmeter portfolio.



AEROSOL THERAPY

**Ultrasonic nebulizer Tropic 2.0\*** for effective humidification of the ambient air surrounding the patient, completely independently of any Central Gas Supply System. The nebulizer is driven by a quartz oscillator, with the result that only electrical energy is needed for operation.

The use of highly effective bacterial filters at the point at which the air enters the system, together with the possibility of nebulizing from sterilized water systems, largely prevents the spread of bacteria, viruses and germs. It is possible to nebulize distilled water both with or without a feeder system for long-term operation. The integrated timer allows presetting a defined therapy time. Medication can be applied in aerosol form using the disposable medicament containers.

For use with 110/127/230 V.

- Includes:
- Short and long disposable hose
  - Bacterial filter
  - Power cable
  - Nebulizer chamber
  - Oscillating crystal
  - Cap

Technical data:	
Power consumption:	Ultrasonic nebulizer 50 VA Hose heating 30 VA
Ultrasonic frequency:	1.68 MHz ± 5%
Sound pressure level:	max. 35 dB(A)
Protection against moisture:	IP 21 (dripping water)
Method of operation:	Continuous operation, timed
Nebuliser output:	to 3 mL/min
Size of droplets:	86% < 5 µm, average 4 µm
Air flow:	up to 20 L/min if the bacterial filter is used
Classification:	Class I, type B

A	Ultrasonic nebulizer Tropic 2.0, basic unit with all accessories	MP03300
B	Trolley Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder	MP03301
Table set for Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder		MP03302
Rail set for Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder		MP03303

\*Produced by W. Krömker GmbH






AEROSOL THERAPY


A	Heatable hose Tropic 2.0, 1.1 m, for aerosol heating, cable, plug	MP03305
B	Corrugated hose Tropic 2.0, reusable, 1.2 m, for nebulizers	MP03306
C	Corrugated hose Tropic 2.0, reusable, 0.3 m, for nebulizers	MP03307
D	Hose for Tropic 2.0, disposable, 1 m, patient side, 15 pcs.	MX22793
D	Hose for Tropic 2.0, disposable, 40 cm, connects fan/chamber, 20 pcs.	MX22790

A




D-1E47-2009

B




D-48934-2015

C



D-48935-2015

D



MT-2501-95

AEROSOL THERAPY

A	Automatic refilling set Tropic 2.0, for large sterile water containers	MP03304
B	Disposable medication container for Tropic 2.0, 48 pcs.	MP00006
C	Quartz oscillator for Tropic 2.0, reusable	MP03308
	Nebulizer chamber for Tropic 2.0, spare part	MP03309
D	Mechanical filter SafeStar® 55, disposable, 55 mL deadspace, 50 pcs.	MP01790
E	Electrostatic filter CareStar® 30, disposable, 30 mL deadspace, 50 pcs.	MP01770

A



D-35681-2009

B



D-1481-2009

C



MT-289-2003

D



MT-1165-2006

E



MT-0011-2007

## MEDICAL ASPIRATION

### 3.1 Bronchial aspiration


Dräger offers an extensive line of bronchial aspirators, while also providing individual solutions to meet your specific needs in the ICU and OR.

Generally you have the choice between vacuum, medical air or oxygen as the drive gas. We differ by the driving units between the

ejectors and the vacuum regulators.

In addition, we can supply the attachments and hose brackets you need to ensure an ergonomically efficient workplace.

You could also choose the connection you require and the fitting jar system. We offer reusable solutions as well as disposables.



1	MP00501	VarioVac® B DIN	5	MP00535	VarioAir® B/OR Rail	14	2M86207	Secretion jar, 300 mL
	MP00502	VarioVac® B BS		MP00545	VarioAir® P Rail		2M85594	Secretion jar, 700 mL
	MP00503	VarioVac® B NF		MP03220	VarioAir® MRI B/OR Rail	15	2M86758	Protection jar
	MP00504	VarioVac® B AGA		MP03221	VarioAir® MRI P Rail		2M85446	CS connection hose holder
	MP00514	VarioVac® B CARBA		6	MP00550	VarioO2® B DIN	17	2M85239
2	MP00505	VarioVac® B/OR Rail	MP00551		VarioO2® B CARBA	18		MX23023
	MP00660	VarioVac® P Rail	MP00552	VarioO2® B/OR Rail	VacuSmart®, 700 mL			
	MP00516	Dual VarioVac® B/OR Rail	8	MP00536	VarioAir® B compact	MX23025	Secretion jar	
	MP03222	VarioVac® MRI B/OR Rail		MP00547	VarioAir® P compact		VacuSmart® Gel, 700 mL	
	MP03223	VarioVac® MRI P Rail	9	2M85056	Secretion jar set	19	MX23026	Suction tube
3	MP00506	VarioVac® B compact	10	2M85607	Secretion jar set, with protection jar		VacuSmart® Tube	
	MP00661	VarioVac® P compact	11	M26859	Wall holder	20	MP00570	Shut-off valve for
4	MP00530	VarioAir® B DIN		12	M26842		Rail clamp lever type	VarioVac®
	MP00531	VarioAir® B BS	13	2M85119	Ceiling holder			
	MP00532	VarioAir® B NF						
	MP00533	VarioAir® B AGA						
	MP00534	VarioAir® B UNI						
MP00548	VarioAir® B CARBA							

BRONCHIAL ASPIRATION

3. MEDICAL ASPIRATION

3.1 BRONCHIAL ASPIRATION

The vacuum regulator is connected directly to a central vacuum supply system or to rails. The vacuum is infinitely variable up to max. -90 kPa (-900 mbar) and is shown on a turnable, manually adjustable pressure gauge. All plastic parts, which may become contaminate (except for the frame with pressure gauge) can be autoclaved at up to 134 °C. Shut-off valve is included. You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:  
Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)  
Maximum suction flow: 55 L/min  
Weight: 600 to 800 g  
800 g for rail version  
1,700 g for dual version (MP00516)  
Dimensions (W/H/D) in mm: 80 × 210 × 160 (without VarioSafe)  
80 × 340 × 160 (with VarioSafe)  
MP00516 for dual version:  
200 × 210 × 210 (without VarioSafe)  
200 × 340 × 210 (with VarioSafe)  
Maximum sound level: 43 dB(A)  
Hose nozzle: Ø 6 mm  
Bacterial retention: 99.99998% (with VarioSafe)\*  
Viral retention: 99.9998% (with VarioSafe)\*  
\*Test has been performed by Nelson Lab, USA, before 2010

A	Vacuum regulator VarioVac® B DIN, for bronchial suction, gas connection VAC	MP00501
B	Vacuum regulator VarioVac® B BS, for bronchial suction, gas connection VAC	MP00502
C	Vacuum regulator VarioVac® B NF, for bronchial suction, gas connection VAC	MP00503
D	Vacuum regulator VarioVac® B AGA, for bronchial suction, gas connection VAC	MP00504
E	Vacuum regulator VarioVac® B CARBA, for bronchial suction, gas connection VAC	MP00514
F	Vacuum regulator VarioVac® B/OR Rail, for bronchial suction, gas connection VAC	MP00505
G	Vacuum regulator dual VarioVac® B/OR Rail, for bronchial suction, gas connection VAC	MP00516

For CS hoses please refer to chapter "Accessory for gas supply".

Not all articles are available worldwide.



BRONCHIAL ASPIRATION

VarioVac® vacuum regulator for rail.

The gas supply is ensured by VAC connection hose. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height). You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:  
VarioVac P (MP00660, MP03223)  
Maximum vacuum: -55 to 0 kPa (-550 to 0 mbar)  
Maximum suction flow: 20 L/min  
Maximum sound level: 40 dB(A)

VarioVac B/OP (MP03222)  
Maximum vacuum: -90 to 0 kPa (-900 to 0 mbar)  
Maximum suction flow: 55 L/min  
Maximum sound level: 43 dB(A)

Weight: 800 g  
Dimensions (W/H/D) in mm: 80 × 210 × 160 (without VarioSafe)  
80 × 340 × 160 (with VarioSafe)  
Hose nozzle: Ø 6 mm  
Bacterial retention: 99.99998% (with VarioSafe)\*  
Viral retention: 99.9998% (with VarioSafe)\*  
\*Test has been performed by Nelson Lab, USA, before 2010

A	Vacuum regulator VarioVac® P Rail, for bronchial suction, gas connection VAC, for connection to all standard wall rails	MP00660
B	Vacuum regulator VarioVac® MRI P Rail, for bronchial suction, gas connection VAC, for connection to all standard wall rails	MP03223
C	Vacuum regulator VarioVac® MRI B/OR Rail, for bronchial suction, gas connection VAC, for connection to all standard wall rails	MP03222

For CS hoses please refer to chapter "Accessory for gas supply".

Not all articles are available worldwide.



BRONCHIAL ASPIRATION

VACUUM SUCTION

For connecting via CS vacuum connecting hose.  
This rail version can be connected to all standard wall rails (10 mm width and 25 mm height). The gas supply is ensured by VAC connection hose.  
You can use the bacterial filter MK00514 to reliably protect the central vacuum system against contamination. Two bacterial filters are included within the scope of delivery. These bronchial aspirators are suited for use in MRI. The bronchial aspirators can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla. Minimum distance from the center of the magnetic field: Magnetic flux density of 40 millitesla (400 gauss).

Technical data:	
Maximum vacuum:	-95 to 0 kPa (-950 to 0 mbar)
Maximum suction flow:	50 L/min
Dimensions (W/H/D) in mm:	130 × 190 × 120
Maximum sound level:	55 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.999% (with filter)
Viral retention:	99.999% (with filter)

A	<u>Vacuum suction NIST for bronchial suction, gas connection VAC</u>	<u>MK01422</u>
A	<u>Vacuum suction DISS for bronchial suction, gas connection VAC</u>	<u>MK03140</u>
A	<u>Vacuum suction DISS Canada for bronchial suction, gas connection VAC</u>	<u>MK03320</u>

For CS hoses please refer to chapter "Accessory for gas supply".

A



MT-4533-2005

BRONCHIAL ASPIRATION

A	<u>Vacuum aspirator DISS, version for Perseus A500</u>	<u>MP00686</u>
	<u>Vacuum aspirator DISS Canada, version for Perseus A500</u>	<u>MP00687</u>
	<u>Vacuum aspirator NIST version for Perseus A500</u>	<u>MP00689</u>

For CS hoses please refer to chapter "Accessory for gas supply".

A



D-10786-2018


BRONCHIAL ASPIRATION

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -90 kPa (-900 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side. The vacuum adjusting knob is also the on/off switch to interrupt the suction without reset the values. A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

Technical data:	
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)
Minimum suction flow:	40 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	55 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	57 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*
*Test has been performed by Nelson Lab, USA, before 2010	

A	Ejector VarioAir® B DIN, for bronchial suction, gas connection AIR	MP00530
B	Ejector VarioAir® B BS, for bronchial suction, gas connection AIR	MP00531
C	Ejector VarioAir® B NF, for bronchial suction, gas connection AIR	MP00532
D	Ejector VarioAir® B AGA, for bronchial suction, gas connection AIR	MP00533
E	Ejector VarioAir® B UNI, for bronchial suction, gas connection AIR	MP00534
F	Ejector VarioAir® B CARBA, for bronchial suction, gas connection AIR	MP00548
G	Ejector VarioAir® B/OR Rail, for bronchial-+OR suction, gas connection AIR	MP00535


For CS hoses please refer to chapter "Accessory for gas supply".



BRONCHIAL ASPIRATION

A	Ejector VarioO2® B DIN, for bronchial suction, gas connection O <sub>2</sub>	MP00550
A	Ejector VarioO2® B CARBA, for bronchial suction, gas connection O <sub>2</sub>	MP00551
B	Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection O <sub>2</sub>	MP00552

For CS hoses please refer to chapter "Accessory for gas supply".







BRONCHIAL ASPIRATION

Drive unit (VarioVac® or VarioAir®) and jar set are joined together, so that you have a complete, convinient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly. The gas supply is ensured by CS connection hose. You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

Technical data:	
Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 × 440 × 160
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*
*Test has been performed by Nelson Lab, USA, before 2010	

<b>A    Vacuum regulator VarioVac® B compact, for bronchial suction, gas connection VAC, including secretion jar set and integrated vacuum regulator</b>		<b>MP00506</b>
Technical data:		
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)	
Maximum suction flow:	55 L/min	
Maximum sound level:	43 dB(A)	

<b>A    Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection VAC, including secretion jar set and integrated vacuum regulator</b>		<b>MP00661</b>
Technical data:		
Maximum vacuum:	-55 to 0 kPa (-550 to 0 mbar)	
Maximum suction flow:	20 L/min	
Maximum sound level:	40 dB(A)	

For CS hoses please refer to chapter "Accessory for gas supply".

A



D-10322-2011

BRONCHIAL ASPIRATION

<b>A    Ejector VarioAir® B compact, for bronchial suction, gas connection AIR, including secretion jar set and integrated ejector</b>		<b>MP00536</b>
Technical data:		
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)	
Minimum suction flow:	40 L/min	
Inlet pressure range:	4 to 5.5 bar	
Maximum gas consumption:	55 L/min	
Maximum sound level:	57 dB(A)	
Pressure relief valve:	Ex 0.1 kPa (1 mbar)	

<b>A    Ejector VarioAir® P compact, for bronchial suction, gas connection AIR, including secretion jar set and integrated ejector</b>		<b>MP00547</b>
Technical data:		
Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)	
Maximum suction flow:	20 L/min	
Inlet pressure range:	4 to 5.5 bar	
Maximum gas consumption:	40 L/min	
Maximum sound level:	47 dB(A)	
Pressure relief valve:	Ex 0.1 kPa (1 mbar)	

For CS hoses please refer to chapter "Accessory for gas supply".

A



D-33493-2009

BRONCHIAL ASPIRATION

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be autoclaved at up to 134 °C. The two 700 mL jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service lifes makes the jars both environmentally friendly and cost effective.

An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the secretion jar set quickly.

- A

Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1000 mL, scale in steps of 10 mL up to max. 700 mL

2M85056
- B

Secretion jar set, with protection jar and 700 mL secretion jars (2 pcs.), maximum capacity up to the overflow safeguard 2 × 1000 mL, scale in steps of 10 mL up to max. 700 mL, with additional protection jar 300 mL

2M85607

D-7354-2011



D-35529-2011



BRONCHIAL ASPIRATION

- A

Secretion jar set with clamp

MP00646
- B

Carrier rack CD

2M85380
- C

Carrying rack bronchial suction

2M85381

D-10776-2018



D-10775-2018




D-10777-2018




BRONCHIAL ASPIRATION

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is required.		
A	Wall holder, with fixing screws, for compact suction unit and secretion jar set	M26859
B	Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set	M26842
C	Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119
Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.		
D	CS connection hose holder	2M85446
E	Suction hose holder, suitable for various diameters	2M85239



BRONCHIAL ASPIRATION

<b>VacuSmart disposable cartridge for bronchial suction</b> VacuSmart is a disposable cartridge for 700 ml secretion jars. This product has been specifically designed and thoroughly tested to work with Dräger suction units. Therefore there is absolutely no need to modify the installed base. An integrated hydrophobic filter acts as an overflow safeguard by stopping suction of secretion once maximum capacity has been reached. The closed and leakproof system, optional with an integrated gelling agent, reduces the risk of cross contamination to a minimum. The optional gelling agent prevent leakages e.g. during the waste disposal in a waste press. The gelling agent is secured in a water soluble bag.  Technical data: Maximum capacity: 700 mL Maximum capacity up to the overflow safeguard: 1,000 mL Overflow safeguard: Integrated, hydrophobic filter Recommended duration of use: 24 h Gelling agent: Sodium polyacrylate		
A	Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 mL, 25 pcs.	MX23023
B	Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 mL, 25 pcs.	MX23025
C	Suction tube VacuSmart® Tube, PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs.	MX23026
You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:		
D	Suction set, disposable, VacuSmart®, 700 mL and VacuSmart® Tube, 25 pcs. each	MP00061
D	Set VacuSmart® Gel and Tube, 25 pcs.	MP03211



## BRONCHIAL ASPIRATION

<b>A</b>	<b>Bacterial filter 767, for ejectors (model range until 2010), 5 pcs.</b>	<b>6723976</b>
<b>A</b>	<b>Bacterial filter 767, disposable, for ejectors (model range until 2010)</b>	<b>CH00102</b>
	The filter 767 reliably protects the ejector and the patient environment against contamination.	
	<p>Technical data:</p> <p>Bacterial retention: 99.992%**</p> <p>Viral retention: 99.99%**</p> <p>Material: PS (polystyrol)</p> <p>Recommended duration of use: 14 days</p> <p>Filtration method: Mechanical (HEPA)**</p>	
<b>B</b>	<b>Bacterial filter disposable, 20 pcs.</b>	<b>MK00514</b>
	You can use the bacterial filter to reliably protect the suction devices against contamination.	
	<p>Technical data:</p> <p>Bacterial retention: 99.999%**</p> <p>Viral retention: 99.999%**</p> <p>Material: Acryl</p> <p>Recommended duration of use: 7 days</p> <p>Filtration method: Hydrophobic (HEPA)**</p>	
<b>C</b>	<b>Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs.</b>	<b>MP00555</b>
	The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.	
	<p>Technical data:</p> <p>Maximum capacity: 90 mL</p> <p>Bacterial retention: 99.99998%*</p> <p>Viral retention: 99.9998%*</p> <p>Material: PS (polystyrol)</p> <p>Recommended duration of use: 7 days</p> <p>Filtration method: Mechanical and hydrophobic (HEPA)*</p>	

\*Test has been performed by Nelson Lab, USA, before 2010

**\*\*According to EN 1822-1:1998 Filter for suspended particles (HEPA and ULPA)**

Not all articles are available worldwide.

## BRONCHIAL ASPIRATION

A	Protection jar, PSU (polysulfone), reus., w/ rail clamp, autoclav. up to 134 °C	2M86758
B	Suction hose, silicone, reusable, 1.5 m, for medical suction	M25780
C	Connection hose, silicone, reus., ID 5 mm, wall thickness 2 mm, by meter	1203606
C	Silicone hose 6 × 2.5, 2 m	5001330
D	Cap, for 700 mL secretion jar, with overflow safeguard	2M85011
E	Cap, for secretion jar, for fistula indicator for continuous and thoracic drainage	2M85013
F	Cap, for secretion jar, w/ overflow safeguard and pressure relief valve (≥ 0.1 kPa)	2M85012

Figure 1 displays the components of the microfluidic system. Panel A shows a syringe pump (MT-112-2001) with a syringe. Panel B shows a coiled tubing (MT-2568-95). Panel C shows a straight tubing (MT-2219-92). Panel D shows a base (MT-21146-96) with two ports. Panel E shows components (MT-2335-96) including a syringe, tubing, and a red tube. Panel F shows a base (MT-21145-96) with two ports.


Not all articles are available worldwide.



BRONCHIAL ASPIRATION


A	Secretion jar, PSU (Polysulfone), reusable, 300 mL, autoclavable up to 134°C	2M86207
B	Secretion jar, PSU (Polysulfone), reusable, 700 mL, autoclavable up to 134°C	2M85594
C	Elbow, angled hose connection for secretion jar caps	2M19063
D	Shut-off valve for VarioVac®, for temporary opening and closing of suction flow	MP00570
E	Secretion control glass	M07582

A




MT-10979-2006

B




D-7359-2011

C




MT-2492-95

D



D-10325-2011

E




D-10787-2018

BRONCHIAL ASPIRATION


A	Cap for VarioVac® + VarioAir® B/OR, neutral color, 10 pcs.	MP00496
B	Cap for VarioVac® + VarioAir® B/OR, ISO, 10 pcs.	MP00494
A	Cap for VarioVac® P + VarioAir®, neutral color, 10 pcs.	MP00657
B	Cap for VarioVac® P + VarioAir®, ISO, 10 pcs.	MP00656
C	Pressure gauge for VarioVac®+VarioAir®, double scale kPa/mmHg, -100 kPa (-1000 mbar)	MP00578
D	Pressure gauge for VarioVac®+VarioAir®, double scale kPa/mmHg, -60 kPa (-600 mbar)	MP00580
E	Pressure gauge -100 kPa MRI double scale kPa/ mmHg, -100 kPa (-1000 mbar)	MP03589
F	Pressure gauge -60 kPa MRI double scale kPa/ mmHg, -60 kPa (-600 mbar)	MP03587

A




MT-4501-2005

B




MT-4031-2006

C




D-28496-2009

D




D-33499-2009

E



D-10414-2016

F



D-10413-2016

BRONCHIAL ASPIRATION

A	Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set	2M86757
B	Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm, for secretion jars Medela	MP00634
C	Universal holder for wall rails 25 × 8 to 35 × 10 mm w. M5 drill hole 15 mm distance	MP00635
D	Universal holder for wall rails 25 × 8 to 35 × 10 mm w. M5 drill hole 22 mm distance	MP00636
E	Universal holder flex 15 for wall rails 25 × 8 to 35 × 10 mm w. bottle screw	MP00637




MEDICAL ASPIRATION

3.2 OR aspiration

During surgical, endoscopic and minimally invasive procedures you do not have to abandon the easy use of these products. A modular design facilitates the easy replacement of components and allows the system to be upgraded with any of Dräger's rail-mounted accessories. The negative pressure can be generated either by a vacuum regulator or an ejector.

An overflow safeguard in the secretion jar and an additional protection jar reduce the risk of contamination of the drive element and the pressure or vacuum generating system. The OR aspirators can be connected either to the central vacuum system or, when used with an ejector drive unit, to the piped oxygen or medical air supply system.



1	MP00505	VarioVac® B/OR Rail
	MP00516	Dual VarioVac® B/OR Rail
2	MP00535	VarioAir® B/OR Rail
3	MP00552	VarioO2® B/OR Rail
	2M85441	Trolley, for OR suction unit
5	2M86752	OR aspirator Evac 40, 230 V

6	MP03231	Cap secretion jar Medela*
7	MP03230	Secretion jar 3 L Medela*
8	MP03233	Connection hose Medela*
9	MP03232	Switchover valve Medela*
10	MP00634	Universal holder profile 30 × 5
11	2M86758	Protection jar
12	2M85446	CS connection hose holder
13	2M85239	Suction hose holder
14	MX37021	Bacterial filter, disposable, for Evac 40


\*Made by Medela AG, Schweiz

OR ASPIRATION

3.2 OR ASPIRATION

A	<b>Vacuum regulator VarioVac® B/OR Rail, for bronchial suction, gas connection VAC</b>	<b>MP00505</b>
Technical data:		
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)	
Maximum suction flow:	55 L/min	
Weight:	600 to 800 g (800 g for rail versions)	
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)	
Maximum sound level:	43 dB(A)	
Hose nozzle:	Ø 6 mm	
Bacterial retention:	99.99998% (with VarioSafe)*	
Viral retention:	99.9998% (with VarioSafe)*	
*Test has been performed by Nelson Lab, USA, before 2010		
B	<b>Vacuum regulator dual VarioVac® B/OR Rail, for bronchial suction, gas connection VAC</b>	<b>MP00516</b>
Weight: 1,700 g		
Dimensions (W/H/D) in mm: 200 × 210 × 210 (without VarioSafe) 200 × 340 × 210 (with VarioSafe)		
C	<b>Ejector VarioAir® B/OR Rail, for bronchial-+OR suction, gas connection AIR</b>	<b>MP00535</b>
C	<b>Ejector VarioO2® B/OR Rail, for bronchial-+OR suction, gas connection O<sub>2</sub></b>	<b>MP00552</b>
Technical data:		
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)	
Minimum suction flow:	40 L/min	
Inlet pressure range:	4 to 5.5 bar	
Maximum gas consumption:	55 L/min	
Weight:	800 g	
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)	
Maximum sound level:	57 dB(A)	
Hose nozzle:	Ø 6 mm	
Pressure relief valve:	Ex 0.1 kPa (1 mbar)	
Bacterial retention:	99.99998% (with VarioSafe)*	
Viral retention:	99.9998% (with VarioSafe)*	
*Test has been performed by Nelson Lab, USA, before 2010		


For CS hoses please refer to chapter "Accessory for gas supply".



OR ASPIRATION

A	<b>Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars</b>		<b>2M85441</b>												
<hr/>															
	<b>Evac 40</b>														
<hr/>															
	<p>The portable electrical aspirator Evac 40 is used for the aspiration and collection of secretions, body fluids, tissue parts and lavage fluids during surgical, endoscopic or minimally invasive procedures. The vacuum pump with membrane technology is designed for continuous operation and distinguishes itself by its quiet running properties. With the foot switch the aspiration can be easily started or stopped.</p>														
	<p>Technical data:</p> <table><tr><td>Maximum vacuum:</td><td>-90 to 0 kPa (-900 to 0 mbar)</td></tr><tr><td>Maximum suction flow:</td><td>40 L/min</td></tr><tr><td>Secretion jars:</td><td>2 × 3 L optional</td></tr><tr><td>Weight:</td><td>18 kg</td></tr><tr><td>Dimensions (W/H/D) in mm:</td><td>435 × 999 × 436</td></tr><tr><td>Maximum sound level:</td><td>58 dB(A)</td></tr></table>			Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)	Maximum suction flow:	40 L/min	Secretion jars:	2 × 3 L optional	Weight:	18 kg	Dimensions (W/H/D) in mm:	435 × 999 × 436	Maximum sound level:	58 dB(A)
Maximum vacuum:	-90 to 0 kPa (-900 to 0 mbar)														
Maximum suction flow:	40 L/min														
Secretion jars:	2 × 3 L optional														
Weight:	18 kg														
Dimensions (W/H/D) in mm:	435 × 999 × 436														
Maximum sound level:	58 dB(A)														
<hr/>															
B	<b>OR aspirator Evac 40, mains plug DIN, rated voltage 230 V, 50/60 Hz</b>		<b>2M86752</b>												
<hr/>															
C	<b>Secretion jar 3 L Medela*</b>		<b>MP03230</b>												
<hr/>															
D	<b>Cap secretion jar Medela*</b>		<b>MP03231</b>												
<hr/>															
E	<b>Switchover valve Medela*</b>		<b>MP03232</b>												
<hr/>															
	<b>Connection hose Medela*</b>		<b>MP03233</b>												
<hr/>															

Not all articles are available worldwide.



Not all articles are available worldwide.

OR ASPIRATION

A	Protection jar, PSU (polysulfone), reusable, w/ rail clamp, autoclav. up to 134 °C	2M86758
B	Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set	2M86757
C	Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm, for secretion jars Medela	MP00634
D	Bacterial filter, disposable, for Evac 40, 10 pcs.	MX37021
E	CS connection hose holder	2M85446
F	Suction hose holder, suitable for various diameters	2M85239




MEDICAL ASPIRATION

3.3 Continuous and thoracic drainages

Continuous drainages are used for drainage of secretion, blood and/or air from body cavities over long periods, following operations, particularly after open-thorax surgery.

All of Dräger's continuous drainages are made from high-quality materials and are designed with space in mind. Individual solutions allows you to choose between pneumatic or electrical driven drainages, while also assisting you in optimizing your specific needs and requirements.



1	MP00507	VarioVac® D DIN	5	MP00542	VarioAir® D Rail
	MP00508	VarioVac® D BS		MP00543	VarioAir® T Rail
	MP00509	VarioVac® D NF	6	MP00544	VarioAir® T Rail WV
	MP00510	VarioVac® D AGA	7	2M85153	Continuous drainage 3
	MP00515	VarioVac® D CARBA	8	2M85151	Continuous drainage 1
2	MP00511	VarioVac® D Rail	9	2M85056	Secretion jar set
	MP00663	VarioVac® T Rail	10	2M85607	Secretion jar set, with protection jar
3	MP00512	VarioVac® T Rail WV	11	2M85163	Secretion jar set, with rail holder and secretion jar 700 mL
4	MP00537	VarioAir® D DIN	12	MP00518	Water vacuum gauge
	MP00538	VarioAir® D BS	13	M26859	Wall holder
	MP00539	VarioAir® D NF	14	M26842	Rail clamp lever type
	MP00540	VarioAir® D AGA	15	2M85119	Ceiling holder
	MP00541	VarioAir® D UNI	16	2M85446	CS connection hose holder
	MP00549	VarioAir® D CARBA	17	2M85239	Suction hose holder
	MP00553	VarioAir® T DIN	18	6723976	Bacterial filter 767, for ejectors (until 2010)

CONTINUOUS AND THORACIC DRAINAGES

3.3 CONTINUOUS AND THORACIC DRAINAGES

The vacuum regulator is directly connected to a central vacuum supply, or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides. All plastic parts (with the exception of the manometer) are autoclavable up to 134 °C.

All vacuum regulators include a shut-off valve. You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:	
Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 L/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*
*Test has been performed by Nelson Lab, USA, before 2010	

A	Vacuum regulator VarioVac® D DIN, for continuous and wound drainage, gas connection VAC	MP00507
B	Vacuum regulator VarioVac® D BS, for continuous and wound drainage, gas connection VAC	MP00508
C	Vacuum regulator VarioVac® D NF, for continuous and wound drainage, gas connection VAC	MP00509
D	Vacuum regulator VarioVac® D AGA, for continuous and wound drainage, gas connection VAC	MP00510
E	Vacuum regulator VarioVac® D CARBA, for continuous and wound drainage, gas connection VAC	MP00515
F	Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connection VAC	MP00511

For CS hoses please refer to chapter "Accessory for gas supply".



CONTINUOUS AND THORACIC DRAINAGES

A	Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included, for connection to all standard wall rails	MP00512
For connecting via CS vacuum connection hose. Double-scaled immersion pipe (kPa and cmH <sub>2</sub> O). The filter MK00514 protects the product and the central vacuum supply against contamination. Two filters are included in the scope of delivery.		
Technical data:		
Maximum vacuum:	-5 to 0 kPa (-50 to 0 mbar)	
Minimum suction flow:	15 L/min	
Weight:	1,100 g	
Dimensions (W/H/D) in mm:	80 × 860 × 160	
Maximum sound level:	40 dB(A)	
Hose nozzle:	Ø 6 mm	
Bacterial retention:	99.999%	
Viral retention:	99.999%	

B

Vacuum regulator VarioVac® T Rail,  
for thoracic drainage, gas connection VAC,  
for connection to all standard wall rails

MP00663

For connecting via CS vacuum connecting hose.  
The gas supply is ensured by VAC connection hose.

Technical data:

Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
Minimum Flow:	15 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB(A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*

\*Test has been performed by Nelson Lab, USA, before 2010

<b>C</b>	<b>Vacuum regulator VarioVac® T DIN, for thoracic drainage, gas connection VAC, for connecting to the central vacuum supply</b>	<b>MP00664</b>
	Technical data:	
	Maximum vacuum:	-7 to 0 kPa (-70 to 0 mbar)
	Minimum Flow:	15 L/min
	Weight:	800 g
	Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
	Maximum sound level:	50 dB(A)
	Hose nozzle:	Ø 6 mm
	Bacterial retention:	99.99998% (with VarioSafe)*
	Viral retention:	99.9998% (with VarioSafe)*
*Test has been performed by Nelson Lab, USA, before 2010		

For CS hoses please refer to chapter "Accessory for gas supply".






CONTINUOUS AND THORACIC DRAINAGES

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -16 kPa (-160 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side. A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

Technical data:	
Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	45 dB(A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*
*Test has been performed by Nelson Lab, USA, before 2010	

A	Ejector VarioAir® D DIN, for continuous and wound drainage, gas connection AIR	MP00537
B	Ejector VarioAir® D BS, for continuous and wound drainage, gas connection AIR	MP00538
C	Ejector VarioAir® D NF, for continuous and wound drainage, gas connection AIR	MP00539
D	Ejector VarioAir® D AGA, for continuous and wound drainage, gas connection AIR	MP00540
E	Ejector VarioAir® D UNI, for continuous and wound drainage, gas connection AIR	MP00541
F	Ejector VarioAir® D CARBA, for continuous and wound drainage, gas connection AIR	MP00549
G	Ejector VarioAir® D Rail, for continuous and wound drainage, gas connection AIR, for connection to all standard wall rails	MP00542
For gas supply via CS vacuum connection hose. Connection thread: NIST.		

For CS hoses please refer to chapter "Accessory for gas supply".



CONTINUOUS AND THORACIC DRAINAGES

A

Ejector VarioAir® T Rail WV, for thoracic drainage,  
with water vacuum gauge,  
for connection to all standard wall rails

MP00544

For gas supply via CS vacuum connection hose.

Connection thread: NIST.

Double-scaled immersion pipe (kPa and cmH<sub>2</sub>O).

The filter MK00514 protects the product and the  
central vacuum supply against contamination.

Two filters are included in the scope of delivery.

Technical data:

Maximum vacuum:

-5 to 0 kPa (-50 to 0 mbar)

Minimum suction flow:

15 L/min

Maximum gas consumption:

30 L/min

Weight:

1,100 g

Dimensions (W/H/D) in mm:

80 × 860 × 160

Maximum sound level:

50 dB(A)

Hose nozzle:

Ø 6 mm

Bacterial retention:

99.999%

Viral retention:

99.999%

B

Ejector VarioAir® T Rail,  
for thoracic drainage, gas connection NIST AIR,  
for connection to all standard wall rails

MP00543

The gas supply is ensured by AIR connection hose.

Technical data:

Maximum vacuum:

-7 to 0 kPa (-70 to 0 mbar)

Minimum suction flow:

15 L/min

Maximum gas consumption:

30 L/min

Maximum sound level:

40 dB(A)

Bacterial retention:

99.99998% (with VarioSafe)\*

Viral retention:

99.9998% (with VarioSafe)\*

\*Test has been performed by Nelson Lab, USA, before 2010

C

Ejector VarioAir® T DIN,  
for thoracic drainage, gas connection DIN,  
for connecting to the central AIR supply  
according to DIN standard

MP00553

Technical data:

Maximum vacuum:

-7 to 0 kPa (-70 to 0 mbar)

Minimum suction flow:

15 L/min

Maximum gas consumption:

30 L/min

Maximum sound level:

40 dB(A)

Bacterial retention:


99.99998% (with VarioSafe)\*

Viral retention:

99.9998% (with VarioSafe)\*

\*Test has been performed by Nelson Lab, USA, before 2010

For CS hoses please refer to chapter "Accessory for gas supply".



CONTINUOUS AND THORACIC DRAINAGES

The vacuum can either be generated by an ejector or via a vacuum regulator. When used with the ejector, a bacterial filter reliably protects against contamination of the environment. All these pneumatic continuous drainages can be used in potentially explosive areas.  
All parts which may become contaminated can be autoclaved at up to 134 °C.

The continuous drainage systems 1 and 3 can be used for continuous- and wound drainage as well as for thoracic drainage in the combination with a regulator from the VarioVac® D and VarioAir® D series. An additional precision regulator make it easy to adjust lowest vacuum levels.

- A

**Continuous drainage 1, for continuous and wound drainage, precision regulator, fistula indicator and bacterial filter 767 included, capacity 700 mL, maximum capacity up to the overflow safeguard 1000 mL, scale in steps of 10 mL up to max. 700 mL**

2M85151

Technical data:  
Maximum vacuum: -10 to 0 kPa (-100 to 0 mbar)  
Maximum suction flow: 14 L/min  
Weight: 3 kg (empty)  
Dimensions (W/H/D) in mm: 285 × 340 × 160

- B

**Continuous drainage 3, for continuous, wound, and thoracic drainage, precision regulator, water vacuummeter, fistula indicator and bacterial filter 767 included, capacity 700 mL, maximum capacity up to the overflow safeguard 1000 mL, scale in steps of 10 mL up to max. 700 mL**

2M85153

Technical data:  
Maximum vacuum: -5 to 0 kPa (-50 to 0 mbar)  
Maximum suction flow: 14 L/min  
Weight: 5.5 kg (empty)  
Dimensions (W/H/D) in mm: 260 × 800 × 180



CONTINUOUS AND THORACIC DRAINAGES

- A

**Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included, for connection to all standard wall rails immersion pipe is scaled (kPa und cmH<sub>2</sub>O)**

MP00512

For connecting via CS vacuum connection hose.  
The filter MK00514 protects the product and the central vacuum supply against contamination.  
Two filters are included in the scope of delivery.

Technical data:  
Maximum vacuum: -5 to 0 kPa (-50 to 0 mbar)  
Minimum suction flow: 15 L/min  
Weight: 1,100 g  
Dimensions (W/H/D) in mm: 80 × 860 × 160  
Maximum sound level: 40 dB(A)  
Hose nozzle: Ø 6 mm  
Bacterial retention: 99.999%  
Viral retention: 99.999%  
For CS hoses please refer to chapter "Accessory for gas supply".

- B

**Water vacuum gauge, for thor. drainage, combination w/ VarioVac® D + VarioAir® D, for connection to all standard wall rails, double-scaled immersion pipe (kPa and cmH<sub>2</sub>O)**

MP00518

Technical data:  
Maximum vacuum: -5 to 0 kPa (-50 to 0 mbar)  
Maximum suction flow: 10 L/min  
Pressure relief valve: from 0.1 kPa on (1 mbar)  
Hose nozzle: 2 × Ø 6 mm  
Weight: 1 kg (empty)  
Dimensions (W/H/D) in mm: 80 × 860 × 160

- C

**Secretion jar set, with rail holder and secretion jar 700 mL, for continuous drainage units**

2M85163

- D

**Cylinder support**

2M85180




## CONTINUOUS AND THORACIC DRAINAGES

<b>A Bacterial filter 767, for ejectors (model range until 2010), 5 pcs.</b>	<b>6723976</b>
<b>A Bacterial filter 767, disposable, for ejectors (model range until 2010)</b>	<b>CH00102</b>
<p>The filter 767 reliably protects the ejector and the patient environment against contamination.</p>	
<p>Technical data:</p>	
<p>Bacterial retention:</p>	<p>99.992%**</p>
<p>Viral retention:</p>	<p>99.99%**</p>
<p>Material:</p>	<p>PS (polystyrol)</p>
<p>Recommended duration of use:</p>	<p>14 days</p>
<p>Filtration method:</p>	<p>Mechanical (HEPA)**</p>
<b>B Bacterial filter disposable, 20 pcs.</b>	<b>MK00514</b>
<p>You can use the bacterial filter to reliably protect the suction devices against contamination.</p>	
<p>Technical data:</p>	
<p>Bacterial retention:</p>	<p>99.999%**</p>
<p>Viral retention:</p>	<p>99.999%**</p>
<p>Material:</p>	<p>Acryl</p>
<p>Recommended duration of use:</p>	<p>7 days</p>
<p>Filtration method:</p>	<p>Hydrophobic (HEPA)**</p>
<b>C Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs.</b>	<b>MP00555</b>
<p>The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.</p>	
<p>Technical data:</p>	
<p>Maximum capacity:</p>	<p>90 mL</p>
<p>Bacterial retention:</p>	<p>99.99998%*</p>
<p>Viral retention:</p>	<p>99.9998%*</p>
<p>Material:</p>	<p>PS (polystyrol)</p>
<p>Recommended duration of use:</p>	<p>7 days</p>
<p>Filtration method:</p>	<p>Mechanical and hydrophobic (HEPA)*</p>

\*Test has been performed by Nelson Lab, USA, before 2010  
 \*\*According to EN 1822-1:1998 Filter for suspended particles (HEPA and ULPA)

Not all articles are available worldwide.



## CONTINUOUS AND THORACIC DRAINAGES

A	Immersion tube, for continuous drainages, not scaled	M16395
	Rubber plug, for immersion tube of water vacuum gauge	2M85139
B	Water container, for continuous drainage system 2 – 4, w/o screw thread	M20668
C	Cap for VarioVac® + VarioAir® D, neutral color, 10 pcs.	MP00497
D	Cap for VarioVac® + VarioAir® D, ISO, 10 pcs.	MP00495
	Cap for VarioAir® + VarioVac® T, bw	MP00659
	Cap for VarioAir® + VarioVac® T, ISO	MP00658
E	Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -16 kPa (-160 mbar)	MP00579
F	Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -8 kPa (-80 mbar)	MP03597



Not all articles are available worldwide.

CONTINUOUS AND THORACIC DRAINAGES

A	Immersion tube, for water vacuum gauge of for VarioVac® T + VarioAir® T, scaled	MP00569
B	Locking screw, for immersion tube, with gaskets, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00596
C	Water container with screw thread + gaskets, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00565
D	Cap for water vacuum gauge, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518), including gaskets, combination possible with filter MK00514 and plug nozzle MP00566	MP00595
E	Plug nozzle water vacuum gauge, for VarioVac® T Rail WV (MP00512), VarioAir® T Rail WV (MP00544) and water vacuum gauge (MP00518)	MP00566



ACCESSORY FOR GAS SUPPLY

4. ACCESSORY FOR GAS SUPPLY		
4.1 CS HOSES		
CS hoses, several hoses to connect flowmeter with the central supply		8601697
4.1.1 GERMAN STANDARD – DIN		
A	O <sub>2</sub> CS hose 0.9 m (2.95 ft) NIST EN DIN	M36729
	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN DIN	M35489
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN DIN	M35490
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN DIN	M35491
B	AIR CS hose 0.9 m (2.95 ft) NIST EN DIN	M36730
	AIR CS hose 1.5 m (4.9 ft) NIST EN DIN	M35495
	AIR CS hose 3 m (9.8 ft) NIST EN DIN	M35496
	AIR CS hose 5 m (16.4 ft) NIST EN DIN	M35497
C	VAC CS hose 1.5 m (4.9 ft) NIST EN DIN	M35498
	VAC CS hose 3 m (9.8 ft) NIST EN DIN	M35499
	VAC CS hose 5 m (16.4 ft) NIST EN DIN	M36000
D	AIR/O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN DIN	M36001
	AIR/O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN DIN	M36002
	AIR/O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN DIN	M36003
E	N <sub>2</sub> O CS hose 0.9 m (2.95 ft) NIST EN DIN	M36731
	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN DIN	M35492
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN DIN	M35493
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN DIN	M35494





ACCESSORY FOR GAS SUPPLY

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36004
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36005
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36006
B	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012
C	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36013
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36014
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36015
D	AIR/O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36016
	AIR/O <sub>2</sub> CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36017
	AIR/O <sub>2</sub> CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36018
E	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36007
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36008
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36009



ACCESSORY FOR GAS SUPPLY

4.1.2 FRENCH STANDARD – NF

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN NF	M35416
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN NF	M35417
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN NF	M35330
B	AIR CS hose 1.5 m (4.9 ft) NIST EN NF	M35420
	AIR CS hose 3 m (9.8 ft) NIST EN NF	M35421
	AIR CS hose 5 m (16.4 ft) NIST EN NF	M35332
C	VAC CS hose 1.5 m (4.9 ft) NIST EN NF	M35422
	VAC CS hose 3 m (9.8 ft) NIST EN NF	M35423
	VAC CS hose 5 m (16.4 ft) NIST EN NF	M35424
D	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN NF	M35418
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN NF	M35419
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN NF	M35331
E	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35434
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35435
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35436
F	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35452
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35453
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35454
G	VAC CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35455
	VAC CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35456
	VAC CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35457





ACCESSORY FOR GAS SUPPLY

A	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST NEUTRAL NF	M35437
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST NEUTRAL NF	M35438
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST NEUTRAL NF	M35439
B	O <sub>2</sub> CS hose 0.9 m (2.95 ft) NF EN NF	M36723
	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NF EN NF	M35425
	O <sub>2</sub> CS hose 3 m (9.8 ft) NF EN NF	M35426
	O <sub>2</sub> CS hose 5 m (16.4 ft) NF EN NF	M35342
C	AIR CS hose 0.9 m (2.95 ft) NF EN NF	M36724
	AIR CS hose 1.5 m (4.9 ft) NF EN NF	M35429
	AIR CS hose 3 m (9.8 ft) NF EN NF	M35430
	AIR CS hose 5 m (16.4 ft) NF EN NF	M35343
D	VAC CS hose 1.5 m (4.9 ft) NF EN NF	M35431
	VAC CS hose 3 m (9.8 ft) NF EN NF	M35432
	VAC CS hose 5 m (16.4 ft) NF EN NF	M35433
E	N <sub>2</sub> O CS hose 0.9 m (2.95 ft) NF EN NF	M36725
	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NF EN NF	M35427
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NF EN NF	M35428
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NF EN NF	M35344



ACCESSORY FOR GAS SUPPLY

4.1.3 BRITISH STANDARD – BS

A	O <sub>2</sub> CS hose 0.9 m (2.95 ft) NIST EN BS	M36726
	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN BS	M35389
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN BS	M35390
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN BS	M35333
B	AIR CS hose 0.9 m (2.95 ft) NIST EN BS	M36727
	AIR CS hose 1.5 m (4.9 ft) NIST EN BS	M35393
	AIR CS hose 3 m (9.8 ft) NIST EN BS	M35394
	AIR CS hose 5 m (16.4 ft) NIST EN BS	M35335
C	VAC CS hose 1.5 m (4.9 ft) NIST EN BS	M35395
	VAC CS hose 3 m (9.8 ft) NIST EN BS	M35396
	VAC CS hose 5 m (16.4 ft) NIST EN BS	M35397
D	N <sub>2</sub> O CS hose 0.9 m (2.95 ft) NIST EN BS	M36728
	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN BS	M35391
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN BS	M35392
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN BS	M35334



ACCESSORY FOR GAS SUPPLY

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35398
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN BS straight	M35399
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN BS straight	M35339
B	AIR CS hose 1.5 m (4.9 ft) NIST BS straight	M35402
	AIR CS hose 3 m (9.8 ft) NIST BS straight	M35403
	AIR CS hose 5 m (16.4 ft) NIST BS straight	M35340
C	VAC CS hose 1.5 m (4.9 ft) NIST BS straight	M35404
	VAC CS hose 3 m (9.8 ft) NIST BS straight	M35405
	VAC CS hose 5 m (16.4 ft) NIST BS straight	M35406
D	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN BS straight	M35400
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN BS straight	M35401
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN BS straight	M35341

D-2280-2014



D-2281-2014



D-2283-2014



D-10471-2016



ACCESSORY FOR GAS SUPPLY

4.1.4 SWEDEN STANDARD – SS

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN SS	M35375
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN SS	M35376
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN SS	M35377
B	AIR CS hose 1.5 m (4.9 ft) NIST EN SS	M35383
	AIR CS hose 3 m (9.8 ft) NIST EN SS	M35384
	AIR CS hose 5 m (16.4 ft) NIST EN SS	M35385
C	VAC CS hose 1.5 m (4.9 ft) NIST EN SS	M35386
	VAC CS hose 3 m (9.8 ft) NIST EN SS	M35387
	VAC CS hose 5 m (16.4 ft) NIST EN SS	M35388
D	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN SS	M35378
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN SS	M35379
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN SS	M35382

D-2284-2014



D-2285-2014



D-2286-2014



D-11087-2016



ACCESSORY FOR GAS SUPPLY

4.1.5 SWISS STANDARD – CARBA

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN Carba	M35469
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN Carba	M35472
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN Carba	M35345
B	AIR CS hose 1.5 m (4.9 ft) NIST EN Carba	M35475
	AIR CS hose 3 m (9.8 ft) NIST EN Carba	M35476
	AIR CS hose 5 m (16.4 ft) NIST EN Carba	M35346
C	VAC CS hose 1.5 m (4.9 ft) NIST EN Carba	M35477
	VAC CS hose 3 m (9.8 ft) NIST EN Carba	M35478
	VAC CS hose 5 m (16.4 ft) NIST EN Carba	M35479
D	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN Carba	M35473
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN Carba	M35474
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN Carba	M35347

A

D-10480-2016



B

D-10458-2016



C

D-10478-2016



D

D-10469-2016



ACCESSORY FOR GAS SUPPLY

4.1.6 ITALIAN STANDARD – UNI

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN UNI	M35407
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN UNI	M35408
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN UNI	M35357
B	AIR CS hose 1.5 m (4.9 ft) NIST EN UNI	M35411
	AIR CS hose 3 m (9.8 ft) NIST EN UNI	M35412
	AIR CS hose 5 m (16.4 ft) NIST EN UNI	M35358
C	VAC CS hose 1.5 m (4.9 ft) NIST EN UNI	M35413
	VAC CS hose 3 m (9.8 ft) NIST EN UNI	M35414
	VAC CS hose 5 m (16.4 ft) NIST EN UNI	M35415
D	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN UNI	M35409
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN UNI	M35410
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN UNI	M35359

A

D-10482-2016



B

D-10476-2016



C

D-11089-2016



D

D-11088-2016



ACCESSORY FOR GAS SUPPLY

4.1.7 AUSTRALIAN STANDARD – AS

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST EN AS	M36153
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST EN AS	M36152
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST EN AS	M36151
B	AIR CS hose 1.5 m (4.9 ft) NIST EN AS	M36150
	AIR CS hose 3 m (9.8 ft) NIST EN AS	M36149
	AIR CS hose 5 m (16.4 ft) NIST EN AS	M36148
C	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST EN AS	M36156
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST EN AS	M36155
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST EN AS	M36154
D	VAC CS hose 1.5 m (4.9 ft) NIST EN AS	M36826
	VAC CS hose 3 m (9.8 ft) NIST EN AS	M36827
	VAC CS hose 5 m (16.4 ft) NIST EN AS	M36828

A

D-10479-2016



B

D-10475-2016



C

D-10468-2016



D

D-12626-2018



ACCESSORY FOR GAS SUPPLY

4.1.8 JAPANESE STANDARD – KAWA

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) DISS US KAWA	M35806
	O <sub>2</sub> CS hose 3 m (9.8 ft) DISS US KAWA	M35805
	O <sub>2</sub> CS hose 5 m (16.4 ft) DISS US KAWA	M35804
	O <sub>2</sub> CS hose 8 m (26,25 ft) DISS US KAWA	M35866
B	AIR CS hose 1.5 m (4.9 ft) DISS US KAWA	M35803
	AIR CS hose 3 m (9.8 ft) DISS US KAWA	M35802
	AIR CS hose 5 m (16.4 ft) DISS US KAWA	M35801
	AIR CS hose 8 m (26,25 ft) DISS US KAWA	M35865
C	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) DISS US KAWA	M35809
	N <sub>2</sub> O CS hose 3 m (9.8 ft) DISS US KAWA	M35808
	N <sub>2</sub> O CS hose 5 m (16.4 ft) DISS US KAWA	M35807
	N <sub>2</sub> O CS hose 8 m (26,25 ft) DISS US KAWA	M35867
D	VAC CS hose 5 m (16.4 ft) DISS JIS KAWA	M35820

A

D-10453-2016



B

D-10461-2016



C

D-10470-2016



D

D-11090-2016



ACCESSORY FOR GAS SUPPLY

4.1.9 US AMERICAN STANDARD – US

A	CS hose O <sub>2</sub> DISS N/DISS N 10L	4185140
	CS hose O <sub>2</sub> DISS N/DISS N 15L	4185141
	CS hose O <sub>2</sub> DISS N/DISS N 20L	4199714
B	CS hose O <sub>2</sub> DISS Hand 10L	4199592
	CS hose O <sub>2</sub> DISS Hand 15L	4199591
C	CS hose AIR DISS N/DISS N 10L	4199605
	CS hose AIR DISS N/DISS N 15L	4199604
	CS hose AIR DISS N/DISS N 20L	4199712
D	CS hose AIR DISS Hand 10L	4199594
	CS hose AIR DISS Hand 15L	4199593
E	CS hose VAC DISS N/DISS N 10L	4199602
	CS hose VAC DISS N/DISS N 15L	4199601
	CS hose VAC DISS N/DISS N 20L	4199600
F	CS hose VAC DISS Hand 10L	4199590
	CS hose VAC DISS Hand 15L	4199589

A



D-10474-2016

B



D-10454-2016

C



D-10463-2016

D



D-10462-2016

E



D-10467-2016

F



D-10466-2016

ACCESSORY FOR GAS SUPPLY

A	CS hose N <sub>2</sub> O DISS N/DISS N 10L	4185142
	CS hose N <sub>2</sub> O DISS N/DISS N 15L	4185143
	CS hose N <sub>2</sub> O DISS N/DISS N 20L	4199713
B	CS hose N <sub>2</sub> O DISS Hand 10L	4199596
	CS hose N <sub>2</sub> O DISS Hand 15L	4199595
C	CS hose EVAC DISS N/DISS N 10L	4199599
	CS hose EVAC DISS N/DISS N 15L	4199598
	CS hose EVAC DISS N/DISS N 20L	4199597
D	CS hose EVAC DISS Hand 10L	4199588
	CS hose EVAC DISS Hand 15L	4199587

A



D-10450-2016

B



D-10451-2016

C



D-10455-2016

D



D-10459-2016



ACCESSORY FOR GAS SUPPLY

4.1.10 CANADIAN STANDARD – CA

A	O <sub>2</sub> CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36290
	O <sub>2</sub> CS hose 3 m (9.8 ft) DISSB EN HAND	M36291
	O <sub>2</sub> CS hose 5 m (16.4 ft) DISSB EN HAND	M36292
B	AIR CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36296
	AIR CS hose 3 m (9.8 ft) DISSB EN HAND	M36297
	AIR CS hose 5 m (16.4 ft) DISSB EN HAND	M36298
C	VAC CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36299
	VAC CS hose 3 m (9.8 ft) DISSB EN HAND	M36300
	VAC CS hose 5 m (16.4 ft) DISSB EN HAND	M36301
D	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) DISSB EN HAND	M36293
	N <sub>2</sub> O CS hose 3 m (9.8 ft) DISSB EN HAND	M36294
	N <sub>2</sub> O CS hose 5 m (16.4 ft) DISSB EN HAND	M36295

A



D-10465-2016

B



D-10456-2016

C



D-10460-2016

D



D-10452-2016

ACCESSORY FOR GAS SUPPLY

4.1.11 CHINESE STANDARD – GB

Available from June 2017.

	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST GB BS	M36732
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST GB BS	M36733
	AIR CS hose 3 m (9.8 ft) NIST GB BS	M36736
	AIR CS hose 5 m (16.4 ft) NIST GB BS	M36737
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST GB BS	M36734
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST GB BS	M36735
A	O <sub>2</sub> CS hose 0.9 m (2.95 ft) NIST GB DIN	M36784
	O <sub>2</sub> CS hose 1.5 m (4.9 ft) NIST GB DIN	M36785
	O <sub>2</sub> CS hose 3 m (9.8 ft) NIST GB DIN	M36738
	O <sub>2</sub> CS hose 5 m (16.4 ft) NIST GB DIN	M36739
B	N <sub>2</sub> O CS hose 0.9 m (2.95 ft) NIST GB DIN	M36788
	N <sub>2</sub> O CS hose 1.5 m (4.9 ft) NIST GB DIN	M36789
	N <sub>2</sub> O CS hose 3 m (9.8 ft) NIST GB DIN	M36740
	N <sub>2</sub> O CS hose 5 m (16.4 ft) NIST GB DIN	M36741
	AIR CS hose 0.9 m (2.95 ft) NIST GB DIN	M36786
	AIR CS hose 1.5 m (4.9 ft) NIST NEUTRAL DIN	M36010
	AIR CS hose 3 m (9.8 ft) NIST NEUTRAL DIN	M36011
	AIR CS hose 5 m (16.4 ft) NIST NEUTRAL DIN	M36012

A



D-6367-2017

B



D-6366-201

ACCESSORY FOR GAS SUPPLY

4.2 ADAPTER

A	Adapter DISS M/QC-N <sub>2</sub> O-Chemetron*	4119065
	Adapter DISS M/QC-AIR-Chemetron*	4119066
	Adapter DISS M/QC-VAC-Chemetron*	4119067
	Adapter DISS M/QC-O <sub>2</sub> -Chemetron*	4119068
	Adapter DISS M/QC-EVAC-Chemetron*	4119069
B	Adapter DISS M/QC-N <sub>2</sub> O-Ohmeda*	4119070
	Adapter DISS M/QC-AIR-Ohmeda*	4119071
	Adapter DISS M/QC-VAC-Ohmeda*	4119072
	Adapter DISS M/QC-O <sub>2</sub> -Ohmeda*	4119073
	Adapter DISS M/QC-EVAC-Ohmeda*	4119074
C	Adapter DISS M/QC-N <sub>2</sub> O-Pur Ben*	4119075
	Adapter DISS M/QC-AIR-Pur Ben*	4119076
	Adapter DISS M/QC-VAC-Pur Ben*	4119077
	Adapter DISS M/QC-O <sub>2</sub> -Pur Ben*	4119078
	Adapter DISS M/QC-EVAC-Pur Ben*	4119079
	Adapter DISS M/QC-N <sub>2</sub> O-Schrader	4119080
	Adapter DISS M/QC-AIR-Schrader	4119081
	Adapter DISS M/QC-VAC-Schrader	4119082
	Adapter DISS M/QC-O <sub>2</sub> -Schrader	4119083
D	Double-Plug coupling AIR	G01166
	Double-Plug coupling O <sub>2</sub>	G01168
	Double-Plug coupling VAC	G01169

\*Made by Bay Corporation, Ohio, USA



ACCESSORY FOR GAS SUPPLY

A	Adapter O <sub>2</sub> NIST/DIN	M32493
	Adapter N <sub>2</sub> O NIST/DIN	M32494
	Adapter AIR NIST/DIN	M32495
	Adapter VAC NIST/DIN	M32496
	Adapter AIR/O <sub>2</sub> NIST/DIN	M32497
B	Adapter O <sub>2</sub> , DISS-NIST	M34875
	Adapter N <sub>2</sub> O, DISS-NIST	M34876
	Adapter AIR, DISS-NIST	M34877
	Adapter VAC, DISS-NIST	M34878
C	Adapter O <sub>2</sub> NIST/DIN	M35056
	Adapter N <sub>2</sub> O NIST/DIN	M35057
	Adapter AIR NIST/DIN	M35058
	Adapter AIR-O <sub>2</sub> /O <sub>2</sub> NIST/DIN	M36042
D	T-piece AIR NIST	M36056
	T-piece O <sub>2</sub> NIST	M36250
E	Adapter O <sub>2</sub> NF/NIST	M35336
	Adapter N <sub>2</sub> O NF/NIST	M35337
	Adapter AIR NF/NIST	M35338





CONTENT

RAIL ACCESSORIES AND EXAMINATION LIGHT	
1. Rail accessories	315
2. Examination light	320
3. Hinged arms	322

SOMETHING YOU CAN COUNT ON:

- Dräger's solutions provide excellent illumination and working conditions with ideally suited lightning
- Optimal patient care due to easy handling with Quickstop Hinged Arms
- Intelligent workstation concepts through safe interaction of accessory products with hospital installations

6





RAIL ACCESSORIES AND EXAMINATION LIGHT

A	Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	2M85274
B	Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for rapid attachment of devices to 25 × 10 mm standard rail, drilling distance 2.2 cm, for M5 screws	M25739
C	Rail clamp lever type, for the attachment of devices to standard rail, the clamp can be fixed permantly with the device via the included set of screws (M5 thread)	2M85049
D	Rail clamp, for 25 × 10 mm standard rail, drilling distance 22 mm, for M5 screws	M20650
E	Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set	M26842
F	CS connection hose holder	2M85446
G	Suction hose holder, suitable for various diameters	2M85239






A	
B	
C	
D	
E	
F	
G	

Not all articles are available worldwide.

RAIL ACCESSORIES AND EXAMINATION LIGHT

A	Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119
	<b>Wire baskets</b>	
	The wire baskets are used for storage of disposable catheters or dispoables gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).	
B	Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves	M26146
B	Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters	M26145
B	Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters	M25121
	<b>Catheter receptacle</b>	
	These recaptacles are for storage of sterile insufflation catheters. The catheter receptical is provided with a rail clamp and can be attached to intensive care rails. The diameter of the receptal is 50 mm. Catheter receptacle is 50 mm. Catheter receptacle 710 is designed for catheters up to 600 mm (23.6 in) long, and catheter receptacle 510 for catheters up to 400 mm (15.7 in) long.	
C	Rail holder, for catheter receptacle, 12.5 × 8.4 × 18 cm	MP00652
D	Catheter receptacle, large, 12.2 × 25.2 × 12.2 cm (top) and Ø 85 mm (bottom)	MP00650
E	Catheter receptacle, small, 12.2 × 16.6 × 12.2 cm (top) and Ø 60 mm (bottom)	MP00651







Not all articles are available worldwide.

A	
B	
C	
D	
E	








RAIL ACCESSORIES AND EXAMINATION LIGHT

A	Dish, stainless steel, Ø 20.5 cm, with rail clamp	2M85233
B	Telescopic arm, with curtains (2 pcs.), for visually separating patient beds, maximum extension: 160 cm, minimum retraction: 74 cm, minimum retraction when folded: 11 cm	MP00498
C	Curtain clip, for fixing a curtain to telescopic arm	M21112
D	Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)	M24695
	Litter bags, disposable, for litter bag holder, 100 pcs.	M26240
E	Infusion bottle holder, for standard rail, variable height, 3 hooks	M20719
F	Trolley for rail accessories, stainless steel, 2 rails (50 cm each), 55 × 82 × 47 cm	MP00090

A	
B	
C	
D	
E	
F	

RAIL ACCESSORIES AND EXAMINATION LIGHT

A	Cable holder for rail, 10 pcs., cable holder set for guiding cables and hoses along standard rails (25 × 10 mm), consisting of 10 plastic rail clips	G15225
A	Cable holder for support pole, 4 pcs., cable holder set for guiding cables and hoses along support tubes with a diameter of 38 mm (1.5 in), consisting of 4 two-part plastic clamps and screws	G13171
B	Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg	2M85337
C	Extension arm set, for cables and hoses, with cable/hose guide channels	G13040
D	Rail set, attaches to standard rail 25 × 10 mm, provides additional mounting area for all types of rail-mounted accessories and small equipment	G13768
E	Infusion bottle holder set, attaches to standard rail 25 × 10 mm, suitable to accommodate up to 6 infusion bottles	G12985

A	
B	
C	
D	
E	

RAIL ACCESSORIES AND EXAMINATION LIGHT

2. EXAMINATION LIGHT

The Dräger **VarioLux®** offers cool, highly efficient, and variable intensity examination light and was specially designed for use in neonatology and pediatric settings. Made for single-handed operation, it features adjustable color temperature settings as well as a dimmer function.

Operating mode: Continuous operation  
Weight: 1.5 kg (3.3 lbs)  
Electrical values: 100 – 240 V, 50/60 Hz  
Max. illumination intensity Ec at 0.5 m: 30,000 lx  
Dimming levels: 30,000 lx, 24,000 lx, 18,000 lx, 12,000 lx, 7,000 lx

Light field diameter d10 at 0.5 m: 20 cm (7.9 in)  
Light field diameter d50 at 0.5 m: 9 cm (3.5 in)  
Color temperature adjustable: 3,500 K, Warm white (red)

4,100 K, Neutral white (white)  
4,700 K, Cool white (blue)  
Min. service life of bulb (LEDs): > 35,000 h  
Color reproduction index: Ra>= 96 (at 3,500 K)  
R9 = 89 (at 3,500 K)

Max. radiant power at 0.5 m: 105 W/m²

A	Medical examination light VarioLux® with LED technology, EU	MP00601
	Medical examination light VarioLux® with LED technology, US	MP00602
	Medical examination light VarioLux® with LED technology, GB	MP00603
	Medical examination light VarioLux® with LED technology, CHN	MP00604
	Medical examination light VarioLux® with LED technology, BR	MP00605
	Medical examination light VarioLux® with LED technology, AUS	MP00606
	Medical examination light VarioLux® with LED technology, ZA	MP00607
	Medical examination light VarioLux® with LED technology, JPN	MP00608
	Power cable EU, 1.8 m, 2 pin	MP00591
	Power cable US/JPN, 1.8 m, 2 pin	MP00592
	Power cable GB, 1.8 m, 2 pin	MP00593
	Power cable BR, 1.8 m, 2 pin	MP00625
	Power cable AUS, 1.8 m, 2 pin	MP00626
	Power cable ZA, 1.8 m, 2 pin	MP00597



RAIL ACCESSORIES AND EXAMINATION LIGHT

A	Rail claw for lamp	MP00615
B	Turn knob, compl.	MP00587
C	Control panel	MP00589
D	Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	2M85274
E	Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg	2M85337



RAIL ACCESSORIES AND EXAMINATION LIGHT

3. HINGED ARMS

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints can be fixed into place and released with just one quick hand movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

- A

Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses, this arm can be fixed into place without a hand movement through a patent registered friction torque-breaking system, length 1,080 mm, max. load 0.5 kg, includes hose clamps: MP00693 (1x), 8417396 (2x)

MP00690
- B

Hinged arm 240°, 3 hinges, fixable, ball holder system, length 1,135 mm, max. load 0.3 kg, includes hose clamps: MP00493 (1x), 8409841 (1x), 8409746 (1x)

8409609
- C

Hinged arm Quickstop 2, with universal ball holder system for optional accessories length 858 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1x), 8404761 (2x), 8409841 (1x)

2M85706
- D

Hinged arm Quickstop 1, length 847 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1x), 8404761 (3x)

2M85705



RAIL ACCESSORIES AND EXAMINATION LIGHT

- A

Hinged arm Quickstop short, with universal tube holder plate, for various cable and tube dimensions and coaxial hoses, specifically designed for OR tables, length 323 mm, max. load 1 kg

2M86463
- B


Hinged arm Quickstop, for attaching and positioning Dräger pods, length: 370 mm, max. load 1 kg

2M86464




RAIL ACCESSORIES AND EXAMINATION LIGHT

A	Hose clip, for ball mounting, for standard breathing hoses, adult/neonatal, applicable for Hinged arm 240° (8409609), and Hinged arm Quickstop 2 (2M85706)	8409841
B	Hose clip double, for standard breathing hoses, adult/neonatal, 2 pcs., applicable for Hinged arm 240° (8409609), Hinged arm Quickstop 2 (2M85706), and Hinged arm Quickstop 1 (2M85705)	8406138
C	Hose clip, for coaxial breathing hoses, adult, 2 pcs., for Hinged arm Quickstop 2 (2M85706)	MP00493
D	Holder for Y-piece, with ball mounting, applicable for Hinged arm Infinity ACS (MP00690), Hinged arm 240° (8409609), and Hinged arm Quickstop 2 (2M85706)	8409746
E	Hose holder plate, for ball mounting, for all cable and hose dimensions, as well as for coaxial and pediatric hoses, applicable for Hinged arm Infinity ACS (MP00690), Hinged arm 240° (8409609), and Hinged arm Quickstop 2 (2M85706)	2M86465



RAIL ACCESSORIES AND EXAMINATION LIGHT

A	Universal hose clip, for Hinged arm Infinity ACS (MP00690), for all standard cable and hose dimensions as well as for coaxial and pediatric hoses	MP00692
B	Hose clip double, gray, for Hinged arm Infinity® ACS (MP00690)	MP00693
C	Extension set, for Hinged arm Quickstop 2M86464	MP00653







CONTENT

# Neonatal care and thermoregulation

SOMETHING YOU CAN COUNT ON:

- Wide range of products to meet the most diverse needs of the neonate
- Only high quality materials to ensure optimal care
- Effective support for therapy and cost effectiveness

7

NEONATAL CARE AND THERMOREGULATIONS

1. Warming therapy	329
BabyLeo® TN500	329
Caleo®	331
Isolette® 8000/8000 plus	333
Air-Shields® Isolette® C2000/8000	335
Babytherm® 8000 WB/8004/8010/4200	337
Air-Shields® Resuscitaire®	340
Air-Shields® IICS-90	343
Globe-Trotter GT5400	344
Air-Shields® TI 500	349
Globe-Trotter	351
Air-Shields® Isolette® TI 500	353
Photo Therapy	354
Developmental Care	356
Miscellaneous	

2. Ventilation accessories	357
3. Sensors	395
4. Monitoring accessories	407
5. Ward equipment	425
6. Rail accessories and examination light	

Note: size classification to adults (A), pediatrics (P) and neonats (N).





BABYLEO® TN500

A	Ventilation hose holder, reusable, 40 cm	8411075
B	Air intake filter for Caleo® and Babyleo TN500, reusable, 20 pcs.	MX17015
C	Water transfer hose for Caleo® and Babyleo TN500, disposable, 20 pcs.	MX17018
D	Gastroschisis arm, complete	2M60180
E	Holder for cylinder packet for GCX profile	4118453
F	Rail, 100 mm for GCX profile	4118555
	Clamp for GCX rail, 5 pcs.	2M60401
	Dräger USB stick	8416347



CALEO®

A	Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001
C	Mattress SoftBed, for Caleo®, reusable, Lining: 100% polyurethane, fabric: 100% polyester	MX17012
D	Starter package for Caleo®, incubator cover and positioning aids, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester	MP01426
E	Incubator cover for Caleo®, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester	MP01423
F	Tubing grommet for Caleo®, reusable, angle	2M50385
G	Tubing grommet for Caleo®, reusable, flap	2M50412




CALEO®

A	Ventilation hose holder, reusable, 40 cm	8411075
B	O <sub>2</sub> sensor OxyTrace INCU, for Caleo®	MX01050
C	Air intake filter for Caleo® and Babyleo TN500, reusable, 20 pcs.	MX17015
D	Water transfer hose for Caleo® and Babyleo TN500, disposable, 20 pcs.	MX17018
E	Water tank and water transfer hose, for Caleo®, reusable	2M50040
F	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514
G	Swivel table, reusable, for poles with Ø 38 mm	2M21186



ISOLETTE® 8000/8000 PLUS

A	Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, yellow, central, 10 pcs.	MU26041
B	Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, white, peripheral, 10 pcs.	MU26042
C	Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable, Lining: 100% polyurethane, fabric: 100% polyester	MP01401
	Mattress SoftBed, for Isolette® 8000 plus USA, reusable, Lining: 100% polyurethane, fabric: 100% polyester	MP01203
	Starter package for Isolette® C2000/8000/8000 plus, cover and positioning aids, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester	MP01427
D	Incubator cover for Isolette® C2000, 8000 and 8000 plus, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester	MP01424



ISOLETTE® 8000/8000 PLUS

Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable		MU12609
A	O <sub>2</sub> sensor for Isolette® C2000, 8000 and 8000 plus, reusable, 2 pcs.	MU24903
B	Air intake filter for Isolette® C2000, 8000 and 8000 plus, reusable, 4 pcs.	MU12504
Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.		MU21120
C	Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.	MU10918
D	Iris port sleeve, disposable, 100 pcs.	MU03876

A



MT-7727-2006

B



MT-1146-2005

C



MT-1980-2005

D



MT-1157-2005

Not all articles are available worldwide.

AIR-SHIELDS® ISOLETTE® C2000/8000

A	Skin temperature probe Premi-Probe 5, reusable	MU12533
B	Skin temperature probe Premi-Probe 5, disposable, 10 pcs.	MU12551
C	Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable, Lining: 100% polyurethane, fabric: 100% polyester	MP01401
D	Incubator cover for Isolette® C2000, 8000 and 8000 plus, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester	MP01424

A



MT-1974-2005

B



D-20079-2015

C



MT-294-99

D



D-45131-2015

Not all articles are available worldwide.

AIR-SHIELDS® ISOLETTE® C2000/8000

Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable		MU12609
A	O <sub>2</sub> sensor for Isolette® C2000, 8000 and 8000 plus, reusable, 2 pcs.	MU24903
B	Air intake filter for Isolette® C2000, 8000 and 8000 plus, reusable, 4 pcs.	MU12504
Humidifier chamber for Isolette® C2000, reusable		MU17191
Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.		MU21120
C	Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.	MU10918
D	Iris port sleeve, disposable, 100 pcs.	MU03876
E	Hand port cuff, disposable, oval, 100 pcs.	MU06570

A



MT-7727-2006

B



MT-1146-2005

C



MT-1980-2005

D



MT-1157-2005

E



MT-1110-2005

BABYTHERM® 8000 WB/8004/8010/4200

A	Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.	MX11000
B	Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.	MX11001
C	Gel mattress for Babytherm® 8000 / 8010, reusable	2M20827
D	Mattress SoftBed, for Babytherm®, reusable, Lining: 100% polyurethane, fabric: 100% polyester	2M21012

A



MT-606-2002

B



MT-607-2002

C



MT-2979-2004

D



MT-294-99



BABYTHERM® 8000 WB/8004/8010/4200

A	Holder for hinged hood for Babytherm® 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail	2M21342
B	Deposit plate for BT 8000	2M21158
C	Handle, cpl. for BT 8000	2M21161
D	Breathing hose holder for Babytherm®, neonatal, for 10 mm breathing hose	2M21191
	Tubing grommet, reusable	2M20434



BABYTHERM® 8000 WB/8004/8010/4200

A	Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514
B	Infusion bottle holder for Babytherm®, reusable, neonatal	2M16520
C	Swivel table, reusable, for poles with Ø 38 mm	2M21186
	Multiple socket for Babytherm® 8000, 220/240 V	2M20914



AIR-SHIELDS® RESUSCITAIRE®

A	<u>Skin temperature probe Premi-Probe 3, reusable</u>	<u>MU11225</u>
B	<u>Skin temperature probe Premi-Probe 3, disposable, 10 pcs.</u>	<u>MU11228</u>
C	<u>Mattress SoftBed, for Resuscitaire®, reusable, with scale, Lining: 100% polyurethane, fabric: 100% polyester</u>	<u>MP01404</u>
C	<u>Mattress SoftBed, for Resuscitaire®, reusable, without scale, Lining: 100% polyurethane, fabric: 100% polyester</u>	<u>MP01402</u>

D-2395-2011



D-7475-2016



MT-294-99



AIR-SHIELDS® RESUSCITAIRE®

A	<u>Breathing hose for Resuscitaire® with AutoBreath, disposable, 25 pcs.</u>	<u>MU10841</u>
B	<u>Breathing hose for breathing bag, disposable, 15 mm, 25 pcs.</u>	<u>MU10900</u>
C	<u>Breathing circuit for Resuscitaire VentStar®, disposable, N, 1 m, 25 pcs., not made with natural rubber latex</u>	<u>MP00310</u>
D	<u>Breathing circuit for Resuscitaire VentStar®, disposable, N, press. meas. line, 1 m, 25 pcs., not made with natural rubber latex</u>	<u>MP00311</u>
E	<u>T-piece adapter for MX300/MX300i and Resuscitaire® breathing circuit, disposable, 20 pcs.</u>	<u>MP01880</u>
F	<u>Silicone mask, reusable, size 00, premature baby</u>	<u>MP02900</u>
F	<u>Silicone mask, reusable, size 0, small neonate</u>	<u>MP01910</u>
F	<u>Silicone mask, reusable, size 1, large neonate</u>	<u>MP01911</u>

MT-1139-2005



MT-1987-2005



D-19278-2009



D-7352-2011



D-21185-2015



D-20977-2015



AIR-SHIELDS® RESUSCITAIRE®

A	<u>T-connector, disposable, Ø 15 mm, 25 pcs.</u>	<u>MU10902</u>
B	<u>Suction bottle with holder for Resuscitaire, disposable, 40 mL</u>	<u>MU10916</u>
C	<u>Suction bottle, disposable, 40 mL, 10 pcs.</u>	<u>MU10917</u>
D	<u>Bacterial filter disposable, 20 pcs.</u>	<u>MK00514</u>
E	<u>Suction bottle with filter and tube, disposable, 800 mL, 20 pcs.</u>	<u>MU10918</u>

A



MT-1142-2005

B



MT-1145-2005

C



MT-1025-2005

D



MT-4617-2005

E



MT-1880-2005

AIR-SHIELDS® IICS-90

A	<u>Skin temperature probe Premi-Probe 1, disposable, 10 pcs.</u>	<u>MU06933</u>
B	<u>Skin temperature probe Premi-Probe 1, reusable</u>	<u>MU06951</u>
C	<u>Mattress SoftBed, for IICS-90, reusable, large, with scale, Lining: 100% polyurethane, fabric: 100% polyester</u>	<u>MP01405</u>
C	<u>Mattress SoftBed, for IICS-90, reusable, large, without scale, Lining: 100% polyurethane, fabric: 100% polyester</u>	<u>MP01403</u>

A



D-7474-2016

B



MT-1968-2005

C



MT-2944-99

GLOBE-TROTTER GT5400

A	<u>Skin temperature probe Premi-Probe 1, disposable, 10 pcs.</u>	<u>MU06933</u>
B	<u>Skin temperature probe Premi-Probe 1, reusable</u>	<u>MU06951</u>
C	<u>Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable, Lining: 100% polyurethane, fabric: 100% polyester</u>	<u>MP01419</u>
D	<u>Restraining strap, disposable, 10 pcs.</u>	<u>MU06011</u>
	<u>Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable</u>	<u>MU04366</u>
E	<u>Iris port sleeve, disposable, 100 pcs.</u>	<u>MU03876</u>
F	<u>Hand port cuff, disposable, oval, 100 pcs.</u>	<u>MU06570</u>

A



D-7474-2016

B



MT-1968-2005

C



D-27575-2017

D



MT-1026-2005

E



MT-1157-2005

F



MT-1110-2005

GLOBE-TROTTER GT5400

A	<u>Air intake filter for TI 500 and TI 500 Globe-Trotter, reusable, 6 pcs.</u>	<u>MU04472</u>
B	<u>Humidity pad, disposable, antibacterial, 25 pcs.</u>	<u>MU06008</u>
	<u>Water nozzle for humidity pad, disposable, 25 pcs.</u>	<u>MU25426</u>
C	<u>Flow sensor for Crossvent 2i+, disposable, infant, 10 pcs.</u>	<u>MU24401</u>
D	<u>Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex</u>	<u>MP02425</u>
E	<u>O<sub>2</sub> sensor for Crossvent 2i+</u>	<u>MU24402</u>

A



MT-1060-2005

B



MT-1104-2005

C



D-101222-2013

D



D-2938-2018


E



D-101219-2013


GLOBE-TROTTER GT5400

A	etCO <sub>2</sub> airway adapter Microstream®, neonate/infant, 25 pcs.	MU24408
B	① NIBP cuff, disposable, neonate, size 1, 3.3 – 5.6 cm, 10 pcs.	MU24403
	② NIBP cuff, disposable, neonate, size 2, 4.2 – 7.1 cm, 10 pcs.	MU24404
	③ NIBP cuff, disposable, neonate, size 3, 5.4 – 9.1 cm, 10 pcs.	MU24405
	④ NIBP cuff, disposable, neonate, size 4, 6.9 – 11.7 cm, 10 pcs.	MU24406
	⑤ NIBP cuff, disposable, neonate, size 5, 8.9 – 15.0 cm, 10 pcs.	MU24407
C	NIBP hose, neonate/infant, 2.4 m	MU24685



GLOBE-TROTTER GT5400

A	SpO <sub>2</sub> sensor cable Nellcor®, 2.4 m	MU24686
B	SpO <sub>2</sub> multisite sensor Nellcor® Oxiband™ A/N, reusable, neonate/adult	8201013
C	SpO <sub>2</sub> sensor cable Masimo® LNCS, 3 m	MU24688
D	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792
E	SpO <sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794





GLOBE-TROTTER GT5400

A	ECG cable, 3-lead, AAMI, reusable, 2.4 m	MU25381
B	ECG lead wire set, 3-lead, neonatal pinch connector, AAMI, reusable, 0.6 m	MU25383
C	ECG cable, 3-lead, IEC, reusable, 2.4 m	MU25382
D	ECG lead wire set, 3-lead, neonatal pinch connector, IEC, reusable, 0.6 m	MU25384



AIR-SHIELDS® TI 500 GLOBE-TROTTER

A	Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe Premi-Probe 1, reusable	MU06951
C	Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable, Lining: 100% polyurethane, fabric: 100% polyester	MP01419
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366
	Breathing hose for TI 500 Globe-Trotter, disposable, 20 pcs.	MU04771
C	Filter and HME for air compressor, disposable	MU04991
	O <sub>2</sub> sensor for TI 500 Globe-Trotter, reusable	MU04804
D	Air intake filter for TI 500 and TI 500 Globe-Trotter, reusable, 6 pcs.	MU04472
E	Iris port sleeve, disposable, 100 pcs.	MU03876
F	Hand port cuff, disposable, oval, 100 pcs.	MU06570



AIR-SHIELDS® TI 500 GLOBE-TROTTER

A	Humidity pad, disposable, antibacterial, 25 pcs.	MU06008
B	Restraining strap, disposable, 10 pcs.	MU06011
C	Battery, 12 V, rechargeable	MU16052



AIR-SHIELDS® ISOLETTE® TI 500

A	Skin temperature probe Premi-Probe 1, disposable, 10 pcs.	MU06933
B	Skin temperature probe Premi-Probe 1, reusable	MU06951
C	Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable, Lining: 100% polyurethane, fabric: 100% polyester	MP01419
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable	MU04366
D	Air intake filter for TI 500 and TI 500 Globe-Trotter, reusable, 6 pcs.	MU04472
E	Iris port sleeve, disposable, 100 pcs.	MU03876
F	Hand port cuff, disposable, oval, 100 pcs.	MU06570



AIR-SHIELDS® ISOLETTE® TI 500

A	Humidity pad, disposable, antibacterial, 25 pcs.	MU06008
B	Restraining strap, disposable, 10 pcs.	MU06011
C	Battery, 12 V, rechargeable	MU16052



PHOTO THERAPY

A	Light shield curtain for BiliLux, reusable, woven fabric: 100% cotton, miscellaneous: Polyester (PES)	MP03760
B	Phototherapy mask Eyemax 2, disposable, micro, head circumference 20-25 cm, 20 pcs.	MP03770
C	Phototherapy mask Eyemax 2, disposable, premie, head circumference 26-32 cm, 20 pcs.	MP03771
D	Phototherapy mask Eyemax 2, disposable, regular, head circumference 33-38 cm, 20 pcs.	MP03772
E	Light for Photo Therapy 4000, fluorescent bulb, white	2M21009
E	Light for Photo Therapy 4000, fluorescent bulb, blue	2M21010



DEVELOPMENTAL CARE

A	<u>Towel doll Cally, reusable, light blue or pink</u>	<u>2M30462</u>
B	<u>Towel doll Babyleo TN500, lion, orange</u>	<u>MP03737</u>
C	<u>① Positioning aid "Hug it", reusable, size S, for patients up to 800 g, Outer fabric: 100% cotton, inner fabric: 100% polyester</u>	<u>MP01415</u>
	<u>② Positioning aid "Hug it", reusable, size M, for patients up to 1,500 g, Outer fabric: 100% cotton, inner fabric: 100% polyester</u>	<u>MP01416</u>
	<u>③ Positioning aid "Hug it", reusable, size L, for patients up to 2,000 g, Outer fabric: 100% cotton, inner fabric: 100% polyester</u>	<u>MP01412</u>
	<u>④ Positioning aid "Hug it", reusable, size XL, for patients up to 3,000 g, Outer fabric: 100% cotton, inner fabric: 100% polyester</u>	<u>MP01413</u>
D	<u>Positioning aid Nesting, reusable, for patients up to 1,200 g, Outer fabric: 100% cotton, inner fabric: 100% cotton, filling: 100% polystyrene</u>	<u>MP01417</u>
E	<u>Positioning aid Set, reusable, 4 small pillows, for patients up to 1,000 g, Outer fabric: 100% cotton, inner fabric: 100% cotton, filling: 100% polystyrene</u>	<u>MP01418</u>



DEVELOPMENTAL CARE

A	<u>Incubator cover for Babyleo TN500, reusable, Outer fabric: 100% polyester, inner fabric: 100% polyester</u>	<u>MP03730</u>
B	<u>Incubator cover for Caleo®, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester</u>	<u>MP01423</u>
C	<u>Incubator cover for Isolette® C2000, 8000 and 8000 plus, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester</u>	<u>MP01424</u>
D	<u>Starter package for Caleo®, incubator cover and positioning aids, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester</u>	<u>MP01426</u>
	<u>Starter package for Isolette® C2000/8000/8000 plus, cover and positioning aids, reusable, Outer fabric: 100% cotton, inner fabric: 100% polyester</u>	<u>MP01427</u>



MISCELLANEOUS

A	Warming mattress TransWarmer®, disposable, self warming for approx. 2 h, 6 pcs.	MP01414
	Connection cable Babylink	8306488
B	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944
C	Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943

A



MT-3278-2005

B



MT-1967-2005

C



MT-1965-2005

VENTILATION ACCESSORIES

2. VENTILATION ACCESSORIES

MX 300 AND MX 300-i\*

A	O <sub>2</sub> analyzer MX 300-i	MP01440
A	O <sub>2</sub> analyzer MX 300	MP01441
B	O <sub>2</sub> sensor for MX 300 and MX 300-i, reusable	MP01442
C	Holder for MX 300 and MX 300-i	MP01443
D	Connection cable for MX 300 and MX 300-i	MP01444
E	T-piece adapter for MX 300 and MX 300-i, reusable	MP01445
F	T-piece adapter for MX300/MX300i and Resuscitaire® breathing circuit, disposable, 20 pcs.	MP01880

\*Produced by Teledyne Analytical Instruments

A



D-7364-2011

B



D-7368-2011

C



D-7370-2011

D



D-9309-2011

E



D-9310-2011

F



D-21185-2015



VENTILATION ACCESSORIES

SEATTLE PAP PLUS – BUBBLE CPAP SYSTEM

Helping infants with respiratory distress breathe easier. The Seattle-Positive Airway Pressure (PAP) system is an innovation, which uses the proven advantages of Bubble CPAP therapy, such as oscillatory effects similar to high frequency ventilation and combines it with an unique design.

Seattle-PAP plus is safe, effective and easy to use. It was designed to:

- Promote infant safety with a uniquely designed pressure manifold with pressure relief valve.
- Safety tube lock to avoid unintended changes of the PEEP level.
- Provide comfort and optimum CPAP support to the infant due to disposable BabyFlow plus interfaces complementing the system.
- Include funnel with the filling tube which minimises spillages.
- The swivel connector to the expiratory limb prevents unnecessary disconnections and pressure loss.
- The water trap in the expiratory limb prevents unwanted presssure peaks due to condensation in the expiratory limb.

It requires only oxygen and compressed air, both to be administered by an O<sub>2</sub> blender like the Oxy mixer from Dräger and a humidification source for the circuit.

A	Seattle PAP plus	MP02260
	Trolley	5790148
B	Infusion bottle holder, for standard rail, variable height, 3 hooks	M20719
C	Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars	2M85441
D	Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg	2M85337
E	Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm, for secretion jars Medela	MP00634
F	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416
	Rail clamp for F&P humidifier and Seattle PAP bubble box*	8411074
G	Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	2M85274

\*Produced by Fisher & Paykel



VENTILATION ACCESSORIES

ACCESSORIES FOR SEATTLE PAP PLUS

A	BabyFlow plus, disposable, size S, 20 pcs.	MP03700
	BabyFlow plus, disposable, size M, 20 pcs.	MP03701
	BabyFlow plus, disposable, size L, 20 pcs.	MP03702
B	Demo package BabyFlow plus, disposable, size S	MP03703
	Demo package BabyFlow plus, disposable, size M	MP03704
C	Soft konektor N, disposable, 20 pcs.	MP03826
	Prong BabyFlow, standard, disposable, size XS, 10 pcs.	8418415
	Prong BabyFlow, standard, disposable, size S, 10 pcs.	8418605
	Prong BabyFlow, standard, disposable, size M, 10 pcs.	8418416
D	Prong BabyFlow, standard, disposable, size L, 10 pcs.	8418531
	Prong BabyFlow, standard, disposable, size XL, 10 pcs.	8418417
	Prong BabyFlow, standard, disposable, size XXL, 10 pcs.	8418617
	Prong BabyFlow, wide, disposable, size 3, 10 pcs.	8418603
	Prong BabyFlow, wide, disposable, size 4, 10 pcs.	8418607
	Prong BabyFlow, wide, disposable, size 5, 10 pcs.	8418609
	Prong BabyFlow, wide, disposable, size 6, 10 pcs.	8418611
E	Neo-mask, silicone, disposable, size S, 10 pcs.	8418491
	Neo-mask, silicone, disposable, size M, 10 pcs.	8418490
	Neo-mask, silicone, disposable, size L, 10 pcs.	8418619
	Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494
	Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495
	Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496
F	Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.	MP03880
	Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.	MP03881
	Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	MP03882
	Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	MP03883
	Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	MP03884
	Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	MP03885
G	Cap BabyFlow, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	8418533
	Cap BabyFlow, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	8418534
	Cap BabyFlow, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	8418535
	Cap BabyFlow, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	8418536
	Cap BabyFlow, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	8418537
	Cap BabyFlow, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	8418538
	Cap BabyFlow, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	8418539

Not all articles are available worldwide.



Not all articles are available worldwide.

VENTILATION ACCESSORIES

OXYMIXER\*

Oxymixer enables a continuous and individually adjusted mixture of medical air and medical oxygen to be administered to infants, children and adults. The O<sub>2</sub> concentration is easily adjusted to a highly accurate flow by means of the bleed – even with flow rates of less than 3 L/min.

Oxymixer configuration  
Configurable OxymixerMP04200

- A
- Oxymixer Low FlowMP04203
- B
- Oxymixer Low Flow with monitorMP04204
- C
- Oxymixer Low Flow with 1 – 15 L flowmeter rightMP04229

\*Produced by DEHAS

A



D-17770-2016

B



D-17768-2016

C



D-5872-2018

VENTILATION ACCESSORIES

- A
- Oxymixer\* sound damper 9/16"MP04218
- B
- Oxymixer\* sound damper 22 and 15 mmMP04219
- C
- Adapter, with 6 mm nozzle,  
e.g., for disposable breathing masks, 9/16" connectionMP00416
- Oxymixer\* oxygen sensor (spare part)MP04221

\*Produced by DEHAS

A



D-13933-2017

B



D-15154-2017

C




D-122-2016

VENTILATION ACCESSORIES

BABYFLOW® PLUS

BabyFlow® plus – The superior non-invasive respiratory support system, designed to maximise performance and patient comfort.

A	BabyFlow plus, disposable, size S, 20 pcs.	MP03700
	BabyFlow plus, disposable, size M, 20 pcs.	MP03701
	BabyFlow plus, disposable, size L, 20 pcs.	MP03702
B	Demo package BabyFlow plus, disposable, size S	MP03703
	Demo package BabyFlow plus, disposable, size M	MP03704
	Demo package BabyFlow plus, disposable, size L	MP03705
C	Soft connektor N, disposable, 20 pcs.	MP03826



VENTILATION ACCESSORIES


STANDARD PRONGS

Soft anatomically formed nasale silicone prongs, disposable.

A	1 Prong BabyFlow, standard, disposable, size XS, 10 pcs.	8418415
	2 Prong BabyFlow, standard, disposable, size S, 10 pcs.	8418605
	3 Prong BabyFlow, standard, disposable, size M, 10 pcs.	8418416
	4 Prong BabyFlow, standard, disposable, size L, 10 pcs.	8418531
	5 Prong BabyFlow, standard, disposable, size XL, 10 pcs.	8418417
B	Prong BabyFlow, standard, disposable, size XXL, 10 pcs.	8418617

WIDE PRONGS

C	1 Prong BabyFlow, wide, disposable, size 3, 10 pcs.	8418603
	2 Prong BabyFlow, wide, disposable, size 4, 10 pcs.	8418607
	3 Prong BabyFlow, wide, disposable, size 5, 10 pcs.	8418609
	4 Prong BabyFlow, wide, disposable, size 6, 10 pcs.	8418611



VENTILATION ACCESSORIES

MASKS

Nasal masks of silicone and TPE complete the portfolio and increase the comfort for the patient!

A	① Neo-mask, silicone, disposable, size S, 10 pcs.	8418491
	② Neo-mask, silicone, disposable, size M, 10 pcs.	8418490
	③ Neo-mask, silicone, disposable, size L, 10 pcs.	8418619
B	Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494
C	Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495
D	Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496



VENTILATION ACCESSORIES

HEADGEARS

The new headgear enable the customer to choose the most comfortable fit and combination for each of their tiny patients.

A	Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.	MP03880
	Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.	MP03881
B	Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	MP03882
	Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	MP03883
	Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	MP03884
	Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	MP03885



VENTILATION ACCESSORIES

CAPS

The disposable and breathable microfiber caps (95% cotton, 5% spandex) are available in seven sizes (color-coded)

A	❶ Cap BabyFlow, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	8418533
	Cap BabyFlow, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	8418534
	Cap BabyFlow, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	8418535
	❷ Cap BabyFlow, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	8418536
	❸ Cap BabyFlow, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	8418537
	Cap BabyFlow, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	8418538
	Cap BabyFlow, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	8418539




VENTILATION ACCESSORIES

The **MiniMe2\*** nasal mask is designed for children ages 2 – 12. It features an ergonomic silicone gel cushion and a shapeable shell mask to fit individual needs and thus ensuring an effective seal and a comfortable fit.

A	Pediatric nasal mask MiniMe2 non vented, disposable, size S/M	MP01555
	Pediatric nasal mask MiniMe2 non vented, disposable, size M/L	MP01556
B	Pediatric nasal mask MiniMe2 vented, disposable, size S/M	MP01553
	Pediatric nasal mask MiniMe2 vented, disposable, size M/L	MP01554

\*Produced by SleepNet Corporation





VENTILATION ACCESSORIES

A	Breathing circuit for Resuscitaire VentStar®, disposable, N, 1 m, 25 pcs., not made with natural rubber latex	MP00310
B	Breathing circuit for Resuscitaire VentStar®, disposable, N, press. meas. line, 1 m, 25 pcs., not made with natural rubber latex	MP00311
C	Breathing circuit VentStar®, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP00353
D	Breathing circuit VentStar®, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP00363
E	Breathing circuit VentStar®, disposable, N, MRI, 3 m, 10 pcs., not made with natural rubber latex	MP00329
F	Breathing bag set VentStar®, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP00383
	Anesthesia set VentStar®, disposable, N, 1.8 m/1.1 m, 25 pcs., not made with natural rubber latex	MP00333
G	VentStar® Breathing Bag 0.5 L, 25 pcs.	MP02710



Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	Breathing circuit Infinity® ID, disposable, N, basic, 1.8 m, 25 pcs., not made with natural rubber latex	MP01327
	Breathing circuit Infinity® ID, disposable, N, water trap, 1.8 m, 25 pcs., not made with natural rubber latex	MP01328
B	Breathing bag set Infinity® ID, disposable, N, 0.5 L, 1.1 m, 25 pcs., not made with natural rubber latex	MP01329



Not all articles are available worldwide.

VENTILATION ACCESSORIES

A	Breathing circuit VentStar®, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00308
B	Breathing circuit VentStar®, disposable, N, heated, w/o chamber, 1.2 m, 10 pcs., not made with natural rubber latex	MP00309
C	Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs., not made with natural rubber latex	MP00343
D	Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02650
E	Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs., not made with natural rubber latex	MP02608

TRADEWARE

Breathing circuit Fisher & Paykel RT225, disposable, N, inspiratory heated, 10 pcs.*	8414994
--	---------

\*Produced by Fisher & Paykel



VENTILATION ACCESSORIES


A	Humidifier chamber VentStar®, disposable, 10 pcs.	MP00234
B	Humidifier chamber VentStar®, disposable, N, 10 pcs.	MP02590
C	Double connector 11ID/15OD, disposable, 10 pcs.	MP02655



VENTILATION ACCESSORIES

REUSABLE BREATHING SYSTEMS:  
BLUESET VENTILATION

A	BlueSet Ventilation (N)	8412344
Consists of:		
1	Y-piece, reusable, P, angled, with suction opening	8403075
2	Corrugated hose, P, 14 cm, catheter mount	8403333
3	Connector for thermometer, reusable, for breathing hose set Aquapor EL	8403056
4	Water trap, reusable, P	8404760
5	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848
6	Water trap, reusable, N	8409627
7	Cap, reusable, 7 mm	8401645
8	Connector, aluminum, reusable, 22 mm/11 mm	8405752
9	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
10	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821




VENTILATION ACCESSORIES

REUSABLE HEATED SYSTEMS:  
BLUESET HEATED

A	BlueSet heated (N)	8414987
Consists of:		
1	Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651
2	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848
3	Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.	8409634
4	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
5	Water trap, reusable, N	8409627
6	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*	8414993
7	Cap, reusable, 7 mm	8401645
8	Y-piece, reusable, P, angled, with suction opening	8403075
9	Connector for endotracheal tube, reusable, size 11 mm	M19351
10	T-piece connector, reusable	8411044
11	Double connector, outer diameter 11 mm	8409897
12	Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex	MP02425
13	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821

\*Produced by Fisher & Paykel



VENTILATION ACCESSORIES


A <b>BlueSet heated HFV (N)</b> <b>8411153</b>	
Consists of:	
1 Breathing hose, Hytrel, 70 cm	8418404
2 Breathing hose, Hytrel, 65 cm	8410814
3 Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex	MP02425
4 Hose heater for F&P MR 700/730, 70 cm*	8411154
4 Connector 900 MR 830, for HFV breathing circuit by F&P*	8418455
5 Connector 900 MR 533, for HFV breathing circuit by F&P*	8418407
6 Connector for endotracheal tube, reusable, size 11 mm	M19351
7 Water trap, reusable, N	8409627
8 Elbow, reusable	8418289
9 Breathing hose, Hytrel, 40 cm	8410816
10 T-piece connector, reusable, for F&P temperature probe*	8418405

\*Produced by Fisher & Paykel



VENTILATION ACCESSORIES


A <b>BlueSet heated Incubator (N)</b> <b>8411041</b>	
Consists of:	
1 Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651
2 Breathing hose, silicone, reusable, P/N, 1 m, Ø 10 mm	8403080
3 Breathing hose, silicone, reusable, P/N, 35 cm, Ø 10 mm	8403070
4 Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex	MP02425
5 Water trap, reusable, N	8409627
6 Elbow, reusable	8418289
7 Double connector, outer diameter 11 mm	8409897
8 Connector for endotracheal tube, reusable, size 11 mm	M19351
9 T-piece connector, reusable	8411044
10 Hose heater, A, 1.1 m	8411045
11 Corrugated hose, silicone, N, 20 cm, catheter mount	8410709
12 Breathing hose, silicone, reusable, N, 50 cm, Ø 10 mm	8418458



VENTILATION ACCESSORIES

REUSABLE ANESTHESIA SYSTEMS:  
BLUESET ANESTHESIA

A	BlueSet Anesthesia (N)	M27542
	Consists of:	
➊	Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961
➋	Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678
➌	Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054
➍	ISO double connector, reusable, 22 mm/22 mm	M25647
➎	Y-piece, reusable, P, angled, with suction opening	8403075
➏	Luer Lock elbow, N	M34568
➐	Cap Luer Lock	M34461
➑	Y-piece, reusable, P, straight	M27077
➒	Cap set, reusable, 7 mm, 5 pcs.	8402953



VENTILATION ACCESSORIES

Silicone breathing hose (pediatric) with standard sleeves 10 mm (0.4 in) on both sides and 10 mm (0.4 in) inner diameter

A	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848
---	--	---------

Silicone breathing hose (pediatric) with standard sleeves with one 10 mm (0.4 in) and one 22 mm (0.9 in) sleeve and 10 mm (0.4 in) inner diameter

B	Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856
C	Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821
D	Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651
E	Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961





VENTILATION ACCESSORIES

A	Y-piece, reusable, P, straight	M27077
B	Y-piece, reusable, P, angled, with suction opening	8403075
C	Luer Lock elbow, N	M34568

MT-520-2002



MT-2728-2004



D-1528-2009



VENTILATION ACCESSORIES

Transparent breathing bags of silicone elastomer		
A	Breathing bag, silicone, reusable, 0.5 L, not made with natural rubber latex	2166054
B	Breathing bag, silicone, reusable, 1.5 L, not made with natural rubber latex	2166127
C	Demo lung to simulate neonatal lungs, with suitcase	8418077
D	Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex	MP02425
	Test lung, silicone, N, with hose	8410079
	Test lung, silicone, N	8403208

D-10519-2016



D-10445-2016



D-1457-2009



D-2938-2018



VENTILATION ACCESSORIES

The TwinStar® filter/HME from Dräger is a combination of an efficient HME and a high-performance breathing system filter, thereby significantly contributing to infection prophylaxis in ventilation treatment.

- Combination of efficient HME and high-performance breathing system filter
- High retention rates for bacteria and viruses
- High return of heat and moisture
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components

A	Electrostatic filter and HME TwinStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.	MP01825
B	Electrostatic filter and HME TwinStar® 8, disposable, 8 mL deadspace, 50 pcs.	MP01820

HumidStar® heat and moisture exchangers from Dräger partially take over the function of the upper airways and efficiently heat and humidify the inspired air.

- High return of heat and moisture
- Sampling connector with tethered cap
- Sampling port in convenient 45° angle
- Transparent housing for visual control
- Standardized connectors for safe connection to other components

C	HME HumidStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.	MP01740
D	HME HumidStar® 2, disposable, 2 mL deadspace, 50 pcs.	MP01745

A



MT-4397-2007

B



MT-4396-2007

C



MT-4396-2007

D



D-959-2010

VENTILATION ACCESSORIES

CO<sub>2</sub> cuvettes are designed for the monitoring of CO<sub>2</sub> concentration during patient ventilation.

A	CO <sub>2</sub> cuvette disposable, pediatric, 10 pcs.	MP01063
B	CO <sub>2</sub> cuvette reusable, pediatric, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870280
C	CO <sub>2</sub> mainstream sensor, for Evita® 2 dura, Evita® 4 Edition and Evita® XL	6871500
D	CO <sub>2</sub> mainstream sensor, for Evita, Infinity V500, Infinity M540, and Delta VF9.1 and higher	6871950

A



D-7061-2009

B



D-7060-2009

C



MT-0986-2007

D



D-28791-2017

VENTILATION ACCESSORIES

- A


Anesthesia mask LiteStar®, disposable, w/o hook ring, size 1, premat., 30 pcs.

MP01501
- B

Anesthesia mask LiteStar®, disposable, w/o hook ring, size 2, baby, 30 pcs.

MP01502

Additional disposable hook rings and disposable headgears for fixation are available (cf. Mask accessories).



VENTILATION ACCESSORIES

- A

Anesthesia mask ComfortStar®, disposable, hook rg, std., size 0, premat., 20 pcs.

MP01510
- B

Anesthesia mask ComfortStar®, disposable, hook rg, std., size 1, neo., 20 pcs.

MP01511
- C

Anesthesia mask ComfortStar®, disposable, hook rg, std., size 2, baby, 20 pcs.

MP01512
- D

Anesthesia mask ComfortStar®, disposable, hook rg, strawb., size 1, neo., 20 pcs.

MP01521
- E

Anesthesia mask ComfortStar®, disposable, hook rg, strawb., size 2, baby, 20 pcs.

MP01522
- F

Anesthesia mask ComfortStar®, disposable, hook rg, bubblg., size 1, neo., 20 pcs.

MP01531
- G

Anesthesia mask ComfortStar®, disposable, hook rg, bubblg., size 2, baby, 20 pcs.

MP01532


Pumpball as well as different headgears for fixation are available (cf. Mask accessories).



VENTILATION ACCESSORIES


A	<u>Silicone mask, reusable, size 00, premature baby</u>	<u>MP02900</u>
B	<u>Silicone mask, reusable, size 0, small neonate</u>	<u>MP01910</u>
C	<u>Silicone mask, reusable, size 1, large neonate</u>	<u>MP01911</u>

Additional mask accessories, e. g. reusable hook rings as well as reusable headgears are available for fixation (cf. Mask accessories).



VENTILATION ACCESSORIES

A	<u>O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs.</u>	<u>MP02920</u>
	<u>O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs.</u>	<u>MP02921</u>
B	<u>O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs.</u>	<u>MP02924</u>
	<u>O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs.</u>	<u>MP02925</u>
C	<u>O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs.</u>	<u>MP02928</u>
	<u>O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs.</u>	<u>MP02929</u>
D	<u>O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs.</u>	<u>MP02932</u>
	<u>O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs.</u>	<u>MP02933</u>



VENTILATION ACCESSORIES

A	Headgear, reusable, silicone, small	MP01557
B	Headgear, disposable, soft fabric, small	MP01559
C	Headgear, disposable, soft rubber, small	MP01561
D	Hook ring for LiteStar® anesthesia masks, disposable, 15 mm OD, for sizes 1 – 2, 30 pcs.	MP01551
E	Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916
F	Elbow for CPAP masks, disposable	8409683
G	Two-sided pump ball for air management	MP01590

Not all articles are available worldwide.

A

MT-9659-2006



B

MT-9658-2006



C

MT-9654-2006



D

MT-0925-2008



E

D-35640-2009



F

D-1458-2009



G

MT-1178-2006



VENTILATION ACCESSORIES

SET2GO

With Dräger's Set2go solutions we offer you totally customised sets consisting of an individual selection of single-patient-use accessories. Dräger Set2go makes using and ordering consumables and accessories much simpler for you. You just need one article number to get all the items in a single package and accomplish your specific task.

Please contact your local Dräger sales organisation to create your individual accessory solution.

Not all articles are available worldwide.



VENTILATION ACCESSORIES

TRADEWARE

A	Humidifier chamber for F&P MR 290, disposable, 10 pcs.*	8418282
B	Humidifier chamber F&P MR 340, reusable, N/P*	8411047
C	Rail clamp for F&P humidifier*	8411074
D	Holder for F&P humidifier U-shaped, for trolley, with rail clamp*	MP01002
E	Hose heater for F&P MR 700/730, 70 cm*	8411154
F	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m*	8414993

\*Produced by Fisher & Paykel

A



MT-0099-2004

B



MT-148-98

C



MT-139-98

D



MT-1883-2004

E



MT-2264-2004

F



MT-2266-2004

Not all articles are available worldwide.

VENTILATION ACCESSORIES

TRADEWARE

A	Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m*	8414989
A	Temperature probe/flow sensor for F&P MR 850, for all breathing circuits, 1.5 m*	8414966
B	Hose heater adapter for F&P MR 850, for reusable breathing circuit*	8414968
C	Hose heater adapter for F&P MR 850, for third-party breathing circuit*	MP01001
D	Draw wire for hose heater 1.5 m, for reusable breathing circuit*	8411050

\*Produced by Fisher & Paykel

A



MT-2265-2004

B



MT-2262-2004

C



MT-1887-2004

D



MT-142-98

Not all articles are available worldwide.

VENTILATION ACCESSORIES

AEROGEN PRO\*

A	Medication nebulizer Aerogen Pro	MP01010
B	Nebulizer unit with filler cap for Aerogen Pro	MP01030
C	T-piece set with plug for Aerogen Pro (N), 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.	MP01032
D	T-connector for Aerogen Pro, 12 mm, with plug, 5 pcs.	MP01037
	Sealing plug for Y-piece, 5 pcs.	8411024

\*Produced by Aerogen



VENTILATION ACCESSORIES

INTUBATION KITS

TRADEWARE

The practical design of the laryngoscope family\* ensures optimum hygiene and reliable functioning in every situation. Its ergonomic design guarantees problem free handling.  
\*Made by Kirchner&Wilhelm, Asperg, Germany.

WARM LIGHT (WL) LARYNGOSCOPES

	Blade size 0 (Mac), reusable, 79 × 13 mm	MX03302
A	Blade size 1 (Mac), reusable, 93 × 20 mm	MX03303
B	Blade size 0 (Miller), reusable, 77 × 11 mm	MX03307
	Blade size 1 (Miller), reusable, 102 × 11 mm	MX03308
C	Laryngoscope set, pediatric, reusable (Battery grip pediatric; blade size 0 (Miller); blade size 1 (Miller), blade size 2 (Mac))	MX03312
D	Battery grip, pediatric, 2.5 V, 19 mm Ø**	MX03314
E	Vacuum lamp for blade (size 00 – 1)	MX03316

\*\*Battery grip can be used with standard batteries.



VENTILATION ACCESSORIES

TRADEWARE

Made by Kirchner&Wilhelm, Asperg, Germany

FIBER OPTIC (F.O.) LARYNGOSCOPES

A	F.O. blade size 0 (Mac), reusable, 82 × 14 mm	MX03319
	F.O. blade size 1 (Mac), reusable, 93 × 14 mm	MX03320
	F.O. blade size 00 (Miller), reusable, 66 × 11 mm	MX50052
	F.O. blade size 0 (Miller), reusable, 78 × 11 mm	MX03324
	F.O. blade size 1 (Miller), reusable, 103 × 11 mm	MX03325
	F.O. laryngoscope set, pediatric, reusable (F.O. battery grip pediatric; F.O. blade size 0 (Miller); F.O. blade size 1 (Miller); F.O. blade size 2 (Mac))	MX03329
B	F.O. battery grip, pediatric, 2.5 V, 19 mm Ø*	MX03331
	Xenon lamps for battery grip, 2.5 V	MX03328

\*Battery grip can be used with standard batteries.

A



D-407-2010

B



D-410-2010

VENTILATION ACCESSORIES

RESUSCITATORS

TRADEWARE

A	Man. breathing bag MR-100, reusable, P, w/ press. valve, relief >40±5 mbar, not made with natural rubber latex*	5702321
B	Man. breathing bag MR-100, reusable, N, w/ press. valve, relief >40±5 mbar, not made with natural rubber latex*	5702322
C	O <sub>2</sub> -Reservoir MR-100, 2,500 mL*	5703701
D	O <sub>2</sub> -Reservoir MR-100, 600 mL*	5703702
E	Patient valve for adults, 60 mbar, volume of dead space 18 mL*	5703706
F	Patient valve for child/baby, 40 mbar, volume of dead space 18 mL*	5703707

\*Made by GaleMed Corporation, Taiwan

A



D-5723-2010

B



D-5724-2010

C



MT-4378-2007

D



MT-2076-2007

E



MT-2079-2007

F



MT-4383-2007

VENTILATION ACCESSORIES

TRADEWARE

A	O <sub>2</sub> -Reservoir valve MR-100*	5703703
B	Intake valve MR-100*	5703704
C	Disposable PEEP valve 0 – 20 cmH <sub>2</sub> O	5703471
D	PEEP valve diverter, reusable*	5703708
E	Adapter for Resutator 2000/MR-100	2120461

\*Made by GaleMed Corporation, Taiwan



SENSORS

3. SENSORS

A	Neonatal flow sensor with Y-piece, PSU, sterilizable	8410185
B	Neonatal flow sensor ISO 15, PSU, sterilizable	8411130
C	Insert for neonatal flow sensor, PSU, sterilizable, 5 pcs.	8410179
D	Flow sensor cable, for neonatal flow sensor, e.g., Babylog	8409626



SENSORS

A	O <sub>2</sub> sensor capsule, for mainstream measurement	6850645
B	O <sub>2</sub> sensor Oxycell, for Babyleo® TN500	6873065
C	O <sub>2</sub> sensor housing Oxydig, for O <sub>2</sub> sensor capsule, with spiral cable	6850250



MONITORING ACCESSORIES

<b>4. MONITORING ACCESSORIES</b>		
Infinity® Monitoring: Gamma, Gamma XL, Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.		
<b>ELECTROCARDIOGRAPHY (ECG)</b>		
A	Multiparameter cable NeoMed Pod, for ECG, resp., SpO <sub>2</sub> , temp., and FiO <sub>2</sub> , 2.5 m	5590539
B	ECG electrodes, single-patient use, neonate, 300 pcs.	5195024
C	Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779
D	ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162





MONITORING ACCESSORIES

PULSE OXIMETRY (SPO<sub>2</sub>)

DRÄGER/NELLCOR® CABLES

A	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m	3368433	■	■
	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m	3375834	■	■
B	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	MS18683	■	■
C	SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	MS17330	■	■

A



MT-344-2008

B



D-2394-2011

C



D-2393-2011

MONITORING ACCESSORIES

DRÄGER DISPOSABLE SENSORS

A	SpO <sub>2</sub> adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447	■	■
B	SpO <sub>2</sub> adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446	■	■

NELLCOR® SENSORS

C	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067	■	■
D	SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068	■	■
E	SpO <sub>2</sub> multisite sensor Nellcor® Oxiband™ A/N, reusable, neonate/adult	8201013	■	

NELLCOR® ACCESSORIES

F	Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.	8201012	■	
---	---	---------	---	--

A



MT-8240-2005

B



MT-8239-2005

C



MT-156-2003

D



MT-158-2003

E



D-4425-2014

F



MT-2257-2004

MONITORING ACCESSORIES

MASIMO® CABLES


SpO<sub>2</sub> intermediate cables for connection to Masimo® SET Pod.

A	SpO <sub>2</sub> intermediate cable Masimo® LNCS, 3 m	MS17522	■	■
A	SpO <sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m	MS24303	■	■

MASIMO® RD-SET ADAPTER CABLES

B	Adapter cable RD-SET to LNOP, for connection of RD-SET sensors to Masimo® SET Pod via the LNOP intermediate cables MS18680 and MS17041, as well as to MultiMed® 5/6/12, NeoMed Pods and MultiMed® Plus/Plus OR via the according intermediate cables MS13926/7492601 or MS20163*	MS33731	■	■
C	Adapter cable RD-SET to LNCS, for connection of RD-SET sensors to Masimo® SET Pod via the LNCS intermediate cables MS24303 or MS17522	MS33732	■	■
C	Adapter cable RD-SET to MultiMed®, for connection of RD-SET sensors to MultiMed® 5/6/12, NeoMed Pods as well as MultiMed® Plus/Plus OR via the according intermediate cables 3368433/3375834 or MS18683/MS17330	MS33733	■	■

\*Products are not available any more.  
Adapter is to be used to switch from sensors to the installed base.



D-438-2014

D-271-2017

D-257-2017

MONITORING ACCESSORIES

MASIMO® LNCS SENSORS

For Masimo accessories, specific part numbers for USA and Japan apply. Please contact your local Dräger Sales representative for further information.

A	SpO <sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792	■
B	SpO <sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794	■
	SpO <sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789	■


MASIMO® LNCS TRAUMA DISPOSABLE SENSORS

Masimo LNCS Trauma sensors are for use with Masimo SET technology only.

C	Masimo Trauma sensor LNCS, neonate, 20 pcs.	MP03192	■
---	---	---------	---

MASIMO® RD-SET DISPOSABLE SENSORS

D	Masimo® RD-SET sensor, neonatal, disposable	MS33729	■
E	Masimo® RD-SET sensor, neonatal preterm, disposable	MS33730	■



D-32550-2011

D-32550-2011

D-461-2014

D-263-2017


D-264-2017

MONITORING ACCESSORIES

MASIMO® ACCESSORIES

A	SpO <sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI SpO <sub>2</sub> sensor, 100 pcs.	7496917	■	■
	SpO <sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI SpO <sub>2</sub> sensor, 100 pcs.	7496909	■	■
B	SpO <sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO <sub>2</sub> sensor, 12 pcs.	7496891	■	■
C	SpO <sub>2</sub> adhesive wrap Masimo® Posey-Wrap, for NeoPt SpO <sub>2</sub> sensor, 12 pcs.	7496933	■	■
D	SpO <sub>2</sub> adhesive wrap Masimo®, for NeoPt SpO <sub>2</sub> sensor, 100 pcs.	7496925	■	■

INFINITY®  
MONITORING  
MICRO<sub>+</sub>



MONITORING ACCESSORIES

TEMPERATURE


SINGLE-PATIENT USE TEMPERATURE PROBES

A	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m	MP00997	■
B	Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m	MP00998	■

REUSABLE TEMPERATURE PROBES

C	Skin temperature probe, reusable, with 7-pin connector, 1.5 m	4329822	■
C	Skin temperature probe, reusable, with 7-pin connector, 3 m	5204669	■

INFINITY®  
MONITORING




MONITORING ACCESSORIES

NON-INVASIVE BLOOD PRESSURE CUFFS (NIBP)

A	NIBP hose, neonate, 2.4 m	2870298
B	NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181
C	NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199
D	NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207
E	NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215
F	NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173

INFINITY  
MONITORING




MONITORING ACCESSORIES

ETCO<sub>2</sub> AND RESPIRATORY MECHANICS

For Gamma X XL, Delta, Delta XL, Kappa.

A	etCO <sub>2</sub> airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550
B	etCO <sub>2</sub> nasal cannula Microstream®, child, max. 12 h, 25 pcs.	7869469
	etCO <sub>2</sub> nasal cannula Microstream®, child, max. 24 h, 25 pcs.	7869600
	etCO <sub>2</sub> nasal cannula Microstream®, + O <sub>2</sub> , child, max. 24 h, 25 pcs.	7869485
C	etCO <sub>2</sub> nasal/mouth cannula Microstream®, + O <sub>2</sub> , child, max. 12 h, 25 pcs.	7869584
D	etCO <sub>2</sub> nasal cannula Microstream®, neonate/child, max. 24 h, 25 pcs.	7869618
	For Delta, Delta XL, Kappa, Kappa XLT.	
	Sensor for respiratory mechanics and flow, disposable, neonate, 10 pcs.	5957100
	Sensor for respiratory mechanics, flow and CO <sub>2</sub> , disposable, neonate, 10 pcs.	5957118
	For Gamma X XL, Delta, Delta XL, Kappa, Kappa XLT.	
E	etCO <sub>2</sub> airway adapter, reusable, neonate	4721788
F	CO <sub>2</sub> airway adapter, neonatal (infant/pediatric), disposable, 10 pcs.	2606228

INFINITY  
MONITORING



MONITORING ACCESSORIES

TRANSCUTANEOUS MONITORING  
(TPO<sub>2</sub>/TPCO<sub>2</sub>)

For Delta, Delta XL, Kappa.

A	tpO <sub>2</sub> /tpCO <sub>2</sub> solid-state electrode	4529988
	Membrane replacement set for tcpO <sub>2</sub> /tcpCO <sub>2</sub> electrodes	MP00715
	Fixation set for tpO <sub>2</sub> and tpCO <sub>2</sub> electrodes	MP00716
	Calibration gas, for tpO <sub>2</sub> /tcCO <sub>2</sub> , 20,9% O <sub>2</sub> and 5% CO <sub>2</sub> , 12 pcs.	MP00717

RECORDER PAPER

B	Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls	4711201
---	---	---------

INFINITY  
MONITORING

A



D-8968-2009

B



D-8972-2009

WARD EQUIPMENT

5. WARD EQUIPMENT

Please find more information in chapter 5 "Ward equipment".

FLOWMETER

These O<sub>2</sub> Flowmeters are plugged directly into a wall terminal unit for oxygen and are used to control the flow of oxygen in inhalation and insufflation. Flow rates can be set with a high degree of accuracy. The large rotary knob makes setting easier.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
± 15% (corresponding to smallest setting value)  
± 10% (all other setting values)  
\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D):	160 × 40 × 130 mm (6.3 × 1.6 × 5.1 in)
Material:	Housing: Aluminium Pressure dome: Polyamide Flow indicator: Glass
Weight:	Approx. 500 g (1.1 lb)

A	O <sub>2</sub> flowmeter, 4 L/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04551
---	--	---------

A



D-940-2016



WARD EQUIPMENT

TWIN FLOWMETER

The particular advantage of the twin flowmeter is, that two patients can be treated simultaneously and independently of one another, while occupying only one wall terminal.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
± 15% (corresponding to smallest setting value)  
± 10% (all other setting values)  
\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 150 × 190 mm  
(6.3 × 5.9 × 7.15 in)  
Material: Housing: Aluminium  
Pressure dome: Polyamide  
Flow indicator: Glass  
Weight: Approx. 900 g (1.98 lb)

A	O <sub>2</sub> twin flowmeter, CS, 2 × 16 L/min, CS, DIN, ISO, neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04560
	O <sub>2</sub> twin flowmeter, 2 × 16 L/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16"	MP04569

A



D-944-2016

WARD EQUIPMENT

These O<sub>2</sub> flowmeters for rail attachment can be used to control the flow of oxygen in inhalation and insufflation. Flow rates up to 4 and 16 L/min can be set with a high degree of accuracy. The large rotay knob makes setting easier. Using the rail clamp, the flowmeter can be quickly and safely attached to all rail profiles. The connection to the gas supply can be ensured by a CS hose with NIST coupling nut.

Accuracy of flow rate at 4.5 bar ± 0.5 bar (1,013 hPa/20 °C)\*\*  
± 15% (corresponding to smallest setting value)  
± 10% (all other setting values)  
\*\* Using the flowmeters outside the specified ambient conditions could affect flow accuracy.

Dimensions (H × W × D): 160 × 40 × 130 mm  
(6.3 × 1.6 × 5.1 in)  
Material: Housing: Aluminium  
Pressure dome: Polyamide  
Flow indicator: Glass  
Weight: Approx. 950 g (2.09 lbs)

A	O <sub>2</sub> flowmeter, 4 L/min, rail with NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems	MP04552
B	O <sub>2</sub> flowmeter, 4 L/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems	MP04553
C	O <sub>2</sub> flowmeter, 16 L/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"	MP04567

CS hoses

Several hoses to connect flowmeter with the central supply. For CS hoses see chapter 5, "Accessory for gas supply".

A



D-962-2016

B



D-947-2016

C



D-948-2016

WARD EQUIPMENT

COMPACT FLOWMETER

Input pressure:	4.5 ± 0.5 bar*
Adjustable ranges:	0 – 15 L/min (0; 1; 2; 3; 4; 6; 8; 12; 15) 0 – 1 L/min (0; 0.1; 0.2; 0.3; 0.4; 0.5; 0.6; 0.8; 1) 0 – 5 L/min (0; 0.5; 1; 1.5; 2; 2.5; 3; 4; 5)
Accuracy:	0 – 5 L/min and 0 – 15 L/min: ± 20% 0 – 1 L/min ± 30%
Gas inlet:	CS plug O <sub>2</sub> or AIR; NIST (rail)
Gas outlet:	6 mm nozzle, thread 9/16"
Weight:	approx. 420 g (CS); approx. 700 g (rail)
Housing material:	nickel-coated brass
Dimensions:	diameter 40 mm, length 90 mm

\*1 bar = 1 kPa × 100

<b>A Compact flowmeter configurator, gives you the option of arranging the compact flowmeter according to your requirements, selectable options for configuration:</b>	<b>MP01200</b>
Gas type:	O <sub>2</sub> ; AIR
Mounting:	CS; rail with NIST gas inlet
CS connection:	DIN; UNI (Italy); AGA (SSS, Sweden); Carbuos (Spain); Carbamed; JIS (Japan); DISS (USA); BS (England); NF (France)
Version:	single compact flowmeter; double compact flowmeter
Flow:	0.1 – 1 L/min; 0.5 – 5 L/min; 1 – 15 L/min
Gas outlet:	6 mm nozzle, thread 9/16" for sterile water
<b>B O<sub>2</sub> compact flowmeter, DIN CS, 1-15 L/min, 6 mm nozzle</b>	<b>2M86793</b>
<b>C O<sub>2</sub> compact flowmeter, DIN CS, 1-15 L/min, 9/16"</b>	<b>MP01204</b>
Accessories for flowmeter: See section Ward Equipment, chapter 1.4 (humidifier, adapter and application).	



WARD EQUIPMENT

<b>A Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 L/min</b>	<b>2M85834</b>
<b>B Adapter, to connect e.g a tube or nasal cannula to O<sub>2</sub> flowmeter, M34×1.5 to 6 mm nozzle</b>	<b>M06258</b>
<b>C Adapter, for disposable sterilized water systems to O<sub>2</sub> flowmeters, M34×1.5 to 9/16"</b>	<b>2M86680</b>
<b>C Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16"</b>	<b>MP03366</b>
<b>D Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection</b>	<b>MP00416</b>
<b>E Adapter 9/16" to M34×1.5 for Dräger reusable humidifier</b>	<b>MP03325</b>



WARD EQUIPMENT

**Ultrasonic nebulizer Tropic 2.0\*** for effective humidification of the ambient air surrounding the patient, completely independently of any Central Gas Supply System. The nebulizer is driven by a quartz oscillator, with the result that only electrical energy is needed for operation.

The use of highly effective bacterial filters at the point at which the air enters the system, together with the possibility of nebulizing from sterilized water systems, largely prevents the spread of bacteria, viruses and germs. It is possible to nebulize distilled water both with or without a feeder system for long-term operation. The integrated timer allows presetting a defined therapy time. Medication can be applied in aerosol form using the disposable medicament containers.  
For use with 110/127/230 V.

- Includes:
- Short and long disposable hose
  - Bacterial filter
  - Power cable
  - Nebulizer chamber
  - Oscillating crystal
  - Cap


Technical data:	
Power consumption:	Ultrasonic nebulizer 50 VA Hose heating 30 VA
Ultrasonic frequency:	1.68 MHz ± 5%
Sound pressure level:	max. 35 dB(A)
Protection against moisture:	IP 21 (dripping water)
Method of operation:	Continuous operation, timed
Nebuliser output:	to 3 mL/min
Size of droplets:	86% < 5 µm, average 4 µm
Air flow:	up to 20 L/min if the bacterial filter is used
Classification:	Class I, type B

A	Ultrasonic nebulizer Tropic 2.0, basic unit with all accessories	MP03300
B	Trolley Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder	MP03301
	Table set for Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder	MP03302
	Rail set for Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder	MP03303

\*Produced by W. Krömker GmbH

WARD EQUIPMENT

A	Heatable hose Tropic 2.0, 1.1 m, for aerosol heating, cable, plug	MP03305
B	Corrugated hose Tropic 2.0, reusable, 1.2 m, for nebulizers	MP03306
C	Corrugated hose Tropic 2.0, reusable, 0.3 m, for nebulizers	MP03307
D	Hose for Tropic 2.0, disposable, 1 m, patient side, 15 pcs.	MX22793
D	Hose for Tropic 2.0, disposable, 40 cm, connects fan/chamber, 20 pcs.	MX22790



WARD EQUIPMENT

A	<u>Automatic refilling set Tropic 2.0, for large sterile water containers</u>	<u>MP03304</u>
B	<u>Disposable medication container for Tropic 2.0, 48 pcs.</u>	<u>MP00006</u>
C	<u>Quartz oscillator for Tropic 2.0, reusable</u>	<u>MP03308</u>
	<u>Nebulizer chamber for Tropic 2.0, spare part</u>	<u>MP03309</u>

A



D-35681-2009

B



D-1481-2009

C



MT-289-2003

WARD EQUIPMENT

MEDICAL ASPIRATION

The vacuum regulator is directly connected to a central vacuum supply, or mounted on a rail. The smoothly adjustable vacuum, up to max. -160 mbar (-16 kPa), is displayed on a rotating manometer, legible from all sides. All vacuum regulators include a shut-off valve. You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination. A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:	
Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 L/min
Weight:	600 to 800 g (800 g for rail versions)
Dimensions (W/H/D) in mm:	80 × 210 × 160 (without VarioSafe) 80 × 340 × 160 (with VarioSafe)
Maximum sound level:	50 dB (A)
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*
*Test has been performed by Nelson Lab, USA, before 2010	

A	<u>Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connection VAC</u>	<u>MP00511</u>
---	---	----------------

For CS hoses please refer to chapter "Accessory for gas supply".

A



D-10309-2011

WARD EQUIPMENT

VarioVac® vacuum regulator for rail.

The gas supply is ensured by VAC connection hose.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

You can use the VarioSafe® disposable filter system to reliably protect the VarioVac® series and the central vacuum system against contamination.

A VarioSafe® filter system is included with every VarioVac® vacuum regulator.

Technical data:

VarioVac P (MP00660, MP03223)

Maximum vacuum: -55 to 0 kPa (-550 to 0 mbar)

Maximum suction flow: 20 L/min

Maximum sound level: 40 dB(A)

Weight: 800 g

Dimensions (W/H/D) in mm: 80 × 210 × 160 (without VarioSafe)  
80 × 340 × 160 (with VarioSafe)

Hose nozzle: Ø 6 mm

Bacterial retention: 99.99998% (with VarioSafe)\*

Viral retention: 99.9998% (with VarioSafe)\*

\*Test has been performed by Nelson Lab, USA, before 2010

- A Vacuum regulator VarioVac® P Rail,  
for bronchial suction, gas connection VAC,  
for connection to all standard wall railsMP00660

The bronchial aspirator can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla.

Minimum distance from the center of the magnetic field:

Magnetic flux density of 40 millitesla (400 gauss).

- B Vacuum regulator VarioVac® MRI P Rail,  
for bronchial suction, gas connection VAC,  
for connection to all standard wall railsMP03223

For CS hoses please refer to chapter "Accessory for gas supply".



WARD EQUIPMENT

Drive unit VarioVac® and jar set are joined together, so that you have a complete, convinient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly. The gas supply is ensured by CS connection hose. You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination.

This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

Technical data:

Weight: 1,600 g (empty)

Dimensions (W/H/D) in mm: 300 × 440 × 160

Hose nozzle: Ø 6 mm

Bacterial retention: 99.99998% (with VarioSafe)\*

Viral retention: 99.9998% (with VarioSafe)\*

\*Test has been performed by Nelson Lab, USA, before 2010

- A Vacuum regulator VarioVac® P compact,  
for bronchial suction, gas connection VAC,  
including secretion jar set and integrated vacuum regulatorMP00661

Technical data:

Maximum vacuum: -55 to 0 kPa (-550 to 0 mbar)

Maximum suction flow: 20 L/min

Maximum sound level: 40 dB(A)

For CS hoses please refer to chapter "Accessory for gas supply".





WARD EQUIPMENT

The **VarioAir®** ejector is connected directly to a medical air supply system or to rails. The low-noise ejector generates a vacuum up to max. -16 kPa (-160 mbar) and shows the vacuum level on a turnable, manually adjustable pressure gauge. All devices offer a pressure relief valve (ex 0.1 kPa) to avoid pressure increase at the patient side. A new VarioSafe® disposable filter system reliably protects the VarioAir® series and the patient environment against contamination. One piece of the new VarioSafe® filter system is always included.

Technical data:	
Maximum vacuum:	-16 to 0 kPa (-160 to 0 mbar)
Maximum suction flow:	18 L/min
Inlet pressure range:	4 to 5.5 bar
Maximum gas consumption:	25 L/min
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Maximum sound level:	45 dB (A)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	Ex 0.1 kPa (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*
*Test has been performed by Nelson Lab, USA, before 2010	

<b>A Ejector VarioAir® D Rail, for continuous and wound drainage, gas connection AIR, for connection to all standard wall rails</b>	<b>MP00542</b>
For gas supply via CS vacuum connection hose. Connection thread: NIST.	

For CS hoses please refer to chapter "Accessory for gas supply".

A



D-28534-2009

WARD EQUIPMENT

**VarioAir® ejector for rail.**  
The gas supply is ensured by AIR connection hose. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height). You can use the VarioSafe® disposable filter system to reliably protect the VarioAir® series and the central vacuum system against contamination.

Technical data:	
VarioAir P (MP00545, MP03221)	
Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)
Maximum suction flow:	20 L/min
Maximum gas consumption:	40 L/min
Maximum sound level:	47 dB(A)
Inlet pressure range:	4 to 5.5 bar
Weight:	800 g
Dimensions (W/H/D) in mm:	80 × 200 × 160 (without VarioSafe) 80 × 330 × 160 (with VarioSafe)
Hose nozzle:	Ø 6 mm
Pressure relief valve:	from 0.1 kPa on (1 mbar)
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*
*Test has been performed by Nelson Lab, USA, before 2010	

<b>A Ejector VarioAir® P Rail, for bronchial suction, gas connection AIR, for connection to all standard wall rails</b>	<b>MP00545</b>
---	----------------

The bronchial aspirator can be used in magnets with static magnetic fields of 1.5 tesla and 3 tesla.  
Minimum distance from the center of the magnetic field:  
Magnetic flux density of 40 millitesla (400 gauss).

<b>A Ejector VarioAir® MRI P Rail, for bronchial suction, gas connection AIR, for connection to all standard wall rails</b>	<b>MP03221</b>
---	----------------

For CS hoses please refer to chapter "Accessory for gas supply".

A



D-28521-2009

WARD EQUIPMENT

Drive unit VarioAir® and jar set are joined together, so that you have a complete, convinient and easy solution. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the aspirator quickly. The gas supply is ensured by CS connection hose. You can use the VarioSafe® disposable filter system to reliably protect the device and the patient environment against contamination. This rail version can be connected to all standard wall rails (10 mm width and 25 mm height).

Technical data:	
Weight:	1,600 g (empty)
Dimensions (W/H/D) in mm:	300 × 440 × 160
Hose nozzle:	Ø 6 mm
Bacterial retention:	99.99998% (with VarioSafe)*
Viral retention:	99.9998% (with VarioSafe)*
*Test has been performed by Nelson Lab, USA, before 2010	

A	<b>Ejector VarioAir® P compact, for bronchial suction, gas connection AIR, including secretion jar set and integrated ejector</b>		<b>MP00547</b>
	<hr/>		
	Technical data:		
	Maximum vacuum:	-48 to 0 kPa (-480 to 0 mbar)	
	Maximum suction flow:	20 L/min	
	Inlet pressure range:	4 to 5.5 bar	
	Maximum gas consumption:	40 L/min	
	Maximum sound level:	47 dB(A)	
	Pressure relief valve:	Ex 0.1 kPa (1 mbar)	

For CS hoses please refer to chapter "Accessory for gas supply".

A

D-33493-2009



WARD EQUIPMENT

Extra lightweight portable secretion jar set for bronchial aspiration. The set is made of high quality and extremely robust plastic and can be autoclaved at up to 134 °C. The two 700 mL jars, which are used as secretion and rinsing jars, are identical, making hospital logistics considerably easier. The jars are made of high quality polysulfone, are reusable, extremely robust and implosion proof. The long service lifes makes the jars both environmentally friendly and cost effective. An automatic overflow safeguard is fitted in the secretion jar cap to prevent secretion from entering the drive unit and the piped medical gas supply. The ergonomically shaped handle is positioned exactly at the units centre of gravity, making it easy to transport the secretion jar set quickly.

A	Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose, maximum capacity up to the overflow safeguard 2 × 1000 mL, scale in steps of 10 mL up to max. 700 mL	2M85056
B	Secretion jar set, with protection jar and 700 mL secretion jars (2 pcs.), maximum capacity up to the overflow safeguard 2 × 1000 mL, scale in steps of 10 mL up to max. 700 mL, with additional protection jar 300 mL	2M85607

A

D-7354-2011



B

D-35529-2011




WARD EQUIPMENT

VacuSmart disposable cartridge for bronchial suction

VacuSmart is a disposable cartridge for 700 ml secretion jars. This product has been specifically designed and thoroughly tested to work with Dräger suction units. Therefore there is absolutely no need to modify the installed base. An integrated hydrophobic filter acts as an overflow safeguard by stopping suction of secretion once maximum capacity has been reached. The closed and leakproof system, optional with an integrated gelling agent, reduces the risk of cross contamination to a minimum. The optional gelling agent prevent leakages e.g. during the waste disposal in a waste press. The gelling agent is secured in a water soluble bag.

Technical data:	
Maximum capacity:	700 mL
Maximum capacity up to the overflow safeguard:	1,000 mL
Overflow safeguard:	Integrated, hydrophobic filter
Recommended duration of use:	24 h
Gelling agent:	Sodium polyacrylate

A	Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 mL, 25 pcs.	MX23023
B	Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 mL, 25 pcs.	MX23025
C	Suction tube VacuSmart® Tube, PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs.	MX23026
You can also enjoy some smart savings by choosing any of the following packing unit 25 pieces sets:		
D	Suction set, disposable, VacuSmart®, 700 mL and VacuSmart® Tube, 25 pcs. each	MP00061
D	Set VacuSmart® Gel and Tube, 25 pcs.	MP03211



WARD EQUIPMENT

A	Bacterial filter 767, for ejectors (model range until 2010), 5 pcs.	6723976
B	Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs.	MP00555
The new VarioSafe® disposable filter system reliably protects the VarioAir®, VarioVac® and VarioO2 series and the patient environment against contamination.		
Technical data:		
	Maximum capacity:	90 mL
	Bacterial retention:	99.99998%*
	Viral retention:	99.9998%*
	Material:	PS (polystyrol)
	Recommended duration of use:	7 days
	Filtration method:	Mechanical and hydrophobic (HEPA)*
C	Suction hose, silicone, reusable, 1.5 m, for medical suction	M25780
D	Connection hose, silicone, reusable, ID 5 mm, wall thickness 2 mm, by meter	1203606
E	Secretion jar, PSU (Polysulfone), reusable, 300 mL, autoclavable up to 134°C	2M86207
F	Secretion jar, PSU (Polysulfone), reusable, 700 mL, autoclavable up to 134°C	2M85594
G	Elbow, angled hose connection for secretion jar caps	2M19063

\*Test has been performed by Nelson Lab, USA, before 2010



WARD EQUIPMENT

Holders for attaching a compact bronchial aspirator or a secretion jar set to the wall/ rail or to a rail on a ceiling supply unit. The devices are only latched and can be detached and moved easily if this is required.

A Wall holder, with fixing screws, for compact suction unit and secretion jar set M26859

B Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail, for compact suction unit and secretion jar set M26842

C Ceiling holder, rail holder for compact suction systems and secretion jar sets 2M85119

Holders for holding a central supply connecting hose or an aspiration hose. For attachment to an intensive care rail or compact rail.

D CS connection hose holder 2M85446

E Suction hose holder, suitable for various diameters 2M85239



MT-2524-95

RAIL ACCESSORIES AND EXAMINATION LIGHT

6. RAIL ACCESSORIES AND EXAMINATION LIGHT

RAIL ACCESSORIES

Wire baskets

The wire baskets are used for storage of disposable catheters or dispoables gloves. The catheters can be simply stored in bundles and are then easy to take out one by one. The baskets are chromeplated and are thus easy to clean and can be autoclaved at up to 134 °C. The amount of space for a basket on the rails is around 150 mm (5.9 in).

A Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves M26146

A Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters M26145

A Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters M25121

Catheter receptacle

These recaptacles are for storage of sterile insufflation catheters. The catheter receptical is provided with a rail clamp and can be attached to intensive care rails. The diameter of the receptal is 50 mm. Catheter receptacle is 50 mm. Catheter receptacle 710 is designed for catheters up to 600 mm (23.6 in) long, and catheter receptacle 510 for catheters up to 400 mm (15.7 in) long.

B Rail holder, for catheter receptacle, 12.5 × 8.4 × 18 cm MP00652

C Catheter receptacle, large, 12.2 × 25.2 × 12.2 cm (top) and Ø 85 mm (bottom) MP00650


D Catheter receptacle, small, 12.2 × 16.6 × 12.2 cm (top) and Ø 60 mm (bottom) MP00651

E Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.) M24695

Litter bags, disposable, for litter bag holder, 100 pcs. M26240

F Infusion bottle holder, for standard rail, variable height, 3 hooks M20719

G Dish, stainless steel, Ø 20.5 cm, with rail clamp 2M85233



RAIL ACCESSORIES AND EXAMINATION LIGHT

EXAMINATION LIGHT

The Dräger **VarioLux®** offers cool, highly efficient, and variable intensity examination light and was specially designed for use in neonatology and pediatric settings. Made for single-handed operation, it features adjustable color temperature settings as well as a dimmer function.

Operating mode: Continuous operation  
Weight: 1.5 kg (3.3 lbs)  
Electrical values: 100 – 240 V, 50/60 Hz  
Max. illumination intensity Ec at 0.5 m: 30,000 lx  
Dimming levels: 30,000 lx, 24,000 lx, 18,000 lx, 12,000 lx, 7,000 lx

Light field diameter d10 at 0.5 m: 20 cm (7.9 in)  
Light field diameter d50 at 0.5 m: 9 cm (3.5 in)  
Color temperature adjustable: 3,500 K,

Warm white (red)  
4,100 K,  
Neutral white (white)  
4,700 K,  
Cool white (blue)  
Min. service life of bulb (LEDs): > 35,000 h  
Color reproduction index: Ra>= 96 (at 3,500 K)  
R9 = 89 (at 3,500 K)

Max. radiant power at 0.5 m: 105 W/m²

A	Medical examination light VarioLux® with LED technology, EU	MP00601
	Medical examination light VarioLux® with LED technology, US	MP00602
	Medical examination light VarioLux® with LED technology, GB	MP00603
	Medical examination light VarioLux® with LED technology, CHN	MP00604
	Medical examination light VarioLux® with LED technology, BR	MP00605
	Medical examination light VarioLux® with LED technology, AUS	MP00606
	Medical examination light VarioLux® with LED technology, ZA	MP00607
	Medical examination light VarioLux® with LED technology, JPN	MP00608
Power cable EU, 1.8 m, 2 pin		MP00591
Power cable US/JPN, 1.8 m, 2 pin		MP00592
Power cable GB, 1.8 m, 2 pin		MP00593
Power cable BR, 1.8 m, 2 pin		MP00625
Power cable AUS, 1.8 m, 2 pin		MP00626
Power cable ZA, 1.8 m, 2 pin		MP00597



RAIL ACCESSORIES AND EXAMINATION LIGHTS

A	Rail claw for lamp	MP00615
B	Turn knob, compl.	MP00587
C	Control panel	MP00589
D	Rail clamp, for attachment to poles of different diameters, rotatable by 90° to left and right, length of standard rail (profile 25 × 10 mm): 20 cm	2M85274
E	Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm, weight: 0.9 kg, max. load: 30 kg	2M85337





RAIL ACCESSORIES AND EXAMINATION LIGHTS

HINGED ARMS

Keeping everything close at hand. To leave your hands free to care for the patient, all the joints can be fixed into place and released with just one quick hand movement. All cables, lines and hose systems can be arranged in such a way as to more or less completely prevent accidental disconnection.

- A

Hinged arm Quickstop 2, w/ universal ball holder system for optional accessories length 858 mm, max. load 0.4 kg, includes hose clamps: MP00493 (1x), 8404761 (2x), 8409841 (1x)

2M85706
- B

Hinged arm Quickstop short, with universal tube holder plate, for various cable and tube dimensions and coaxial hoses, specifically designed for OR tables, length 323 mm, max. load 1 kg

2M86463
- C

Hose clip, for ball mounting, for standard breathing hoses, adult/neonatal, applicable for Hinged arm 240° (8409609), and Hinged arm Quickstop 2 (2M85706)


8409841
- D

Hose clip double, for standard breathing hoses, adult/neonatal, 2 pcs., applicable for Hinged arm 240° (8409609), Hinged arm Quickstop 2 (2M85706), and Hinged arm Quickstop 1 (2M85705)

8406138
- E

Hose clip, for coaxial breathing hoses, adult, 2 pcs., for Hinged arm Quickstop (2M85706)

MP00493



RAIL ACCESSORIES AND EXAMINATION LIGHTS


- A

Holder for Y-piece, with ball mounting, applicable for Hinged arm Infinity ACS (MP00690), Hinged arm 240° (8409609), and Hinged arm Quickstop 2 (2M85706)

8409746
- B

Hose holder plate, for ball mounting, for all cable and hose dimensions, as well as for coaxial and pediatric hoses, applicable for Hinged arm Infinity ACS (MP00690), Hinged arm 240° (8409609), and Hinged arm Quickstop 2 (2M85706)

2M86465



## NOTES

## NOTICE

Size classification to adults (A), pediatrics (P) and neonats (N)

Not made with natural rubber latex: product is produced without latex

INDEX BY ORDER NUMBER

1	1203606	277, 423	2606228	165, 222, 405	4119071	310		
			2606229	223	4119072	310		
2	2111764	98	2606231	223	4119073	310		
	2112760	38	2606247	210	4119074	310		
	2120461	98, 394	2606248	210	4119075	310		
	2120488	98	2606249	210	4119076	310		
	2120496	98	2606483	211	4119077	310		
	2165619	28, 30, 39	2606484	211	4119078	310		
	2165627	28, 30, 35, 39	2606485	211	4119079	310		
	2165651	31, 33, 41, 373, 375, 377	2606486	211	4119080	310		
	2165678	36, 40, 376	2606487	211	4119081	310		
	2165821	27, 31, 41, 372, 373, 377	2606488	216	4119082	310		
	2165848	27, 31, 40, 372, 373, 377	2606489	216	4119083	310		
	2165856	27, 31, 41, 372, 373, 377	2606490	216	4185140	306		
	2165961	36, 41, 376, 377	2606491	216	4185141	306		
	2166038	30, 34, 35, 39	2606492	210	4185142	307		
	2166046	29, 34, 37, 38, 39	2606493	210	4185143	307		
	2166054	36, 45, 376, 379	2606494	210	4199587	307		
	2166062	34, 35, 45	2606495	210	4199588	307		
	2166070	45	2606496	210	4199589	306		
	2166127	45, 379	2606497	210	4199590	306		
	2170221	137	2606498	210	4199591	306		
	2601190	217	2607034	214	4199592	306		
	2601191	217	2607035	214	4199593	306		
	2601192	217	2607036	214	4199594	306		
	2601195	213	2607037	214	4199595	307		
	2601197	215	2607038	214	4199596	307		
	2601198	215	2607550	218	4199597	307		
	2601199	215	2607551	218	4199598	307		
	2601200	215	2607552	218	4199599	307		
	2601201	217	2607553	218	4199600	306		
	2605081	220	2607554	218	4199601	306		
	2605082	220	2607555	218	4199602	306		
	2605083	219	2870173	147, 195, 404	4199604	306		
	2605084	219	2870181	147, 195, 404	4199605	306		
	2605085	220	2870199	147, 195, 404	4199712	306		
	2605086	221	2870207	147, 195, 404	4199713	307		
	2605087	219	2870215	147, 195, 404	4199714	306		
	2605088	219	2870298	144, 192, 404	4321563	155		
	2605089	221			4322975	165		
	2605124	218	3	3368383	154	4329822	142, 190, 403	
	2605127	219		3368391	115	4329848	142, 190	
	2605128	221		3368425	116, 149, 196	4329889	142, 190	
	2605129	221		3368433	125, 128, 136, 398	4527750	123, 176, 203	
	2605130	220		3368458	157, 197	4528741	156	
	2606151	213		3375834	125, 128, 136, 398	4529988	171, 406	
	2606152	213		3375933	156	4711201	171, 406	
	2606153	213		3375941	152	4714387	165	
	2606154	213		3375958	152, 159	4714395	165	
	2606155	213				4714429	165	
	2606156	213	4	4118453	330	4721408	153	
	2606208	211		4118555	330	4721416	153	
	2606209	211		4119065	310	4721424	153	
	2606210	211		4119066	310	4721614	153	
	2606211	211		4119067	310	4721788	165, 405	
	2606225	216		4119068	310	4721796	165	
	2606226	222		4119069	310			
	2606227	165, 222		4119070	310	5	5001330	277

INDEX BY ORDER NUMBER

	5191221	115		6850435	166, 198		8402918	28
	5192112	153		6850645	111, 396		8402953	36, 376
	5194779	123, 397		6850930	111		8403056	27, 44, 372
	5195024	123, 176, 210, 397		6870279	55, 166, 198		8403070	33, 375
	5195180	155		6870280	55, 166, 198, 381		8403075	27, 31, 36, 43,
	5195198	116, 196		6870281	166, 198			372, 373, 376, 378
	5196980	152		6871500	55, 381		8403076	28, 30, 44
	5196998	152		6871950	55, 166, 198, 381		8403080	33, 375
	5198333	141		6871980	109		8403201	46
	5202747	116		6872020	170		8403208	46, 379
	5204644	142, 190		6872128	170		8403333	27, 372
	5204651	142, 190		6872130	170		8403566	28, 30
	5204669	142, 190, 403		6873065	111, 329, 396		8403684	44
	5206581	156					8403685	28, 30, 37
	5206607	154	7	7014616	142, 190, 215		8403735	109
	5207415	170		7257988	116, 196		8404760	27, 372
	5588095	154		7262764	137, 188, 208, 212		8404985	28, 30, 35, 44
	5588822	150		7265155	197		8405000	90
	5589663	115		7265163	197		8405435	28, 43
	5590539	115, 397		7270460	153		8405752	27, 44, 372
	5591925	150		7485621	116, 149, 150		8406138	324, 428
	5591933	150		7486140	124		8407475	37, 97
	5592147	154		7486876	155		8408950	81
	5592154	141, 189		7489417	155		8409609	322
	5592162	123, 397		7489433	155		8409626	110, 395
	5598128	116		7496875	134, 185, 207		8409627	27, 31, 32, 33, 44,
	5702321	95, 393		7496891	134, 185, 207, 402			372, 373, 374, 375
	5702322	95, 393		7496909	134, 185, 207, 402		8409634	31, 373
	5702881	95		7496917	134, 185, 207, 402		8409683	72, 386
	5703041	21		7496925	134, 185, 402		8409746	324, 429
	5703471	97, 394		7496933	134, 185, 402		8409841	324, 428
	5703701	96, 393		7498947	155		8409897	31, 33, 44, 373, 375
	5703702	96, 393		7864155	155		8410049	28
	5703703	96, 394		7864908	155		8410079	46, 379
	5703704	96, 394		7869469	168, 405		8410179	109, 395
	5703705	96		7869477	168		8410185	109, 395
	5703706	96, 393		7869485	169, 405		8410547	98
	5703707	96, 393		7869493	169		8410580	79
	5703708	97, 394		7869501	169		8410709	33, 375
	5704962	22		7869535	168		8410814	32, 374
	5704964	21		7869543	168		8410816	32, 374
	5731281	154		7869550	168, 405		8410929	38
	5736744	163		7869584	169, 405		8411024	91, 390
	5741975	157, 197		7869592	168		8411030	90
	5790124	98		7869600	405		8411031	90
	5790148	358		7869618	169, 405		8411041	33, 375
	5947226	124		7872174	164		8411044	31, 33, 44, 373, 375
	5947804	163					8411045	33, 87, 375
	5950196	115	8	8201012	137, 399		8411047	86, 388
	5954859	163		8201013	212, 347, 399		8411050	89, 389
	5957100	167, 405		8290274	28		8411074	87, 358, 388
	5957118	167, 405		8290286	170		8411075	330, 332
	5957126	167		8306370	110		8411130	109, 395
	5957134	167		8306488	356		8411153	32, 374
	5957142	167		8401644	30		8411154	32, 87, 374, 388
				8401645	27, 31, 43, 372, 373		8412001	38
6	6723976	276, 292, 423		8402041	28, 30		8412015	80
	6850250	111, 396		8402868	82		8412034	38, 109

INDEX BY ORDER NUMBER

8412068	38	8418617	359, 363
8412217	86	8418619	359, 364
8412235	38, 43	8419160	157, 197
8412344	27, 372	8420077	157, 197
8412710	166, 198	8539983	157, 197
8412860	29	8601697	295
8412888	29, 30, 43		
8412913	38	2M 2M16520	339
8412935	90	2M19063	278
8412985	90	2M19063	423
8413125	80	2M20434	338
8413146	28	2M20827	337
8413293	38	2M20914	339
8413660	81	2M21009	353
8414776	79	2M21010	353
8414966	88, 389	2M21012	337
8414968	88, 389	2M21158	338
8414969	87	2M21161	338
8414986	30	2M21186	332, 339
8414987	31, 373	2M21191	338
8414989	88, 389	2M21342	338
8414991	20	2M21514	332, 339
8414992	88	2M30462	354
8414993	30, 31, 87, 373, 388	2M50040	332
8414994	20, 370	2M50385	331
8415270	81	2M50412	331
8416347	330	2M60180	330
8416352	166, 198	2M60390	329
8416600	110	2M60401	330
8416750	79	2M85003	315
8417050	81	2M85011	277
8418077	379	2M85012	277
8418282	86, 388	2M85013	277
8418289	32, 33, 43, 374, 375	2M85049	316
8418404	32, 374	2M85056	251, 272, 421
8418405	32, 374	2M85119	274, 317, 424
8418407	32, 374	2M85139	293
8418415	359, 363	2M85151	290
8418416	359, 363	2M85153	290
8418417	359, 363	2M85163	291
8418455	32, 374	2M85180	291
8418458	33, 375	2M85233	318, 425
8418462	88	2M85239	274, 284, 316, 424
8418490	359, 364	2M85274	316, 321, 427
8418491	359, 364	2M85337	251, 319, 321, 358, 427
8418531	359, 363	2M85380	273
8418533	359, 366	2M85381	273
8418534	359, 366	2M85441	283, 358
8418535	359, 366	2M85446	274, 284, 316, 424
8418536	359, 366	2M85571	256
8418537	359, 366	2M85575	253
8418538	359, 366	2M85594	278, 423
8418539	359, 366	2M85607	272, 421
8418603	359, 363	2M85674	255
8418605	359, 363	2M85705	322
8418607	359, 363	2M85706	322, 428
8418609	359, 363	2M85728	243
8418611	359, 363	2M85834	253, 411

2M85835	253
2M85853	253
2M86029	250, 252
2M86185	252
2M86205	249
2M86207	278, 423
2M86291	98
2M86292	98
2M86293	98
2M86410	251, 252
2M86463	323, 428
2M86464	323
2M86464	116, 150
2M86465	324, 429
2M86680	254, 411
2M86752	283
2M86757	280, 284
2M86758	277, 284
2M86793	242, 410
2M86800	37
2M86832	37, 97
2M86837	21
2M86841	21
2M86913	98

C	CH00102	276, 292
---	---------	----------

G	G01166	310
	G01168	310
	G01169	310
	G12985	319
	G13040	319
	G13171	319
	G13768	319
	G15225	319

M	M06258	253, 411
	M07152	98
	M07582	278
	M11015	91, 256
	M12394	91, 256
	M16395	293
	M17717	256
	M19351	31, 32, 33, 373, 374, 375
	M20650	316
	M20668	293
	M20719	318, 358, 425
	M21112	318
	M23840	28, 30
	M24678	315
	M24692	315
	M24695	318, 425
	M25121	317, 425
	M25647	28, 30, 34, 35, 36, 44, 376
	M25649	30, 43
	M25650	42
	M25682	42
	M25739	316

INDEX BY ORDER NUMBER

M25780	277, 423
M26145	317, 425
M26146	317, 425
M26240	318, 425
M26391	315
M26842	251, 274, 316, 424
M26859	274, 424
M27077	43, 376, 378
M27542	36, 376
M30146	34
M32493	311
M32494	311
M32495	311
M32496	311
M32497	311
M32692	170
M33278	34, 35, 42
M34461	36, 376
M34568	36, 43, 376, 378
M34875	311
M34876	311
M34877	311
M34878	311
M35056	252, 311
M35057	311
M35058	252, 311
M35330	297
M35331	297
M35332	297
M35333	299
M35334	299
M35335	299
M35336	311
M35337	311
M35338	311
M35339	300
M35340	300
M35341	300
M35342	298
M35343	298
M35344	298
M35345	302
M35346	302
M35347	302
M35357	303
M35358	303
M35359	303
M35375	301
M35376	301
M35377	301
M35378	301
M35379	301
M35382	301
M35383	301
M35384	301
M35385	301
M35386	301
M35387	301

M35388	301
M35389	299
M35390	299
M35391	299
M35392	299
M35393	299
M35394	299
M35395	299
M35396	299
M35397	299
M35398	300
M35399	300
M35400	300
M35401	300
M35402	300
M35403	300
M35404	300
M35405	300
M35406	300
M35407	303
M35408	303
M35409	303
M35410	303
M35411	303
M35412	303
M35413	303
M35414	303
M35415	303
M35416	297
M35417	297
M35418	297
M35419	297
M35420	297
M35421	297
M35422	297
M35423	297
M35424	297
M35425	298
M35426	298
M35427	298
M35428	298
M35429	298
M35430	298
M35431	298
M35432	298
M35433	298
M35434	297
M35435	297
M35436	297
M35437	298
M35438	298
M35439	298
M35452	297
M35453	297
M35454	297
M35455	297
M35456	297
M35457	297

M35469	302
M35472	302
M35473	302
M35474	302
M35475	302
M35476	302
M35477	302
M35478	302
M35479	302
M35489	295
M35490	295
M35491	295
M35492	295
M35493	295
M35494	295
M35495	295
M35496	295
M35497	295
M35498	295
M35499	295
M35801	305
M35802	305
M35803	305
M35804	305
M35805	305
M35806	305
M35807	305
M35808	305
M35809	305
M35820	305
M35865	305
M35866	305
M35867	305
M36000	295
M36001	295
M36002	295
M36003	295
M36004	296
M36005	296
M36006	296
M36007	296
M36008	296
M36009	296
M36010	296, 309
M36011	296, 309
M36012	296, 309
M36013	296
M36014	296
M36015	296
M36016	296
M36017	296
M36018	296
M36042	311
M36053	250
M36056	311
M36148	304
M36149	304
M36150	304

INDEX BY ORDER NUMBER

M36151	304	MP00038	250, 252	MP00497	293	
M36152	304	MP00061	275, 422	MP00498	318	
M36153	304	MP00090	318	MP00501	262	
M36154	304	MP00100	249	MP00502	262	
M36155	304	MP00100	250	MP00503	262	
M36156	304	MP00220	81	MP00504	262	
M36250	311	MP00222	15	MP00505	262, 282	
M36290	308	MP00224	81	MP00506	270	
M36291	308	MP00234	19, 371	MP00507	286	
M36292	308	MP00300	11	MP00508	286	
M36293	308	MP00301	16	MP00509	286	
M36294	308	MP00303	16	MP00510	286	
M36295	308	MP00305	14	MP00511	286, 415	
M36296	308	MP00308	19, 370	MP00512	287, 291	
M36297	308	MP00309	19, 370	MP00514	262	
M36298	308	MP00310	341, 368	MP00515	286	
M36299	308	MP00311	341, 368	MP00516	262, 282	
M36300	308	MP00312	22	MP00518	291	
M36301	308	MP00313	22	MP00530	266	
M36723	298	MP00327	14	MP00531	266	
M36724	298	MP00329	14, 368	MP00532	266	
M36725	298	MP00330	16	MP00533	266	
M36726	299	MP00331	16	MP00534	266	
M36727	299	MP00333	16, 368	MP00535	266, 282	
M36728	299	MP00334	12	MP00536	271	
M36729	295	MP00335	21	MP00537	288	
M36730	295	MP00337	12	MP00538	288	
M36731	295	MP00338	11	MP00539	288	
M36732	309	MP00340	23	MP00540	288	
M36733	309	MP00341	26	MP00541	288	
M36734	309	MP00343	20, 370	MP00542	288, 418	
M36735	309	MP00349	11	MP00543	289	
M36736	309	MP00350	11	MP00544	289	
M36737	309	MP00351	11	MP00545	268, 419	
M36738	309	MP00352	11	MP00547	271, 420	
M36739	309	MP00353	11, 368	MP00548	266	
M36740	309	MP00355	14	MP00549	288	
M36741	309	MP00361	12	MP00550	267	
M36784	309	MP00362	12	MP00551	267	
M36785	309	MP00363	12, 368	MP00552	250, 267, 282	
M36786	309	MP00365	17	MP00553	289	
M36788	309	MP00366	17	MP00555	276, 292, 423	
M36789	309	MP00371	17	MP00565	294	
M36826	304	MP00372	17	MP00566	294	
M36827	304	MP00373	13	MP00569	294	
M36828	304	MP00374	18	MP00570	278	
MK	MK00514	276, 292, 342	MP00375	18	MP00578	279
	MK01418	269	MP00378	23	MP00579	293
	MK01420	269	MP00379	13	MP00580	279
	MK01422	264	MP00380	15	MP00587	321, 427
	MK01900	109	MP00381	15	MP00589	321, 427
	MK02588	105	MP00383	15, 368	MP00591	320, 426
	MK03140	264	MP00384	15	MP00592	320, 426
	MK03320	264	MP00416	244, 254, 358, 361, 411	MP00593	320, 426
	MK04248	35	MP00493	324, 428	MP00595	294
			MP00494	279	MP00596	294
MP	MP00006	259, 414	MP00495	293	MP00597	320, 426
			MP00496	279	MP00601	320, 426

INDEX BY ORDER NUMBER

MP00602	320, 426	MP00879	120, 175, 202	MP01074	92
MP00603	320, 426	MP00881	120, 175, 202	MP01075	92
MP00604	320, 426	MP00911	145, 193	MP01076	92
MP00605	320, 426	MP00912	145, 193	MP01078	92
MP00606	320, 426	MP00913	145, 193	MP01079	92
MP00607	320, 426	MP00915	145, 193	MP01085	92
MP00608	320, 426	MP00916	145, 193	MP01086	92
MP00615	321, 427	MP00917	145, 193	MP01087	92
MP00625	320, 426	MP00918	145, 193	MP01101	248, 249
MP00626	320, 426	MP00919	145, 193	MP01102	248, 249
MP00634	280, 284, 358	MP00921	145, 193	MP01103	248, 250
MP00635	280	MP00924	146, 194	MP01104	248
MP00636	280	MP00925	146, 194	MP01105	248
MP00637	280	MP00926	146, 194	MP01184	256
MP00646	273	MP00928	146, 194	MP01185	256
MP00650	317, 425	MP00929	146, 194	MP01200	242, 410
MP00651	317, 425	MP00930	146, 194	MP01203	333
MP00652	317, 425	MP00931	146, 194	MP01204	242, 410
MP00653	325	MP00932	146, 194	MP01325	24
MP00653	116, 150	MP00934	146, 194	MP01326	23
MP00656	279	MP00940	228	MP01327	25, 369
MP00657	279	MP00941	228	MP01328	25, 369
MP00658	293	MP00942	228	MP01329	26, 369
MP00659	293	MP00943	226	MP01330	26
MP00660	263, 426	MP00944	226	MP01340	25
MP00661	270, 417	MP00945	228	MP01341	25
MP00663	287	MP00953	144, 192	MP01343	26
MP00664	287	MP00989	143, 191	MP01347	24
MP00686	265	MP00990	209	MP01348	23
MP00687	265	MP00991	141, 189	MP01350	23
MP00689	265	MP00992	141, 189	MP01370	21
MP00690	322	MP00993	141, 189	MP01371	21
MP00692	325	MP00994	141, 189	MP01401	333, 335
MP00693	325	MP00995	141, 189	MP01402	340
MP00715	171, 406	MP00996	141, 189	MP01403	343
MP00716	171, 406	MP00997	141, 189, 403	MP01404	340
MP00717	171, 406	MP00998	141, 189, 403	MP01405	343
MP00718	171	MP00999	143, 191	MP01412	354
MP00721	116	MP01001	89, 399	MP01413	354
MP00721	143, 191	MP01002	87, 388	MP01414	356
MP00722	171	MP01006	89	MP01415	354
MP00744	223	MP01007	30, 43, 89	MP01416	354
MP00747	228	MP01008	87	MP01417	354
MP00748	188, 212	MP01010	91, 390	MP01418	354
MP00788	129, 178, 205	MP01030	91, 390	MP01419	344, 349, 351
MP00789	129, 178, 205, 401	MP01031	91	MP01423	331, 355
MP00790	130, 179, 205	MP01032	91, 390	MP01424	333, 335, 355
MP00791	130, 179, 205	MP01035	91	MP01426	331, 355
MP00792	130, 179, 347, 401	MP01036	91	MP01427	333, 355
MP00793	130, 179, 205	MP01037	91, 390	MP01440	357
MP00794	130, 179, 347, 401	MP01060	79	MP01441	357
MP00795	129, 178, 205	MP01061	81	MP01442	357
MP00796	129, 178, 205	MP01062	54	MP01443	357
MP00797	177	MP01062	166, 198	MP01444	357
MP00799	129, 178, 205	MP01063	54, 166, 198, 381	MP01445	357
MP00800	177	MP01071	92	MP01494	359, 364
MP00875	120, 175, 202	MP01072	92	MP01495	359, 364
MP00877	120, 175, 202	MP01073	92	MP01496	359, 364



INDEX BY ORDER NUMBER

MP01501	67, 382	MP01620	60
MP01502	67, 382	MP01621	60
MP01503	67	MP01622	60
MP01504	67	MP01623	60
MP01505	67	MP01624	60
MP01506	67	MP01625	60
MP01510	68, 383	MP01656	83
MP01511	68, 383	MP01657	83
MP01512	68, 383	MP01663	84
MP01513	68	MP01664	84
MP01514	68	MP01665	84
MP01515	68	MP01671	57
MP01516	68	MP01673	84
MP01521	69, 383	MP01674	84
MP01522	69, 383	MP01676	83
MP01523	69	MP01677	83
MP01524	69	MP01682	84
MP01531	69, 383	MP01730	50
MP01532	69, 383	MP01735	50
MP01533	69	MP01740	50, 380
MP01534	69	MP01745	50, 380
MP01543	69	MP01755	48
MP01544	69	MP01765	48
MP01545	69	MP01770	48, 259
MP01546	69	MP01780	80
MP01551	72, 386	MP01781	80
MP01552	72	MP01785	49
MP01553	65, 367	MP01790	49, 259
MP01554	65, 367	MP01795	49
MP01555	65, 367	MP01800	47
MP01556	65, 367	MP01801	47
MP01557	71, 386	MP01805	47
MP01558	71	MP01810	47
MP01559	71, 386	MP01815	47
MP01560	71	MP01820	47, 380
MP01561	71, 386	MP01825	47, 380
MP01562	71	MP01840	56
MP01564	65	MP01845	56
MP01565	65	MP01850	56
MP01566	65	MP01855	56
MP01567	65	MP01860	56
MP01568	65	MP01880	341, 357
MP01569	65	MP01890	56
MP01570	59	MP01895	56
MP01571	59	MP01910	70, 341, 384
MP01572	59	MP01911	70, 341, 384
MP01573	59	MP01912	70
MP01574	59	MP01913	70
MP01575	59	MP01914	70
MP01576	64	MP01915	70
MP01577	64	MP01916	72, 386
MP01578	64	MP01917	72
MP01579	64	MP01920	73
MP01580	64	MP01921	73
MP01581	64	MP01922	75
MP01583	66	MP01923	75
MP01585	66	MP01924	74
MP01590	66, 72, 386	MP01925	74

MP01926	73	MP02201	143, 191
MP01927	77	MP02260	358
MP01930	73	MP02400	46
MP01931	73	MP02401	46
MP01932	74	MP02405	46
MP01933	74	MP02425	31, 32, 33, 46, 345, 373, 374, 375, 379
MP01934	73	MP02590	19, 371
MP01935	75	MP02600	79
MP01936	75	MP02605	20
MP01940	77	MP02606	20
MP01941	77	MP02607	20
MP01942	77	MP02608	19, 370
MP01943	77	MP02650	19, 370
MP01944	77	MP02655	19, 371
MP01945	77	MP02710	15, 368
MP02201	143, 191	MP02711	15
MP02260	358	MP02712	15
MP02400	46	MP02713	15
MP02401	46	MP02720	17
MP02405	46	MP02721	17
MP02425	31, 32, 33, 46, 345, 373, 374, 375, 379	MP02900	70, 341, 384
MP02590	19, 371	MP02910	61
MP02600	79	MP02911	61
MP02605	20	MP02912	61
MP02606	20	MP02913	61
MP02607	20	MP02914	61
MP02608	19, 370	MP02915	61
MP02650	19, 370	MP02916	61
MP02655	19, 371	MP02917	61
MP02710	15, 368	MP02918	61
MP02711	15	MP02920	76, 385
MP02712	15	MP02921	76, 385
MP02713	15	MP02922	76
MP02720	17	MP02923	76
MP02721	17	MP02924	76, 385
MP02900	70, 341, 384	MP02925	76, 385
MP02910	61	MP02926	76
MP02911	61	MP02927	76
MP02912	61	MP02928	76, 385
MP02913	61	MP02929	76, 385
MP02914	61	MP02930	76
MP02915	61	MP02931	76
MP02916	61		
MP02917	61		
MP02918	61		
MP02920	76, 385		
MP02921	76, 385		
MP02922	76		
MP02923	76		
MP02924	76, 385		
MP02925	76, 385		
MP02926	76		
MP02927	76		
MP02928	76, 385		
MP02929	76, 385		
MP02930	76		
MP02931	76		

INDEX BY ORDER NUMBER

MP02932	76, 385	MP03376	13
MP02933	76, 385	MP03377	24
MP02934	76	MP03381	18
MP02935	76	MP03383	18
MP02959	183	MP03384	18
MP02960	183	MP03388	24
MP02961	183	MP03401	121, 174, 201
MP02962	183	MP03402	121, 174, 201
MP02971	184	MP03403	121, 174, 201
MP02972	184	MP03404	121, 174, 201
MP02974	183	MP03405	121, 174, 201
MP02975	183	MP03406	121, 174, 201
MP02991	177	MP03407	174
MP02992	177	MP03408	174
MP02993	129, 178, 205	MP03411	122
MP02997	184	MP03412	122
MP02998	184	MP03413	122
MP03120	175	MP03414	122
MP03121	175	MP03415	122
MP03122	120, 175, 202	MP03416	122
MP03123	120, 175, 202	MP03417	122
MP03191	131, 180	MP03418	122
MP03192	131, 180, 401	MP03421	201
MP03193	131, 180	MP03422	201
MP03194	177	MP03423	201
MP03196	177	MP03424	201
MP03197	135, 186	MP03425	201
MP03198	135, 186	MP03426	201
MP03199	184	MP03587	279
MP03200	184	MP03589	279
MP03201	184	MP03597	293
MP03202	184	MP03700	359, 362
MP03203	186	MP03701	359, 362
MP03211	275, 422	MP03702	359, 362
MP03220	268	MP03703	359, 362
MP03221	268, 419	MP03704	359, 362
MP03222	263	MP03705	362
MP03223	263, 416	MP03730	329, 355
MP03230	283	MP03737	329, 354
MP03231	283	MP03760	353
MP03232	283	MP03770	353
MP03233	283	MP03771	353
MP03300	257, 412	MP03772	353
MP03301	257, 412	MP03826	359, 362
MP03302	257, 412	MP03880	359, 365
MP03303	257, 412	MP03881	359, 365
MP03304	259, 414	MP03882	359, 365
MP03305	258, 413	MP03883	359, 365
MP03306	258, 413	MP03884	359, 365
MP03307	258, 413	MP03885	359, 365
MP03308	259, 414	MP04110	249
MP03309	259, 414	MP04200	244, 360
MP03322	256	MP04201	244
MP03325	253, 411	MP04202	244
MP03366	254, 411	MP04203	244, 360
MP03373	13	MP04204	244, 360
MP03374	13	MP04218	244, 361
MP03375	24	MP04219	244, 361

MP03376	13	MP04221	244, 361
MP03377	24	MP04229	244, 360
MP03381	18	MP04230	58
MP03383	18	MP04232	58
MP03384	18	MP04234	58
MP03388	24	MP04236	58
MP03401	121, 174, 201	MP04240	57
MP03402	121, 174, 201	MP04242	57
MP03403	121, 174, 201	MP04244	57
MP03404	121, 174, 201	MP04246	57
MP03405	121, 174, 201	MP04300	224
MP03406	121, 174, 201	MP04301	224
MP03407	174	MP04305	224
MP03408	174	MP04306	224
MP03411	122	MP04310	224
MP03412	122	MP04312	224
MP03413	122	MP04315	224
MP03414	122	MP04316	224
MP03415	122	MP04320	224
MP03416	122	MP04322	224
MP03417	122	MP04325	224
MP03418	122	MP04326	224
MP03421	201	MP04327	224
MP03422	201	MP04350	226
MP03423	201	MP04351	226
MP03424	201	MP04352	226
MP03425	201	MP04353	226
MP03426	201	MP04355	226
MP03587	279	MP04356	226
MP03589	279	MP04357	226
MP03597	293	MP04358	226
MP03700	359, 362	MP04359	226
MP03701	359, 362	MP04365	226
MP03702	359, 362	MP04366	226
MP03703	359, 362	MP04551	233, 407
MP03704	359, 362	MP04552	236, 409
MP03705	362	MP04553	237, 409
MP03730	329, 355	MP04554	234
MP03737	329, 354	MP04555	235
MP03760	353	MP04556	239
MP03770	353	MP04557	235
MP03771	353	MP04558	233
MP03772	353	MP04559	240
MP03826	359, 362	MP04560	235, 408
MP03880	359, 365	MP04561	233
MP03881	359, 365	MP04562	240
MP03882	359, 365	MP04563	234
MP03883	359, 365	MP04564	240
MP03884	359, 365	MP04565	234
MP03885	359, 365	MP04566	234
MP04110	249	MP04567	239, 409
MP04200	244, 360	MP04568	241
MP04201	244	MP04569	235, 408
MP04202	244	MP04570	237
MP04203	244, 360	MP04571	234
MP04204	244, 360	MP04572	240
MP04218	244, 361	MP04573	236
MP04219	244, 361	MP04575	236

INDEX BY ORDER NUMBER

MP04576	237	MS14693	173
MP04577	238	MS14694	173
MP04578	238	MS14796	162
MP04579	238	MS15007	164
MP04580	237	MS15053	164
MP04581	241	MS15084	164
MP04701	64	MS15085	164
MP04702	64	MS15086	164
MP04703	64	MS15087	164
MP04704	64	MS15893	148
MP04705	64	MS15894	149
MP04706	64	MS15895	149
MP04711	62	MS15896	149
MP04712	62	MS16160	119
MP04713	62	MS16161	119
MP04714	62	MS16229	119
MP04721	62	MS16230	119
MP04722	62	MS16232	119
MP04723	62	MS16233	119
MP04724	62	MS16256	124, 176, 203
MP04731	62	MS16444	126, 204
MP04732	62	MS16445	126, 204
MP04733	62	MS16446	127, 399
MP04734	62	MS16447	127, 399
MP04741	63	MS16448	126, 204
MP04742	63	MS16449	126, 204
MP04743	63	MS16492	124
MP04744	63	MS16734	159
MP04751	63	MS16916	159
MP04752	63	MS16918	159
MP04753	63	MS16919	159
MP04754	63	MS16920	159
MP05405	243	MS17075	148
MP05406	243	MS17185	118, 173
MP05407	243	MS17330	125, 128, 136, 204, 208, 398
MP05408	243		
MP05409	243	MS17441	159
MP05507	78	MS17522	128, 205, 400
MP05508	78	MS18683	125, 128, 136, 204, 208, 398
MP05511	78		
MP05512	78	MS20093	115
MP05513	78	MS20094	115
MP05601	78	MS20475	173
MP05700	82	MS20476	173
MP05701	82	MS20725	150, 196
MP05750	50	MS20783	196
		MS20979	188, 212
MS MS13218	164	MS22147	151, 196
MS13235	126, 204	MS22148	151, 196
MS14555	117, 172, 200	MS22259	166, 198
MS14556	117, 172, 200	MS22532	151, 159, 196
MS14559	117, 172, 200	MS22533	151, 196
MS14560	117, 172, 200	MS22534	151, 196
MS14679	124, 176, 203	MS22535	151, 196
MS14680	124, 176, 203	MS22832	176
MS14681	124	MS22905	209
MS14682	117, 172, 200	MS23133	159
MS14683	117, 172, 200	MS23598	152

MS23897	196	MU MU03876	334, 336, 344, 349, 351
MS23898	196	MU04366	344, 349, 351
MS24303	128, 205, 400	MU04472	345, 349, 351
MS25836	199	MU04771	349
MS25951	176	MU04804	349
MS26122	148	MU04991	349
MS26123	148	MU06008	345, 350, 352
MS26125	148	MU06011	344, 350, 352
MS26187	169	MU06570	336, 344, 349, 351
MS26188	169	MU06933	343, 344, 349, 351
MS28557	118, 173	MU06943	356
MS28558	118, 173	MU06944	356
MS28559	118, 173	MU06951	343, 344, 349, 351
MS28560	118, 173	MU10841	341
MS28561	118, 173		
MS29468	163		
MS31435	176		
MS32146	199		
MS32150	199		
MS32151	199		
MS32153	199		
MS32154	199		
MS32156	199		
MS32282	159		
MS32289	199		
MS32290	199		
MS32291	199		
MS32318	199		
MS33239	191		
MS33726	133, 181, 206		
MS33727	133, 181, 206		
MS33728	133, 181, 206		
MS33729	133, 181, 401		
MS33730	133, 181, 401		
MS33731	132, 206, 400		
MS33732	132, 206, 400		
MS33733	132, 400		
MS33736	181		
MS33737	181		
MS33738	181		
MS33739	181		
MS33740	133, 182, 206		
MS33741	133, 182, 206		

INDEX BY ORDER NUMBER

MU10900	341	MX03319	94, 392
MU10902	342	MX03320	94, 392
MU10916	342	MX03321	94
MU10917	342	MX03322	94
MU10918	334, 336, 342	MX03323	94
MU11225	340	MX03324	94, 392
MU11228	340	MX03325	94, 392
MU12504	334, 336	MX03326	94
MU12533	335	MX03327	93, 94
MU12551	335	MX03328	94, 392
MU12609	334, 336	MX03329	94, 392
MU16052	350, 352	MX03330	94
MU17191	336	MX03331	94, 392
MU21120	334, 336	MX10209	103
MU24401	345	MX11000	329, 331, 337
MU24402	345	MX11001	329, 331, 337
MU24403	346	MX17012	331
MU24404	346	MX17015	330, 332
MU24405	346	MX17018	330, 332
MU24406	346	MX22790	258, 413
MU24407	346	MX22793	258, 413
MU24408	346	MX23023	275, 422
MU24685	346	MX23025	275, 422
MU24686	347	MX23026	275, 422
MU24688	347	MX37021	284
MU24903	334, 336	MX50004	103
MU25381	348	MX50028	94
MU25382	348	MX50050	103
MU25383	348	MX50052	94, 392
MU25384	348	MX50053	94
MU25426	345	MX50054	94
MU26041	333	MX50065	138, 188, 208
MU26042	333	MX50066	138, 188, 208
		MX50067	138, 188, 399
MX MX00001	103	MX50068	138, 188, 208, 399
MX00004	103	MX50069	139
MX00013	105	MX50070	139, 212
MX01004	137, 212	MX50071	138, 138, 208
MX01005	137, 212	MX50090	105
MX01049	111	MX50100	103
MX01050	111, 332	MX50115	105
MX03300	93	MX50120	103
MX03301	93		
MX03302	93, 391		
MX03303	93, 391		
MX03304	93		
MX03305	93		
MX03306	93		
MX03307	93, 391		
MX03308	93, 391		
MX03309	93		
MX03311	93		
MX03312	93, 391		
MX03313	93		
MX03314	93, 391		
MX03316	93, 391		
MX03317	94		
MX03318	94		

INDEX BY PRODUCT NAME

1	1.5 m spiral hose and M12×1 screw connector	2M86291	98	Adapter for Resutator 2000/MR-100	2120461	98, 394
	1.5 m spiral hose and probe for central supply system	2M86292	98	Adapter N <sub>2</sub> O NF/NIST	M35337	311
3	3.0 m spiral hose and probe for central supply system	2M86293	98	Adapter N <sub>2</sub> O NIST/DIN	M32494	311
				Adapter N <sub>2</sub> O NIST/DIN	M35057	311
A	Absorber adapter CLIC, for Dräger anesthesia workstations	MX50090	105	Adapter N <sub>2</sub> O, DISS-NIST	M34876	311
	Absorber intermediate plate, to connect adapter to Cato, Cicero, or Fabius	MX00013	105	Adapter NIST to DIN CS-Coupling AIR	M35058	252, 311
	Adapter 9/16" to M34×1.5 for Dräger reusable humidifier	MP03325	253, 411	Adapter NIST to DIN CS-Coupling O <sub>2</sub>	M35056	252, 311
	Adapter AIR NF/NIST	M35338	311	Adapter O <sub>2</sub> NF/NIST	M35336	311
	Adapter AIR NIST/DIN	M32495	311	Adapter O <sub>2</sub> NIST/DIN	M32493	311
	Adapter AIR-O <sub>2</sub> /O <sub>2</sub> NIST/DIN	M36042	311	Adapter O <sub>2</sub> , DISS-NIST	M34875	311
	Adapter AIR, DISS-NIST	M34877	311	Adapter VAC NIST/DIN	M32496	311
	Adapter AIR/O <sub>2</sub> NIST/DIN	M32497	311	Adapter VAC, DISS-NIST	M34878	311
	Adapter cable for Infinity® PicCO SmartPod®, for 10-pin connector	MS16920	159	Adapter WaterLock® 2, set of 6 pcs.	6872128	170
	Adapter cable RD-SET to LNCS	MS33732	132, 206, 400	Adapter, for disposable sterilized water systems to AIR flowmeter, M32×1.5 to 9/16"	MP03366	254, 411
	Adapter cable RD-SET to LNOP	MS33731	132, 206, 400	Adapter, for disposable sterilized water systems to O <sub>2</sub> flowmeters, M34×1.5 to 9/16"	2M86680	254, 411
	Adapter cable RD-SET to MultiMed®	MS33733	132, 400	Adapter, to connect Dräger humidifier to mixing block, M15×1 to M34×1.5	2M85853	253
	Adapter cable, 7-pin connector for temperature probe with ¼" connector	5198333	141	Adapter, to connect e.g a tube or nasal cannula to AIR flowmeter, M32×1.5 to 6 mm nozzle	2M85575	253
	Adapter DISS M/QC-AIR-Chemetron	4119066	310	Adapter, to connect e.g a tube or nasal cannula to O <sub>2</sub> flowmeter, M34×1.5 to 6 mm nozzle	M06258	253, 411
	Adapter DISS M/QC-AIR-Ohmeda	4119071	310	Adapter, with 6 mm nozzle, e.g., for disposable breathing masks, 9/16" connection	MP00416	244, 254, 358, 361, 411
	Adapter DISS M/QC-AIR-Pur Ben	4119076	310	Adhesive Pad LNCS/M-LNCS TF-I, 20 pcs.	MP03198	135, 186
	Adapter DISS M/QC-AIR-Schrader	4119081	310	Adhesive wrap for Nellcor® Oxiband™ A/N, 100 pcs.	8201012	137, 399
	Adapter DISS M/QC-EVAC-Chemetron	4119069	310	Adhesive wrap for Nellcor® Oxiband™ P/I, 100 pcs.	2170221	137
	Adapter DISS M/QC-EVAC-Ohmeda	4119074	310	Aerogen Solo Starter Kit, ES, IT, PT, GR, TK	MP01073	92
	Adapter DISS M/QC-EVAC-Pur Ben	4119079	310	Aerogen Solo Starter Kit, FR, NL, IT, GE	MP01072	92
	Adapter DISS M/QC-N <sub>2</sub> O-Chemetron	4119065	310	Aerogen Solo Starter Kit, Int.	MP01071	92
	Adapter DISS M/QC-N <sub>2</sub> O-Ohmeda	4119070	310	Aerogen Solo Starter Kit, SW, NO, FI, DK	MP01074	92
	Adapter DISS M/QC-N <sub>2</sub> O-Pur Ben	4119075	310	Aerogen Solo Starter Kit, UK	MP01075	92
	Adapter DISS M/QC-N <sub>2</sub> O-Schrader	4119080	310	Aerogen Solo Starter Kit, US	MP01076	92
	Adapter DISS M/QC-O <sub>2</sub> -Chemetron	4119068	310	AIR compact flowmeter, Carbamed CS, 1 – 15 L/min, 6 mm nozzle	MP05409	243
	Adapter DISS M/QC-O <sub>2</sub> -Ohmeda	4119073	310	AIR compact flowmeter, DIN CS, 1 – 15 L/min, 6 mm nozzle	MP05408	243
	Adapter DISS M/QC-O <sub>2</sub> -Pur Ben	4119078	310	AIR compact flowmeter, DIN CS, 1 – 15 L/min, 9/16"	MP05407	243
	Adapter DISS M/QC-O <sub>2</sub> -Schrader	4119083	310	AIR CS hose 0.9 m (2.95 ft) NF EN NF	M36724	298
	Adapter DISS M/QC-VAC-Chemetron	4119067	310	AIR CS hose 0.9 m (2.95 ft) NIST EN BS	M36727	299
	Adapter DISS M/QC-VAC-Ohmeda	4119072	310			
	Adapter DISS M/QC-VAC-Pur Ben	4119077	310			
	Adapter DISS M/QC-VAC-Schrader	4119082	310			
	Adapter for AIR flowmeter (M32×1.5)	MP01185	256			
	Adapter for Ambu Mark III	2120488	98			
	Adapter for Combibag	2M86913	98			
	Adapter for Laerdal	2120496	98			
	Adapter for Laerdal	5790124	98			
	Adapter for O <sub>2</sub> flowmeter (M34×1.5)	MP01184	256			
	Adapter for Oxidem for M12×1 (for existing hose systems)	8410547	98			

INDEX BY PRODUCT NAME

AIR CS hose 0.9 m (2.95 ft)		
NIST EN DIN	M36730	295
AIR CS hose 0.9 m (2.95 ft)		
NIST GB DIN	M36786	309
AIR CS hose 1.5 m (4.9 ft)		
DISS US KAWA	M35803	305
AIR CS hose 1.5 m (4.9 ft)		
DISSB EN HAND	M36296	308
AIR CS hose 1.5 m (4.9 ft)		
NF EN NF	M35429	298
AIR CS hose 1.5 m (4.9 ft)		
NIST BS straight	M35402	300
AIR CS hose 1.5 m (4.9 ft)		
NIST EN AS	M36150	304
AIR CS hose 1.5 m (4.9 ft)		
NIST EN BS	M35393	299
AIR CS hose 1.5 m (4.9 ft)		
NIST EN Carba	M35475	302
AIR CS hose 1.5 m (4.9 ft)		
NIST EN DIN	M35495	295
AIR CS hose 1.5 m (4.9 ft)		
NIST EN NF	M35420	297
AIR CS hose 1.5 m (4.9 ft)		
NIST EN SS	M35383	301
AIR CS hose 1.5 m (4.9 ft)		
NIST EN UNI	M35411	303
AIR CS hose 1.5 m (4.9 ft)		
NIST NEUTRAL DIN	M36010	296, 309
AIR CS hose 1.5 m (4.9 ft)		
NIST NEUTRAL NF	M35452	297
AIR CS hose 3 m (9.8 ft)		
DISS US KAWA	M35802	305
AIR CS hose 3 m (9.8 ft)		
DISSB EN HAND	M36297	308
AIR CS hose 3 m (9.8 ft)		
NF EN NF	M35430	298
AIR CS hose 3 m (9.8 ft)		
NIST BS straight	M35403	300
AIR CS hose 3 m (9.8 ft)		
NIST EN AS	M36149	304
AIR CS hose 3 m (9.8 ft)		
NIST EN BS	M35394	299
AIR CS hose 3 m (9.8 ft)		
NIST EN Carba	M35476	302
AIR CS hose 3 m (9.8 ft)		
NIST EN DIN	M35496	295
AIR CS hose 3 m (9.8 ft)		
NIST EN NF	M35421	297
AIR CS hose 3 m (9.8 ft)		
NIST EN SS	M35384	301
AIR CS hose 3 m (9.8 ft)		
NIST EN UNI	M35412	303
AIR CS hose 3 m (9.8 ft)		
NIST GB BS	M36736	309
AIR CS hose 3 m (9.8 ft)		
NIST NEUTRAL DIN	M36011	296, 309
AIR CS hose 3 m (9.8 ft)		
NIST NEUTRAL NF	M35453	297

AIR CS hose 5 m (16.4 ft)		
DISS US KAWA	M35801	305
AIR CS hose 5 m (16.4 ft)		
DISSB EN HAND	M36298	308
AIR CS hose 5 m (16.4 ft)		
NF EN NF	M35343	298
AIR CS hose 5 m (16.4 ft)		
NIST BS straight	M35340	300
AIR CS hose 5 m (16.4 ft)		
NIST EN AS	M36148	304
AIR CS hose 5 m (16.4 ft)		
NIST EN BS	M35335	299
AIR CS hose 5 m (16.4 ft)		
NIST EN Carba	M35346	302
AIR CS hose 5 m (16.4 ft)		
NIST EN DIN	M35497	295
AIR CS hose 5 m (16.4 ft)		
NIST EN NF	M35332	297
AIR CS hose 5 m (16.4 ft)		
NIST EN SS	M35385	301
AIR CS hose 5 m (16.4 ft)		
NIST EN UNI	M35358	303
AIR CS hose 5 m (16.4 ft)		
NIST GB BS	M36737	309
AIR CS hose 5 m (16.4 ft)		
NIST NEUTRAL DIN	M36012	296, 309
AIR CS hose 5 m (16.4 ft)		
NIST NEUTRAL NF	M35454	297
AIR CS hose 8 m (26,25 ft)		
DISS US KAWA	M35865	305
AIR flowmeter, 16 L/min, CS,		
CARBA, ISO, M32×1.5	MP04564	240
AIR flowmeter, 16 L/min, CS,		
DIN, ISO and neutral color, M32×1.5	MP04559	240
AIR flowmeter, 16 L/min, CS,		
long cs plug (6 cm; 2.4 in), DIN,		
ISO and neutral color, M32×1.5	MP04562	240
AIR flowmeter, 16 L/min, rail,		
NIST, M32×1.5	MP04568	241
AIR flowmeter, 32 L/min, CS, DIN,		
ISO and neutral color, M32×1.5	MP04572	240
AIR flowmeter, 32 L/min, rail,		
NIST, M32×1.5	MP04581	241
Air intake filter for Caleo® and		
Babyleo TN500, reusable, 20 pcs.	MX17015	330, 332
Air intake filter for Isolette® C2000,		
8000 and 8000 plus,		
reusable, 4 pcs.	MU12504	334, 336
Air intake filter for TI 500 and		
TI 500 Globe-Trotter,		
reusable, 6 pcs.	MU04472	345, 349, 351
AIR/O <sub>2</sub> CS hose 1.5 m (4.9 ft)		
NIST EN DIN	M36001	295
AIR/O <sub>2</sub> CS hose 1.5 m (4.9 ft)		
NIST NEUTRAL DIN	M36016	296
AIR/O <sub>2</sub> CS hose 3 m (9.8 ft)		
NIST EN DIN	M36002	295
AIR/O <sub>2</sub> CS hose 3 m (9.8 ft)		
NIST NEUTRAL DIN	M36017	296

INDEX BY PRODUCT NAME

AIR/O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST EN DIN	M36003	295
AIR/O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST NEUTRAL DIN	M36018	296
Airway connector ErgoStar® AC 90,		
disposable, double-swivel elbow		
w/ double cap, 100 pcs.	MP01890	56
Airway connector ErgoStar® AC 95,		
disposable, w/ Luer Lock		
sampling port, 100 pcs.	MP01895	56
Anesthesia mask ComfortStar®,		
disposable, hook rg, bubblg.,		
size 1, neo., 20 pcs.	MP01531	69, 383
Anesthesia mask ComfortStar®,		
disposable, hook rg, bubblg.,		
size 2, baby, 20 pcs.	MP01532	69, 383
Anesthesia mask ComfortStar®,		
disposable, hook rg, bubblg.,		
size 3, inf., 20 pcs.	MP01533	69
Anesthesia mask ComfortStar®,		
disposable, hook rg, bubblg.,		
size 4, adt. S, 20 pcs.	MP01534	69
Anesthesia mask ComfortStar®,		
disposable, hook rg, mint,		
size 3, inf., 20 pcs.	MP01543	69
Anesthesia mask ComfortStar®,		
disposable, hook rg, mint,		
size 4, adult S, 20 pcs.	MP01544	69
Anesthesia mask ComfortStar®,		
disposable, hook rg, mint,		
size 5, adult M, 20 pcs.	MP01545	69
Anesthesia mask ComfortStar®,		
disposable, hook rg, mint,		
size 6, adult L, 20 pcs.	MP01546	69
Anesthesia mask ComfortStar®,		
disposable, hook rg, std.,		
size 0, premat., 20 pcs.	MP01510	68, 383
Anesthesia mask ComfortStar®,		
disposable, hook rg, std.,		
size 1, neo., 20 pcs.	MP01511	68, 383
Anesthesia mask ComfortStar®,		
disposable, hook rg, std.,		
size 2, baby, 20 pcs.	MP01512	68, 383
Anesthesia mask ComfortStar®,		
disposable, hook rg, std.,		
size 3, inf., 20 pcs.	MP01513	68
Anesthesia mask ComfortStar®,		
disposable, hook rg, std.,		
size 4, adt. S, 20 pcs.	MP01514	68
Anesthesia mask ComfortStar®,		
disposable, hook rg, std.,		
size 5, adt. M, 20 pcs.	MP01515	68
Anesthesia mask ComfortStar®,		
disposable, hook rg, std.,		
size 6, adt. L, 20 pcs.	MP01516	68
Anesthesia mask ComfortStar®,		
disposable, hook rg, strawb.,		
size 1, neo., 20 pcs.	MP01521	69, 383

Anesthesia mask ComfortStar®,		
disposable, hook rg, strawb.,		
size 2, baby, 20 pcs.	MP01522	69, 383
Anesthesia mask ComfortStar®,		
disposable, hook rg, strawb.,		
size 3, inf., 20 pcs.	MP01523	69
Anesthesia mask ComfortStar®,		
disposable, hook rg, strawb.,		
size 4, adt. S, 20 pcs.	MP01524	69
Anesthesia mask LiteStar®,		
disposable, w/o hook ring,		
size 1, premat., 30 pcs.	MP01501	67, 382
Anesthesia mask LiteStar®,		
disposable, w/o hook ring,		
size 2, baby, 30 pcs.	MP01502	67, 382
Anesthesia mask LiteStar®,		
disposable, w/o hook ring,		
size 3, infant, 30 pcs.	MP01503	67
Anesthesia mask LiteStar®,		
disposable, w/o hook ring,		
size 4, adult S, 30 pcs.	MP01504	67
Anesthesia mask LiteStar®,		
disposable, w/o hook ring,		
size 5, adult M, 30 pcs.	MP01505	67
Anesthesia mask LiteStar®,		
disposable, w/o hook ring,		
size 6, adult L, 30 pcs.	MP01506	67
Anesthesia set Infinity® ID,		
disposable, coaxial, water trap,		
2 L, 2.1/1,2 m, 10 pcs.	MP03388	24
Anesthesia set VentStar, disposable,		
coaxial, 2 L, 1.9 m/1.2 m, 10 pcs.	MP03384	18
Anesthesia set VentStar, disposable,		
coaxial, 2 L, 2.3 m/1.2 m, 10 pcs.	MP03383	18
Anesthesia set VentStar®,		
disposable, basic, 2 L,		
1.8 m/1.5 m, 25 pcs.	MP00365	17
Anesthesia set VentStar®,		
disposable, basic, 2 L,		
2.5 m/1.5 m, 10 pcs.	MP00366	17
Anesthesia set VentStar®,		
disposable, coaxial, water trap,		
2 L, 2.1/1,2 m, 10 pcs.	MP03381	18
Anesthesia set VentStar®,		
disposable, N,		
1.8 m/1.1 m, 25 pcs.	MP00333	16, 368
Anesthesia set VentStar®,		
disposable, P, w/o Luer Lock,		
1.5 m/1.1 m, 25 pcs.	MP00331	16
Anesthesia set VentStar®,		
disposable, P, WT, 1 L,		
1.8 m/1.1 m, 10 pcs.	MP00374	18
Anesthesia set VentStar®,		
disposable, P, WT, w/o LL,		
1 L, 1.8 m/1.1 m, 10 pcs.	MP00375	18
Anesthesia set VentStar®,		
disposable, w/o Luer Lock,		
1.8 m/0.8 m, 25 pcs.	MP00330	16



## INDEX BY PRODUCT NAME

Anesthesia set VentStar®, disposable, WT, 2 L, 1.8 m/1.5 m, 10 pcs.	MP00372	17
Anesthesia set VentStar®, disposable, WT, 2 L, 2.8 m/1.5 m, 10 pcs.	MP02721	17
Anesthesia set VentStar®, disposable, WT, w/o LL, 2 L, 1.8 m/1.5 m, 10 pcs.	MP00371	17
Anesthesia set VentStar®, disposable, WT, w/o LL, 2 L, 2.8 m/1.5 m, 10 pcs.	MP02720	17
Anesthesia set, disposable, basic, 1.5 m/0.8 m, 25 pcs.	MP00301	16
Anesthesia set, disposable, extendable, 1.8 m/0.8 m, 25 pcs.	MP00303	16
Angle Socket ISO	8290274	28
Automatic refilling set Tropic 2.0, for large sterile water containers	MP03304	259, 414
<b>B</b>		
BabyFlow plus, disposable, size L, 20 pcs.	MP03702	359, 362
BabyFlow plus, disposable, size M, 20 pcs.	MP03701	359, 362
BabyFlow plus, disposable, size S, 20 pcs.	MP03700	359, 362
Bacteria filter IBF absorber, only use with Zeus®/Zeus® IE, 5 pcs.	MK02588	105
Bacterial and viral filter system VarioSafe, for VarioAir®, VarioVac®, VarioO2, disposable, 10 pcs.	MP00555	276, 292, 423
Bacterial filter 767, disposable, for ejectors (model range until 2010)	CH00102	276, 292
Bacterial filter 767, for ejectors (model range until 2010), 5 pcs.	6723976	276, 292, 423
Bacterial filter disposable, 20 pcs.	MK00514	276, 292, 342
Bacterial filter for Dräger patient monitors, disposable	8402868	82
Bacterial filter, disposable, for Evac 40, 10 pcs.	MX37021	284
Basket 150, 15 × 20 × 10 cm, e.g., for disposable gloves	M26146	317, 425
Basket 300, 15 × 28 × 10 cm, e.g., for 300 mm catheters	M26145	317, 425
Basket 600, 15 × 48 × 10 cm, e.g., for 600 mm catheters	M25121	317, 425
Battery grip, adult, 2.5 V, 28 mm Ø	MX03301	93
Battery grip, pediatric, 2.5 V, 19 mm Ø	MX03314	93, 391
Battery, 12 V, rechargeable	MU16052	350, 352
Battery, adult, 2.5 V	MX03327	93, 94
Bed clip for cables	MS15087	164
BIS cable	MP00744	223
Blade size 0 (Mac), reusable, 79 × 13 mm	MX03302	93, 391

## INDEX BY PRODUCT NAME

Breathing circuit		
Fisher & Paykel RT225, disposable, N, inspiratory heated, 10 pcs.	8414994	20, 370
Breathing circuit for Oxylog 1000 VentStar®, disposable, 1.8 m, 25 pcs. set	2M86837	21
Breathing circuit for Oxylog 2000 VentStar®, disposable, 1.8 m, 5 pcs. set	2M86841	21
Breathing circuit for Resuscitaire VentStar®, disposable, N, 1 m, 25 pcs.	MP00310	341, 368
Breathing circuit for Resuscitaire VentStar®, disposable, N, press. meas. line, 1 m, 25 pcs.	MP00311	341, 368
Breathing circuit Infinity® ID, disposable, basic, 1.8 m, 25 pcs.	MP01350	23
Breathing circuit Infinity® ID, disposable, basic, 2.5 m, 10 pcs.	MP01348	23
Breathing circuit Infinity® ID, disposable, coaxial, 1.9 m, 20 pcs.	MP03375	24
Breathing circuit Infinity® ID, disposable, coaxial, 2.3 m, 20 pcs.	MP03377	24
Breathing circuit Infinity® ID, disposable, extendable, 2.2 m, 25 pcs.	MP01347	24
Breathing circuit Infinity® ID, disposable, N, basic, 1.8 m, 25 pcs.	MP01327	25, 369
Breathing circuit Infinity® ID, disposable, N, heated, 1.2 m, 10 pcs.	MP00343	20, 370
Breathing circuit Infinity® ID, disposable, N, water trap, 1.8 m, 25 pcs.	MP01328	25, 369
Breathing circuit Infinity® ID, disposable, P, basic, 1.8 m, 25 pcs.	MP01340	25
Breathing circuit Infinity® ID, disposable, P, water trap, 1.8 m, 25 pcs.	MP01341	25
Breathing circuit Infinity® ID, disposable, smoothbore, 1.6 m, 25 pcs.	MP00340	23
Breathing circuit Infinity® ID, disposable, smoothbore, 3 m, 10 pcs.	MP01325	24
Breathing circuit Infinity® ID, disposable, water trap, 1.8 m, 25 pcs.	MP01326	23
Breathing circuit Infinity® ID, disposable, water trap, 2.1 m, 10 pcs.	MP00378	23
Breathing circuit Oxylog 3000, 3000+ VentStar®, disposable, P, 1.9 m, 5 pcs., Oxylog 3000: ≥ SW 1.20	5704964	21
Breathing circuit Oxylog VE300, VentStar®, disposable, 3 m, 5 pcs.	MP01371	21

Breathing circuit Vent Set, disposable, basic, 1.5 m, 25 pcs.	MP00300	11
Breathing circuit Vent Set, disposable, extendable, 1.8 m, 25 pcs.	MP00305	14
Breathing circuit VentStar® Carina® ExpV, disposable, 1.5 m, 25 pcs.	MP00313	22
Breathing circuit VentStar® Carina® ExpV, disposable, 2 m, 25 pcs.	5704962	22
Breathing circuit VentStar® Carina® LeakV, disposable, 1.5 m, 25 pcs.	MP00312	22
Breathing circuit VentStar® Helix, disposable, N, dual heated, 1.7 m, 10 pcs.	MP02650	19, 370
Breathing circuit VentStar® Helix, disposable, N, heated, 1.7 m, 10 pcs.	MP02608	19, 370
Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 1.5 m (4.92 ft), 5 pcs., for Oxylog VE300 only with Option Plus	5703041	21
Breathing circuit VentStar® Oxylog 3000F, 2000p, VE300, disposable, 3 m (9.8 ft), 5 pcs., for Oxylog VE300 only with Option Plus	MP00335	21
Breathing circuit VentStar® Oxylog VE300, disposable, 1.5 m, 5 pcs.	MP01370	21
Breathing circuit VentStar®, disposable, basic, 1.8 m, 25 pcs.	MP00349	11
Breathing circuit VentStar®, disposable, basic, 2.5 m, 10 pcs.	MP00350	11
Breathing circuit VentStar®, disposable, coaxial, 1.7 m, 20 pcs.	MP03373	13
Breathing circuit VentStar®, disposable, coaxial, 1.9 m, 20 pcs.	MP03374	13
Breathing circuit VentStar®, disposable, coaxial, 2.3 m, 20 pcs.	MP03376	13
Breathing circuit VentStar®, disposable, coaxial, water trap, 2.1 m, 10 pcs.	MP00373	13
Breathing circuit VentStar®, disposable, extendable, 2.2 m, 25 pcs.	MP00355	14
Breathing circuit VentStar®, disposable, N, basic, 1.8 m, 25 pcs.	MP00353	11, 368
Breathing circuit VentStar®, disposable, N, heated, 1.2 m, 10 pcs.	MP00308	19, 370
Breathing circuit VentStar®, disposable, N, heated, w/o chamber, 1.2 m, 10 pcs.	MP00309	19, 370
Breathing circuit VentStar®, disposable, N, MRI, 3 m, 10 pcs.	MP00329	14, 368



INDEX BY PRODUCT NAME

Breathing circuit VentStar®, disposable, N, water trap, 1.8 m, 25 pcs.	MP00363	12, 368
Breathing circuit VentStar®, disposable, P, basic, 1.8 m, 25 pcs.	MP00351	11
Breathing circuit VentStar®, disposable, P, basic, 2.5 m, 25 pcs.	MP00352	11
Breathing circuit VentStar®, disposable, P, basic, w/o LL, 1.5 m, 25 pcs.	MP00338	11
Breathing circuit VentStar®, disposable, P, coaxial, 1.5 m, 20 pcs.	MP00379	13
Breathing circuit VentStar®, disposable, P, water trap, 1.8 m, 25 pcs.	MP00361	12
Breathing circuit VentStar®, disposable, P, water trap, w/o LL, 1.8 m, 25 pcs.	MP00362	12
Breathing circuit VentStar®, disposable, smoothbore, for MRI, 3 m, 10 pcs.	MP00327	14
Breathing circuit VentStar®, disposable, water trap, 1.8 m, 25 pcs.	MP00337	12
Breathing circuit VentStar®, disposable, water trap, w/o LL, 1.8 m, 25 pcs.	MP00334	12
Breathing hose for breathing bag, disposable, 15 mm, 25 pcs.	MU10900	341
Breathing hose for Oxylog® 1000, reusable, silicone, 3 m	2112760	38
Breathing hose for Resuscitaire® with AutoBreath, disposable, 25 pcs.	MU10841	341
Breathing hose for TI 500 Globe-Trotter, disposable, 20 pcs.	MU04771	349
Breathing hose holder for Babytherm®, neonatal, for 10 mm breathing hose	2M21191	338
Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow meas. line, 3 m	8412913	38
Breathing hose set for Oxylog® 2000/3000 family, reusable, w/ flow meas. line, 1.5 m	8412068	38
Breathing hose, Hytrel, 40 cm	8410816	32, 374
Breathing hose, Hytrel, 65 cm	8410814	32, 374
Breathing hose, Hytrel, 70 cm	8418404	32, 374
Breathing hose, silicone, reusable, A, 1.1 m, connector 22 mm/22 mm	2166038	30, 34, 35, 39
Breathing hose, silicone, reusable, A, 1.5 m, connector 22 mm/22 mm	2166046	29, 34, 37, 38, 39
Breathing hose, silicone, reusable, A, 35 cm, connector 22 mm/22 mm	2165619	28, 30, 39
Breathing hose, silicone, reusable, A, 60 cm, connector 22 mm/22 mm	2165627	28, 30, 35, 39

Breathing hose, silicone, reusable, N, 50 cm, Ø 10 mm	8418458	33, 375
Breathing hose, silicone, reusable, P, 1.1 m, connector 10 mm/22 mm, Ø 10 mm	2165651	31, 33, 41, 373, 375, 377
Breathing hose, silicone, reusable, P, 1.1 m, connector 22 mm/22 mm, Ø 10 mm	2165678	36, 40, 376
Breathing hose, silicone, reusable, P, 1.5 m, connector 10 mm/22 mm, Ø 10 mm	2165961	36, 41, 376, 377
Breathing hose, silicone, reusable, P, 40 cm, connector 10 mm/22 mm, Ø 10 mm	2165856	27, 31, 41, 372, 373, 377
Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/10 mm, Ø 10 mm	2165848	27, 31, 40, 372, 373, 377
Breathing hose, silicone, reusable, P, 60 cm, connector 10 mm/22 mm, Ø 10 mm	2165821	27, 31, 41, 372, 373, 377
Breathing hose, silicone, reusable, P/N, 1 m, Ø 10 mm	8403080	33, 375
Breathing hose, silicone, reusable, P/N, 35 cm, Ø 10 mm	8403070	33, 375
C Cable holder for rail, 10 pcs., Cable holder for support pole, 4 pcs.	G15225 G13171	319 319
Calibration gas, for tpO <sub>2</sub> /tcCO <sub>2</sub> , 20,9% O <sub>2</sub> and 5% CO <sub>2</sub> , 12 pcs.	MP00717	171, 406
Calibration kit MultiGas, incl. bottle, regulator, reservoir bag	5207415	170
Calibration set, with test connection and test gas cylinder	8412710	166, 198
Canister opener, for canisters MX00001 and MX50050, 5 pcs.	MX10209	103
Cap BabyFlow, disposable, size L, green, 25.5 – 28 cm (10 – 11 in) head circumference, 5 pcs.	8418536	359, 366
Cap BabyFlow, disposable, size M, red, 23 – 25.5 cm (9.1 – 10 in) head circumference, 5 pcs.	8418535	359, 366
Cap BabyFlow, disposable, size S, yellow, 20.5 – 23 cm (8.1 – 9.1 in) head circumference, 5 pcs.	8418534	359, 366
Cap BabyFlow, disposable, size XL, orange, 28 – 30.5 cm (11 – 12 in) head circumference, 5 pcs.	8418537	359, 366
Cap BabyFlow, disposable, size XS, white, 18 – 20.5 cm (7.1 – 8.1 in) head circumference, 5 pcs.	8418533	359, 366
Cap BabyFlow, disposable, size XXL, blue, 30.5 – 33 cm (12 – 13 in) head circumference, 5 pcs.	8418538	359, 366
Cap BabyFlow, disposable, size XXL+, white/black, 33 – 36 cm (13 – 14.2 in) head circumference, 5 pcs.	8418539	359, 366

INDEX BY PRODUCT NAME

Cap for VarioAir® + VarioVac® T, bw	MP00659	293
Cap for VarioAir® + VarioVac® T, ISO	MP00658	293
Cap for VarioVac® + VarioAir® B/OR, ISO, 10 pcs.	MP00494	279
Cap for VarioVac® + VarioAir® B/OR, neutral color, 10 pcs.	MP00496	279
Cap for VarioVac® + VarioAir® D, ISO, 10 pcs.	MP00495	293
Cap for VarioVac® + VarioAir® D, neutral color, 10 pcs.	MP00497	293
Cap for VarioVac® P + VarioAir®, ISO, 10 pcs.	MP00656	279
Cap for VarioVac® P + VarioAir®, neutral color, 10 pcs.	MP00657	279
Cap for water vacuum gauge	MP00595	294
Cap Luer Lock	M34461	36, 376
Cap secretion jar Medela	MP03231	283
Cap set, reusable, 11 mm, 5 pcs.	8402918	28
Cap set, reusable, 7 mm, 5 pcs.	8402953	36, 376
Cap, for 700 mL secretion jar, with overflow safeguard	2M85011	277
Cap, for secretion jar, for fistula indicator for continuous and thoracic drainage	2M85013	277
Cap, for secretion jar, w/ overflow safeguard and pressure relief valve (≥ 0.1 kPa)	2M85012	277
Cap, reusable, 11 mm	8401644	30
Cap, reusable, 7 mm	8401645	27, 31, 43, 372, 373
Cardiac Output cable, 3 m	2601201	217
Cardiac output kit, Argon (former Becton Dickinson/Ohmeda)	7265163	197
Cardiac output kit, Baxter	7265155	197
Carrier rack CD	2M85380	273
Carrying rack bronchial suction	2M85381	273
Catheter mount ErgoStar® CM 40, disposable, 10 cm, double swivel elbow, 50 pcs.	MP01840	56
Catheter mount ErgoStar® CM 45, disposable, 15 cm, double swivel elbow, 50 pcs.	MP01845	56
Catheter mount ErgoStar® CM 50, disposable, 10 – 16 cm, extendable, 50 pcs.	MP01850	56
Catheter mount ErgoStar® CM 55, disposable, 15 cm, straight, 50 pcs.	MP01855	56
Catheter mount ErgoStar® CM 60, disposable, 10 cm, small, double swivel elbow, 50 pcs.	MP01860	56
Catheter receptacle, large, 12.2 × 25.2 × 12.2 cm (top) and Ø 85 mm (bottom)	MP00650	317, 425
Catheter receptacle, small, 12.2 × 16.6 × 12.2 cm (top) and Ø 60 mm (bottom)	MP00651	317, 425

Ceiling holder, rail holder for compact suction systems and secretion jar sets	2M85119	274, 317, 424
Clamp for GCX rail, 5 pcs.	2M60401	330
CLIC Absorber 800+, disposable absorber, 1.2 L, 6 pcs.	MX00004	103
CLIC Absorber Free, disposable absorber, 1.2 L, 6 pcs.	MX50100	103
CNAP™ cuff controller and cradle	MS26125	148
CNAP™ cuff controller forearm strap	MS26122	148
CNAP™ intermediate cable for Infinity® CNAP™ SmartPod®, for CNAP™ controller	MS15893	148
CNAP™ sensor cuff, size L	MS15896	149
CNAP™ sensor cuff, size M	MS15895	149
CNAP™ sensor cuff, size S	MS15894	149
CO cable for Infinity® PiCCO Pod	MS16916	159
CO catheter cable	8419160	157, 197
CO catheter cable for Infinity® PiCCO Pod	MS16918	159
CO connection cable, 1 m	3368458	157, 197
CO Control Syringe	2601192	217
CO In-line Injection temperature probe Becton Dickinson	2601190	217
CO In-line Injection temperature probe housing	2601191	217
CO thermistor cable Argon (former Becton Dickinson/Ohmeda)	8420077	157, 197
CO thermistor cable Baxter/Edwards	8539983	157, 197
CO thermistor cable for Infinity® PiCCO Pod	MS16919	159
CO thermistor T-piece Argon (former Becton Dickinson/Ohmeda)	5741975	157, 197
CO <sub>2</sub> airway adapter, adult, disposable, 10 pcs.	2606227	165, 222
CO <sub>2</sub> airway adapter, neonatal (infant/pediatric), disposable, 10 pcs.	2606228	165, 222, 405
CO <sub>2</sub> cuvette disposable, adult, 10 pcs.	MP01062	54
CO <sub>2</sub> cuvette disposable, adult, 10 pcs.	MP01062	166, 198
CO <sub>2</sub> cuvette disposable, pediatric, 10 pcs.	MP01063	54, 166, 198, 381
CO <sub>2</sub> cuvette reusable, adult, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870279	55, 166, 198
CO <sub>2</sub> cuvette reusable, pediatric, for CO <sub>2</sub> sensors 6871500, 6870300, 6871950	6870280	55, 166, 198, 381
CO <sub>2</sub> LoFlo Adt/Ped. Airway adapter	2605086	221
Airway adapter with dehumidification tubing	2605128	221
CO <sub>2</sub> LoFlo Nasal cannula and O <sub>2</sub> , Adult	2605130	220

INDEX BY PRODUCT NAME

CO <sub>2</sub> LoFlo Nasal cannula and O <sub>2</sub> , Infant and Pediatric	2605082	220
CO <sub>2</sub> LoFlo Nasal cannula and O <sub>2</sub> , Pediatric	2605081	220
CO <sub>2</sub> LoFlo Nasal cannula, Adult	2605127	219
CO <sub>2</sub> LoFlo Nasal cannula, Infant	2605088	219
CO <sub>2</sub> LoFlo Nasal cannula, Pediatric	2605087	219
CO <sub>2</sub> LoFlo Nasal/Oral cannula and O <sub>2</sub> , Adult	2605085	220
CO <sub>2</sub> LoFlo Nasal/Oral cannula, Adult	2605083	219
CO <sub>2</sub> LoFlo Nasal/Oral cannula, Pediatric	2605084	219
CO <sub>2</sub> LoFlo Pedi/Infant		
Airway adapter with dehumidification tubing	2605089	221
CO <sub>2</sub> LoFlo Sampling Line Kit	2605129	221
CO <sub>2</sub> mainstream sensor, for Evita, Infinity V500, Infinity M540, and Delta VF9.1 and higher	6871950	55, 166, 198, 381
CO <sub>2</sub> mainstream sensor, for Evita® 2 dura, Evita® 4 Edition and Evita® XL	6871500	55, 381
CO <sub>2</sub> nasal cannula + O <sub>2</sub> , adult, disposable for Vista 120, 50 pcs.	2607554	218
CO <sub>2</sub> nasal cannula + O <sub>2</sub> , child, disposable for Vista 120, 50 pcs.	2607555	218
CO <sub>2</sub> nasal cannula, adult, disposable for Vista 120, 100 pcs.	2607551	218
CO <sub>2</sub> nasal cannula, infant, disposable for Vista 120, 100 pcs.	2607553	218
CO <sub>2</sub> nasal cannula, pediatric, disposable for Vista 120, 100 pcs.	2607552	218
CO <sub>2</sub> sampling line, disposable Vista 120, 100 pcs.	2607550	218
CO <sub>2</sub> sidestream water trap, for Vista 120	2605124	218
CombiStar A Filter HME, 25 pcs.	MP01671	57
CombiStar F-HME HEPA flex, 25 pcs.	MP04242	57
CombiStar F-HME HEPA straight, 25 pcs.	MP04232	58
CombiStar Filter flex, 25 pcs.	MP04244	57
CombiStar Filter HME flex, 25 pcs.	MP04240	57
CombiStar Filter HME straight, 25 pcs.	MP04230	58
CombiStar Filter straight, 25 pcs.	MP04234	58
CombiStar mech. Filter flex, 25 pcs.	MP04246	57
CombiStar mech. Filter straight, 25 pcs.	MP04236	58
Compact flowmeter configurator	MP01200	242, 410
Compact rail, for 38 mm tube, standard rail profile 25 × 10 mm, each side 10 cm	2M85337	251, 319, 321, 358, 427

Condensate management hoses for Isolette® 8000 and 8000 plus, disposable, 20 pcs.	MU21120	334, 336
Connection cable Babylink	8306488	356
Connection cable for MX 300 and MX 300-i	MP01444	357
Connection cable, connects HemoMed Pod to monitor, 3 m	5591925	150
Connection cable, connects HemoMed Pod to monitor, 5 m	5591933	150
Connection hose Medela	MP03233	283
Connection hose, silicone, reus., ID 5 mm, wall thickness 2 mm, by meter	1203606	277, 423
Connector 900 MR 533, for HFV breathing circuit by F&P	8418407	32, 374
Connector 900 MR 830, for HFV breathing circuit by F&P	8418455	32, 374
Connector for breathing hose, reusable, A	8403076	28, 30, 44
Connector for endotracheal tube, reusable, size 11 mm	M19351	31, 32, 33, 373, 374, 375
Connector for endotracheal tube, eusable, size 12.5 mm	M23840	28, 30
Connector for thermometer, reusable, for breathing hose set Aquapor EL	8403056	27, 44, 372
Connector set for endotracheal tube, reusable, size 1.5 mm – 5.5 mm, 9 pcs.	8403684	44
Connector set for endotracheal tube, reusable, size 6 mm – 12.5 mm, 12 pcs.	8403685	28, 30, 37
Connector set for medication nebulizer, for neonatal breathing circuit	8411031	90
Connector, aluminum, reusable, 22 mm/11 mm	8405752	27, 44, 372
Continuous drainage 1, for continuous and wound drainage	2M85151	290
Continuous drainage 3, for continuous, wound, and thoracic drainage	2M85153	290
Control panel	MP00589	321, 427
Controller cable for Aerogen Pro	MP01036	91
Corrugated hose Tropic 2.0, reusable, 0.3 m, for nebulizers	MP03307	258, 413
Corrugated hose Tropic 2.0, reusable, 1.2 m, for nebulizers	MP03306	258, 413
Corrugated hose, P, 14 cm, catheter mount	8403333	27, 372
Corrugated hose, reusable, catheter mount	8402041	28, 30
Corrugated hose, silicone, 13 cm, Ø 10 mm, catheter mount, 2 pcs.	8409634	31, 373
Corrugated hose, silicone, N, 20 cm, catheter mount	8410709	33, 375

INDEX BY PRODUCT NAME

Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, large, 100 pcs.	MU06943	356
Cover for skin temperature probe CARE-FOR-ME, hydrogel, disposable, small, 100 pcs.	MU06944	356
CS connection hose holder	2M85446	274, 284, 316, 424
CS hose AIR		
DISS Hand 10L	4199594	306
CS hose AIR		
DISS Hand 15L	4199593	306
CS hose AIR		
DISS N/DISS N 10L	4199605	306
CS hose AIR		
DISS N/DISS N 15L	4199604	306
CS hose AIR		
DISS N/DISS N 20L	4199712	306
CS hose EVAC		
DISS Hand 10L	4199588	307
CS hose EVAC		
DISS Hand 15L	4199587	307
CS hose EVAC		
DISS N/DISS N 10L	4199599	307
CS hose EVAC		
DISS N/DISS N 15L	4199598	307
CS hose EVAC		
DISS N/DISS N 20L	4199597	307
CS hose N <sub>2</sub> O		
DISS Hand 10L	4199596	307
CS hose N <sub>2</sub> O		
DISS Hand 15L	4199595	307
CS hose N <sub>2</sub> O		
DISS N/DISS N 10L	4185142	307
CS hose N <sub>2</sub> O		
DISS N/DISS N 15L	4185143	307
CS hose N <sub>2</sub> O		
DISS N/DISS N 20L	4199713	307
CS hose O <sub>2</sub>		
DISS Hand 10L	4199592	306
CS hose O <sub>2</sub>		
DISS Hand 15L	4199591	306
CS hose O <sub>2</sub>		
DISS N/DISS N 10L	4185140	306
CS hose O <sub>2</sub>		
DISS N/DISS N 15L	4185141	306
CS hose O <sub>2</sub>		
DISS N/DISS N 20L	4199714	306
CS hose VAC		
DISS Hand 10L	4199590	306
CS hose VAC		
DISS Hand 15L	4199589	306
CS hose VAC		
DISS N/DISS N 10L	4199602	306
CS hose VAC		
DISS N/DISS N 15L	4199601	306
CS hose VAC		
DISS N/DISS N 20L	4199600	306

CS hoses, several hoses to connect flowmeter		
with the central supply	8601697	295
Cuff controller cradle allows CNAP™ cuff controller to "slide" with movement of patient's arm	MS26123	148
Curtain clip, for fixing a curtain to telescopic arm	M21112	318
Cylinder jacket, plastic, to protect 10 L gas cylinder	2M86410	251, 252
Cylinder support	2M85180	291

D Dehumidification tubing for etCO <sub>2</sub> sidestream sampling, Nafion®, 10 pcs.	4714429	165
Demo lung SmartLung, reusable, max.1 L	MP02405	46
Demo lung to simulate neonatal lungs, with suitcase	8418077	379
Demo package BabyFlow plus, disposable, size L	MP03705	362
Demo package BabyFlow plus, disposable, size M	MP03704	359, 362
Demo package BabyFlow plus, disposable, size S	MP03703	359, 362
Deposit plate for BT 8000	2M21158	338
Dish, stainless steel, Ø 20.5 cm, with rail clamp	2M85233	318, 425
Disposable Handle Polaris, Dual, 60 pcs., for Polaris 100/200, 600 and Multimedia, adapter required	MP05700	82
Disposable Handle Polaris, Single, 120 pcs., for Polaris 100/200, 600 and Multimedia, adapter required	MP05701	82
Disposable medication container for Tropic 2.0, 48 pcs.	MP00006	259, 414
Disposable PEEP valve 0 – 20 cmH <sub>2</sub> O	5703471	97, 394
Distance tube for monitor shelves	M26391	315
Double connector 11ID/15OD, disposable, 10 pcs.	MP02655	19, 371
Double connector, outer diameter 11 mm	8409897	31, 33, 44, 373, 375
Double-Plug coupling AIR	G01166	310
Double-Plug coupling O <sub>2</sub>	G01168	310
Double-Plug coupling VAC	G01169	310
Dräger USB stick	8416347	330
Draw wire for hose heater 1.5 m, for reusable breathing circuit	8411050	89, 389
Dummy Plug	8410049	28
Dust filter Perseus, 5 pcs	MX50115	105

E Ear clip for Nellcor® DURA-Y™	MX01005	137, 212
ECG "4-lead" spacer, 10 pcs.	MS22832	176
ECG adapter for single-pin		
ECG cable to MultiMed® 5	MS14679	124, 176, 203
ECG adapter for single-pin		
ECG cable to MultiMed® 6	MS14680	124, 176, 203

INDEX BY PRODUCT NAME

ECG adapter tel, GE-AP-CH, 3ld	MP04350	226
ECG adapter tel, GE-AP-CH, 5ld	MP04351	226
ECG adapter tel, GE-AP-CH, 6ld	MP04352	226
ECG adapter tel, GE-AP-FH, 5ld	MP04353	226
ECG adapter tel, PH M, 5ld	MP04358	226
ECG adapter tel, PH M, 6ld	MP04359	226
ECG adapter tel, PH MX40, 3ld	MP04355	226
ECG adapter tel, PH MX40, 5ld	MP04356	226
ECG adapter tel, PH MX40, 6ld	MP04357	226
ECG adapter tel, SL AT, 5ld	MP04365	226
ECG adapter tel, SL UV, 5ld	MP04366	226
ECG Adapter, 3 Lead GE	MP04322	224
ECG Adapter, 3 Lead Mindray	MP04312	224
ECG Adapter, 3 Lead NK	MP04316	224
ECG Adapter, 3 Lead Philips	MP04325	224
ECG Adapter, 3 Lead Spacelabs	MP04300	224
ECG Adapter, 3 Lead Welch Allyn	MP04305	224
ECG Adapter, 5 Lead GE	MP04320	224
ECG Adapter, 5 Lead Mindray	MP04310	224
ECG Adapter, 5 Lead Philips	MP04326	224
ECG Adapter, 5 Lead Spacelabs	MP04301	224
ECG Adapter, 5 Lead Welch Allyn	MP04306	224
ECG Adapter, 6 Lead NK	MP04315	224
ECG Adapter, 6 Lead Philips	MP04327	224
ECG cable for C lead MonoLead® 5, IEC1, 1.5 m	MS16232	119
ECG cable for C lead, IEC1, 1 m	MP03417	122
ECG cable for V lead MonoLead® 5, IEC2, 1.5 m	MS16230	119
ECG cable for V lead, IEC2, 1 m	MP03418	122
ECG cable, 3-lead		
Infinity® TruST™, IEC1, 70 cm	MP03421	201
ECG cable, 3-lead		
Infinity® TruST™, IEC2, 70 cm	MP03422	201
ECG cable, 3-lead, AAMI, reusable, 2.4 m	MU25381	348
ECG cable, 3-lead, dual-pin connector, IEC1, 1 m	MP03411	122
ECG cable, 3-lead, dual-pin connector, IEC2, 1 m	MP03412	122
ECG cable, 3-lead, IEC, reusable, 2.4 m	MU25382	348
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1, 2 m	MS14555	117, 172, 200
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC1, 4.1 m	MS28561	118, 173
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2, 2 m	MS14556	117, 172, 200
ECG cable, 3-lead, single-pin connector MonoLead® 3, IEC2, 4.1 m	MS28557	118, 173
ECG cable, 3-lead, single-pin connector, IEC1, 1 m	MP03401	121, 174, 201
ECG cable, 3-lead, single-pin connector, IEC2, 1 m	MP03402	121, 174, 201

ECG cable, 3-lead, single-pin connector, single-pat. use, IEC1, 1 m, 20 pcs.	MP00875	120, 175, 202
ECG cable, 3-lead, single-pin connector, single-pat. use, IEC2, 1 m, 20 pcs.	MP00877	120, 175, 202
ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC1, 2 m	MS16160	119
ECG cable, 3-lead, dual-pin connector MonoLead® 3, IEC2, 2 m	MS16233	119
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1, 1.7 m	MS14693	173
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC1, 3.7 m	MS20476	173
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2, 1.7 m	MS14694	173
ECG cable, 4-lead, single-pin connector MonoLead® 4, IEC2, 3.7 m	MS20475	173
ECG cable, 4-lead, single-pin connector, IEC1, 1 m	MP03407	174
ECG cable, 4-lead, single-pin connector, IEC2, 1 m	MP03408	174
ECG cable, 4-lead, single-pin connector, single-pat. use, IEC1, 1 m, 20 pcs.	MP03120	175
ECG cable, 4-lead, single-pin connector, single-pat. use, IEC2, 1 m, 20 pcs.	MP03121	175
ECG cable, 5-lead Infinity® TruST™, IEC1, 70 cm	MP03423	201
ECG cable, 5-lead Infinity® TruST™, IEC2, 70 cm	MP03424	201
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC1, 2.5 m	MS16161	119
ECG cable, 5-lead, dual-pin connector MonoLead® 5, IEC2, 2.5 m	MS16229	119
ECG cable, 5-lead, dual-pin connector, IEC1, 1/1.5 m	MP03413	122
ECG cable, 5-lead, dual-pin connector, IEC2, 1/1.5 m	MP03414	122
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1, 2.5 m	MS14559	117, 172, 200
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC1, 5.3 m	MS28559	118, 173
ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2, 2.5 m	MS14560	117, 172, 200

INDEX BY PRODUCT NAME

ECG cable, 5-lead, single-pin connector MonoLead® 5, IEC2, 5.3 m	MS28558	118, 173
ECG cable, 5-lead, single-pin connector, IEC1, 1/1.5 m	MP03403	121, 174, 201
ECG cable, 5-lead, single-pin connector, IEC2, 1/1.5 m	MP03404	121, 174, 201
ECG cable, 5-lead, single-pin connector, single-pat. use, IEC1, 1/1.5 m, 20 pcs.	MP00879	120, 175, 202
ECG cable, 5-lead, single-pin connector, single-pat. use, IEC2, 1/1.5 m, 20 pcs.	MP00881	120, 175, 202
ECG cable, 6-lead Infinity® TruST™, IEC1, 70 cm	MP03425	201
ECG cable, 6-lead Infinity® TruST™, IEC2, 70 cm	MP03426	201
ECG cable, 6-lead, dual-pin connector, IEC1, 1/1.5 m	MP03415	122
ECG cable, 6-lead, dual-pin connector, IEC2, 1/1.5 m	MP03416	122
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1, 3 m	MS14683	117, 172, 200
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC1, 5.7 m	MS17185	118, 173
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2, 3 m	MS14682	117, 172, 200
ECG cable, 6-lead, single-pin connector MonoLead® 6, IEC2, 5.7 m	MS28560	118, 173
ECG cable, 6-lead, single-pin connector, IEC1, 1/1.5 m	MP03405	121, 174, 201
ECG cable, 6-lead, single-pin connector, IEC2, 1/1.5 m	MP03406	121, 174, 201
ECG cable, 6-lead, single-pin connector, single-pat. use, IEC1, 1/1.5 m, 20 pcs.	MP03122	120, 175, 202
ECG cable, 6-lead, single-pin connector, single-pat. use, IEC2, 1/1.5 m, 20 pcs.	MP03123	120, 175, 202
ECG electrodes, adult, disposable, 300 pcs.	2606247	210
ECG electrodes, adult/child, disposable, 1,000 pcs.	2606249	210
ECG electrodes, child, disposable, 500 pcs.	2606248	210
ECG electrodes, single-patient use, adult/child, 50 pcs.	4527750	123, 176, 203
ECG electrodes, single-patient use, neonate, 300 pcs.	5195024	123, 176, 210, 397

ECG ESU block, for OR use of 3- or 5-lead ECG cables with MultiMed® 5	5947226	124
ECG ESU block, for OR use of 3-, 5-, or 6-lead ECG cables with MultiMed® 6	7486140	124
ECG extension cable, 4-lead, single-pin connector, 2 m	MS31435	176
ECG extension cable, 6-lead, single-pin connector, 2 m	MS16256	124, 176, 203
ECG extension cable, dual-pin connector, 2 m	MS16492	124
ECG intermediate cable, 3-lead, for NeoMed Pod, 1.5 m	5592162	123, 397
ECG lead wire set, 3-lead, neonatal pinch connector, AAMI, reusable, 0.6 m	MU25383	348
ECG lead wire set, 3-lead, neonatal pinch connector, IEC, reusable, 0.6 m	MU25384	348
ECG limb wires, 3-lead, Grabber, AHA colour code	2606497	210
ECG limb wires, 3-lead, Grabber, IEC colour code	2606493	210
ECG limb wires, 5-lead, Grabber, AHA colour code	2606498	210
ECG limb wires, 5-lead, Grabber, IEC colour code	2606494	210
ECG neonatal 3-lead adapter cable, 2 m	MS25951	176
ECG trunk cable, 3-lead, for neonates, IEC & AHA	2606492	210
ECG trunk cable, 3-lead, IEC/AHA colour code	2606495	210
ECG trunk cable, 5-lead, IEC/AHA colour code	2606496	210
EEG electrode cable, color-coded, 9 pcs.	5947804	163
EEG electrodes, disposable, 25 pcs.	MS29468	163
Ejector suction NIST AIR O <sub>2</sub> for bronchial suction, gas connection AIR/O <sub>2</sub>	MK01418	269
Ejector suction NIST for bronchial suction, gas connection AIR	MK01420	269
Ejector VarioAir® B AGA, for bronchial suction, gas connection AIR	MP00533	266
Ejector VarioAir® B BS, for bronchial suction, gas connection AIR	MP00531	266
Ejector VarioAir® B CARBA, for bronchial suction, gas connection AIR	MP00548	266
Ejector VarioAir® B compact, for bronchial suction, gas connection AIR	MP00536	271



INDEX BY PRODUCT NAME

Ejector VarioAir® B DIN, for bronchial suction, gas connection AIR	MP00530	266
Ejector VarioAir® B NF, for bronchial suction, gas connection AIR	MP00532	266
Ejector VarioAir® B UNI, for bronchial suction, gas connection AIR	MP00534	266
Ejector VarioAir® B/OR Rail, for bronchial-+OR suction, gas connection AIR	MP00535	266, 282
Ejector VarioAir® D AGA, for continuous and wound drainage, gas connection AIR	MP00540	288
Ejector VarioAir® D BS, for continuous and wound drainage, gas connection AIR	MP00538	288
Ejector VarioAir® D CARBA, for continuous and wound drainage, gas connection AIR	MP00549	288
Ejector VarioAir® D DIN, for continuous and wound drainage, gas connection AIR	MP00537	288
Ejector VarioAir® D NF, for continuous and wound drainage, gas connection AIR	MP00539	288
Ejector VarioAir® D Rail, for continuous and wound drainage, gas connection AIR	MP00542	288, 418
Ejector VarioAir® D UNI, for continuous and wound drainage, gas connection AIR	MP00541	288
Ejector VarioAir® MRI B/OR Rail, for bronchial suction, gas connection AIR	MP03220	268
Ejector VarioAir® MRI P Rail, for bronchial suction, gas connection AIR	MP03221	268, 419
Ejector VarioAir® P compact, for bronchial suction, gas connection AIR, including secretion jar set and integrated ejector	MP00547	271, 420
Ejector VarioAir® P Rail, for bronchial suction, gas connection AIR	MP00545	268, 419
Ejector VarioAir® T DIN, for thoracic drainage, gas connection DIN, for connecting to the central AIR supply according to DIN standard	MP00553	289
Ejector VarioAir® T Rail WV, for thoracic drainage, with water vacuum gauge	MP00544	289
Ejector VarioAir® T Rail, for thoracic drainage, gas connection NIST AIR	MP00543	289

Ejector VarioO2® B CARBA, for bronchial suction, gas connection O <sub>2</sub>	MP00551	267
Ejector VarioO2® B DIN, for bronchial suction, gas connection O <sub>2</sub>	MP00550	267
Ejector VarioO2® B/OR Rail, for bronchial and OR suction, gas connection O <sub>2</sub>	MP00552	250, 267, 282
Elbow for CPAP masks, disposable	8409683	72, 386
Elbow, angled hose connection for secretion jar caps	2M19063	278
Elbow, angled hose connection for secretion jar caps	2M19063	423
Elbow, reusable	8412235	38, 43
Elbow, reusable	8418289	32, 33, 43, 374, 375
Elbow, reusable	M25649	30, 43
Electrode adapter, to connect neonatal electrodes to MultiMed® pod, 10 pcs.	5194779	123, 397
Electrode holder set, Electrode holder, screw, and O-ring	MP00718	171
Electrostatic filter and HME TwinStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.	MP01825	47, 380
Electrostatic filter and HME TwinStar® 25, disposable, 25 mL deadspace, 50 pcs.	MP01815	47
Electrostatic filter and HME TwinStar® 55, disposable, 55 mL deadspace, 50 pcs.	MP01805	47
Electrostatic filter and HME TwinStar® 65A, disposable, 65 mL deadspace, angled, 50 pcs.	MP01810	47
Electrostatic filter and HME TwinStar® 8, disposable, 8 mL deadspace, 50 pcs.	MP01820	47, 380
Electrostatic filter and HME TwinStar® 90, disposable, 90 mL deadspace, 50 pcs.	MP01800	47
Electrostatic filter CareStar® 30, disposable, 30 mL deadspace, 50 pcs.	MP01770	48, 259
Electrostatic filter CareStar® 40A, disposable, 40 mL deadspace, angled, 50 pcs.	MP01765	48
Electrostatic filter CareStar® 45, disposable, 45 mL deadspace, 50 pcs.	MP01755	48
etCO <sub>2</sub> airway adapter Microstream®, adult/child, max. 12 h, 25 pcs.	7869535	168
etCO <sub>2</sub> airway adapter Microstream®, adult/child, max. 72 h, 25 pcs.	7869543	168
etCO <sub>2</sub> airway adapter Microstream®, neonate/child, max. 72 h, 25 pcs.	7869550	168, 405
etCO <sub>2</sub> airway adapter Microstream®, neonate/infant, 25 pcs.	MU24408	346

INDEX BY PRODUCT NAME

etCO <sub>2</sub> airway adapter, reusable, adult	4721796	165
etCO <sub>2</sub> airway adapter, reusable, neonate	4721788	165, 405
etCO <sub>2</sub> nasal cannula Microstream®, + O <sub>2</sub> , adult, max. 24 h, 25 pcs.	7869493	169
etCO <sub>2</sub> nasal cannula Microstream®, + O <sub>2</sub> , child, max. 24 h, 25 pcs.	7869485	169, 405
etCO <sub>2</sub> nasal cannula Microstream®, adult, max. 24 h, 25 pcs.	7869592	168
etCO <sub>2</sub> nasal cannula Microstream®, child, max. 12 h, 25 pcs.	7869469	168, 405
etCO <sub>2</sub> nasal cannula Microstream®, child, max. 24 h, 25 pcs.	7869600	405
etCO <sub>2</sub> nasal cannula Microstream®, neonate/child, max. 24 h, 25 pcs.	7869618	169, 405
etCO <sub>2</sub> nasal cannula Microstream®, adult, max. 12 h, 25 pcs.	7869477	168
etCO <sub>2</sub> nasal cannula, adult, 10 pcs.	4714395	165
etCO <sub>2</sub> nasal cannula, child, 10 pcs.	4714387	165
etCO <sub>2</sub> nasal/mouth cannula Microstream®, + O <sub>2</sub> , child, max. 12 h, 25 pcs.	7869584	169, 405
etCO <sub>2</sub> nasal/mouth cannula Microstream®, child, max. 12 h, 25 pcs.	7869501	169
etCO <sub>2</sub> sensor Capnostat 5, reusable	2606226	222
etCO <sub>2</sub> sensor set Capnostat-III	4322975	165
Expiratory filter, disposable, 20 pcs.	MP01781	80
Expiratory valve for Babylog® 8000	8408950	81
Expiratory valve for Babylog® VN 500, reusable	8415270	81
Expiratory valve for Carina®, disposable	MP00220	81
Expiratory valve for Evita Infinity® V500, reusable	8416750	79
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	8414776	79
Expiratory valve for Evita® 2 dura, 4 edition, XL, disposable, 10 pcs.	MP02600	79
Expiratory valve for Evita®, reusable	8410580	79
Expiratory valve for Savina® 300, reusable	8417050	81
Expiratory valve for Savina®, reusable	8413660	81
Expiratory valve, disposable, 10 pcs.	MP01061	81
Extension arm set, for cables and hoses, with cable/hose guide channels	G13040	319
Extension cable	MS32153	199
Extension set, for Hinged arm Quickstop 2M86464	MP00653	325

Extension set, for Quickstop hinged arm 2M86464	MP00653	116, 150
Eyebrow sensor with electrode connector	MS32291	199
F F.O. battery grip, adult, 2.5 V, 28 mm Ø	MX03318	94
F.O. battery grip, pediatric, 2.5 V, 19 mm Ø	MX03331	94, 392
F.O. blade size 0 (Mac), reusable, 82 × 14 mm	MX03319	94, 392
F.O. blade size 0 (Miller), reusable, 78 × 11 mm	MX03324	94, 392
F.O. blade size 00 (Miller), reusable, 66 × 11 mm	MX50052	94, 392
F.O. blade size 1 (Mac), reusable, 93 × 14 mm	MX03320	94, 392
F.O. blade size 1 (Miller), reusable, 103 × 11 mm	MX03325	94, 392
F.O. blade size 2 (Mac), reusable, 115 × 17 mm	MX03321	94
F.O. blade size 2 (Miller), reusable, 154 × 14 mm	MX03326	94
F.O. blade size 3 (Mac), reusable, 135 × 18 mm	MX03322	94
F.O. blade size 3 (Miller), reusable, 195 × 15 mm	MX50053	94
F.O. blade size 4 (Mac), reusable, 155 × 18 mm	MX03323	94
F.O. blade size 4 (Miller), reusable, 210 × 18 mm	MX50054	94
F.O. laryngoscope set, adult, reusable	MX03330	94
F.O. laryngoscope set, pediatric, reusable	MX03329	94, 392
F.O. universal laryngoscope set, reusable	MX03317	94
Fast O <sub>2</sub> sensor, for sidestream measurement	6850930	111
Filler cap for Aerogen Pro, silicone, 5 pcs.	MP01035	91
Filter and HME for air compressor, disposable	MU04991	349
Fixation set for tpO <sub>2</sub> and tpCO <sub>2</sub> electrodes	MP00716	171, 406
Flow measuring line for Oxylog® 2000/3000 family, 1.5 m, 2 pcs.	8410929	38
Flow measuring line for Oxylog® 2000/3000 family, 3 m, 2 pcs.	8413293	38
Flow sensor cable for V500 with Neo option and VN500	8416600	110
Flow sensor cable, for neonatal flow sensor, e.g., Babylog	8409626	110, 395
Flow sensor for Crossvent 2i+, disposable, infant, 10 pcs.	MU24401	345

INDEX BY PRODUCT NAME

	Flow sensor Infinity® ID, PC/ABS, 5 pcs.	6871980	109
	Flow sensor SpiroLife®, PPSU, sterilizable	MK01900	109
	Flow sensor Spirolog®, PC/ABS, 5 pcs.	8403735	109
	Foot sensor with electrode connector	MS32290	199
G	Gastroschisis arm, complete	2M60180	330
	Gel mattress for Babytherm® 8000 / 8010, reusable	2M20827	337
	General-purpose temperature probe, reusable, adult, 7-pin connector, 1.5 m	4329889	142, 190
	General-purpose temperature probe, reusable, adult, 7-pin connector, 3 m	5204644	142, 190
	General-purpose temperature probe, reusable, child, 7-pin connector, 1.5 m	4329848	142, 190
	General-purpose temperature probe, reusable, child, 7-pin connector, 3 m	5204651	142, 190
	General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 1.6 m	MP00991	141, 189
	General-purpose temperature probe, single-pat. use, adult, 7-pin connector, 3 m	MP00992	141, 189
	General-purpose temperature probe, single-pat. use, child, 7-pin connector, 1.6 m	MP00993	141, 189
	General-purpose temperature probe, single-pat. use, child, 7-pin connector, 3 m	MP00994	141, 189
H	Hand port cuff, disposable, oval, 100 pcs.	MU06570	336, 344, 349, 351
	Hand sensor with electrode connector, adult	MS32154	199
	Hand sensor with electrode connector, pediatric	MS32289	199
	Handle, cpl. for BT 8000	2M21161	338
	Headband LNCS/M-LNCS TF-I, 5 pcs.	MP03197	135, 186
	Headgear for NovaStar® TS SE NIV oronasal mask	MP01583	66
	Headgear, disposable, size L, 31 – 37 cm (12.2 – 14.6 in) head circumference, 5 pcs.	MP03884	359, 365
	Headgear, disposable, size M, 27 – 31 cm (10.6 – 12.2 in) head circumference, 5 pcs.	MP03883	359, 365
	Headgear, disposable, size S, 23 – 27 cm (9.1 – 10.6 in) head circumference, 5 pcs.	MP03882	359, 365
	Headgear, disposable, size XL, 37 – 42 cm (14.6 – 16.5 in) head circumference, 5 pcs.	MP03885	359, 365

	Headgear, disposable, size XS, 20 – 23 cm (7.9 – 9.1 in) head circumference, 5 pcs.	MP03881	359, 365
	Headgear, disposable, size XXS, 17 – 20 cm (6.7 – 7.9 in) head circumference, 5 pcs.	MP03880	359, 365
	Headgear, disposable, soft fabric, large	MP01560	71
	Headgear, disposable, soft fabric, small	MP01559	71, 386
	Headgear, disposable, soft rubber, large	MP01562	71
	Headgear, disposable, soft rubber, small	MP01561	71, 386
	Headgear, reusable, silicone, large	MP01558	71
	Headgear, reusable, silicone, small	MP01557	71, 386
	Heatable hose Tropic 2.0, 1.1 m, for aerosol heating, cable, plug	MP03305	258, 413
	HI-Flow Star Nasal Cannula, disposable, adult L, Flow Range < 60 L/min, 25 pcs.	MP05513	78
	HI-Flow Star Nasal Cannula, disposable, adult M, Flow Range < 60 L/min, 25 pcs.	MP05512	78
	HI-Flow Star Nasal Cannula, disposable, adult S, Flow Range < 60 L/min, 25 pcs.	MP05511	78
	HI-Flow Star System, disposable, 25 pcs.	MP05601	78
	HI-Flow Star Valve Kit w/ Pop-Up Valve and Connector 22 mm, disposable, 15 pcs.	MP05507	78
	Hinged arm 240°, 3 hinges, fixable, ball holder system	8409609	322
	Hinged arm Infinity® ACS, for positioning and fixation of breathing hoses	MP00690	322
	Hinged arm Quickstop 1 includes hose clamps	2M85705	322
	Hinged arm Quickstop 2, with universal ball holder system for optional accessories	2M85706	322, 428
	Hinged arm Quickstop short with universal tube holder plate	2M86463	323, 428
	Hinged arm Quickstop, for attaching and positioning Dräger pods	2M86464	116, 150
	Hinged arm Quickstop, for attaching and positioning Dräger pods	2M86464	323
	HME HumidStar® 10A, disposable, 10 mL deadspace, angled, 50 pcs.	MP01740	50, 380
	HME HumidStar® 2, disposable, 2 mL deadspace, 50 pcs.	MP01745	50, 380
	HME HumidStar® 25, disposable, 25 mL deadspace, 50 pcs.	MP01735	50

INDEX BY PRODUCT NAME

	HME HumidStar® 55, disposable, 55 mL deadspace, 50 pcs.	MP01730	50
	HME HumidStar® Trach plus, disposable, 6 mL deadspace, 100 pcs.	MP05750	50
	Holder for cylinder packet for GCX profile	4118453	330
	Holder for F&P humidifier U-shaped, for trolley, with rail clamp	MP01002	87, 388
	Holder for hinged hood for Babytherm® 8000 WB, 8004 and 8010, reusable, neonatal, mounts to hand rail	2M21342	338
	Holder for Infinity® M300 bedside charger, swiveling 360°	MP00990	209
	Holder for MultiMed®	MP00721	143, 191
	Holder for MultiMed® 12 Pod	5202747	116
	Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods	5598128	116
	Holder for MultiMed® 5/6, MultiMed® Plus/OR, and NeoMed Pods, swiveling 360°	MP00721	116
	Holder for MX 300 and MX 300-i	MP01443	357
	Holder for Y-piece, with ball mounting	8409746	324, 429
	Hook ring for LiteStar® anesthesia masks, disposable, 15 mm OD, for sizes 1 – 2, 30 pcs.	MP01551	72, 386
	Hook ring for LiteStar® anesthesia masks, disposable, 22 mm ID, for sizes 3 – 6, 30 pcs.	MP01552	72
	Hook ring for silicone masks, reusable, 15 mm OD, for sizes 00 – 1, 10 pcs.	MP01916	72, 386
	Hook ring for silicone masks, reusable, 22 mm ID, for sizes 2 – 5, 10 pcs.	MP01917	72
	Hose clip double, for standard breathing hoses, adult/neonatal, 2 pcs.	8406138	324, 428
	Hose clip double, gray, for Hinged arm Infinity® ACS (MP00690)	MP00693	325
	Hose clip, 10 pcs.	8403566	28, 30
	Hose clip, for ball mounting, for standard breathing hoses, adult/neonatal	8409841	324, 428
	Hose clip, for coaxial breathing hoses, adult, 2 pcs.	MP00493	324, 428
	Hose for Tropic 2.0, disposable, 1 m, patient side, 15 pcs.	MX22793	258, 413
	Hose for Tropic 2.0, disposable, 40 cm, connects fan/chamber, 20 pcs.	MX22790	258, 413

	Hose heater adapter for F&P MR 700/730, for disposable breathing circuit	8418462	88
	Hose heater adapter for F&P MR 850, for disposable breathing circuit	8414992	88
	Hose heater adapter for F&P MR 850, for double-heated disposable breathing circuit	MP01006	89
	Hose heater adapter for F&P MR 850, for reusable breathing circuit	8414968	88, 389
	Hose heater adapter for F&P MR 850, for third-party breathing circuit	MP01001	89, 399
	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.1 m	8414993	30, 31, 87, 373, 388
	Hose heater for F&P MR 700/730 and MR 850, for reusable breathing circuit, 1.5 m	8414969	87
	Hose heater for F&P MR 700/730, 70 cm	8411154	32, 87, 374, 388
	Hose heater, A, 1.1 m	8411045	33, 87, 375
	Hose holder plate for ball mounting 2M86465	324, 429	
	Humidifier chamber F&P MR 340, reusable, N/P	8411047	86, 388
	Humidifier chamber F&P MR 370, reusable, A	8412217	86
	Humidifier chamber for F&P MR 290, disposable, 10 pcs.	8418282	86, 388
	Humidifier chamber for Isolette® C2000, reusable	MU17191	336
	Humidifier chamber VentStar®, disposable, 10 pcs.	MP00234	19, 371
	Humidifier chamber VentStar®, disposable, N, 10 pcs.	MP02590	19, 371
	Humidifier chamber, 10 pcs.	MP02605	20
	Humidifier-bubbler, for oxygen humidification up to appr. 60% relative humidity and flows up to 5 L/min	2M85834	253, 411
	Humidifier-nebulizer, for oxygen humidification up to 100% relative humidity and flows up to 5 L/min	2M85835	253
	Humidity pad, disposable, antibacterial, 25 pcs.	MU06008	345, 350, 352

I	IBP adapter, 10-pin to 7-pin	3368383	154
	IBP cable Abbott, Medex	2606490	216
	IBP cable Becton Dickinson/Argon	2606488	216
	IBP cable Edwards	2606489	216
	IBP cable Utah	2606491	216
	IBP connection cable Argon (former Becton Dickinson/Ohmeda), 3.7 m	3375933	156
	IBP holder for pressure transducer Memscap (Capto/SensoNor) 844, 4 pcs.	7864155	155



INDEX BY PRODUCT NAME

IBP press. transducer for Memscap (Capto/SensoNor) 844, disposable, sterile, 50 pcs.	7864908	155
IBP pressure transducer cable for Memscap (Capto/SensoNor) 844, 3 m	7486876	155
IBP pressure transducer cable for Memscap (Capto/SensoNor), 3.7 m	4321563	155
IBP pressure transducer for Memscap (Capto/SensoNor) 844, reusable	7489417	155
IBP pressure transducer kit, BD/Argon, disposable, 5 kits	2606225	216
IBP pressure transducer plate, for Hemo2 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721614	153
IBP pressure transducer plate, for Hemo2 Pod, universal, 5 pcs.	4721408	153
IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott Transpac IV, 5 pcs.	7270460	153
IBP pressure transducer plate, for Hemo2/4 Pods, for Abbott TranspacII/III/Braun, 5 pcs.	5192112	153
IBP pressure transducer plate, for Hemo4 Pod, for Memscap (Capto/SensoNor), 5 pcs.	4721416	153
IBP pressure transducer plate, for Hemo4 Pod, universal, 5 pcs.	4721424	153
IBP pressure transducer set Argon (former Becton Dickinson/Ohmeda), disposable, sterile, 5 pcs.	4528741	156
IBP pressure transducer set for Memscap (Capto/SensoNor) 844	7498947	155
IBP pressure transducer set for Memscap (Capto/SensoNor) 844, disposable, 10 pcs.	7489433	155
IBP transducer adapter Abbott/Medex	MS22535	151, 196
IBP transducer adapter Argon (former Becton Dickinson/Ohmeda)	MS22148	151, 196
IBP transducer adapter Baxter/Edwards	MS22147	151, 196
IBP transducer adapter cable, Dräger 10-pin	MS22532	151, 159, 196
IBP transducer adapter cable, Dräger 7-pin	MS22533	151, 196
IBP transducer adapter Utah Medical	MS22534	151, 196
IBP Y-adapter, 10-pin	5731281	154
IBP Y-adapter, 10-pin to 7-pin	5588095	154
IBP Y-adapter, 7-pin	5592147	154
IBP Y-cable Argon (former Becton Dickinson/Ohmeda), 3.7 m	5206581	156
IBP Y-cable, Baxter/Edwards, 3.7 m	5206607	154
IBP Y-cable, for Memscap (Capto/SensoNor), 3.7 m	5195180	155

Immersion tube, for continuous drainages, not scaled	M16395	293
Immersion tube, for water vacuum gauge of for VarioVac® T + VarioAir® T, scaled	MP00569	294
Incubator cover for Babyleo TN500, reusable	MP03730	329, 355
Incubator cover for Caleo®, reusable	MP01423	331, 355
Incubator cover for Isolette® C2000, 8000 and8000 plus, reusable	MP01424	333, 335, 355
Infinity ID CLIC Absorber 800+, disposable absorber, 1.2 L, 6 pcs.	MX50004	103
Infinity ID CLIC Absorber Free, disposable absorber, 1.2 L, 6 pcs.	MX50120	103
Infinity ID Expiratory filter, disposable, 20 pcs.	MP01780	80
Infinity ID, expiratory valve, disposable, 10 pcs.	MP01060	79
Infinity® MPod-QuadHemo, cardiac output, 2 temperatures, up to 4 invasive pressures	MS20725	150, 196
Infinity® PiCCO Gen II SmartPod®	MS23133	159
Infinity® PiCCO Gen II SmartPod® kit	MS32282	159
Infinity® PiCCO SmartPod®	MS17441	159
Infinity® PiCCO SmartPod® Kit	MS16734	159
Infusion bottle holder for Babytherm®, reusable, neonatal	2M16520	339
Infusion bottle holder set, attaches to standard rail 25 × 10 mm	G12985	319
Infusion bottle holder, for standard rail, v ariable height, 3 hooks	M20719	318, 358, 425
Infusion holder, reusable, 3 hooks, for poles with Ø 38 mm	2M21514	332, 339
Inhalation mask for Inhalette	M11015	91, 256
Insert for neonatal flow sensor, PSU, sterilizable, 5 pcs.	8410179	109, 395
Intake valve MR-100	5703704	96, 394
Iris port sleeve, disposable, 100 pcs.	MU03876	334, 336, 344, 349, 351
ISO double connector, reusable, 22 mm/22 mm	M25647	28, 30, 34, 35, 36, 44, 376
K Kit T-Adapter, Pediatric with Neo connectors, 10 pcs.	MP01087	92
L Laryngoscope set, adult, reusable	MX03313	93
Laryngoscope set, pediatric, reusable	MX03312	93, 391
Leakage valve for Carina® SyncVent, disposable, 5 pcs.	MP00224	81

INDEX BY PRODUCT NAME

Light for Photo Therapy 4000, fluorescent bulb, blue	2M21010	353
Light for Photo Therapy 4000, fluorescent bulb, white	2M21009	353
Light shield curtain for BiliLux, reusable	MP03760	353
Litter bag holder, stainless steel, with base plate and litter bags (100 pcs.)	M24695	318, 425
Litter bags, disposable, for litter bag holder, 100 pcs.	M26240	318, 425
Locking screw, for immersion tube, with gaskets	MP00596	294
Luer Lock elbow, N	M34568	36, 43, 376, 378
M M540 Hemo connection cable, 1.5 m	MS23897	196
M540 Hemo connection cable, 3 m	MS23898	196
Magnetic clip for headgears for NovaStar® TS SE and AAV, 4 pcs.	MP01585	66
Man. breathing bag MR-100, reusable, A, w/ pressure valve, 60±10 mbar	5702881	95
Man. breathing bag MR-100, reusable, N, w/ press. valve, relief >40±5 mbar	5702322	95, 393
Man. breathing bag MR-100, reusable, P, w/ press. valve, relief >40±5 mbar	5702321	95, 393
Masimo® LNCS Trauma sensor, adult, 20 pcs.	MP03191	131, 180
Masimo® LNCS Trauma sensor, infant/pedi, 20 pcs.	MP03193	131, 180
Masimo® LNCS Trauma sensor, neonate, 20 pcs.	MP03192	131, 180, 401
Masimo® rainbow sensor cover, 10 pcs.	MP03203	186
Masimo® RD-SET DC-IP sensor, pediatric, reusable	MS33741	133, 182, 206
Masimo® RD-SET DCI sensor, adult, reusable	MS33740	133, 182, 206
Masimo® RD-SET sensor, adult, disposable	MS33726	133, 181, 206
Masimo® RD-SET sensor, infant, disposable	MS33728	133, 181, 206
Masimo® RD-SET sensor, neonatal preterm, disposable	MS33730	133, 181, 401
Masimo® RD-SET sensor, neonatal, disposable	MS33729	133, 181, 401
Masimo® RD-SET sensor, pediatric, disposable	MS33727	133, 181, 206
Mattress SoftBed, for Babyleo TN500, reusable	2M60390	329
Mattress SoftBed, for Babytherm®, reusable	2M21012	337

Mattress SoftBed, for Caleo®, reusable	MX17012	331
Mattress SoftBed, for IICS-90, reusable, large, with scale	MP01405	343
Mattress SoftBed, for IICS-90, reusable, large, without scale	MP01403	343
Mattress SoftBed, for Isolette® 8000 plus USA, reusable	MP01203	333
Mattress SoftBed, for Isolette® C2000, 8000 and 8000 plus, reusable	MP01401	333, 335
Mattress SoftBed, for Resuscitaire®, reusable, with scale	MP01404	340
Mattress SoftBed, for Resuscitaire®, reusable, without scale	MP01402	340
Mattress SoftBed, for TI 500 and TI 500 Globe-Trotter, reusable	MP01419	344, 349, 351
Mechanical filter and HME TwinStar® HEPA, disposable, 55 mL deadspace, 50 pcs.	MP01801	47
Mechanical filter SafeStar® 55, disposable, 55 mL deadspace, 50 pcs.	MP01790	49, 259
Mechanical filter SafeStar® 60A, disposable, 60 mL deadspace, angled, 50 pcs.	MP01795	49
Mechanical filter SafeStar® 80, disposable, 80 mL deadspace, 50 pcs.	MP01785	49
Medical examination light VarioLux® with LED technology, AUS	MP00606	320, 426
Medical examination light VarioLux® with LED technology, BR	MP00605	320, 426
Medical examination light VarioLux® with LED technology, CHN	MP00604	320, 426
Medical examination light VarioLux® with LED technology, EU	MP00601	320, 426
Medical examination light VarioLux® with LED technology, GB	MP00603	320, 426
Medical examination light VarioLux® with LED technology, JPN	MP00608	320, 426
Medical examination light VarioLux® with LED technology, US	MP00602	320, 426
Medical examination light VarioLux® with LED technology, ZA	MP00607	320, 426
Medication nebulizer Aerogen Pro	MP01010	91, 390
Medication nebulizer for Babylog® 8000 with quick connector	8411030	90
Medication nebulizer for Evita® 2 dura, Evita® 4, Evita® XL, Savina®	8412935	90
Medication nebulizer Inhalette S	2M85674	255
Membrane for Evita® 2 dura, Evita® 4, Evita® XL, for expiratory valve	8412015	80

INDEX BY PRODUCT NAME

N	Membrane replacement set for tcpO <sub>2</sub> /tcpCO <sub>2</sub> electrodes	MP00715	171, 406
	Mixing block, with mixing chart, for O <sub>2</sub> and AIR flowmeter		
	with M34×1.5 and M32×1.5	2M85728	243
	Monitor shelf 5035, 50 × 35.5 cm	2M85003	315
	Monitor shelf 5450, 50 × 35.5 cm	M24692	315
	Mount clamp 10 – 40 mm (0.4 – 1.57 in)	MS32150	199
	Mount clamp 20 – 60 mm (0.79 – 2.36 in)	MS32151	199
	Mouthpiece for Inhalette	M12394	91, 256
	MPod-Dual Hemo, 2 invasive blood pressures for M540	MS20783	196
	MRI flow sensor extension cable, for MRI patient monitor	8306370	110
	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 1.5 m	5950196	115
	Multiparameter cable MultiMed® 5 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	3368391	115
	Multiparameter cable MultiMed® 6 Pod, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	5191221	115
	Multiparameter cable MultiMed® plus OR, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	MS20094	115
	Multiparameter cable MultiMed® plus, for ECG, resp., SpO <sub>2</sub> , and temp., 2.5 m	MS20093	115
	Multiparameter cable NeoMed Pod, for ECG, resp., SpO <sub>2</sub> , temp., and FiO <sub>2</sub> , 2.5 m	5590539	115, 397
	Multiple socket for Babytherm® 8000, 220/240 V	2M20914	339
	N <sub>2</sub> O CS hose 0.9 m (2.95 ft)		
	NF EN NF	M36725	298
	N <sub>2</sub> O CS hose 0.9 m (2.95 ft)		
	NIST EN BS	M36728	299
	N <sub>2</sub> O CS hose 0.9 m (2.95 ft)		
	NIST EN DIN	M36731	295
	N <sub>2</sub> O CS hose 0.9 m (2.95 ft)		
	NIST GB DIN	M36788	309
	N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
	DISS US KAWA	M35809	305
	N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
	DISSB EN HAND	M36293	308
	N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
	NF EN NF	M35427	298
	N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
	NIST EN AS	M36156	304
	N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
	NIST EN BS	M35391	299
	N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
	NIST EN BS straight	M35400	300
	N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
	NIST EN Carba	M35473	302

N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST EN DIN	M35492	295
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST EN NF	M35418	297
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST EN SS	M35378	301
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST EN UNI	M35409	303
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST GB DIN	M36789	309
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST NEUTRAL DIN	M36007	296
N <sub>2</sub> O CS hose 1.5 m (4.9 ft)		
NIST NEUTRAL NF	M35437	298
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
DISS US KAWA	M35808	305
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
DISSB EN HAND	M36294	308
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NF EN NF	M35428	298
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN AS	M36155	304
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN BS	M35392	299
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN BS straight	M35401	300
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN Carba	M35474	302
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN DIN	M35493	295
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN NF	M35419	297
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN SS	M35379	301
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST EN UNI	M35410	303
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST GB BS	M36734	309
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST GB DIN	M36740	309
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST NEUTRAL DIN	M36008	296
N <sub>2</sub> O CS hose 3 m (9.8 ft)		
NIST NEUTRAL NF	M35438	298
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
DISS US KAWA	M35807	305
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
DISSB EN HAND	M36295	308
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NF EN NF	M35344	298
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN AS	M36154	304
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN BS	M35334	299
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN BS straight	M35341	300
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN Carba	M35347	302

INDEX BY PRODUCT NAME

N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN DIN	M35494	295
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN NF	M35331	297
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN SS	M35382	301
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST EN UNI	M35359	303
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST GB BS	M36735	309
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST GB DIN	M36741	309
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST NEUTRAL DIN	M36009	296
N <sub>2</sub> O CS hose 5 m (16.4 ft)		
NIST NEUTRAL NF	M35439	298
N <sub>2</sub> O CS hose 8 m (26,25 ft)		
DISS US KAWA	M35867	305
NBP Adapter, (bx10)	MP00945	228
NBP Adapter, GE DINACLICK, (bx10)	MP00747	228
NBP Adapter, GE, (bx10)	MP00942	228
NBP Adapter, Nihon Kohdan, (bx10)	MP00940	228
NBP Adapter, Welch Allyn, (bx10)	MP00941	228
Nebulizer chamber for Tropic 2.0, spare part	MP03309	259, 414
Nebulizer element for Inhalette, spare part	2M85571	256
Nebulizer head, 10 pcs.	MP01079	92
Nebulizer head, 5 pcs.	MP01078	92
Nebulizer hose	8412985	90
Nebulizer unit with filler cap for Aerogen Pro	MP01030	91, 390
Nellcor® intermediate cable, 1.2 m	MP00748	188, 212
Nellcor® intermediate cable, 3 m	MS20979	188, 212
Neo-mask, silicone, disposable, size L, 10 pcs.	8418619	359, 364
Neo-mask, silicone, disposable, size M, 10 pcs.	8418490	359, 364
Neo-mask, silicone, disposable, size S, 10 pcs.	8418491	359, 364
Neo-mask, TPE, disposable, size 4, 10 pcs.	MP01494	359, 364
Neo-mask, TPE, disposable, size 5, 10 pcs.	MP01495	359, 364
Neo-mask, TPE, disposable, size 6, 10 pcs.	MP01496	359, 364
Neonatal flow sensor ISO 15, PSU, sterilizable	8411130	109, 395
Neonatal flow sensor with Y-piece, PSU, sterilizable	8410185	109, 395
NIBP connection tube, adult, 3.7 m, for Infinity® monitors	MP00953	144, 192
NIBP cuff L, reusable, large adult, 31 – 40 cm/40 cm	MP00918	145, 193

NIBP cuff L, single-patient use, large adult, 31 – 40 cm/40 cm, 10 pcs.	MP00931	146, 194
NIBP cuff L+, reusable, large adult, long, 31 – 40 cm/55 cm	MP00919	145, 193
NIBP cuff L+, single-patient use, large adult long, 31 – 40 cm/55 cm, 10 pcs.	MP00932	146, 194
NIBP cuff M, reusable, adult, 23 – 33 cm/33 cm	MP00915	145, 193
NIBP cuff M, single-patient use, adult, 23 – 33 cm/33 cm, 10 pcs.	MP00928	146, 194
NIBP cuff M+, reusable, adult, long, 23 – 33 cm/43 cm	MP00916	145, 193
NIBP cuff M+, single-patient use, adult long, 23 – 33 cm/43 cm, 10 pcs.	MP00929	146, 194
NIBP cuff M++, reusable, adult, extra long, 23 – 33 cm/53 cm	MP00917	145, 193
NIBP cuff M++, single-patient use, adult extra long, 23 – 33 cm/53 cm, 10 pcs.	MP00930	146, 194
NIBP cuff S, reusable, small adult, 17 – 25 cm/29 cm	MP00913	145, 193
NIBP cuff S, single-patient use, small adult, 17 – 25 cm/29 cm, 10 pcs.	MP00926	146, 194
NIBP cuff XL, reusable, thigh, 38 – 50 cm/50 cm	MP00921	145, 193
NIBP cuff XL, single-patient use, thigh, 38 – 50 cm/50 cm, 10 pcs.	MP00934	146, 194
NIBP cuff XS, reusable, child, 12 – 19 cm/19 cm	MP00912	145, 193
NIBP cuff XS, single-patient use, child, 12 – 19 cm/19 cm, 10 pcs.	MP00925	146, 194
NIBP cuff XXS, reusable, infant, 8 – 13 cm/13 cm	MP00911	145, 193
NIBP cuff XXS, single-patient use, infant, 8 – 13 cm/13 cm, 10 pcs.	MP00924	146, 194
NIBP cuff, adult, 27 cm – 35 cm, reusable, Vista120	2606155	213
NIBP cuff, child, 16 cm - 21 cm, reusable, Vista120	2606153	213
NIBP cuff, disposable, neonate, size 1, 3.1 – 5.7 cm, 10 pcs.	2870181	147, 195, 404
NIBP cuff, disposable, neonate, size 1, 3.3 – 5.6 cm, 10 pcs.	MU24403	346
NIBP cuff, disposable, neonate, size 2, 4.2 – 7.1 cm, 10 pcs.	MU24404	346
NIBP cuff, disposable, neonate, size 2, 4.3 – 8 cm, 10 pcs.	2870199	147, 195, 404
NIBP cuff, disposable, neonate, size 3, 5.4 – 9.1 cm, 10 pcs.	MU24405	346

INDEX BY PRODUCT NAME

NIBP cuff, disposable, neonate, size 3, 5.8 – 10.9 cm, 10 pcs.	2870207	147, 195, 404
NIBP cuff, disposable, neonate, size 4, 6.9 – 11.7 cm, 10 pcs.	MU24406	346
NIBP cuff, disposable, neonate, size 4, 7.1 – 13.1 cm, 10 pcs.	2870215	147, 195, 404
NIBP cuff, disposable, neonate, size 5, 8.3 – 15 cm, 10 pcs.	2870173	147, 195, 404
NIBP cuff, disposable, neonate, size 5, 8.9 – 15.0 cm, 10 pcs.	MU24407	346
NIBP cuff, infant, 10 cm – 15 cm, reusable, Vista120	2606151	213
NIBP cuff, larger adult, 34 cm – 43 cm, reusable, Vista120	2606156	213
NIBP cuff, neonatal #1, 3 – 6 cm, disposable, 20 pcs., Vista120	2607034	214
NIBP cuff, neonatal #2, 4 – 8 cm, disposable, 20 pcs., Vista120	2607035	214
NIBP cuff, neonatal #3, 6 – 11 cm, disposable, 20 pcs., Vista120	2607036	214
NIBP cuff, neonatal #4, 7 – 13 cm, disposable, 20 pcs., Vista120	2607037	214
NIBP cuff, neonatal #5, 8 – 15 cm, disposable, 20 pcs., Vista120	2607038	214
NIBP cuff, small adult, 20.5 cm – 28 cm, reusable, Vista120	2606154	213
NIBP cuff, small child, 13 cm – 17 cm, reusable, Vista120	2606152	213
NIBP hose, neonate, 2.4 m	2870298	144, 192, 404
NIBP hose, neonate/infant, 2.4 m	MU24685	346
NIBP tube, 3 m	2601195	213
NIST-NIST Connecting hose 1.2 m	M36053	250
NIV nasal mask ClassicStar® non-vented, disposable, size L	MP01625	60
NIV nasal mask ClassicStar® non-vented, disposable, size M	MP01624	60
NIV nasal mask ClassicStar® non-vented, disposable, size S	MP01623	60
NIV nasal mask ClassicStar® plus non vented, disposable, size L	MP04743	63
NIV nasal mask ClassicStar® plus non vented, disposable, size M	MP04742	63
NIV nasal mask ClassicStar® plus non vented, disposable, size S	MP04741	63
NIV nasal mask ClassicStar® plus non vented, disposable, size XL	MP04744	63

NIV nasal mask ClassicStar® plus vented, disposable, size L	MP04753	63
NIV nasal mask ClassicStar® plus vented, disposable, size M	MP04752	63
NIV nasal mask ClassicStar® plus vented, disposable, size S	MP04751	63
NIV nasal mask ClassicStar® plus vented, disposable, size XL	MP04754	63
NIV nasal mask ClassicStar® vented, disposable, size L	MP01622	60
NIV nasal mask ClassicStar® v ented, disposable, size M	MP01621	60
NIV nasal mask ClassicStar® vented, disposable, size S	MP01620	60
NIV oronasal mask ClassicStar® AAV, disposable, size L	MP01572	59
NIV oronasal mask ClassicStar® AAV, disposable, size M	MP01571	59
NIV oronasal mask ClassicStar® AAV, disposable, size S	MP01570	59
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size L	MP04733	62
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size M	MP04732	62
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size S	MP04731	62
NIV oronasal mask ClassicStar® plus AAV without exhalation ports, disposable, size XL	MP04734	62
NIV oronasal mask ClassicStar® plus AAV, disposable, size L	MP04723	62
NIV oronasal mask ClassicStar® plus AAV, disposable, size M	MP04722	62
NIV oronasal mask ClassicStar® plus AAV, disposable, size S	MP04721	62
NIV oronasal mask ClassicStar® plus AAV, disposable, size XL	MP04724	62
NIV oronasal mask ClassicStar® plus SE, disposable, size L	MP04713	62
NIV oronasal mask ClassicStar® plus SE, disposable, size M	MP04712	62
NIV oronasal mask ClassicStar® plus SE, disposable, size S	MP04711	62
NIV oronasal mask ClassicStar® plus SE, disposable, size XL	MP04714	62
NIV oronasal mask ClassicStar® SE, disposable, size L	MP01575	59

INDEX BY PRODUCT NAME

NIV oronasal mask ClassicStar® SE, disposable, size M	MP01574	59
NIV oronasal mask ClassicStar® SE, disposable, size S	MP01573	59
NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size L	MP04703	64
NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size M	MP04702	64
NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size S	MP04701	64
NIV oronasal mask NovaStar® TS AAV without exhalation ports, reusable, size XL	MP04704	64
NIV oronasal mask NovaStar® TS AAV, reusable, size L	MP01578	64
NIV oronasal mask NovaStar® TS AAV, reusable, size M	MP01577	64
NIV oronasal mask NovaStar® TS AAV, reusable, size S	MP01576	64
NIV oronasal mask NovaStar® TS AAV, reusable, size XL	MP04706	64
NIV oronasal mask NovaStar® TS SE, reusable, size L	MP01581	64
NIV oronasal mask NovaStar® TS SE, reusable, size M	MP01580	64
NIV oronasal mask NovaStar® TS SE, reusable, size S	MP01579	64
NIV oronasal mask NovaStar® TS SE, reusable, size XL	MP04705	64
NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size L	MP02918	61
NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size M	MP02917	61
NIV total-face mask ClassicStar® AAV without exhalation ports, disposable, size S	MP02916	61
NIV total-face mask ClassicStar® AAV, disposable, size L	MP02915	61
NIV total-face mask ClassicStar® AAV, disposable, size M	MP02914	61
NIV total-face mask ClassicStar® AAV, disposable, size S	MP02913	61
NIV total-face mask ClassicStar® SE, disposable, size L	MP02912	61
NIV total-face mask ClassicStar® SE, disposable, size M	MP02911	61

NIV total-face mask ClassicStar® SE, disposable, size S	MP02910	61
NMT accelerometer Trident®	MS15085	164
NMT electrode cable Trident®, 2-lead, 0.3 m	MS13218	164
NMT hand adapter Trident®	MS15086	164
NMT intermediate cable for Infinity® Trident (NMT) SmartPod®, 1.9 m	7872174	164
NMT thermistor Trident®	MS15053	164
NMT thumb adapter for Infinity® Trident (NMT) SmartPod®, disposable, 50 pcs.	MS15084	164
NovaStar® TS AAV Vpack L, 3 × MP01578, 3 pcs.	MP01569	65
NovaStar® TS AAV Vpack M, 3 × MP01577, 3 pcs.	MP01568	65
NovaStar® TS AAV Vpack S, 3 × MP01576, 3 pcs.	MP01567	65
NovaStar® TS SE Vpack L, 3 × MP01581, 3 pcs.	MP01566	65
NovaStar® TS SE Vpack M, 3 × MP01580, 3 pcs.	MP01565	65
NovaStar® TS SE Vpack S, 3 × MP01579, 3 pcs.	MP01564	65
O O <sub>2</sub> analyzer MX 300	MP01441	357
O <sub>2</sub> analyzer MX 300-i	MP01440	357
O <sub>2</sub> compact flowmeter, DIN CS, 1-15 L/min, 6 mm nozzle	2M86793	242, 410
O <sub>2</sub> compact flowmeter, DIN CS, 1-15 L/min, 9/16"	MP01204	242, 410
O <sub>2</sub> compact flowmeter, rail, NIST, 1 – 15 L/min, 9/16"	MP05405	243
O <sub>2</sub> CS hose 0.9 m (2.95 ft)	NF EN NF	298
O <sub>2</sub> CS hose 0.9 m (2.95 ft)	NIST EN BS	299
O <sub>2</sub> CS hose 0.9 m (2.95 ft)	NIST EN DIN	295
O <sub>2</sub> CS hose 0.9 m (2.95 ft)	NIST GB DIN	309
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	DISS US KAWA	305
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	DISSB EN HAND	308
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	NF EN NF	298
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	NIST EN AS	304
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	NIST EN BS	299
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	NIST EN BS straight	300
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	NIST EN Carba	302
O <sub>2</sub> CS hose 1.5 m (4.9 ft)	NIST EN DIN	295



INDEX BY PRODUCT NAME

O <sub>2</sub> CS hose 1.5 m (4.9 ft)		
NIST EN NF	M35416	297
O <sub>2</sub> CS hose 1.5 m (4.9 ft)		
NIST EN SS	M35375	301
O <sub>2</sub> CS hose 1.5 m (4.9 ft)		
NIST EN UNI	M35407	303
O <sub>2</sub> CS hose 1.5 m (4.9 ft)		
NIST GB DIN	M36785	309
O <sub>2</sub> CS hose 1.5 m (4.9 ft)		
NIST NEUTRAL DIN	M36004	296
O <sub>2</sub> CS hose 1.5 m (4.9 ft)		
NIST NEUTRAL NF	M35434	297
O <sub>2</sub> CS hose 3 m (9.8 ft)		
DISS US KAWA	M35805	305
O <sub>2</sub> CS hose 3 m (9.8 ft)		
DISSB EN HAND	M36291	308
O <sub>2</sub> CS hose 3 m (9.8 ft)		
NF EN NF	M35426	298
O <sub>2</sub> CS hose 3 m (9.8 ft)		
NIST EN AS	M36152	304
O <sub>2</sub> CS hose 3 m (9.8 ft)		
NIST EN BS	M35390	299
O <sub>2</sub> CS hose 3 m (9.8 ft)		
NIST EN BS straight	M35399	300
O <sub>2</sub> CS hose 3 m (9.8 ft)		
NIST EN Carba	M35472	302
O <sub>2</sub> CS hose 3 m (9.8 ft)		
NIST EN DIN	M35490	295
O <sub>2</sub> CS hose 3 m (9.8 ft)		
NIST EN NF	M35417	297
O <sub>2</sub> CS hose 3 m (9.8 ft)		
NIST EN SS	M35376	301
O <sub>2</sub> CS hose 3 m (9.8 ft)		
NIST EN UNI	M35408	303
O <sub>2</sub> CS hose 3 m (9.8 ft)		
NIST GB BS	M36732	309
O <sub>2</sub> CS hose 3 m (9.8 ft)		
NIST GB DIN	M36738	309
O <sub>2</sub> CS hose 3 m (9.8 ft)		
NIST NEUTRAL DIN	M36005	296
O <sub>2</sub> CS hose 3 m (9.8 ft)		
NIST NEUTRAL NF	M35435	297
O <sub>2</sub> CS hose 5 m (16.4 ft)		
DISS US KAWA	M35804	305
O <sub>2</sub> CS hose 5 m (16.4 ft)		
DISSB EN HAND	M36292	308
O <sub>2</sub> CS hose 5 m (16.4 ft)		
NF EN NF	M35342	298
O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST EN AS	M36151	304
O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST EN BS	M35333	299
O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST EN BS straight	M35339	300
O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST EN Carba	M35345	302
O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST EN DIN	M35491	295

O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST EN NF	M35330	297
O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST EN SS	M35377	301
O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST EN UNI	M35357	303
O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST GB BS	M36733	309
O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST GB DIN	M36739	309
O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST NEUTRAL DIN	M36006	296
O <sub>2</sub> CS hose 5 m (16.4 ft)		
NIST NEUTRAL NF	M35436	297
O <sub>2</sub> CS hose 8 m (26,25 ft)		
DISS US KAWA	M35866	305
O <sub>2</sub> flowmeter for anesthesia, 16 L 90°, rail, with NIST black hose 1 m, connector 9/16-18UNF to 6 mm	MP04579	238
O <sub>2</sub> flowmeter for anesthesia, 16 L 90°, rail, with NIST ISO hose 1,2 m, connector 9/16-18UNF to 6 mm	MP04578	238
O <sub>2</sub> flowmeter for anesthesia, 16 L, rail, with NIST black hose 1 m, connector 9/16-18UNF to 6 mm	MP04577	238
O <sub>2</sub> flowmeter for anesthesia, 16 L/min, rail, with NIST ISO hose 1.2 m, connector 9/16"UNF to 6 mm	MP04576	237
O <sub>2</sub> flowmeter, 10 L/min, CS, CARBA, including adapter to 9/16" for sterile water	MP04554	234
O <sub>2</sub> flowmeter, 10 L/min, rail fitting with NIST gas inlet, M34×1.5, adapter 9/16"	MP04556	239
O <sub>2</sub> flowmeter, 16 L/min, CS, British Standard, ISO, M34×1.5, adapter 9/16"	MP04565	234
O <sub>2</sub> flowmeter, 16 L/min, CS, CARBA, including adapter to 9/16" for sterile water	MP04563	234
O <sub>2</sub> flowmeter, 16 L/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04558	233
O <sub>2</sub> flowmeter, 16 L/min, CS, French Standard, ISO, M34×1.5, adapter 9/16"	MP04566	234
O <sub>2</sub> flowmeter, 16 L/min, CS, long CS plug (6 cm; 2.4 in), DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04561	233

INDEX BY PRODUCT NAME

O <sub>2</sub> flowmeter, 16 L/min, rail NIST, packed with hose 1.5 m, DIN, ISO, M34×1.5 and 9/16" for accessories and sterile water systems	MP04573	236
O <sub>2</sub> flowmeter, 16 L/min, rail NIST, packed with hose 1.5 m, DIN, neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04575	236
O <sub>2</sub> flowmeter, 16 L/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems	MP04570	237
O <sub>2</sub> flowmeter, 16 L/min, rail, NIST gas inlet, M34×1.5, adapter 9/16"	MP04567	239, 409
O <sub>2</sub> flowmeter, 32 L/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04571	234
O <sub>2</sub> flowmeter, 32 L/min, rail, NIST, M34×1.5 and Adapter 9/16"	MP04580	237
O <sub>2</sub> flowmeter, 4 L/min, CS, DIN, ISO and neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04551	233, 407
O <sub>2</sub> flowmeter, 4 L/min, rail with NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems	MP04552	236, 409
O <sub>2</sub> flowmeter, 4 L/min, rail, 90°, NIST gas inlet, M34×1.5 and 9/16" for accessories and sterile water systems	MP04553	237, 409
O <sub>2</sub> sensor capsule, for mainstream measurement	6850645	111, 396
O <sub>2</sub> sensor for Crossvent 2i+	MU24402	345
O <sub>2</sub> sensor for Isolette® C2000, 8000 and 8000 plus, reusable, 2 pcs.	MU24903	334, 336
O <sub>2</sub> sensor for MX 300 and MX 300-i, reusable	MP01442	357
O <sub>2</sub> sensor for TI 500 Globe-Trotter, reusable	MU04804	349
O <sub>2</sub> sensor housing Oxydig, for O <sub>2</sub> sensor capsule, with spiral cable	6850250	111, 396
O <sub>2</sub> sensor Oxycell, for Babyleo® TN500	6873065	111, 329, 396
O <sub>2</sub> sensor OxyTrace INCU, for Caleo®	MX01050	111, 332
O <sub>2</sub> sensor OxyTrace VE, for Savina® ventilator	MX01049	111
O <sub>2</sub> twin compact flowmeter, DIN CS, 2 × 1 – 15 L/min, 9/16"	MP05406	243

O <sub>2</sub> twin flowmeter, 2 × 10 L/min, CS, CARBA, 2 × M34×1.5, including adapter to 9/16" for sterile water	MP04555	235
O <sub>2</sub> twin flowmeter, 2 × 10 L/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16"	MP04557	235
O <sub>2</sub> twin flowmeter, 2 × 16 L/min, rail fitting with NIST gas inlet, 2 × M34×1.5, adapter 9/16"	MP04569	235, 408
O <sub>2</sub> twin flowmeter, CS, 2 × 16 L/min, CS, DIN, ISO, neutral color, M34×1.5 and 9/16" for accessories and sterile water systems	MP04560	235, 408
O <sub>2</sub> -Reservoir MR-100, 2,500 mL	5703701	96, 393
O <sub>2</sub> -Reservoir MR-100, 600 mL	5703702	96, 393
O <sub>2</sub> -Reservoir valve MR-100	5703703	96, 394
O2Star™ Connector 22 mm ID / 22 mm ID, disposable, 5 pcs.	MP01942	77
O2Star™ Connector kit for breathing circuit for Aquapor, disposable, 5 pcs.	MP01941	77
O2Star™ Connector kit, 6 mm OD/ 22 mm OD + 6 mm OD/22 mm ID w. connection tube, disposable, 5 pcs.	MP01940	77
O2Star™ Face tent, disposable, M/L, 50 pcs.	MP01925	74
O2Star™ Face tent, disposable, S, 50 pcs.	MP01933	74
O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01921	73
O2Star™ Medium concentration oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01931	73
O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, M/L, 50 pcs.	MP01920	73
O2Star™ Non-rebreather oxygen mask with connection tube 2.1 m, disposable, S, 50 pcs.	MP01930	73
O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, M/L, 50 pcs.	MP01926	73
O2Star™ Oxygen and aerosol mask with 22 mm OD, disposable, S, 50 pcs.	MP01934	73
O2Star™ Oxygen connection tube, 2.1 m, disposable, 25 pcs.	MP01927	77
O2Star™ Oxygen connection tube, 2.1 m, with 9/16" connector, disposable, 25 pcs.	MP01944	77
O2Star™ Oxygen connection tube, 4 m, disposable, 25 pcs.	MP01943	77
O2Star™ Oxygen connection tube, 4 m, with 9/16" connector, disposable, 25 pcs.	MP01945	77

INDEX BY PRODUCT NAME

O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, L, 50 pcs.	MP02926	76
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, M, 50 pcs.	MP02925	76, 385
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, S, 50 pcs.	MP02924	76, 385
O2Star™ Oxygen nasal cannula curved with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02927	76
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02934	76
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02933	76, 385
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02932	76, 385
O2Star™ Oxygen nasal cannula curved-flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02935	76
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, L, 50 pcs.	MP02930	76
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, M, 50 pcs.	MP02929	76, 385
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, S, 50 pcs.	MP02928	76, 385
O2Star™ Oxygen nasal cannula flared with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02931	76
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, L, 50 pcs.	MP02922	76
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, M, 50 pcs.	MP02921	76, 385
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, S, 50 pcs.	MP02920	76, 385
O2Star™ Oxygen nasal cannula straight with connection tube 2.1 m, disposable, XL, 50 pcs.	MP02923	76
O2Star™ Tracheostomy mask, disposable, M/L, 50 pcs.	MP01924	74
O2Star™ Tracheostomy mask, disposable, S, 50 pcs.	MP01932	74
O2Star™ Venturi mask kit, adjustable venturi valve, disposable, M/L, 25 pcs.	MP01922	75
O2Star™ Venturi mask kit, adjustable venturi valve, disposable, S, 25 pcs.	MP01935	75

O2Star™ Venturi mask kit, fixed venturi valve, disposable, M/L, 25 pcs.	MP01923	75
O2Star™ Venturi mask kit, fixed venturi valve, disposable, S, 25 pcs.	MP01936	75
Optic serial RS 232 cable (1 meter) to connect the device to a Dräger monitorAC	MS32156	199
OR aspirator Evac 40, mains plug DIN, rated voltage 230 V, 50/60 Hz	2M86752	283
Oxator head OxyLine, pressure reducer G¾", 200 bar, NIST, 2 × DIN-CS, ejector VarioO2	MP01103	248, 250
Oxator head, configurable via OxyLine®	MP00100	250
Oxett adapter plate, to mount Oxett on bed in higher position	2M86205	249
Oxett carrying frame, for Oxett head+O₂ cylinder up to 2.5 L, with secretion jar	MP04110	249
Oxett head OxyLine, pressure reducer G¾", 200 bar, NIST, flow regulator, DIN-CS, ejector VarioO2	MP01102	248, 249
Oxett head OxyLine, pressure reducer G¾", 200 bar, NIST, flowmeter, DIN-CS, ejector VarioO2	MP01101	248, 249
Oxett head, configurable via OxyLine®	MP00100	249
Oxidem 3000 demand valve incl. adapter (2120496, 2120488)	2111764	98
Oxymixer configuration, configurable Oxymixer	MP04200	244, 360
Oxymixer High Flow	MP04201	244
Oxymixer High Flow with monitor	MP04202	244
Oxymixer Low Flow	MP04203	244, 360
Oxymixer Low Flow with 1 – 15 L flowmeter right	MP04229	244, 360
Oxymixer Low Flow with monitor	MP04204	244, 360
Oxymixer oxygen sensor (spare part)	MP04221	244, 361
Oxymixer sound damper 22 and 15 mm	MP04219	244, 361
Oxymixer sound damper 9/16"	MP04218	244, 361

P Pack2Go® anesthesia pack, A, with anesthesia set + watertrap	MP01682	84
Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size L	MP01665	84
Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size M	MP01664	84

INDEX BY PRODUCT NAME

Pack2Go® Carina NIV ventilation pack with oronasal mask ClassicStar® SE, size S	MP01663	84
Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, basic, + cuvette	MP01656	83
Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, basic, 1.8 m	MP01657	83
Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, coaxial, + cuvette	MP01676	83
Pack2Go® Evita invasive vent. pack w/ breathing circuit VentStar®, coaxial, 1.8 m	MP01677	83
Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, basic, 1.8 m	MP01674	84
Pack2Go® Savina invasive ventilation pack with breathing circuit VentStar®, coaxial, 1.8 m	MP01673	84
Parking holder for CO₂ sensor	8416352	166, 198
Patient parameter unit Infinity® BISx SmartPod®	MS14796	162
Patient parameter unit Infinity® EEG Pod	5736744	163
Patient parameter unit Infinity® HemoMed Pod	5588822	150
Patient parameter unit MultiMed® 12 Pod	5589663	115
Patient parameter unit set Infinity® Trident® NMT SmartPod®	MS15007	164
Patient valve for adults, 60 mbar, volume of dead space 18 mL	5703706	96, 393
Patient valve for adults, standard	5703705	96
Patient valve for child/baby, 40 mbar, volume of dead space 18 mL	5703707	96, 393
Pediatric nasal mask MiniMe2 non vented, disposable, size M/L	MP01556	65, 367
Pediatric nasal mask MiniMe2 non vented, disposable, size S/M	MP01555	65, 367
Pediatric nasal mask MiniMe2 vented, disposable, size M/L	MP01554	65, 367
Pediatric nasal mask MiniMe2 vented, disposable, size S/M	MP01553	65, 367
PEEP valve diverter, reusable	5703708	97, 394
PEEP valve for Oxylog® 1000, disposable, adjustable from 5 – 20 mbar	2M86832	37, 97
PEEP valve for Oxylog® 1000, reusable, adjustable from 0 – 10 mbar	8407475	37, 97
Phototherapy mask Eyemax 2, disposable, micro, head circumference 20-25 cm, 20 pcs.	MP03770	353

Phototherapy mask Eyemax 2, disposable, preemie, head circumference 26-32 cm, 20 pcs.	MP03771	353
Phototherapy mask Eyemax 2, disposable, regular, head circumference 33-38 cm, 20 pcs.	MP03772	353
Plug nozzle water vacuum gauge	MP00566	294
Pneumatic medication nebulizer, for Evita® and Evita® 2	8405000	90
Pod adapter SensoNor, for connecting pressure transducer cables, 7-pin	MS23598	152
Pod adapter, 10-pin, for pressure transducer	3375958	152,159
Pod adapter, for Abbott/Medex pressure transducer	5196998	152
Pod adapter, for Argon pressure transducer (former Becton Dickinson/Ohmeda)	3375941	152
Pod adapter, for Edwards pressure transducer	5196980	152
Pod connection cable, 3 m	3368425	116, 149, 196
Pod connection cable, 30 cm	7257988	116, 196
Pod connection cable, 5 m	5195198	116, 196
Positioning aid "Hug it", reusable, size L, for patients up to 2,000 g	MP01412	354
Positioning aid "Hug it", reusable, size M, for patients up to 1,500 g	MP01416	354
Positioning aid "Hug it", reusable, size S, for patients up to 800 g	MP01415	354
Positioning aid "Hug it", reusable, size XL, for patients up to 3,000 g	MP01413	354
Positioning aid Nesting, reusable, for patients up to 1,200 g	MP01417	354
Positioning aid Set, reusable, 4 small pillows, for patients up to 1,000 g	MP01418	354
Power cable AUS, 1.8 m, 2 pin	MP00626	320, 426
Power cable BR, 1.8 m, 2 pin	MP00625	320, 426
Power cable EU, 1.8 m, 2 pin	MP00591	320, 426
Power cable GB, 1.8 m, 2 pin	MP00593	320, 426
Power cable US/JPN, 1.8 m, 2 pin	MP00592	320, 426
Power cable ZA, 1.8 m, 2 pin	MP00597	320, 426
Pressure difference flow sensor, PPSU, sterilizable	8412034	38, 109
Pressure gauge -100 kPa MRI double scale kPa/ mmHg, -100 kPa (-1000 mbar)	MP03589	279
Pressure gauge -60 kPa MRI double scale kPa/ mmHg, -60 kPa (-600 mbar)	MP03587	279



INDEX BY PRODUCT NAME

	Pressure gauge for VarioVac® + VarioAir®, double scale kPa/mmHg, -8 kPa (-80 mbar)		MP03597	293
	Pressure gauge for VarioVac® and VarioAir®,double scale kPa/mmHg, -16 kPa (-160 mbar)		MP00579	293
	Pressure gauge for VarioVac® and VarioAir®, double scale kPa/mmHg, -100 kPa (-1000 mbar)		MP00578	279
	Pressure gauge for VarioVac® and VarioAir®,double scale kPa/mmHg, -60 kPa (-600 mbar)		MP00580	279
	Pressure reducer w/ flowmeter OxyLine, G¾", 200 bar, 16 L/min, M34×1.5, 9/16", nozzle		MP01104	248
	Pressure reducer with NIST OxyLine, G¾", for 200 bar, NIST		MP01105	248
	Prong BabyFlow, standard, disposable, size L, 10 pcs.		8418531	359, 363
	Prong BabyFlow, standard, disposable, size M, 10 pcs.		8418416	359, 363
	Prong BabyFlow, standard, disposable, size S, 10 pcs.		8418605	359, 363
	Prong BabyFlow, standard, disposable, size XL, 10 pcs.		8418417	359, 363
	Prong BabyFlow, standard, disposable, size XS, 10 pcs.		8418415	359, 363
	Prong BabyFlow, standard, disposable, size XXL, 10 pcs.		8418617	359, 363
	Prong BabyFlow, wide, disposable, size 3, 10 pcs.		8418603	359, 363
	Prong BabyFlow, wide, disposable, size 4, 10 pcs.		8418607	359, 363
	Prong BabyFlow, wide, disposable, size 5, 10 pcs.		8418609	359, 363
	Prong BabyFlow, wide, disposable, size 6, 10 pcs.		8418611	359, 363
	Protection jar, PSU (polysulfone), reus., w/ rail clamp, autoclav. up to 134 °C		2M86758	277, 284
	Protective cover for general-purpose temperature probe, contains latex, 10 pcs.		7014616	142, 190, 215
Q	Quartz oscillator for Tropic 2.0, reusable		MP03308	259, 414
R	Rail clamp for F&P humidifier	8411074	87, 358, 388	
	Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail	M25739	316	
	Rail clamp lever type, for the attachment of devices to standard rail	2M85049	316	
	Rail clamp lever type, for attachment of devices to 25 × 10 mm standard rail	M26842	251, 274, 316, 424	

	Rail clamp, for 25 × 10 mm standard rail, drilling distance 22 mm, for M5 screws		M20650	316
	Rail clamp, for attachment to poles of different diameters		2M85274	316, 321, 427
	Rail claw for lamp		MP00615	321, 427
	Rail holder, for 38 mm tube		2M86185	252
	Rail holder, for catheter receptacle, 12.5 × 8.4 × 18 cm		MP00652	317, 425
	Rail set for Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder		MP03303	257, 412
	Rail set, attaches to standard rail 25 × 10 mm		G13768	319
	Rail, 100 mm for GCX profile		4118555	330
	Rainbow ReSposable system R2-20, pedi, 20 DOS and 1 ROS per box		MP03200	184
	Rainbow ReSposable system R2-25, adult, 20 DOS and 1 ROS per box		MP03199	184
	Rainbow sensor DCI, Adt		MP02971	184
	Rainbow sensor DCIP, pedi		MP02972	184
	Rainbow sensor R20-L, infant, 10 pcs.		MP02962	183
	Rainbow sensor R20, pedi, 10 pcs.		MP02960	183
	Rainbow sensor R25-L, adult, 10 pcs.		MP02961	183
	Rainbow sensor R25, adult, 10 pcs.		MP02959	183
	Rainbow sensor ReSposable R2-20a (DOS), pedi, 25 pcs.		MP02998	184
	Rainbow sensor ReSposable R2-20r (ROS), pedi, 5 pcs.		MP03202	184
	Rainbow sensor ReSposable R2-25a (DOS), adult, 25 pcs.		MP02997	184
	Rainbow sensor ReSposable R2-25r (ROS), adult, 5 pcs.		MP03201	184
	RD-SET intermediate cable for Masimo® rainbow SET Mcable, 1.5 m		MS33738	181
	RD-SET intermediate cable for Masimo® rainbow SET Mcable, 3.6 m		MS33739	181
	RD-SET intermediate cable for Masimo® SET Mcable, 1.5 m		MS33736	181
	RD-SET intermediate cable for Masimo® SET Mcable, 3.6 m		MS33737	181
	Recording paper for Infinity® R 50, 50 mm, approx. 30 m, 10 rolls		4711201	171, 406
	Restraining strap, disposable, 10 pcs.		MU06011	344, 350, 352
	Rubber plug, for immersion tube of water vacuum gauge		2M85139	293
S	Sample gas return line for Fabius®, with filter		M32692	170
	Sample line, disposable, 10 pcs.		8290286	170
	Sealing plug for Y-piece, 5 pcs.		8411024	91, 390
	Sealing rings for spiral hoses, pack of 20		M07152	98
	Seattle PAP plus		MP02260	358
	Secretion control glass		M07582	278
	Secretion jar 3 L Medela		MP03230	283

INDEX BY PRODUCT NAME

Secretion jar set with clamp		MP00646	273
Secretion jar set, with 700 mL secretion jars (2 pcs.) and 1.5 m suction hose		2M85056	251, 272, 421
Secretion jar set, with protection jar and 700 mL secretion jars (2 pcs.)		2M85607	272, 421
Secretion jar set, with rail holder and secretion jar 700 mL, for continuous drainage units		2M85163	291
Secretion jar VacuSmart® Gel, PE (Polyethylene), disposable, 700 mL, 25 pcs.		MX23025	275, 422
Secretion jar VacuSmart®, PE (Polyethylene), disposable, 700 mL, 25 pcs.		MX23023	275, 422
Secretion jar, PSU (Polysulfone), reusable, 300 mL, autoclavable up to 134°C		2M86207	278, 423
Secretion jar, PSU (Polysulfone), reusable, 700 mL, autoclavable up to 134°C		2M85594	278, 423
Sensor for respiratory mechanics and flow, disposable, adult/child, 10 pcs.		5957134	167
Sensor for respiratory mechanics and flow, disposable, neonate, 10 pcs.		5957100	167, 405
Sensor for respiratory mechanics, flow and CO <sub>2</sub> , disposable, adult/child, 10 pcs.		5957126	167
Sensor for respiratory mechanics, flow and CO <sub>2</sub> , disposable, child, 10 pcs.		5957142	167
Sensor for respiratory mechanics, flow and CO <sub>2</sub> , disposable, neonate, 10 pcs.		5957118	167, 405
Set VacuSmart® Gel and Tube, 25 pcs.		MP03211	275, 422
Shelf 3020, 30 × 20 cm		M24678	315
Shut-off valve for VarioVac®, for temporary opening and closing of suction flow		MP00570	278
Silicone hose 6 × 2.5, 2 m		5001330	277
Silicone mask, reusable, size 0, small neonate		MP01910	70, 341, 384
Silicone mask, reusable, size 00, premature baby		MP02900	70, 341, 384
Silicone mask, reusable, size 1, large neonate		MP01911	70, 341, 384
Silicone mask, reusable, size 2, small child		MP01912	70
Silicone mask, reusable, size 3, large child		MP01913	70
Silicone mask, reusable, size 4, small adult		MP01914	70
Silicone mask, reusable, size 5, large adult		MP01915	70

Simple cylinder trolley, for one gas cylinders up to a volume of 11 L		MP00038	250, 252
Skin temperature probe Premi-Probe 1, disposable, 10 pcs.		MU06933	343, 344, 349, 351
Skin temperature probe Premi-Probe 1, reusable		MU06951	343, 344, 349, 351
Skin temperature probe Premi-Probe 3, disposable, 10 pcs.		MU11228	340
Skin temperature probe Premi-Probe 3, reusable		MU11225	340
Skin temperature probe Premi-Probe 5, disposable, 10 pcs.		MU12551	335
Skin temperature probe Premi-Probe 5, reusable		MU12533	335
Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, white, peripheral, 10 pcs.		MU26042	333
Skin temperature probe Premi-Probe for Isolette® 8000 plus, disposable, yellow, central, 10 pcs.		MU26041	333
Skin temperature probe ThermoTrace, disposable, white, peripheral, 5 pcs.		MX11001	329, 331, 337
Skin temperature probe ThermoTrace, disposable, yellow, central, 5 pcs.		MX11000	329, 331, 337
Skin temperature probe, reusable, with 7-pin connector, 1.5 m		4329822	142, 190, 403
Skin temperature probe, reusable, with 7-pin connector, 3 m		5204669	142, 190, 403
Skin temperature probe, single-patient use, adult, 7-pin connector, 1.6 m		MP00995	141, 189
Skin temperature probe, single-patient use, adult, 7-pin connector, 3 m		MP00996	141, 189
Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 1.6 m		MP00997	141, 189, 403
Skin temperature probe, single-patient use, child/neonatal, 7-pin connector, 3 m		MP00998	141, 189, 403
Smart Capnoline® Plus O <sub>2</sub> , adult/intermediate, (pack of 25)		MS26188	169
Smart Capnoline® Plus, adult/intermediate, (pack of 25)		MS26187	169
Soda lime Drägersorb® 800+, for CO <sub>2</sub> absorption, canister, 5 L, 2 pcs.		MX00001	103
Soda lime Drägersorb® Free, for CO <sub>2</sub> absorption, canister, 5 L, 2 pcs.		MX50050	103
Soft connektor N, disposable, 20 pcs.		MP03826	359, 362
Spare parts set SelfTestLung, with locking brace and attachment bolt		MP02401	46

INDEX BY PRODUCT NAME

Spiral hose flowmeter/ nebulizer element	MP03322	256
SpO <sub>2</sub> adhesive sensor Dräger, cloth, disposable, baby, 24 pcs.	MS16447	127, 399
SpO <sub>2</sub> adhesive sensor Dräger, cloth, disposable, neonate, 24 pcs.	MS16446	127, 399
SpO <sub>2</sub> adhesive sensor Dräger, foam, disposable, adult, 24 pcs.	MS16445	126, 204
SpO <sub>2</sub> adhesive sensor Dräger, foam, disposable, child, 24 pcs.	MS16444	126, 204
SpO <sub>2</sub> adhesive sensor Dräger, vinyl, disposable, adult, 24 pcs.	MS16449	126, 204
SpO <sub>2</sub> adhesive sensor Dräger, vinyl, disposable, child, 24 pcs.	MS16448	126, 204
SpO <sub>2</sub> adhesive sensor Masimo® LNCS Aidx, disposable, adult, 20 pcs.	MP00790	130, 179, 205
SpO <sub>2</sub> adhesive sensor Masimo® LNCS Inf, disposable, baby, 20 pcs.	MP00791	130, 179, 205
SpO <sub>2</sub> adhesive sensor Masimo® LNCS Neo, disposable, neonate, 20 pcs.	MP00792	130, 179, 347, 401
SpO <sub>2</sub> adhesive sensor Masimo® LNCS NeoPt, disposable, premature baby, 20 pcs.	MP00794	130, 179, 347, 401
SpO <sub>2</sub> adhesive sensor Masimo® LNCS Pidx, disposable, child, 20 pcs.	MP00793	130, 179, 205
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-A, disposable, adult, cable 46 cm, 24 pcs.	MX50065	138, 188, 208
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-AL, disposable, adult, cable 91 cm, 24 pcs.	MX50071	138, 138, 208
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-Fast, disposable, application on forehead, 24 pcs.	MX50070	139, 212
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-I, disposable, child, 24 pcs.	MX50067	138, 188, 399
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-N, disposable, neonate/adult, 24 pcs.	MX50068	138, 188, 208, 399
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-P, disposable, child, 24 pcs.	MX50066	138, 188, 208
SpO <sub>2</sub> adhesive sensor Nellcor® Oximax® Max-R, disposable, application on nose, 24 pcs.	MX50069	139
SpO <sub>2</sub> adhesive square Masimo®, 12 pcs.	7496875	134, 185, 207
SpO <sub>2</sub> adhesive wrap Masimo® Multisite-Wrap, for LNOP YI	7496917	134, 185, 207, 402
SpO <sub>2</sub> adhesive wrap Masimo® Petite-Wrap, for LNOP YI	7496909	134, 185, 207, 402

SpO <sub>2</sub> adhesive wrap Masimo® Posey-Wrap, for NeoPt		
SpO <sub>2</sub> sensor, 12 pcs.	7496933	134, 185, 402
SpO <sub>2</sub> adhesive wrap Masimo®, for NeoPt SpO <sub>2</sub> sensor, 100 pcs.	7496925	134, 185, 402
SpO <sub>2</sub> extension cable, 2 m, reusable	2606487	211
SpO <sub>2</sub> finger sensor Dräger, reusable	MS13235	126, 204
SpO <sub>2</sub> finger sensor Masimo® LNCS DCI, reusable, adult	MP00796	129, 178, 205
SpO <sub>2</sub> finger sensor Masimo® LNCS DCIP, reusable, child	MP00795	129, 178, 205
SpO <sub>2</sub> finger sensor Nellcor® DURA DS 100A	7262764	137, 188, 208, 212
SpO <sub>2</sub> finger sensor, adult, 1 m, reusable	2606484	211
SpO <sub>2</sub> finger sensor, adult, 2.5 m, reusable	2606483	211
SpO <sub>2</sub> foam wrap Masimo® Foam-Wrap, neonate, LNOP YI SpO <sub>2</sub> sensor, 12 pcs.	7496891	134, 185, 207, 402
SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 1 m	3368433	125, 128, 136, 398
SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® 5/6 and NeoMed pods, 2 m	3375834	125, 128, 136, 398
SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 1.2 m	MS18683	125, 128, 136, 204, 208, 398
SpO <sub>2</sub> intermediate cable Dräger/Nellcor®, for MultiMed® Plus/Plus OR, 3 m	MS17330	125, 128, 136, 204, 208, 398
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m	MP00800	177
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 1.2 m	MS24303	128, 205, 400
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 3 m	MP00797	177
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 3 m	MS17522	128, 205, 400
SpO <sub>2</sub> intermediate cable Masimo® LNCS, 4.3 m	MP03194	177
SpO <sub>2</sub> intermediate cable Masimo® rainbow, 1.2 m	MP02974	183
SpO <sub>2</sub> intermediate cable Masimo® rainbow, 3.6 m	MP02975	183
SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 1.2 m	MP02991	177
SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 3 m	MP02992	177
SpO <sub>2</sub> intermediate cable Masimo® Red LNCS, 4.3 m	MP03196	177
SpO <sub>2</sub> Masimo® sensor LNCS-DBI, reusable, adult	MP02993	129, 178, 205
SpO <sub>2</sub> Masimo® sensor LNCS-TC-I Ear, reusable, pediatric/adult	MP00788	129, 178, 205

INDEX BY PRODUCT NAME

SpO <sub>2</sub> Masimo® sensor LNCS-TF-I, reusable, pediatric/adult	MP00799	129, 178, 205
SpO <sub>2</sub> Masimo® sensor LNCS-YI Multisite, reusable, neonate/pediatric/adult	MP00789	129, 178, 205, 401
SpO <sub>2</sub> multisite sensor Nellcor® DURA-Y™, reusable	MX01004	137, 212
SpO <sub>2</sub> multisite sensor Nellcor® Oxiband™ A/N, reusable, neonate/adult	8201013	212, 347, 399
SpO <sub>2</sub> sensor cable Masimo® LNCS, 3 m	MU24688	347
SpO <sub>2</sub> sensor cable Nellcor®, 2.4 m	MU24686	347
SpO <sub>2</sub> sensor, adult, 0.5 m, disposable, 25 pcs.	2606208	211
SpO <sub>2</sub> sensor, infant, 0.5 m, disposable, 25 pcs.	2606210	211
SpO <sub>2</sub> sensor, neonate, 0.5 m, disposable, 25 pcs.	2606211	211
SpO <sub>2</sub> sensor, pediatric, 0.5 m, disposable, 25 pcs.	2606209	211
SpO <sub>2</sub> silicone Soft-tip sensor, adult, 1 m, reusable	2606485	211
SpO <sub>2</sub> silicone Soft-tip sensor, pediatric, 1 m, reusable	2606486	211
Stable 4-wheeled cylinder trolley, holder for cylinder, for one gas cylinders up to a volume of 11 L	2M86029	250, 252
Starter kit for patient parameter unit Infinity® CNAP™ SmartPod®	MS17075	148
Starter package for Caleo®, incubator cover and positioning aids, reusable	MP01426	331, 355
Starter package for Isolette® C2000/8000/8000 plus, cover and positioning aids, reusable	MP01427	333, 355
Straight hose (3 m; 118.1 in) flowmeter/nebulizer element	M17717	256
Suction bottle with filter and tube for Isolette® 8000, disposable, 800 mL, 20 pcs.	MU10918	334, 336, 342
Suction bottle with holder for Resuscitaire, disposable, 40 mL	MU10916	342
Suction bottle, disposable, 40 mL, 10 pcs.	MU10917	342
Suction hose holder, suitable for various diameters	2M85239	274, 284, 316, 424
Suction hose, silicone, reusable, 1.5 m, for medical suction	M25780	277, 423
Suction set, disposable, VacuSmart®, 700 mL and VacuSmart® Tube, 25 pcs. each	MP00061	275, 422
Suction tube VacuSmart® Tube, PE (Polyethylene), disposable, 2 m, w/ finger tip, 25 pcs.	MX23026	275, 422
Switchover valve Medela	MP03232	283

Swivel table, reusable, for poles with Ø 38 mm	2M21186	332, 339
T-Adapter, adult, 10 pcs.	MP01085	92
T-Adapter, pediatric, 10 pcs.	MP01086	92
T-connector for Aerogen Pro, 12 mm, with plug, 5 pcs.	MP01037	91, 390
T-connector, disposable, Ø 15 mm, 25 pcs.	MU10902	342
T-piece adapter for MX 300 and MX 300-i, reusable	MP01445	357
T-piece adapter for MX300/MX300i and HI-Flow Star System, disposable, 20 pcs.	MP05508	78
T-piece adapter for MX300/MX300i and Resuscitaire® breathing circuit, disposable, 20 pcs.	MP01880	341, 357
T-piece AIR NIST	M36056	311
T-piece connector, reusable	8411044	31, 33, 44, 373, 375
T-piece connector, reusable, for F&P temperature probe	8418405	32, 374
T-piece O <sub>2</sub> NIST	M36250	311
T-piece set with plug for Aerogen Pro (N), 15 mm (0.6 in), w/ adapter 10 mm (0.4 in), 5 pcs.	MP01032	91, 390
T-piece with plug for Aerogen Pro, A, ISO 22 mm, 5 pcs.	MP01031	91
Table set for Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder	MP03302	257, 412
TCC calibration unit	MP00722	171
Tcore® adapter (reusable)	MP00999	143, 191
Tcore® extension cable	MP02201	143, 191
Tcore® mount for M540	MS33239	191
Tcore® sensor (single patient use)	MP00989	143, 191
Telemetry cable adapter, connects single-pin cable to telemetry transmitter	MS14681	124
Telemetry transmitter pouch, disposable, 100 pcs.	MS22905	209
Telescopic arm, with curtains (2 pcs.)	MP00498	318
TEMP Adapter 2-pin	MP00944	226
TEMP Adapter Jack	MP00943	226
Temperature probe adapter 900 MR 532, for F&P humidifiers	MP01007	30, 43, 89
Temperature probe skin, adult, 3 m, reusable	2601197	215
Temperature probe skin, neonate/infant, 3 m, reusable	2601200	215
Temperature probe, rectal/oral, adult, 3 m, reusable	2601198	215
Temperature probe, rectal/oral, neonatal/Infant, 3 m, reusable	2601199	215
Temperature probe/flow sensor for F&P MR 850 for all breathing circuits, 1.1 m	8414989	88, 389

INDEX BY PRODUCT NAME

T	Temperature probe/flow sensor for F&P MR 850, for all		
	breathing circuits, 1.5 m	8414966	88, 389
	Test filter	6870281	166, 198
	Test gas cylinder 5 Vol.% CO <sub>2</sub> , 95 Vol. % N <sub>2</sub>		
		6850435	166, 198
	Test lung 1.5-liter bag lung, silicone		
		8403201	46
	Test lung NeoTestLung, disposable, N, bellows, 10 pcs., not made with natural rubber latex		
		MP02425	31, 32, 33, 46, 345, 373, 374, 375, 379
	Test lung SelfTestLung, reusable, max. 1 L, not made with natural rubber latex		
		MP02400	46
	Test lung, silicone, N	8403208	46, 379
	Test lung, silicone, N, with hose	8410079	46, 379
	ToFscan® Kit configurator	MS32318	199
	ToFscan® monitor	MS32146	199
	ToFscan® to IACS connectivity kit	MS25836	199
	Towel doll Babyleo TN500, lion, orange		
		MP03737	329, 354
	Towel doll Cally, reusable, light blue or pink		
		2M30462	354
	tpO <sub>2</sub> /tpCO <sub>2</sub> solid-state electrode	4529988	171, 406
	Trolley complete	5790148	358
	Trolley for rail accessories, stainless steel, 2 rails (50 cm each), 55 × 82 × 47 cm		
		MP00090	318
	Trolley Tropic 2.0, w/ stand, hinged arm, clamp, bottle holder		
		MP03301	257, 412
	Trolley, for OR suction unit, with protection jar, w/o 4 L secretion jars		
		2M85441	283, 358
U	Tubing grommet for Caleo®, reusable, angle		
		2M50385	331
	Tubing grommet for Caleo®, reusable, flap		
		2M50412	331
	Tubing grommet for Isolette® C2000, 8000 and 8000 plus, reusable		
		MU12609	334, 336
	Tubing grommet for TI 500 and TI 500 Globe-Trotter, reusable		
		MU04366	344, 349, 351
	Tubing grommet, reusable		
		2M20434	338
	Turn knob, compl.	MP00587	321, 427
	Two-sided pump ball for air management		
		MP01590	66, 72, 386
	Ultrasonic nebulizer Tropic 2.0, basic unit with all accessories		
		MP03300	257, 412
	Universal charging station		
		MX50028	94
	Universal holder flex 15 for wall rails 25 × 8 to 35 × 10 mm w. bottle screw		
		MP00637	280
	Universal holder for wall rails 25 × 8 to 35 × 10 mm w.		
		MP00635	280
	Universal holder for wall rails 25 × 8 to 35 × 10 mm w.		
		MP00636	280

V	Universal holder profile 30 × 5 for wall rails 25 × 8 to 35 × 10 mm, for secretion jars Medela		
		MP00634	280, 284, 358
	Universal holder with groove 25 × 5 for wall rails 25 × 8 to 35 × 10 mm, for compact suction system and secretion jar set		
		2M86757	280, 284
	Universal hose clip, for Hinged arm Infinity ACS (MP00690)		
		MP00692	325
	Universal laryngoscope set, reusable		
		MX03300	93
	Universal pole mount		
		7485621	116, 149, 150
	VAC CS hose 1.5 m (4.9 ft)		
		M36299	308
	DISSB EN HAND		
		M35431	298
	VAC CS hose 1.5 m (4.9 ft)		
		M35404	300
	NIST BS straight		
		M35404	300
	VAC CS hose 1.5 m (4.9 ft)		
		M36826	304
	NIST EN AS		
		M36826	304
	VAC CS hose 1.5 m (4.9 ft)		
		M35395	299
	NIST EN BS		
		M35395	299
	VAC CS hose 1.5 m (4.9 ft)		
		M35477	302
	NIST EN Carba		
		M35477	302
	VAC CS hose 1.5 m (4.9 ft)		
		M35498	295
	NIST EN DIN		
		M35498	295
	VAC CS hose 1.5 m (4.9 ft)		
		M35422	297
	NIST EN NF		
		M35422	297
	VAC CS hose 1.5 m (4.9 ft)		
		M35386	301
	NIST EN SS		
		M35386	301
	VAC CS hose 1.5 m (4.9 ft)		
		M35413	303
	NIST EN UNI		
		M35413	303
	VAC CS hose 1.5 m (4.9 ft)		
		M36013	296
	NIST NEUTRAL DIN		
		M36013	296
	VAC CS hose 1.5 m (4.9 ft)		
		M35455	297
	NIST NEUTRAL NF		
		M35455	297
	VAC CS hose 3 m (9.8 ft)		
		M36300	308
	DISSB EN HAND		
		M36300	308
	VAC CS hose 3 m (9.8 ft)		
		M35432	298
	NF EN NF		
		M35432	298
	VAC CS hose 3 m (9.8 ft)		
		M35405	300
	NIST BS straight		
		M35405	300
	VAC CS hose 3 m (9.8 ft)		
		M36827	304
	NIST EN AS		
		M36827	304
	VAC CS hose 3 m (9.8 ft)		
		M35396	299
	NIST EN BS		
		M35396	299
	VAC CS hose 3 m (9.8 ft)		
		M35478	302
	NIST EN Carba		
		M35478	302
	VAC CS hose 3 m (9.8 ft)		
		M35499	295
	NIST EN DIN		
		M35499	295
	VAC CS hose 3 m (9.8 ft)		
		M35423	297
	NIST EN NF		
		M35423	297
	VAC CS hose 3 m (9.8 ft)		
		M35387	301
	NIST EN SS		
		M35387	301
	VAC CS hose 3 m (9.8 ft)		
		M35414	303
	NIST EN UNI		
		M35414	303
	VAC CS hose 3 m (9.8 ft)		
		M36014	296
	NIST NEUTRAL DIN		
		M36014	296

INDEX BY PRODUCT NAME

V	VAC CS hose 3 m (9.8 ft)		
		M35456	297
	NIST NEUTRAL NF		
		M35456	297
	VAC CS hose 5 m (16.4 ft)		
		M35820	305
	DISS JIS KAWA		
		M35820	305
	VAC CS hose 5 m (16.4 ft)		
		M36301	308
	DISSB EN HAND		
		M36301	308
	VAC CS hose 5 m (16.4 ft)		
		M35433	298
	NF EN NF		
		M35433	298
	VAC CS hose 5 m (16.4 ft)		
		M35406	300
	NIST BS straight		
		M35406	300
	VAC CS hose 5 m (16.4 ft)		
		M36828	304
	NIST EN AS		
		M36828	304
	VAC CS hose 5 m (16.4 ft)		
		M35397	299
	NIST EN BS		
		M35397	299
	VAC CS hose 5 m (16.4 ft)		
		M35479	302
	NIST EN Carba		
		M35479	302
	VAC CS hose 5 m (16.4 ft)		
		M36000	295
	NIST EN DIN		
		M36000	295
	VAC CS hose 5 m (16.4 ft)		
		M35424	297
	NIST EN NF		
		M35424	297
	VAC CS hose 5 m (16.4 ft)		
		M35388	301
	NIST EN SS		
		M35388	301
	VAC CS hose 5 m (16.4 ft)		
		M35415	303
	NIST EN UNI		
		M35415	303
	VAC CS hose 5 m (16.4 ft)		
		M36015	296
	NIST NEUTRAL DIN		
		M36015	296
	VAC CS hose 5 m (16.4 ft)		
		M35457	297
	NIST NEUTRAL NF		
		M35457	297
	Vacuum aspirator DISS Canada, version for Perseus A500		
		MP00687	265
	Vacuum aspirator DISS, version for Perseus A500		
		MP00686	265
	Vacuum aspirator NIST, version for Perseus A500		
		MP00689	265
	Vacuum lamp for blade (size 00 – 1)		
		MX03316	93, 391
	Vacuum lamp for blade (size 2 – 5)		
		MX03311	93
	Vacuum regulator dual VarioVac® B/OR Rail, for bronchial suction, gas connection VAC		
		MP00516	262, 282
	Vacuum regulator VarioVac® B AGA, for bronchial suction, gas connection VAC		
		MP00504	262
	Vacuum regulator VarioVac® B BS, for bronchial suction, gas connection VAC		
		MP00502	262
	Vacuum regulator VarioVac® B CARBA, for bronchial suction, gas connection VAC		
		MP00514	262
	Vacuum regulator VarioVac® B B, compact, for bronchial suction, gas connection VAC		
		MP00506	270
	Vacuum regulator VarioVac® B DIN, for bronchial suction, gas connection VAC		
		MP00501	262
	Vacuum regulator VarioVac® B NF, for bronchial suction, gas connection VAC		
		MP00503	262

Vacuum regulator VarioVac® B/OR Rail, for bronchial suction, gas connection VAC	MP00505	262, 282
Vacuum regulator VarioVac® D AGA, for continuous and wound drainage, gas connection VAC	MP00510	286
Vacuum regulator VarioVac® D BS, for continuous and wound drainage, gas connection VAC	MP00508	286
Vacuum regulator VarioVac® D CARBA, for continuous and wound drainage, gas connection VAC	MP00515	286
Vacuum regulator VarioVac® D DIN, for continuous and wound drainage, gas connection VAC	MP00507	286
Vacuum regulator VarioVac® D NF, for continuous and wound drainage, gas connection VAC	MP00509	286
Vacuum regulator VarioVac® D Rail, for continuous and wound drainage, gas connect. VAC	MP00511	286, 415
Vacuum regulator VarioVac® MRI B/OR Rail, for bronchial suction, gas connection VAC	MP03222	263
Vacuum regulator VarioVac® MRI P Rail, for bronchial suction, gas connection VAC	MP03223	263, 416
Vacuum regulator VarioVac® P compact, for bronchial suction, gas connection VAC	MP00661	270, 417
Vacuum regulator VarioVac® P Rail, for bronchial suction, gas connection VAC	MP00660	263, 426
Vacuum regulator VarioVac® T DIN, for thoracic drainage, gas connection VAC	MP00664	287
Vacuum regulator VarioVac® T Rail WV, for thoracic drainage, gas connection VAC, water vacuum gauge included	MP00512	287, 291
Vacuum regulator VarioVac® T Rail, for thoracic drainage, gas connection VAC	MP00663	287
Vacuum suction DISS Canada for bronchial suction, gas connection VAC	MK03320	264
Vacuum suction DISS for bronchial suction, gas connection VAC	MK03140	264
Vacuum suction NIST for bronchial suction, gas connection VAC	MK01422	264
Ventilation hose holder, reusable, 40 cm	8411075	330, 332
Ventilation valve for Oxylog® 1000, reusable	2M86800	37
Ventilation valve for Oxylog® 2000/3000, reusable	8412001	38



INDEX BY PRODUCT NAME

VentStar® Breathing Bag 0.5 L, 25 pcs.	MP02710	15, 368
VentStar® Breathing Bag 1 L, 25 pcs.	MP02711	15
VentStar® Breathing Bag 2 L, 25 pcs.	MP02712	15
VentStar® Breathing Bag 3 L, 25 pcs.	MP02713	15
VentStar® Helix, dual heated, 10 pcs.	MP02606	20
VentStar® Helix, heated, 10 pcs.	MP02607	20
Vista 120 printing paper, 4 rolls	2606231	223
Vista 120 rechargeable Lithium-Ion battery	2606229	223

W	Wall holder, with fixing screws, for compact suction unit and secretion jar set	M26859	274, 424
	Warming mattress TransWarmer®, disposable, self warming for approx. 2 h, 6 pcs.	MP01414	356
	Water bag holder 900 MR 290	MP01008	87
	Water container with screw thread and gaskets	MP00565	294
	Water container, for continuous drainage system 2 – 4, w/o screw thread	M20668	293
	Water nozzle for humidity pad, disposable, 25 pcs.	MU25426	345
	Water tank and water transfer hose, for Caleo®, reusable	2M50040	332
	Water transfer hose for Caleo® and Babyleo TN500, disposable, 20 pcs.	MX17018	330, 332
	Water trap for Evita® 2 dura, Evita® 4, Evita® XL, reusable	8413125	80
	Water trap Infinity® ID		
	WaterLock® 2, 12 pcs.	6872020	170
	Water trap, reusable, A	8404985	28, 30, 35, 44
	Water trap, reusable, N	8409627	27, 31, 32, 33, 44, 372, 373, 374, 375
	Water trap, reusable, P	8404760	27, 372
	Water vacuum gauge, for thor. drainage	MP00518	291
	Watertrap WaterLock® 2, 12 pcs.	6872130	170

X	Xenon lamps for battery grip, 2.5 V	MX03328	94, 392
---	-------------------------------------	---------	---------

Y	Y-cable CO <sub>2</sub> and analog/sync	MS22259	166, 198
	Y-cable, reusable, 7-pin connector, for 2 temperature probes	5592154	141, 189
	Y-piece, polyamide, reusable, A, angled, without Luer Lock	M25682	42
	Y-piece, polyamide, reusable, A, straight	M25650	42

Y-piece, polyamide, reusable, A, with angled Luer Lock	M33278	34, 35, 42
Y-piece, reusable, for Dräger temperature probe	8405435	28, 43
Y-piece, reusable, for temperature probe adapter 900 MR 532	8412888	29, 30, 43
Y-piece, reusable, P, angled, with suction opening	8403075	27, 31, 36, 43, 372, 373, 376, 378
Y-piece, reusable, P, straight	M27077	43, 376, 378

Not all products, features, or services are for sale in all countries.

Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to [www.draeger.com/trademarks](http://www.draeger.com/trademarks) to find the current status.

#### **CORPORATE HEADQUARTERS**

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany

[www.draeger.com](http://www.draeger.com)

#### **Manufacturer:**

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany

#### **REGION DACH**

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany  
Tel +49 451 882 0  
Fax +49 451 882 2080  
[info@draeger.com](mailto:info@draeger.com)

#### **REGION EUROPE**

Drägerwerk AG & Co. KGaA  
Moislinger Allee 53–55  
23558 Lübeck, Germany  
Tel +49 451 882 0  
Fax +49 451 882 2080  
[info@draeger.com](mailto:info@draeger.com)

#### **REGION MIDDLE EAST, AFRICA**

Drägerwerk AG & Co. KGaA  
Branch Office  
P.O. Box 505108  
Dubai, United Arab Emirates  
Tel +971 4 4294 600  
Fax +971 4 4294 699  
[contactuae@draeger.com](mailto:contactuae@draeger.com)

#### **REGION ASIA / PACIFIC**

Draeger Singapore Pte. Ltd.  
25 International Business Park  
#04-20/21 German Centre  
Singapore 609916  
Tel +65 6308 9400  
Fax +65 6308 9401  
[asia.pacific@draeger.com](mailto:asia.pacific@draeger.com)

#### **REGION NORTH AMERICA**

Draeger, Inc.  
3135 Quarry Road  
Telford, PA 18969-1042, USA  
Tel +1 800 4DRAGER  
(+1 800 437 2437)  
Fax +1 215 723 5935  
[info.usa@draeger.com](mailto:info.usa@draeger.com)

#### **REGION CENTRAL AND SOUTH AMERICA**

Dräger Panama S. de R.L.  
59 East Street, Nuevo Paitilla,  
House 30, San Francisco Town  
Panama City, Panama  
Tel +507 377 9100  
Fax +507 377 9130  
[servicioalcliente@draeger.com](mailto:servicioalcliente@draeger.com)

Locate your Regional Sales  
Representative at:  
[www.draeger.com/contact](http://www.draeger.com/contact)

